

**Enhanced emission of intermediate/semi-volatile organic matters in both gas
and particle phases from ship exhausts with low-sulfur fuels**

Binyu Xiao, Fan Zhang*, Zeyu Liu, Yan Zhang, Rui Li, Can Wu, Xinyi Wan, Yi
Wang, Yubao Chen, Yong Han, Min Cui, Libo Zhang, Yingjun Chen, Gehui Wang*

Table S1 Detailed parameters of the test three ocean-going vessels (OGVs) and four inland cargo ships (ICSs)

Ship ID	Type	Tonnage (kt)	Main engine	Auxiliary engine	Ship age (year)
OGV1	Ocean going vessel	180.0	2-stroke, 15748 kW, 75 rpm	4-stroke, 1280 kW, 900 rpm	0
OGV2	Ocean going vessel	110.0	2-stroke, 13500 kW, 91.1 rpm	4-stroke, 900 kW, 900 rpm	0
OGV3	Ocean going vessel	210.0	2-stroke, 15745 kW, 75rpm	4-stroke, 1180 kW, 900 rpm	0
ICS1	Inland cargo ship	0.90	4-stroke, 255 kW, 1000 rpm	-	14
ICS2	Inland cargo ship	0.98	4-stroke, 300 kW, 1000 rpm	-	12
ICS3	Inland cargo ship	0.80	4-stroke, 145 kW, 1000 rpm	-	6
ICS4	Inland cargo ship	0.39	4-stroke, 138 kW, 1500 rpm	-	10

Table S2 Parameters of the fuels used in the test ships.

	Unit	OGV1 /HFO	OGV1 /MGO	OGV2 /HFO	OGV2 /MGO	OGV3 /HFO	OGV3 /MGO	ICS /0#/diesel
Gross calorific value	MJ kg ⁻¹	44.21	45.76	42.62	45.72	43.08	45.64	
Net calorific value	MJ kg ⁻¹	41.45	42.75	40.28	42.71	40.61	42.66	
Kinematic viscosity	(50°C), mm ² /s	44.04						
Kinematic viscosity	(20°C), mm ² /s		5.216	152.3	4.724	161.1	5.363	
Moisture	%m	0.03	N.D.	0.09	N.D.	0.12	N.D.	
Ash	%m							
Sulfur (S)	%m	0.50	0.03	0.43	0.02	0.43	0.05	N.D.
Carbon (C)	%m	86.62	80.80	82.4	79.6	69.9	66.5	85.5
Hydrogen (H)	%m	11.33	8.15	9.68	12.3	11.3	10.61	
Nitrogen (N)	%m	N.D.	N.D.	0.39	N.D.	2.36	N.D.	
Oxygen (O)	%m	0.36	N.D.	1.53	0.59	1.34	0.73	
Vanadium (V)	mg kg ⁻¹			N.D.	0.20	4.00	N.D.	
Nickel (Ni)	mg kg ⁻¹			16.0	0.10	15.0	N.D.	
Sodium (Na)	mg kg ⁻¹			6.00	0.10	8.00	0.10	
Lead (Pb)	mg kg ⁻¹			N.D.	0.30	N.D.	N.D.	
Zinc (Zn)	mg kg ⁻¹			2.00	0.40	8.00	0.20	
Aluminum + Silicon (Al + Si)	mg kg ⁻¹			8.00	0.80	12.0	0.90	




Figure S1 Schematic diagram of on-board measurement system

Table S3 The identified I/SVOC species in this study

Compounds	Abbreviation	M/Z	Detection limit (ng/m ³)	Recovery (%)	classification
(I) n-Alkanes					
Dodecane	C ₁₂	170	0.11	86	IVOC
Tridecane	C ₁₃	184	0.12	84	IVOC
Tetradecane	C ₁₄	198	0.12	91	IVOC
Pentadecane	C ₁₅	212	0.12	90	IVOC
Hexadecane	C ₁₆	226	0.12	83	IVOC
Heptadecane	C ₁₇	240	0.12	81	IVOC
Octadecane	C ₁₈	254	0.26	83	IVOC
Nonadecane	C ₁₉	268	0.25	85	IVOC
Icosane	C ₂₀	282	0.26	82	IVOC
Henicosane	C ₂₁	296	0.20	89	IVOC
Docosane	C ₂₂	310	0.15	92	IVOC
Tricosane	C ₂₃	324	0.56	93	SVOC
Tetracosane	C ₂₄	338	0.29	95	SVOC
Pentacosane	C ₂₅	352	0.11	80	SVOC
Hexacosane	C ₂₆	366	0.45	88	SVOC
Heptacosane	C ₂₇	380	0.24	96	SVOC
Octacosane	C ₂₈	394	0.61	98	SVOC
Nonacosane	C ₂₉	408	0.65	84	SVOC
Triacontane	C ₃₀	422	0.56	96	SVOC
Hentriacontane	C ₃₁	436	0.76	92	SVOC
Dotriacontane	C ₃₂	450	0.37	90	SVOC
Tritriacontane	C ₃₃	464	0.11	84	SVOC
Tetratriacontane	C ₃₄	478	0.20	86	SVOC
Pentatriacontane	C ₃₅	492	0.21	93	SVOC
Hexatriacontane	C ₃₆	506	0.12	92	SVOC
(II)PAHs					
Phenanthrene	Phe	178	0.11	79	IVOC
Anthracene	Ant	178	0.02	80	IVOC
Fluoranthene	Flu	202	0.13	86	IVOC
Pyrene	Pyr	202	0.10	84	IVOC
Benz(a)anthracene	BaA	228	0.04	83	IVOC
Chrysene / Triphenylene	Chr/TP	228	0.25	85	IVOC
Benzo(b)fluoranthene	BbF	252	0.34	89	IVOC
Benzo(k)fluoranthene	BkF	252	0.11	93	IVOC
Benzo(a)pyrene	BaP	252	0.28	92	IVOC
Benzo(e)pyrene	BeP	252	0.09	95	IVOC
Perylene	Pery	252	0.02	83	IVOC
Indeno[123-cd]pyrene	IP	276	0.14	86	SVOC
Dibenz(a,h)anthracene	DBA	278	0.02	88	SVOC
Benzo(ghi)perylene	BghiP	276	0.10	89	SVOC
(III) OPAHs					
1-Naphthaldehyd	1-Nap	156	0.01	80	IVOC
9-Fluorenone	9-FO	180	0.01	97	IVOC
Anthraquinone	ATQ	208	0.01	98	IVOC
Benzanthrone	BZA	230	0.01	93	IVOC

Benzo(a)anthracene-7,12-dione	7,12-BaAQ	304	0.02	91	IVOC
1,4-Chrysenequione	1,4-CQ	258	0.01	99	SVOC
5,12-Naphthacenequione	5,12-NAQ	318	0.04	93	SVOC
6H-Benzo(cd)pyrene-6-one	BPYRone	254	0.01	97	SVOC
<hr/>					
(IV) Fatty acids					
Capric Acid	C _{10:0}	172	0.32	93	IVOC
Undecanoic Acid	C _{11:0}	186	0.48	94	IVOC
Dodecanoic	C _{12:0}	200	0.75	93	IVOC
Tridecanoic	C _{13:0}	214	0.58	91	IVOC
Tetradecanoic	C _{14:0}	228	0.17	91	IVOC
Pentadecanoic	C _{15:0}	242	4.20	88	IVOC
Hexadecanoic	C _{16:0}	256	0.30	84	IVOC
Heptadecanoic	C _{17:0}	270	0.16	86	IVOC
Octadecanoic	C _{18:0}	284	0.56	91	IVOC
Octadecenoic	C _{18:1}	282	0.22	91	IVOC
Nonadecanoic	C _{19:0}	298	0.31	95	IVOC
Eicosanoic	C _{20:0}	312	0.95	92	IVOC
Heneicosanoic	C _{21:0}	326	0.95	93	IVOC
Docosanoic	C _{22:0}	340	0.93	88	IVOC
<hr/>					
(V) Aromatic acids					
o-Phthalic acid	O-Ph	166	0.11	95	IVOC
m-Phthalic acid	M-Ph	166	0.05	92	IVOC
p-Phthalic acid	P-Ph	166	0.11	96	IVOC
<hr/>					
(VI) Hopanes					
17 α (H)-22,29,30-trisnorhopane	C _{27a}	191	0.08	86	SVOC
17 β (H)-22,29,30-trisnorhopane	C _{27b}	191	0.03	86	SVOC
17 α (H),21 β (H)-30-norhopane	C _{29ab}	191	0.26	93	SVOC
17 β (H),21 α (H)-30-norhopane	C _{29ba}	191	0.04	89	SVOC
17 α (H),21 β (H)-hopane	C _{30ab}	191	0.19	94	SVOC
17 β (H),21 α (H)-hopane	C _{30ba}	191	0.01	86	SVOC
17 α (H),21 β (H)-22S-homohopane	C _{31ab S}	191	0.01	88	SVOC
17 α (H),21 β (H)-22R-homohopane	C _{31ba S}	191	0.01	84	SVOC
17 β (H),21 α (H)-homohopane	C _{31ba}	191	0.01	82	SVOC
17 α (H),21 β (H)-22S-bishomohopane	C _{32ab S}	191	0.01	86	SVOC
17 α (H),21 β (H)-22R-bishomohopane	C _{32ab R}	191	0.01	82	SVOC

M/Z: Mass-to-charge ratio

Table S4 SOA yields used in this study

Carbon Number	N-alkanes	B-alkanes	PAHs	UCM	Data sources
12	0.01	0.0017	0.28	0.01	
13	0.019	0.0035	0.40	0.019	
14	0.033	0.007	0.49	0.033	
15	0.055	0.013	0.62	0.055	
16	0.089	0.024	0.70	0.089	
17	0.14	0.042	0.75	0.14	
18	0.23	0.073	0.79	0.23	
19	0.37	0.12	0.82	0.37	
20	0.56	0.20	0.82	0.56	
21	0.77	0.32	0.82	0.77	
22	0.96	0.47	0.82	0.96	N-alkanes and B-alkanes from Gentner et al. (2012);
23	1.08	0.61	0.82	1.08	
24	1.14	0.70	0.82	1.14	PAHs from Zhao et al. (2014).
25	1.16	0.75	0.82	1.16	
26	1.16	0.75	0.82	1.16	
27	1.16	0.75	0.82	1.16	
28	1.16	0.75	0.82	1.16	
29	1.16	0.75	0.82	1.16	
30	1.16	0.75	0.82	1.16	
31	1.16	0.75	0.82	1.16	
32	1.16	0.75	0.82	1.16	
33	1.16	0.75	0.82	1.16	
34	1.16	0.75	0.82	1.16	
35	1.16	0.75	0.82	1.16	
36	1.16	0.75	0.82	1.16	

Note: The yield of $\text{SOA}_{\text{n-alkane}}$ after carbon number 25 was estimated by pentacosane, while yield of $\text{SOA}_{\text{b-alkane}}$ after carbon number 25 was also estimated by 25th b-alkane, yield of SOA_{UCM} was replaced with data from n-alkane, and other substances were replaced with corresponding data from n-alkanes based on their volatility distribution.(Gentner et al., 2012; Zhao et al., 2014)

Table S5 Reaction constant of OH radicals used in this study

Carbon Number	N-alkanes	B-alkanes	PAHs	UCM	Data sources
12	1.32E-11	1.32E-11	2.30E-11	1.32E-11	
13	1.51E-11	1.51E-11	4.86E-11	1.51E-11	
14	1.68E-11	1.68E-11	6.00E-11	1.68E-11	
15	1.82E-11	1.82E-11	8.00E-11	1.82E-11	
16	1.96E-11	1.96E-11	8.00E-11	1.96E-11	
17	2.10E-11	2.10E-11	2.10E-11	2.10E-11	Zhao et al. (2014)
18	2.24E-11	2.24E-11	2.24E-11	2.24E-11	
19	2.38E-11	2.38E-11	2.38E-11	2.38E-11	
20	2.52E-11	2.52E-11	2.52E-11	2.52E-11	
21	2.67E-11	2.67E-11	2.67E-11	2.67E-11	
22	2.81E-11	2.81E-11	2.81E-11	2.81E-11	

Table S6 Profiles of I/SVOCs in ship exhausts under different fuels(%)

Compounds	HFO	MGO	0# diesel
(I) Acids			
O-Ph	0.54±0.13	0.89±0.67	0.55±0.99
M-Ph	0.12±0.01	0.19±0.12	0.18±0.40
P-Ph	0.58±0.24	1.02±0.85	0.34±0.48
C _{10:0}	0.40±0.15	0.61±0.38	0.95±1.54
C _{11:0}	2.07±0.11	3.05±0.25	3.09±0.97
C _{12:0}	0.71±0.13	5.89±0.46	4.50±2.60
C _{13:0}	0.25±0.12	0.43±0.10	0.66±0.47
C _{14:0}	1.31±0.03	10.1±0.36	5.31±1.52
C _{15:0}	0.86±0.06	3.60±0.20	2.17±1.02
C _{16:0}	0.39±0.02	0.67±1.58	0.52±4.79
C _{17:0}	0.30±0.10	0.91±0.05	0.99±0.38
C _{18:0}	4.39±0.04	2.39±1.09	5.16±4.92
C _{18:1}	4.84±0.03	3.39±0.43	0.54±2.20
C _{19:0}	0.28±0.02	0.70±0.04	0.61±0.18
C _{20:0}	0.41±0.05	1.92±0.13	0.80±0.24
C _{21:0}	0.14±0.17	0.67±0.02	0.70±0.11
C _{22:0}	0.34±0.17	2.09±0.03	0.74±0.28
(II) n-Alkanes			
C ₁₂	0.12±0.07	0.16±0.03	0.12±0.12
C ₁₄	0.14±0.06	0.28±0.06	0.52±0.69
C ₁₅	0.38±0.37	0.63±0.14	1.18±2.46
C ₁₆	0.88±1.35	0.72±0.15	2.38±5.48
C ₁₇	2.41±3.62	3.04±2.24	4.56±8.84
C ₁₈	3.45±4.36	3.04±3.55	3.00±7.08
C ₁₉	4.95±0.42	3.31±2.83	3.34±7.61
C ₂₀	4.83±0.09	2.28±1.98	2.43±6.08
C ₂₁	4.21±2.22	2.20±1.51	2.13±5.05
C ₂₂	3.48±0.17	1.94±1.55	1.54±3.62
C ₂₃	3.06±1.67	1.61±1.51	1.21±2.88
C ₂₄	2.85±0.16	1.74±1.35	0.98±2.19

C ₂₅	2.87±4.80	1.46±0.86	2.94±5.83
C ₂₆	2.43±0.38	1.02±0.60	1.55±3.66
C ₂₇	2.20±0.11	0.92±0.52	2.23±5.31
C ₂₈	1.79±0.48	0.70±0.32	1.50±3.48
C ₂₉	1.57±0.08	0.61±0.26	0.83±1.37
C ₃₀	1.14±2.11	0.36±0.16	0.65±1.26
C ₃₁	1.02±1.90	0.29±0.17	0.46±0.79
C ₃₂	0.70±1.43	0.19±0.12	0.47±1.06
C ₃₃	0.54±1.15	0.17±0.11	0.49±1.35
C ₃₄	0.35±0.76	0.18±0.08	0.33±0.89
C ₃₅	0.30±0.37	0.11±0.02	0.21±0.05
C ₃₆	0.10±0.02	0.11±0.01	0.15±0.04
<hr/>			
(III) PAHs			
Phe	0.81±0.13	0.72±0.10	0.77±0.23
Ant	0.06±0.01	0.04±0.01	0.09±0.01
Flu	0.29±0.24	0.18±0.12	0.22±0.28
Pyr	0.18±0.15	0.10±0.04	0.22±0.32
BaA	0.07±0.11	0.06±0.03	0.05±0.05
Chr/TP	0.10±0.13	0.06±0.09	0.03±0.05
BbF	0.10±0.12	0.07±0.06	0.10±0.11
BkF	0.03±0.03	0.04±0.01	0.08±0.03
BaP	0.04±0.06	0.01±0.02	0.02±0.04
BeP	0.08±0.02	0.12±0.01	0.03±0.01
Pery	0.02±0.01	0.04±0.01	0.00±0.01
IP	0.03±0.04	0.04±0.01	0.05±0.01
DBA	0.02±0.02	0.03±0.01	0.03±0.02
BghiP	0.02±0.01	0.02±0.01	0.02±0.00
<hr/>			
(IV)OPAHs			
1-Nap	3.66±0.17	3.96±0.47	7.46±6.30
9-FO	0.17±0.17	0.26±0.36	0.17±0.23
ATQ	1.21±0.97	1.22±0.41	0.92±0.42
BZA	0.08±0.07	0.08±0.05	0.16±0.08
7,12-BaAQ	3.66±0.17	3.96±0.47	7.46±6.30
1,4-CQ	0.00±0.00	0.00±0.00	0.00±0.00
5,12-NAQ	0.00±0.00	0.00±0.00	0.00±0.00
BPYRone	0.00±0.00	0.00±0.00	0.00±0.00
<hr/>			
(V)Hopanes			
C _{27a}	0.24±0.42	0.13±0.06	0.09±0.13
C _{27b}	0.05±0.09	0.07±0.09	0.02±0.01
C _{29ab}	1.07±2.22	0.49±0.54	0.25±0.66
C _{29ba}	0.09±0.17	0.05±0.04	0.03±0.08
C _{30ab}	0.85±1.67	0.37±0.37	0.25±0.63
C _{30ba}	0.10±0.16	0.05±0.04	0.05±0.12
C _{31ab S}	0.39±0.80	0.17±0.18	0.06±0.15
C _{31ba S}	0.21±0.38	0.10±0.09	0.09±0.23
C _{31ba}	0.05±0.11	0.04±0.05	0.02±0.05
C _{32ab S}	0.24±0.48	0.10±0.11	0.06±0.14
C _{32ab R}	0.03±0.08	0.04±0.05	0.01±0.01

Table S7 Abbreviations used in this article and their definitions

Abbreviations	Full name
IMO	International Maritime Organization
MARPOL	International Convention for the Prevention of Pollution from Ships
SECA	Sulfur Emission Control Area
STEAM	Ship Traffic Emissions Assessment Model
SOA	secondary organic aerosol
POA	primary organic aerosols
VOC	volatile organic compounds
IVOC	intermediate organic compounds
SVOC	intermediate organic compounds
OGV	ocean-going vessel
ICS	inland cargo ship
HSF	high-sulfur fuel
LSF	low-sulfur fuel
HFO	heavy fuel oil
MGO	marine gas oil
WCO	waste cooking oil
ME	main engine
AE	auxiliary engine
LSE	low-speed engine
MSE	medium-speed engine
SOAFP	secondary organic aerosol formation potential
UCM	unresolved complex mixture
PAH	polycyclic aromatic hydrocarbon
OPAH	oxygenated polycyclic aromatic hydrocarbons
b-alkane	branched alkanes

References:

- Gentner, D. R., Isaacman, G., Worton, D. R., Chan, A. W. H., Dallmann, T. R., Davis, L., Liu, S., Day, D. A., Russell, L. M., Wilson, K. R., Weber, R., Guha, A., Harley, R. A., and Goldstein, A. H.: Elucidating secondary organic aerosol from diesel and gasoline vehicles through detailed characterization of organic carbon emissions, Proc. Natl. Acad. Sci. U. S. A., 109, 18318-18323, 10.1073/pnas.1212272109, 2012.
- Zhao, Y., Hennigan, C. J., May, A. A., Tkacik, D. S., de Gouw, J. A., Gilman, J. B., Kuster, W. C., Borbon, A., and Robinson, A. L.: Intermediate-Volatility Organic Compounds: A Large Source of Secondary Organic Aerosol, Environ. Sci. Technol., 48, 13743-13750, 10.1021/es5035188, 2014.