1 Documentary evidence of urban droughts and their impact in the

eastern Netherlands: the cases of Deventer and Zutphen, 1500–

з **1795**

- 4 Dániel Johannes Moerman¹
- 5 ¹Faculty of Humanities, Department of Art and Culture, History, Antiquity, Vrije Universiteit Amsterdam, De
- 6 Boelelaan 1105, 1081 HV, Amsterdam
- Correspondence to: Dániel Moerman d.j.moerman@vu.nl

Abstract: Compared to other parts of Europe, very little is known about pre-instrumental drought periods in the Netherlands. Existing reconstructions are based primarily on data from England, France, and Germany, while more precise, local studies on drought and its impact are still absent. This article thus aims to further-expand our knowledge of droughts in the Netherlands between 1500 and 1795, by focusing specifically on drought in an urban context to provide a more precise and local idea of the impact and severity of drought. The main case studies are cities in the eastern part of the country, Deventer and Zutphen. Both cities lay in relative close proximity to each other and share similar geological and hydrological conditions, as well as extensive archives that can be used to gather documentary data regarding historical drought periods. The three primary aims of the article are: 1) to examine the potential use of documentary data from the city archives of Deventer and Zutphen for historical drought reconstruction; 2) to establish droughts for both cities on the basis of the year, month/season in which they took place, as well as ranking the droughts according to the impact-based Historical Severity Drought Scale (HSDS) and 3) to compare the data from this analysis with that of other indices. In the end, the article strengthens the need to focus on documentary data from local case studies regarding drought, not only to provide more precise local reconstructions of drought-severity compared to regional studies, but also to take into account the long-term effects on urban waterscapes and the provisioning of fresh water.

1. Introduction

In recent years, droughts have become a more pressing topic of research. Worldwide, droughts of varying severity affect societies, whether on an agricultural, hydrological, or on wider socio-economic level, which is expected to increase within the current trends of climatic change (Kchouk et. al., 2021; Savelli et. al., 2022; Spinoni et. al., 2018). The study of past droughts for the pre-instrumental period on the basis of documentary evidence and natural proxies, such as dendroclimatology, has displayed the possibility to reconstruct drought-events and their societal impact in Europe, which has led to the development of several historical drought reconstructions and indices. (Bauch et. al., 2020; Brázdil et. al., 2016/2018/2019/2020; Camenisch et. al., 2020; Garnier , 2019; Kiss, 2017/2020; Leijonhufvud and Retsö, 2021; Piervitali and Colacino, 2001; Pribyl and Cornes, 2020; Stangl and Foelsche, 2022). However, very little to no historical drought data exists for the Netherlands. The limited data available from the voluminous works of Buisman (1995/1996/1998/2000/2006/2015) is based primarily on reconstructions and sources from England, France and Germany, and sporadic sources from across the Netherlands. A recent study by Camenisch and Salvisberg (2020), has emphasised the need to analyse regional

Field Code Changed

and local aspects of droughts by studying geographically limited source samples, such as municipal data from city archives. Compared with other, supra-regional drought indices, this can lead to a more detailed understanding of the extent and severity of certain droughts on a local level, while also providing insights into previously unknown droughts. Even droughts with a larger geographical footprint, such as the infamous 1540 'Megadrought' (Wetter et. al. 2014), can thus demonstrate a greater temporal diversity if more localised data is included in the analysis (Maughan et. al. 2022). As such, the data provided by Buisman cannot suffice to study the local or regional severity and impact of drought for the Netherlands, and, as follows, further research is needed.

38

39

40

41

42

43

44

45

46

47

48 49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

This article aims to further expand our knowledge of pre-instrumental droughts in the Netherlands between 1500 and 1795, focusing on two cities in the eastern part of the country - Deventer and Zutphen. Both have rich municipal archives, relatively similar geological and hydrological conditions geohydrological, and lay are located in close proximity to one another. The focus on the eastern Netherlands also has a climatological reason, as a The recent study has indicated that the eastern inland parts of the Netherlands, are could be well-known as a region more prone to precipitation deficits future droughts compared to the western coastal regions in the west, making it more susceptible to drought. While the western parts also receive ample discharge from the rivers Rhine and Meuse, the eastern regions generally depend more on precipitation for drought mitigation, given that their elevation above the level of the two rivers makes it impossible for water to reach these areas without pumping. As such, the possibilities for drought mitigation in the eastern regions are regarded as more limited compared to the west. A comparative analysis has also shown that the differences in precipitation between the east and western parts are accompanied by differences in solar radiation and temperature, which influence potential evapotranspiration. This is a trend that likely played a role in the past and is estimated to cause increase drought-risks in particularly the eastern regions, which makes the emphasis on this region of past as well as future value. This trend has been visible since the 1950s, and is expected to continue with stronger drying trends in the inland regions due to an increase in temperatures as a result of global warming (Phillip et. al., 2020).

The focus on more specific urban contexts also moves away from the focus on agricultural drought, which is dominant in historiography, shifting the emphasis to the wider hydrological and socio-economic impact of drought within a city's walls. This implies a focus on sources from city archives that describe the specific effects of droughts on urban water provisioning, the accessibility of canals and harbours, and sanitary issues. Common factors to denominate drought severity according to the Palmer Drought Severity Index, or PDSI (Palmer, 1965), such as temperature, precipitation levels and soil-moisture deficits, are not enough to determine the impact of droughts on urban environments. Urbanisation, and other large-scale influences of human actions on the distribution and use of water, have often been ignored in many classical drought indices that focused primarily on precipitation and temperature data (Briffa, Van Der Schrier and Jones, 2009; Savelli et. all., 2022). Many previous studies into past droughts worked in relative isolation, without taking into account the complex interactions between natural and human processes in the hydrological sphere (AghaKouchak et. al., 2021; Van Loon et. al. 2016; Maughan et. al. 2022; Mukherjee, Mishra and Trenberth, 2018; Vörösmarty et. al., 2004)). These factors are already more present in another index, the so-called Historical Severity Drought Scale (HSDS). which allows This index allows for a reconstruction of droughts based on a systemic inventory of the different hydrological and socioeconomic impacts that constitute to determine-levels of drought severity (Garnier, 2014/2019; Metger and Jacob Rousseau, 2020). Looking at Uurban documentary data-thus not only provide more precise local reconstructions of drought-severity, but can also takeas they describe into account the variety of responses to droughts, allowing for the creation of indices along the HSDS. As such, the concept of urban drought refer to specific effects of drought on the urban environment, which can be reconstructed with the use of urban data to provide a the long-term perspective on the effects of droughts on urban waterscapes and the provisioning of fresh water water systems. This is primarily relevant given the rising interest in the effects of drought on urban environments for the present as well as the future (Machairas and Van de Ven, 2022; Szalinska, Otop and Tokarczyk, 2021).

This article has three primary aims: 1) examining the potential use of documentary data from the city archives of Deventer and Zutphen for historical drought reconstruction; 2) to establish droughts for both cities on the basis of the year, month/season in which they took place, as well as ranking the droughts according to the impact-based Historical Drought Severity Scale; and 3) to compare the data from this analysis with that of other indices, such as the Buisman and IJnsen temperature series for the Netherlands, the supra-regional drought index, or SDI, that which comprises data from Switzerland, France, the Netherlands and Germany, (Camenisch and Salvisberg, 2020), and the Old World Drought Atlas (OWDA), that-which provides an overview of dendrochronological drought data on a regional scale (Cook et.al., 2015).

The article is divided in six sections. The first section provides a detailed overview of the sources used in the reconstruction of drought for Deventer and Zutphen. Section two will present outcomes from the study of these sources, by which the drought years are presented via a chronological HSDS. Section three discusses a specific set of examples from the sources, providing a more detailed analysis of the data and their respective values. Sections four, five, and six compare the data gathered in this study with other indices, followed by a final discussion and conclusion.

2. The data

To reconstruct past weather and climatic phenomena, historical climatologists draw from a large amount of documentary sources that provide either direct or indirect (proxy) data about changes in weather or abnormal patterns of precipitation and temperatures (Brázdil et. al., 2005/2010; Pfister, 2018). As Ffor drought reconstructions, the commonly used the documentary evidence often consists of annals, chronicles, and diaries, in which people recorded daily or extraordinary weather situations, or more institutional sources, such as tax and harvest records, and religious data with regard to rogation ceremonies (Brazdil et. al. 2013/2019/2020; Dominguez-Castro et. al., 2012; Kiss and Nicolic, 2015). Throughout most parts of Europe, mMunicipal records, from cities, towns or and villages, became more systematised from the end of the fifteenth century onward, often containing deliberations and resolutions that indicate means by which local or state governments aimed to alleviate the effects of drought or other weather extremes (Garnier, 2019; Gorostiza, Escayol and Barriendos, 2021; Grau Satorras et. al., 2021). Therefore, municipal archives qualify as a good-reliable Fundgrube for (proxy) evidence of urban droughts during the pre-instrumental period.past droughts.

For this study, the municipal archives of two cities in the eastern Netherlands, Deventer and Zutphen, have been studied extensively in search of references to drought-related phenomena. Deventer and Zutphen are both situated

along the IJssel river on sandy river dunes from the Holocene and relied on surface water from the rivers and clean groundwater for everyday use (Vogelzang, 1956). The primary sources that have been studied were primarily official municipal records, such as daily resolutions from the city government, ordinance books, and petitions. For Deventer, a long-running series of sources, was available in the form of the so-called 'Edicta magistratus' and "Liber publicationum", which consist of books running continuously from including daily resolutions, decrees from the magistracy (buurspraken) and citizen petitions are available from 1459 until 1795, listing chronological ad-hoc resolutions and ordinances taken by the magistrates to cope with problems threatening public safety and welfare on a short notice. These were complimented by the 'Protocollen des Rhades', or the general daily resolutions, which were available from 1566 until 1795, as well as the books of 'concordances' from the middle of the sixteenth to the late eighteenth century, which contains petitions from the collective of neighbourhood representatives known as the 'sworn men' to the magistracy. For Bboth the daily resolutions and books of concordances come with; alphabetical reference books from eighteenth and nineteenth-century authors, which are also available that provided a useful, yet also limited tool to find certain relevant entries regarding drought. In the case of Zutphen, the extensive series of daily resolutions and can be studied from 1573 until the start of the nineteenth century. Theise series, including the very detailed and digitised reference books provided the primary source for Zutphen. In this regard, it must be noted that for certain periods, particularly the seventeenth century, the amount of sources regarding Zutphen was generally less extensive compared to Deventer.

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

In order to identify periods of drought, an extensive and serial study of the above-mentioned sources was required. Where available, the reference books were used as additional tools to find entries connected to drought-related such as water provisioning, fire, watermills, and other matters related to waterworks and shipping, as well as a dearth in foodstuffs and other items as a result of drought. Firstly, the sources for Deventer were studied, beginning with the 'Edicta magistratus' and 'Liber publicationum', which were studied on a year by year basis in which all entries were searched for direct or indirect references to drought. This yielded many results that formed the basis of the following archival research. Second in line were the books of concordances, which were also studied on a year by year basis. The daily resolutions were not studied on a year by year basis because of the density of the information recorded in these books it would simply be too time-consuming. Instead, the daily resolutions were studied only on the basis of the reference books and the findings from the 'Edicta magistratus' and 'Liber publicationum'. In this case, not only the drought years found in the previous sources were searched in the daily resolutions, but also two years before and after, given the insidious nature of drought and possibility that source might display certain developments of a drought on an earlier basis. After the study for Deventer was completed, the study of Zutphen started off with an analysis of the largely digitised reference works for the daily resolutions. The earlier discovered drought years for Deventer were also used as reference points, and were used to study specific years, including the years before and after, in the daily resolutions.

For both cities, the rough data was first copied into separate databases for each city, after which the data were filtered by setting aside references that did not directly relate to drought. These included references to future measures to be taken when severe droughts would occur, or measures where the relation to drought was less clear. Secondly, the remaining drought events were filtered for each city according to drought type (meteorological, agricultural, hydrological, socio-economic) and season. Hereafter a chronological database was created combining the data from Deventer and Zutphen as a chronological overview of the specific drought events for each year. This specific overview was also used for the next step: ranking the severity of each drought per year.

3. Methodology

In this section, I discuss several indices and explain the particular choice for the HSDS as the preferred method to rank the severity of the droughts for Deventer and Zutphen. Many historical drought reconstructions have been done on the basis of natural proxy-data from dendroclimatological reconstructions. These focus on tree-ring analysis to reconstruct tree growth that provides insights into precipitation and temperature levels. This can be expressed along the PDSI as an estimate of relative dryness based on reconstructions of temperature and precipitation (Brázdil et. al. 2018). Certain long-term dendroclimatological reconstructions, such as the OWDA for Europe and parts of North-Africa, use a self-calibrating PDSI (scPDSI) to create year-by-year maps of reconstructed summer droughts on a 5414-point half-degree longitude-by-latitude grid. The scPDSI has a high degree of spatial comparability across a broad range of climatological regions, which allows for comparisons with other pre-instrumental droughts, for example in North-America (Cook et. al. 2015).

One of the most commonly used indices to categorise drought-severity in Europe is based on the seven-point ordinal index devised by Pfister during the 1980s, also named 'Pfister Indices' (Brázdil 2020; Nash et. al., 2021; Pfister, Camenisch and Dobrovolný, 2018). These indices can indicate both temperature differences and variations in precipitation. In the seven-point index for precipitation, values ranging from rather wet to extremely wet (+1 to +3) and rather dry to extremely dry (-1 to -3) are used to typify periods on the basis of direct or proxy-based information regarding precipitation within a certain area. Such an index cannot be built on descriptive documentary evidence alone, but should also include proxy-data, such as evidence from plant-phenology and dendroclimatological analysis. A merely descriptive index would only be able to use a three-point scale, only taking into account the extraordinary (-1 or +1) as a deviation from the average (0). Every seven-point index also needs a reference period to denote the deviations from the average, which often consists of a series of instrumental measurements from the period prior to the full onset of global warming, most commonly from 1906 to 1960 (Pfister, Camenisch and Dobrovolný, 2018).

Several studies into historical droughts within Europe have applied the seven-point index as a means to indicate the severity of past droughts (Bauch et. al., 2020; Brázdil et. al. 2013; Camenisch and Salvisberg, 2020; Leijonhufvud and Retsö, 2021). However, there are also certain limits to the seven-point index. Kiss and Nikolić (2015), for example, remarked that the requirements for the index can hardly be met for the European Middle Ages, where the amount of available documentary evidence is often insufficient to estimate the severity of drought on a month-by-month basis. In their attempt to create a 400-year long drought-index for the cities of Bern and Rouen, Camenisch and Salvisberg (2020) similarly argue that, given the available data from both cities – primarily chronicles and municipal records from the fourteenth to the early eighteenth century – did not allow for all three index values (-1 to -3) to be used. The sources from both city's only provide instances of extreme drought events, which left a significant mark on inhabitant's memory and prompted city governments to take action. Therefore, instead of using all three values, only extremely dry (-3) and very dry (-2) were used in their analysis, considering that the more frequent and less impactful droughts (-1) were usually not recorded. For both cities, most droughts during the 400-year period were characterised as very dry (-2), and only a few instances were classified as extremely dry (-3). The survey also led to the identification of specific accumulations of droughts, for instance, at the end of the fourteenth, second half of the sixteenth, and the 1670s and early, as seasonal difference was

discovered as the droughts in Bern often took place during the summer, while those in Rouen were more prevalent in spring.

The previous conclusions can also be applied for the corpus of municipal sources that have been investigated for Deventer and Zutphen. However, the documentary data from Deventer and Zutphen does not allow for a precise month-by-month reconstruction, as the duration of the droughts is not mentioned in the primarily descriptive data. To categorise such droughts into a seven-point index, mMonthly records of precipitation are required, to categorise such droughts into a seven-point index. In this case, a drought can only be denoted as 'very dry' (-2) after at least a one-and-a-half months of reduced precipitation, while the value of 'extremely dry' (-3) is reserved for two or more months without rainfall (Camenisch and Salvisberg, 2020). As the archival data from both-Deventer and Zutphen do not give provide exact-insights into the length of certain droughts, only referring to 'long' or 'prolonged' periods of drought, which do not indicate a specific timeframe, the seven-point index cannot be applied. However, the primary references to drought concern descriptions of its human and economic impact on a societal level, which are also more accurate representations of past perceptions of drought than modern conceptions of precipitation and evaporation (Garnier, 2015). This data can be used according to the HSDS to delineate droughts on an impact-centred scale. The HSDS distinguishes droughts on the basis of societal reactions that can be found in various sources, which are classified in categories on a 1 to 5 scale (see table 1) from an absence of precipitation to full-scale social crisis. An additional category, is -1, which denotes instances where both qualitative and quantitative data are considered insufficient, while but a drought reference is kept solely for the purpose chronological reconstruction (Garnier, 2014). This additional category does not apply to any of the cases discussed in this article.

Table 1: Historical Severity Drought Scale (for the sixteenth to nineteenth centuries), from Garnier (2014)

<u>Index</u>	<u>Description</u>
<u>5</u>	exceptional drought: no possible supply, shortage, sanitary problems, very high prices of wheat,
	<u>forest fires</u>
<u>4</u>	severe low-water mark: navigation impossible, lay-off of wheatmills, search for new springs, forest
	fires, death of cattle
<u>3</u>	general low-water (difficulties for navigation) and water reserves
2	<u>local low-water in rivers, first effects on vegetation</u>
1	absence of rainfall: rogations, evidences in texts
<u>-1</u>	insufficient qualitative and quantitative information but the event is kept in the chronological
	reconstruction

In order to identify periods of drought, an extensive and serial study of the above-mentioned sources was required carried out. Whene available, the reference books were used as an additional tools to findfor finding entries connected to drought-related issues. ; such as These concerned aspects like water provisioning, fires, watermills, and other matters related to waterworks and shipping, as well as a dearth in foodstuffs and other items as a result of drought. Firstly, the sources for Deventer were studied, beginning with the 'Edicta magistratus' and 'Liber publicationum', which were studied on a year-by-year basis, in which all entries were searched for direct or indirect references to drought. This yielded many results that formed the basis of the following archival research. Second in line were the books of concordancespetition books, which were also studied on a year-by-year basis. The daily resolutions were not studied on a year-by-year basis because of the density of the information recorded

in these books it the source material, which would simply be render an extensive page-by-page study too time-consuming. Instead, the daily resolutions were studied only primarily on the basis of the reference books and the findings from other sources, the 'Edicta magistratus' and 'Liber publicationum'. In this caseall instances, not only the drought years found in the previous other sources were searched consulted in the daily resolutions, but also two years before and after a drought reference. This was deemed relevant; given the insidious nature of drought and possibility that source might display certain developments of a drought on an earlier basis. After the study for Deventer was completed, the study of Zutphen started off with an analysis of the largely digitised reference works for the regarding the daily resolutions. The earlier discovered drought years for Deventer were also used as reference points, and were used to study specific years, including the years before and after; in the daily resolutions.

For botheach cityies, the rough data was first copied into separate databases for each city, after which the data were filtered by setting aside references that did not directly relate to drought. These included references to future measures to be taken when severe droughts would occur, or measures where the relation to a drought-event was less clear. Secondly, the remaining drought-events were filtered for each city according to drought-type (meteorological, agricultural, hydrological, socio-economic) and season. Hereafter, a chronological database was created combining the data from Deventer and Zutphen as ain a chronological overview of the specific drought events for each year. This specific overview was also used for the next step: ranking the severity of each drought per year according to the HSDS.

Table 1: Historical Severity Drought Scale (for the sixteenth to nineteenth centuries), from Garnier (2014)

Index	Description
≨	exceptional drought: no possible supply, shortage, sanitary problems, very high prices of wheat,
	forest fires
4	severe low-water mark: navigation impossible, lay-off of wheatmills, search for new springs, forest
	fires, death of cattle
3	general low-water (difficulties for navigation) and water reserves
⊋	local low-water in rivers, first effects on vegetation
4	absence of rainfall: rogations, evidences in texts
4	insufficient qualitative and quantitative information but the event is kept in the chronological
	reconstruction

4. Outcomes

The most common types of drought mentioned in documentary sources refer to instances of meteorological drought, referring to a deficiency of precipitation over a specific period of time. This is usually followed by agricultural drought, which refers to the effects of meteorological drought on plant-growth and agricultural production. Hydrological drought takes into account the consequences of water shortages in rivers, streams, lakes, and underground water tables, while socio-economic drought describes the effects of drought when the former causes widespread economic and societal disruption, most commonly in the form of subsistence crises (Brázdil et. al., 2018; Wilhite and Pulwarty, 2017). As municipal records usually only contain references to extreme weather

events, the descriptions of drought in the sources refer almost exclusively to extremities (Camenisch and Salvisberg, 2020; Garnier, 2019).

Based on the indicators of drought and its severity in the studied sources, an HSDS index has been constructed including both data from Deventer and Zutphen (see fig-fig-1). The index ranks droughts on an annual basis using the five-point scale, although instances of purely meteorological droughts (scale 1) and its effects (rogation ceremonies and public prayer) have not been discovered. In total, 33 years with drought have been reconstructed, 26 for Deventer, 16 for Zutphen, and only nine coinciding years. Hydrological droughts with a significant impact on the city's waterway's and the availability of water (scale 3) are amongst the most common forms of drought described in the sources, occurring 24 times. More extreme hydrological conditions, those within scale 4, are less common but still make up a significant part of the recorded droughts, namely nine instances. Scale 5, denoting full-scale societal crisis and critical shortages of food and water, has not been identified.





Figure 1: Chronology and severity levels of droughts within Deventer and Zutphen according to the Historical Severity Drought Scale (HSDS), 1500–1795.

With regard to both Deventer and Zutphen (see fig. 2), hydrological drought is by far the most common type of drought described in the sources. In most cases, this refers to low water levels or a complete lack of water in certain rivers and canals, as well as a shortage of water in wells and pumps. Meteorological drought is more prevalent in sources from Deventer, although in general the descriptions refer exclusively to 'excessive', 'strong', 'prolonged', or 'long-lasting' periods of drought, often accompanied with a reference to the hydrological effects, such as dried up waterways and wells. Agricultural drought is mentioned very rarely in the sources. There is only one reference from Deventer that explicitly mentions negative agricultural yields in the city's hinterlands as a result of a drought and the fact that this led to increased prices for certain foodstuffs. Last but not least, socio-economic drought only

occurs during very strong droughts, usually the result of an accumulation of events leading to a severe lack of water and a shortage of food and other goods.






Figure 2: Difference in drought types per year for Deventer and Zutphen in terms of meteorological (Met),hydrological (Hyd), agricultural (Agr) and Socio-economic (Soc) during the period 1500-1795

While there are a number of different drought years for both cities (see fig. 2), there are specific years that coincide, although not always in terms of severity. The year 1615, for example, is ranked 3 for Deventer, yet 2 for Zutphen. The sources for Deventer for 1615 indicate both a period of drought and lack of water, while Zutphen did not seem to suffer from the low water levels on the Ussel river. Explanations for such differences in hydrological drought can be found in the geohydrological differences between both cities. Apart from the Ussel river, the groundwater tables of Deventer and Zutphen were also influenced by the influx of water from two other streams coming in from the east: the Schipbeek for Deventer and Berkel for Zutphen (see fig. 3). These streams fed the surrounding moats and canals of the cities, which determined the availability of water for milling, or the feeding of water level in the wells and pumps. The Schipbeek was a man-made stream, which since its creation in the fifteenth century often

Formatted: Centered

suffered from silting due to increased amounts of sediment, human pollution, and poor management. Hence, the Schipbeek was considered an unreliable source of water, in particular during periods of drought (Schutten, 1981). As a natural river, the Berkel suffered less from such problems, and it was known as a relatively reliable supplier of water to the groundwater tables below Zutphen. This could explain different impacts of hydrological drought between both cities. Nevertheless, many coinciding drought years, such as 1733, 1753, 1772, 1779, 1781, and 1783, indicate similar levels of hydrological drought for both cities.

<u>Figure 1: Chronology and severity levels of droughts within Deventer and Zutphen according to the Historical Severity Drought Scale (HSDS), 1500–1795.</u>



Figure 3: The locations of Deventer and Zutphen on a modern map of the Netherlands, indicating the IJssel river and the Schipbeek and Berkel substreams (map by Bert Brouwenstijn, VU Amsterdam).

A notable level of difference between the two cities is that of seasonality (see fig. 4). Deventer seems to have a much higher rate of spring droughts – recorded between March and May – and summer droughts – recorded between June and August –, while Zutphen displays a larger amount of winter droughts – recorded between December and February. It must be noted that this difference is also due to the higher density in data for Deventer. However, both cities seem to have witnessed an equal amount of autumn droughts – recorded between September and November –, which, together with summer droughts constitute the most common category of droughts based on seasonality.

Formatted: Font: 9 pt, Bold, Complex Script Font: 9 pt, Bold

Formatted: Font: 9 pt, Bold, Complex Script Font: 9 pt, Bold

Formatted: Font: 9 pt, Bold, Complex Script Font: 9 pt, Bold






Figure 4: The number of droughts according to season for Deventer and Zutphen, 1500-1795.

Similar to the research by Camenisch and Salvisberg, the results for Deventer and Zutphen also display specific clusters or accumulations of drought years that took place within a span of several, sometimes subsequent years. Droughts with a moderate to severe impact, ranking 3 or 4 on the HSDS, occurred during the years 1630–1640, 1650–1652, 1662–1669, 1731–1733, 1781–1783, and 1790–1794. This does not include years in which references are made to the damaging effects of previous droughts, often a year or even multiple years after a severe drought occurred. Most of the severe droughts ranking 4 on the HSDS occurred during the second half of the eighteenth century, between 1753 and 1783.





Formatted: English (United Kingdom)




Figure 1: Chronology and severity levels of droughts within Deventer and Zutphen according to the Historical Severity Drought Scale (HSDS), 1500–1795.

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340


341


342

343

The most common types of drought which are mentioned in documentary sources refer to instances of meteorological drought, describing a deficiency of precipitation, agricultural drought, which describes the effect of meteorological drought on agricultural production, hydrological drought, which relates to a shortage of water in watercourses, lakes and underground water tables, and socio economic drought, when the effects of drought cause widespread economic and societal disruption, most commonly in the form of subsistence crises (Brázdil et. al., 2018; Wilhite and Pulwarty, 2017). As municipal records usually only contain references to extreme weather events, the descriptions of drought in the sources refer almost exclusively to extremities (Camenisch and Salvisberg, 2020; Garnier, 2019). With regard to both Deventer and Zutphen (see fig. 2), hydrological drought is by far the most common type of drought described in the sources. In most cases, this refers to low water levels or a complete lack of water in certain rivers and canals, as well as a shortage of water in wells and pumps. Meteorological drought is more prevalent in sources from Deventer, although in general the descriptions refer exclusively to 'excessive', 'strong', 'prolonged', or 'long lasting' periods of drought, often accompanied with a reference to the hydrological effects, such as dried up waterways and wells. Agricultural drought occurs very rarely in the sources, as there is only one reference from Deventer that explicitly mentions negative agricultural yields as a result of a severe drought. Last but not least, socio-economic drought only occurs during very strong droughts, usually the result of an accumulation of events leading to a severe lack of water and a shortage of food and other goods.







 $\label{eq:Figure 2: Difference in drought types, meteorological (Met), hydrological (Hyd), agricultural (Agr) and Socio-economic (Soc), according to each year for Deventer and Zutphen, 1500-1795$

While there are a number of different drought years for both cities, there are specific years that coincide, although not always in terms of severity. The year 1615, for example, is ranked 3 for Deventer, yet 2 for Zutphen. The sources for Deventer for 1615 indicate both a period of drought and lack of water, while Zutphen did not seem to suffer from the low water levels on the IJssel river. However, most coinciding years, such as 1733, 1753, 1772, 1779, 1781, and 1783, indicate similar levels of drought severity for both cities in terms of seasonality.—

A notable level of difference between the two cities is that of seasonality (see fig. 3). Deventer seems to have a much higher rate of spring droughts—recorded between March and May—and summer droughts—recorded between June and August—, while Zutphen displays a larger amount of winter droughts—recorded between December and February. Both cities seem to have witnessed an equal amount of autumn droughts—recorded between September and November—, which, together with summer droughts constitute the most common category of droughts based on seasonality.

Similar to the research by Camenisch and Salvisberg, the results for Deventer and Zutphen also display specific clusters or accumulations of drought years that took place within a span of several, sometimes subsequent years. Droughts with a moderate to severe impact, ranking 3 or 4 on the HSDS, occurred during the years 1630–1640, 1650–1652, 1662–1669, 1731–1733, 1781–1783, and 1790–1794. This does not include years in which references are made to the damaging effects of previous droughts, often a year or even multiple years after a severe drought occurred. Most of the severe droughts ranking 4 on the HSDS occurred during the second half of the eighteenth century, between 1753 and 1783.—




Figure 3: The number of droughts according to season for Deventer and Zutphen, 1500-1795.

${\bf 5. \ Examples \ from \ the \ sources}$

It would go beyond the scope of this article to dive into the details of each specific drought year discovered for both cities. A brief overview of these can be found in appendix 1 at the end of the article. Nevertheless, to make sense of the otherwise rather abstract notions mentioned in the HSDS, it is necessary to provide a number of detailed examples. The number of examples has been restricted the most extreme and detailed examples, some of which coincide for both Deventer and Zutphen. These are 1669, 1733, 1753, 1781, and 1783.

5.1. The year 1669

Deventer witnessed a period of severe drought in September 1669, which, according to contemporary records from the citymunicipal documents, led to extraordinarily low water levels on the IJssel river. As a result, many of the wells and pumps in the city were rendered dry and unusable. The citizens and inhabitants suffered from this described the lack of water as an inconvenience and public clamour regarding the scarcity of water was heard throughout the city. One of the main concerns, however, was the risk for firesof fire, that which could turn the city into a ruin as contemporaries feared was worsened by the shortage of water. As fFor Zutphen, references to the shortage of water are less explicit for September that year. Here, no explicit mention of water scarcity is made in the city governments documentation, but the fear of fire becomes apparent in a resolution that directed the city crier to call upon all inhabitants to store water in case of an uneventful fire. While the impact of the drought is

Formatted: English (United Kingdom)

very explicit for Deventer (scale 4), the reference to compulsory storing of water for Zutphen (scale 3) also implicitly links to hydrological drought but less to a direct societal impact or near-crisis situation.

388 5.2. <u>The year</u> 1733

The year 1733 seems to show the opposite in terms of references. As fFor Deventer, the impact of the drought was felt primarily during the summer, which led to a lack of water in the Schipbeek river that supplied water to the city's harbour and canals. However, wWhether this had an impact on the water levels in the city's wells and pumps, however, is not mentioned. In Zutphen, the 1733 drought was first mentioned in October, when a genever distillery petitioned to the city government that their capacity to produce suffered due to the great shortage of water within the city. In this case, the effects of the hydrological drought are more explicit for Zutphen (rank 4) than for Deventer (rank 3). Nevertheless, it can be assumed that the lack of water in the Schipbeek hampered navigation and the supply of water power to Deventer's watermills.

5.3. The year 1753

For During the year 1753, equally severe droughts are mentioned for both Deventer and Zutphen in terms of impact. In Deventer, the effects of drought were first felt in June, when an 'excessive drought' (excessive droogte) led to a shortage of water in the city's wells. This lack of water led to a general shortage of water that prompted the city government to take action. In Zutphen, the impact of the drought was reported in September, which mentioned the low water levels on both the IJssel and Berkel rivers that led to the 'paralysis' (verlamminge) of most wells and pumps. This displays a similarity in drought severity (rank 4), which refers to societal setbacks, for example by limiting water use, rather than a full socio-economic crisis, although the potential for the latter could have been present.

5.4. The year 1781

For In 1781, the severity of drought is indexed equally on the HSDS for both cities (rank 4). In July that year, the Schipbeek was reported to have once was reported to have once again reached an absolute low-point, which was detriment to the cityagain 'consumed' (verteert) of water to the detriment of the city, although no further details of the negative impacts are were recorded. It can be assumed, however, that the drying up of the Schipbeek must have been felt, as it would have certainly paralysed the watermills. The impact of drought in Zutphen was already felt in February, implying that the drought started in the winter. Here, the drought and low water levels resulted in a lack of navigation via the Berkel river and a limited operation of the city's watermills. However, no effects on the availability of water in both cities' wells and pumps is mentioned.

5.5. The year 1783

The most detailed drought year (rank 4) recorded for both cities occurred in 1783. In Deventer, the strong and excessive drought led to a lack of water in most of the wells during around the beginning of August. Later during that month, a rare instance of agricultural drought is also mentioned as the a great spring drought, which led to a reduced yield in buckwheat. This implies that the prolonged drought probably set in during the spring-months, while its effects did not become detriment until the end of the summer when the prices of cereals increased

significantly. In Zutphen, the effects were primarily felt by the drying up of the Berkel river, which led to a standstill of all watermills at the beginning of August. Another likely effect of the drought of 1783 was an epidemic of dysentery in both Zutphen and Deventer. In Zutphen, the onset of the epidemic in towns and villages around the city was noticed in early August, while the first case within the city walls was recorded on the fourth day of that month. The disease spread rapidly during the following months, and the epidemic must have lasted until the end of October. The city government in Deventer was aware of the outbreaks of dysentery in surrounding cities at the time, but the first cases were not reported within the city walls until the beginning of October. Although contemporary sources suggest no direct link between the lack of clean water and the outbreak of dysentery—which would have not followed the medical logic of the time—many recent studies suggest that extreme droughts were likely the main drivers behind some of Europe's largest dysentery epidemics (Brázdil et. al. 2020; Camenisch et. al. 2020; Garnier, 2019; Pribyl, 2020). In all these cases, the cause of widespread dysentery The spread of water-borne diseases like dysentery is attributed by historians tocan be attributed to a lack of clean, fresh water as a result of drought, which prompted people to use polluted water, or to seek water from unsafe sources (Brázdil et. al. 2020; Camenisch et. al. 2020; Garnier, 2019; Pribyl, 2020).

In general, the source material often refers to similar indicators of hydrological drought, which often hindered ering socio-economic life, but rarely eausing resulted in a widespread disruption or crisisof daily life. Instances of agricultural drought and its effects on food prices or general subsistence are very rare and only account for one particular case; the year 1783, when the prolonged drought led to a shortage of water, shutdown of watermills, dearth in cereals, and an outbreak of dysentery in both cities. However, the sources from that year do not suggest that the situationthis—led to a crisis situationmoment of crisis. There were also notable differences in the responses to drought, which do not correspond one-on-one for both cities during most years, despite the relative proximity and similarity of both cities in terms of geological and hydrological circumstances and the systems of water provisioning.

6. Comparison with Buisman-IJnsen

Compared to other countries, very little concrete data with regard to temperature and/or precipitation exist for the Netherlands prior to the instrumental period after 1850. The Royal Netherlands Meteorological Institute (KNMI), founded in 1854, has a collection of 'antique data', consisting of early instrumental observations from the eighteenth and early nineteenth century. These datasets are comprised of observations from several weather stations across the Netherlands. Most of the stations from which eighteenth century records exist are located in the province of Holland – such as Amsterdam, Alkmaar, Bergen (North-Holland), Delft, Haarlem, Leiden Rijnsburg, and Zwanenburg – leading to rather regional measurements more typical for the precipitation-rich western provinces along the North Sea coast, not the inland provinces that are more susceptible to strong droughts. The early records for the eighteenth century also contain very few consistent records regarding precipitation (Geurts and Van Engelen, 1992). Most data known for the pre-instrumental period consists primarily of reconstructions regarding winter and summer temperatures.

The longest list of pre-instrumental, and partially instrumental, estimations of winter and summer temperatures was compiled by Buismand and IJnsen. Despite its incredible length, running from the year 751 CE until 2000, this data is generally not well-known outside of Dutch-speaking academia (Van Engelen, Buisman and IJnsen,

2001; Pfister, Camenisch and Dobrovolný, 2018). This data-series was constructed with the use of various proxydata from the early modern period, such as the weather diary of German pastor David Fabricius for the larger Frisian area in the north of the Netherlands, a set of frost-day notes from the German city of Kassel, the 'tow barge' records from De Vries and the Manley (1974) records of monthly temperatures in central England. Buisman and IJnsen also included data from the aforementioned records of the aforementioned weather stations (1706-1905). The winter – from November to March – and summer – from May to September – temperatures in this series have been categorised along an annual nine-point scale from 1 (extremely soft/cool) to 9 (extremely harsh/warm)

(IJnsen, 2010).

For the comparison, only values from 7/-7 to 9/-9, implying above average summer and winter temperatures have been taken into account as relevant for possible correspondence between drought and above or below average temperatures. Overall, the result of the comparison was rather meagre. Only a handful of years displayed a correspondence between cases of moderate to strong and extremely strong droughts – those ranking 3, 4 or 5 on the HSDS – and above or below average summer or winter temperatures. Correspondences between droughts and high summer temperatures were found for the years 1534, 1556, 1669, 1733, 1779, 1781, and 1783. Only three years, 1556, 1781, and 1783, were ranked as extremely warm (9). Only for 1672 there was a correspondence between drought below average winter temperatures (7).

The low number of correspondence with the drought years for Deventer and Zutphen can indicate two aspects; 1) drought periods did not necessarily coincide with periods of above average or extreme heat (or winter droughts with extreme cold); 2) the series of temperatures provided by Buisman and IJnsen do not provide precise enough information, given the reliance on non-local sources for the reconstruction of pre-instrumental temperature records. While modern data mentioned earlier show a trend of rising temperatures since the 1950s contributing to increased drought-risk in the eastern regions of the Netherlands (Phillip et. al., 2020), this is not in line with the findings of the data presented in this article. Similar historical studies with regard to northwestern Europe also suggest a lower influence of temperature on the severity of drought compared to precipitation during the early modern period (Leijonhufvud and Retsö, 2021). As such, aspect one can be supported on the basis of the comparison with Buisman-IJnsen. Aspect two can be used to proof that the reliance on data from various distant locations is not always useful when studying specific territories and localities. This can also be tested by using a large compiled index of drought-years for multiple nearby territories, which is the case with the SDLThe first aspect is supported by studies with regard to northwestern Europe (Leijonhufvud and Retsö, 2021), which suggest a lower influence of temperature on the severity of drought compared to precipitation. Aspect two can be used to once again proof that the reliance on data from various distant locations is not always useful when studying specific territories and localities. This can also be tested by using a large compiled index of drought years for multiple nearby territories, which is the case with the SDI.

7. Comparison with the SDI

The SDI was created by Camenisch and Salvisberg (2020) with the use of pre-existing precipitation reconstructions from documentary sources for the Netherlands and Belgium, Germany, France, and Switzerland between 1315 and 1715, applying the seven-point scale index. When the data from Bern and Rouen was compared with the SDI,

only the years 1556, 1567, and 1681, were present in all three indices. The comparison between Bern and Rouen also displayed a deviation in the data regarding certain 'megadroughts', as the extreme droughts of 1473 and 1540 were only reported in Bern. Because the SDI is based on years when a drought was reported somewhere within a specific country, the amount of drought-years is significantly higher than in more local indices. When comparing the data from Bern and Rouen with the SDI, the number of corresponding droughts was relatively low, namely a total of seventeen corresponding cases out of the 87 drought-years in the SDI.

When comparing the data between 1500 and 1715-(see fig. 7), there are only eight corresponding drought-years, out of 52 instances mentioned in the SDI for this period. These concern ten instances in total; eight specifically with regard to Deventer (1534, 1556, 1615, 1630, 1634, 1645, 1666, and 1669), two concerning both Deventer and Zutphen (1615 and 1669), and none specifically for Zutphen. This indicates that 44 droughts recorded in the SDI were not found in the sources for Deventer and Zutphen, while 14 instances of drought (1588, 1589, 1597, 1612, 1629, 1633, 1638, 1650, 1652, 1662, 1667, 1672, 1690, 1696) were documented specifically for Deventer and/or Zutphen during this period, but do not occur in the SDI. Such a rather low degree in correspondence supports the conclusions regarding Bern and Rouen that generalised drought data cannot easily be applied to reconstruct or strengthen knowledge of the specific local droughts. In fact, it shows that local sources can provide insights into droughts that may not appear in compiled data-sets, which prompts the need to do more in-depth research for multiple regions and localities to minimise faulty generalisations about the widespread effects of drought on different parts of society.

8. Comparison with the OWDA

Camenisch and Salvisberg (2020) also compared their findings with the OWDA, a freely accessible online database that provides year-by-year data – either via a dataset or an interactive map – of drought severity throughout Europe and certain parts of North Africa and the Middle East on a 0.5 degrees latitude/longitude grid, going back as far as 0 CE and coming to a halt in 2012. The OWDA displays drought-severity on a scPDSI scale from extremely dry (-6) to extremely wet (6). It is based on a vast amount of dendrochronological data for Europe, completed with additional information historical data on hydroclimatic extremes, but only with regard to spring and summer drought conditions (Cook et. al., 2015). This is also the main setback of the OWDA, as it can only be used to compare drought conditions from June to August. Another pitfall is the scPDSI ranking-system, which has to be calibrated to other forms of indices, such as the seven-point Pfister index or the HSDS. Camenisch and Salvisberg tested the OWDA against the data from individual indices of Bern and Rouen, as well as the SDI. They used the censure of -2.5 on the scPDSI scale as the mark of moderate to severe and extreme droughts. As expected, the comparison with the wider SDI yielded the most results that can be regarded as statistically significant using the Pearson correlation (r = 0.42).

For the comparison with the HSDS for Deventer and Zutphen, grid snapshots were generated for each reconstructed drought year, using the area which includes Deventer and Zutphen (52.34 to 52.°N, and 6 to 6.48 °E) (see figure 8). Only values of -2.5 or lower were taken into account, and no usable data was available for the years 1638 and 1662. The outcome of the comparison was rather meagre, as from eleven drought years corresponding to relevant outcomes of the OWDA survey (1534, 1615, 1630, 1634, 1652, 1666, 1669, 1753, 1790,

1793, and 1794), only one year, 1666, was relevant as it fell within the range of summer (JJA) drought. Another interesting aspect is that some of the major summer drought-years, such as 1783, only receive a ranking of -2 on the scPDSI scale of the OWDA. However, the OWDA data for certain years, such as 1615, 1630, 1669, and 1793, which indicate autumn and winter droughts, could perhaps indicate that the effects of the summer droughts was still felt during the following seasons. Perhaps the reconstructions using the OWDA are susceptible to the same criticism as the comparisons to the Buisman-IJnsen series and the SDI. They strongly deviate from the drought years reconstructed for Deventer and Zutphen, which indicates the more localised character of most droughts. Yet it also shows the limits of dendroclimatological analysis on the basis of tree rings as a proxy for drought, which highlights the value of using documentary sources as a means to verify the occurrence of historic droughts (Bothe et. al., 2019; Pribyl, 2020).

9. Discussion and Conclusion

This article aimed to provide the first documentary evidence-based look at pre-instrumental droughts in the eastern Netherlands between 1500 and 1795, focusing on two case studies: the cities of Deventer and Zutphen. This was done by 1) examining the possibility of urban municipal archives to reconstruct past droughts; 2) creating drought indices for both cities; and 3) by comparing the gathered data with other indices to spot possible correspondence.

The archives of Deventer and Zutphen contain plenty of municipal records that provided impact-based instances of drought from the early sixteenth to the late eighteenth century. As fFor Deventer, slightly longer-running and a larger amount records are available compared to Zutphen, where consistent records, such as daily resolutions date back from the second half of the sixteenth century. Nevertheless, similar examples of drought-related measures were found that indicate how droughts affected both cities primarily in terms of hydrological circumstances. The most common issues are related to low water levels in the rivers and canals around the city hampering navigation and low groundwater tables leading to a lack of water in wells and pumps. The main problem with the information from the documentary evidence from both archives is that although it provides a good view on the impact of drought in cities like Deventer and Zutphen, it remains difficult to establish the exact duration of droughts. The extent of droughts is only mentioned in terms of general wordings like 'prolonged' and 'extraordinary. As of such, the seven-point index, in which drought-severity is measured according to monthly thresholds, cannot be applied the data found for Deventer and Zutphen.

The alternative, creating and index along the HSDS, applies better to the source-material, <u>yet itbut</u>-is less precise as the seven-point index, which is also calibrated using an instrumental reference-period. Nevertheless, using the HSDS for Deventer and Zutphen has led to an index with 33 droughts of varying severity on the scale of 1 (deficiency of precipitation) to 5 (widespread societal crisis) for the period 1500–1795. As is the case with municipal records, only extreme instances of drought are reported, most of which appeared to fall within the range of scale 3 and 4, denoting primarily hydrological droughts in the forms of dried up waterways, wells, and pumps. Widespread societal disruption in terms of scale 5 was not discovered in the sources, which indicates that none of the droughts had a disturbing rather than a crippling effect on society. The data from both cities also suggests a difference in seasonality, as there seems to be an unequal distribution between spring and summer droughts. There

were also notable differences between similar indexed drought years for both cities, by which the effects of drought were reported differently to indicate similar levels of severity, for example by referring to dried up wells in Deventer and shut-down watermills in Zutphen. Although both instances indicate a scale 4 drought on the HSDS, referring to hydrological circumstances leading to socio-economic drought, it can be questioned whether both examples were considered as equally severe by contemporaries; Wwas a low-water mark in wells and pumps, for instance, considered just as bad as a period without the ability to employ watermills? The descriptive nature of the HSDS makes it a valuable index for the study of qualitative data from municipal records, although the next step should be to calibrate such data according to a more precise scale. Such a scale This scale should be based on different conceptions from contemporary records to determine drought-severity more precisely. This can be done by extending the categories into different levels of, for example, hydrological drought. For instance, a lack of navigation and lay-off of watermills can be regarded as more critical or disastrous compared to a general shortage of water for domestic purposes like cooking and washing, while the need for a stable availability of water for firefighting purposes could be regarded as more important regarding the wide-ranging socio-economic effects a major fire could have on the city as a whole (Garrioch, 2018). A next step to in creating a more specified index for descriptive drought data that follows even more strictly the perception of drought by contemporaries, instead of generalised criteria.

Comparison with other indices, such as the Buisman-IJnsen temperature series, the SDI, and the OWDA, have yielded different insights with regard to the data from this study. The comparison with Buisman-IJnsen turned out to be unfruitful, probably because temperature was of less influence on these droughts, and because the data from multiple areas outside of the Netherlands cannot be used to create regional or local reconstructions of extreme temperatures. The comparison with the SDI for the sixteenth and seventeenth centuries led to a limited number of corresponding drought years, which indicates that such supra-regional indices do not correspond one-on-one with more localised documentary-based drought reconstructions. The same can be said of the comparison with the data gathered from single-year based snapshots from the OWDA. In this case the correspondence was even lower regarding the sole focus on summer droughts, although the indications for certain years could point towards possible long-lasting effects of summer droughts during consecutiveconsequent-months.

All in all, the data for Deventer and Zutphen displays-both evidence for a small number wider supra-regional droughts as well as a larger number of local droughts specifically mentioned in the documentary sources for the period under study. These concern primarily moderate to severe instances of drought that impacted society and prompted responses from the city government to avert possible negative outcomes, such as food and water shortages. As such, the source material to reconstruct droughts is closely connected to the societal responses to drought, which indicates that specific instances of drought, primarily hydrological drought, impacted society not necessarily by causing a widespread crisis but by limiting the use of water and waterways. The urban sources also record very little instances of agricultural drought, of which only once instance was found for a 300-year period. Remarkable is also that, at least for Deventer, the 'megadrought' of 1540 is entirely absent in the sources. As Camenisch and Salvisberg (2020) demonstrated, however, this is not rare with regard to more localised reconstructions. Although major European drought events as in 1540 feature widely in supra-regional indices, which are comprised of documentary and natural proxy data from across different regions (Wetter e.t. al., 2014), they are less likely to show in more local, urban analyses. Drought reconstructions for specific locations, whether

cities or villages with adequate data density, therefore should be taken into account when compiling large-scale drought reconstructions, to gain a more accurate picture of the regional and local spread of drought and its severity in terms of societal impact.

However, comparisons between specific, localities is another aspect that requires more attention. Deventer and Zutphen, for example, despite their similarities and close proximity to one another yield a number of different drought years. This can be explained, in part, by a difference in source-density for specific periods. More and longer-running series of sources were available for Deventer, but considering the relative consistency and duration of the municipal records for both cities it could also be argued that droughts were not always perceived as equally menacing. Explanations for this can be found in the source-type, municipal records, which mostly refer only to high-impact drought-events that required a governmental response, but also at the local level, for example by studying the hydrological, geological, and socio-economic aspects of each city. This would include the dependence of specific water sources for a city's economy, such as the need to operate watermills, or the general system of water provisioning and how this was impacted across different areas within a city. Differing hydrological or sociopolitical means that strengthened or helped to alleviate the effects of past drought could thus play an important part in determining the severity of drought on a local level (Metger and Jacob Rousseau, 2020). This could provide a better image of droughts through human actions and natural circumstances that have an influence on the local impact and severity of drought and other climatic hazards, which counts not only for the past but also the future (Degroot et. al., 2021; Kchouk et. al., 2021; Savelli et. al., 2022; Van Loon et. al., 2016). Further research is needed, however, to draw broader conclusions on the specific local impacts of urban droughts and how this was influenced by local natural or human factors.

634 635 636

638

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

Data availability

- The data used in this article is included in the supplement and supported by appendix-1. The archival sources used
 - for the research of this paper are publicly and/or digitally accessible via the websites of the HCO
- (https://collectieoverijssel.nl/) and ZuRAZ. (https://erfgoedcentrumzutphen.nl/) and can be found in appendix 12.
- The SDI is available as a supplement to the article by Camenisch and Salvisberg (https://doi.org/10.5194/cp-16-
- 641 2173-2020). The OWDA can be freely consulted via the project website (http://drought.memphis.edu/OWDA/).

642 Supplement

- The supplement related to this article is available via: https://doi.org/10.17026/dans-x3p-camy
- 644 Competing Interests
- The authors declare that they have no conflict of interest.
- 646 Acknowledgments
- This article was written as part of the research project: Coping with drought. An environmental history of drinking
- 648 water and climate adaptation in the Netherlands. Funding and necessary support for this research was provided by
- the Dutch Research Council (Nederlandse Organisatie voor Wetenschappelijk Onderzoek, NWO).
- 650 Financial support
- This research has been fully supported by Dutch Research Council (NWO) under file number 406.18.HW.015.

Field Code Changed
Field Code Changed
Field Code Changed
Field Code Changed

Field Code Changed

661 Appendix 1: Overview of drought events from Deventer (D) and Zutphen (Z), 1500-1795

Year	Month	Season	Location	HSDS ranking	Source	Descriptions from the sources	
				Tanking		sources	Formatted: English (United Kingdom)
153 4	Uncertain	Summer	Deventer	3	HCO	Great drought and a lack of	Formatted: English (United Kingdom)
					(0690,	water, ordinance calls for	3 , 3 ,
					135;1)	storing water in barrels in case of a fire	Formatted: English (United Kingdom)
1556	September	Autumn	Deventer	3	HCO	Period of drought and a lack	Formatted: English (United Kingdom)
1550	Бертенност	Fratainii	Deventer	3	(0690,	of water, calls for storing	Formatted: English (United Kingdom)
					135;3)	water in barrels in case of a	(
						fire	
1588	January	Winter	Zutphen	4	ZuRAZ	Period of drought and use of	Formatted: English (United Kingdom)
					(0001;2)	the watermills only	
						permitted after rainfall returns	
1589	December	Winter	Zutphen	3	ZuRAZ	Low water levels, no	Formatted: English (United Kingdom)
					(0001;2)	navigation possible to the	Tornatted. English (Officed Kingdom)
						city	
1597	March	Autumn	Zutphen	2	ZuRAZ	low water levels, limited	Formatted: English (United Kingdom)
1612	July	Summer	Deventer	3	(0001;3) HCO	navigation Period of drought and low	
1012	July	Summer	Deventer	3	(0691;7a)	water levels on the IJssel. a	Formatted: English (United Kingdom)
						lack of water in wells and an	
						ordinance calls for storing	
						water in barrels in case of a	
1615	September (D)	Autumn (D) and	Deventer and	3 (D) and	HCO	fire Period of drought, request	
1013	and May (Z)	Spring (Z)	Zutphen	3 (D) and 2 (Z)	(0691;6a);	from the sworn men in	Formatted: English (United Kingdom)
	and way (Z)	Spring (Z)	Zutpnen	2 (2)	ZuRAZ	Deventer to issue a an	
					(0001;6)	ordinance requiring the	
						inhabitants to store water	
1629	August	Summer	Deventer and	3	HCO (0601)	Period of drought and low water, limited to no use of	Formatted: English (United Kingdom)
			Zutphen		(0691; 7b)ZuRAZ	water, limited to no use of watermills (and windmills)	Formatted: English (United Kingdom)
					(0001;8)	and increased use of	3 , 3 ,
					(3001,0)	draught mills in Zutphen, an	
						ordinance calls for storing	

						water in barrels in case of a	-
						fire in Deventer	
1630	December	Winter	Deventer	2	HCO	Period of low water, request	Formatted: English (United Kingdom)
					(0691; 6b)	from the sworn men to	
						construct a palisade as extra	
						protection of the city due to	
						the low water mark in the	
						Ussel	
1633	September	Autumn	Deventer	3	HCO	Period of major drought,	Formatted: English (United Kingdom)
					(0691; 7b)	low water marks and an	Formatted: English (United Kingdom)
						ordinance calls for storing	. Ormatica, English (Orlited Kingdom)
						water in barrels in case of a	
1624	Marah	Conin -	Dovorter	4	ЦСО	Fire Pariod of drought low	(
1634	March	Spring	Deventer	4	HCO (0691; 6b)	Period of drought, low water addressed by the	Formatted: English (United Kingdom)
					(0691; 66)		
						sworn men to deepen the	
						city's harbour, lack of wind and water necessitates to	
1638	Angust	Summer	Deventer	3	HCO	prepare the draught mill Period of drought, low	Francis de Francis (distribution de la constantis de la c
1030	August	Summer	Deventer	3	(0691; 7b)	water levels and a lack of	Formatted: English (United Kingdom)
					(0071, /b)	water in wells, an ordinance	
						calls for storing water in	
						barrels in case of a fire in	
						Deventer	
1645	August	Summer	Deventer	3	HCO	Period of drought, lack of	Francisco de Francisco de Maria de Mari
1045	August	Sum mer	Devel iter	3	(0691; 7b)	water in wells, an ordinance	Formatted: English (United Kingdom)
					(00)1, 70)	calls for storing water in	
						barrels in case of a fire	
1650	June	Summer	Deventer	4	HCO	Period of drought, lack of	Formattade English (United Kingdom)
1000	Julio	Samilio	Deventer		(0691;	water, watermills unable to	Formatted: English (United Kingdom)
					14.4)	function	
1652	May	Spring	Deventer	3	HCO	Period of drought, lack of	Formatted: English (United Kingdom)
1304		Sp8	20.000		(0691;	water, ordinance calls for	Formatted: English (United Kingdom)
					7b/14.4)	storing water in barrels in	
						case of a fire, use of water	
						from a nearby brook to wet	
						the St. Jurriensdijk instead	
						of water from the dried out	
						Schipbeek	
1662	October	Autumn	Deventer	3	HCO	Lack of water in the city's	Formatted: English (United Kingdom)
	-				(0691; 7b)	wells, ban on lighting	
						fireworks and an ordinance	Formatted: English (United Kingdom)
						calls for storing water in	
						barrels in case of a fire	
1666	July	Summer	Deventer	3	HCO	Period of drought and an	Formatted: English (United Kingdom)
	•				(0691; 7c)	ordinance calls for storing	
						water in barrels in case of a	
						fire	
1667	August	Summer	Zutphen	3	ZuRAZ	Lack of water in the city,	Formatted: English (United Kingdom)
	-		•		(0001;18)	fear for fires, ban on	
						lighting fireworks or	
						eelebratory pitch barrels	
1669	September	Autumn	Deventer and	4 (D) and	HCO	Extraordinary drought,	Formatted: English (United Kingdom)
	-		Zutphen	3 (Z)	(0691; 7c);	unusually low water levels	(
			x		ZuRAZ	and a lack of water in the	
					(0001;18)	wells of Deventer leading to	
						an enforced deepening of	
						wells, an ordinance calls for	

	and the second of the second of
	storing water in barrels in case of a fire in Zutphen
1672 January Winter Deventer 3	HCO Low water levels in the Formatted: English (United Kingdom)
	(0691; 7c) rivers, a lack of water in
	wells, storing water in
1000 Mary Carlos Desertes 2	barrels
	HCO Period of drought (0691; 7e) ordinance calls for storing
· · · · · · · · · · · · · · · · · · ·	water in barrels in case of a Formatted: English (United Kingdom)
	fire
	HCO Lack of water in the city, Formatted: English (United Kingdom)
•	(0691; 7c) ban on certain activities causing fire hazards
1731 November Winter Deventer 3	HCO Waterless period, general Formatted: English (United Kingdom)
	(0691; 7d) lack of water in the city, an
	ordinance calls for storing
	water in barrels in case of a
	fire
1733 uncertain (D) Summer (D) Deventer and 3 (D) 4	HCO Dry summer, low water Formatted: English (United Kingdom)
	(0691; levels and a lack of water in
	4.28) wells and pumps in Formatted: English (United Kingdom)
	ZuRAZ Zutphen, deepening of the (0001;32) waterways near Deventer
	Zuraz Extraordinary low water Formatted: English (United Kingdom)
	(0001;35) levels on the IJssel river, a
	lack of peat due to Formatted: English (United Kingdom)
1753 June (D) and Summer (D) and Deventer and 4	hampered navigation
	HCO Excessive drought, low (0691; 7e) water levels, many wells
	ZuRAZ without water, an ordinance Formatted: English (United Kingdom)
•	(0001;37) calls for storing water in
4	barrels in case of a fire
	HCO Long lasting lack of water (0691; in the rivers, lack of water in
	7f;)ZuRAZ wells and pumps, requests Formatted: English (United Kingdom)
•	(0001;46) to limit water use
A	HCO Long lasting lack of water Formatted: English (United Kingdom)
	(0691; 7f); in the rivers, many wells ZuRAZ without water, ban on Formatted: English (United Kingdom)
	(0001;49) certain water using Formatted: English (United Kingdom)
	activities, no navigation
	possible to Zutphen,
	outbreaks of dysentery in Zutphen
1781 March (D) and Winter (D) and Deventer and 4	HCO Long lasting drought and Formatted: English (United Kingdom)
February (Z) spring (Z) Zutphen ((0691; low water levels in the
	4.43); rivers, no navigation and Formatted: English (United Kingdom)
	ZuRAZ watermills out of use (0001;50) specifically in Zutphen
	HCO Excessive drought, lack of Formatted: English (United Kingdom)
July/August (Z) Zutphen	(0691; 7f); water in the rivers, many
	ZuRAZ wells without water, Formatted: English (United Kingdom)
4	(0001;52) watermills out of use,
	limited yields of buckwheat
	limited yields of buckwheat near Deventer as a result of
	limited yields of buckwheat near Deventer as a result of drought, an ordinance calls
	near Deventer as a result of

						outbreaks of dysentery in both cities	-
1790	April	Spring	Deventer	3	HCO	Strong drought, many wells	Formatted: English (United Kingdom)
					(0691; 7g)	without water, ordinance to	<u> </u>
					() ()	limit water use.	
1793	October	Autumn	Zutphen	3	ZuRAZ	Very low water levels, lack	Formatted: English (United Kingdom)
					(0001.122)	of water, ban on using water	
						from the communal wells	
						for scrubbing of streets	
1794	January	Winter	Zutphen	3	ZuRAZ	Very low water levels, lack	Formatted: English (United Kingdom)
					(0001.122)	of water, ban on using water	
						from the communal wells	
						for scrubbing of streets	
662							
1							
663							

Appendix 12: Archival sources

Historisch Centrum Overijssel (HCO) (Regional Archives of Overijssel), Deventer, Stad Deventer, periode Middeleeuwen, 1241-1591 (ID 0690), Edicta magistratus die buyrspraecht genoemptt or Dat boick der buyrspraiken, 1459-1538, 1555-1596, 135.1, 3.

Historisch Centrum Overijssel, Deventer, Schepenen en Raad van de stad Deventer, periode Republiek 1591-1795
 (ID 0691), Prothocoll des Rades van dagelicken resolutien, or Liber quotidianarum resolutionum civitatis

672 Daventriensis, 1591-1795, 4.14,

Historisch Centrum Overijssel, Deventer, Schepenen en Raad van de stad Deventer, periode Republiek 1591-1795

674 (ID 0691), Register van resolutien van Schepenen en Raad en Gezworen Gemeente (Concordaten), 1600-1794,

675 6a-m.

664 665 666

Historisch Centrum Overijssel, Deventer, Schepenen en Raad van de stad Deventer, periode Republiek 1591-1795
 (ID 0691), Register van verordeningen en bekendmakingen van het stedelijk bestuur (Buurspraakboek) or Liber

678 publicationum, 7a-g.

679 Erfgoed Centrum Zutphen (ZuRAZ) (Regional Archives of Zutphen and surrounding areas), Zutphen, Oud-680 Archief van de stad Zutphen, 1206-1815 (ID 0001), Memorien- en resolutieboek van de stad Zutphen, registers

van resoluties van de magistraat, 1573-1808, 2, 3, 6, 8, 18, 32, 35, 37, 46, 49, 50, 52.

682 Erfgoed Centrum Zutphen, Zutphen, Oud-Archief van de stad Zutphen, 1206-1815 (ID 0001), Repertoria op de

resoluties van de magistraat, 1573-1620, 110.

684 Erfgoed Centrum Zutphen, Zutphen, Oud-Archief van de stad Zutphen, 1206-1815 (ID 0001), Repertoria op de

685 Errgoed Centrum Zutphen, Zutphen, Oud-Arc resoluties van de magistraat, 1620-1660, 111.

Erfgoed Centrum Zutphen, Zutphen, Oud-Archief van de stad Zutphen, 1206-1815 (ID 0001), Repertoria op de

687 resoluties van de magistraat, 1661-1700, 112.

Erfgoed Centrum Zutphen, Zutphen, Oud-Archief van de stad Zutphen, 1206-1815 (ID 0001), Repertoria op de

resoluties van de magistraat, 1701-1740, 113.

690 Erfgoed Centrum Zutphen, Zutphen, Oud-Archief van de stad Zutphen, 1206-1815 (ID 0001), Repertoria op de

resoluties van de magistraat, 1741-1780, 114.

692 Erfgoed Centrum Zutphen, Zutphen, Oud-Archief van de stad Zutphen, 1206-1815 (ID 0001), Repertoria op de

693 resoluties van de magistraat, 122.

Formatted: English (United States)

694		
695	References	
696 697	Aghakouchak A. et. al., Anthropogenic Drought: Definition, Challenges, and Opportunities, Reviews of Geophysics, 59, 1-23, https://doi.org/10.1029/2019RG000683, 2021.	
698 699	Bauch, M. et. al., A prequel to the Dantean Anomaly: the precipitation seesaw and droughts of 1302 to 1307 in Europe, Clim. Past, 16, https://doi.org/10.5194/cp-16-2343-2020, 2020.	 Field Code Changed
700 701	Bothe O. et. al., Inconsistencies between observed, reconstructed, and simulated precipitation indices for England since the year 1650 CE, Clim. Past, 15, 307-334, https://doi.org/10.5194/cp-15-307-2019, 2019.	Field Code Changed
702 703	Brázdil, R. et. al., European climate of the past 500 years: new challenges for historical climatology, Clim. Change, 101, 7-40 DOI 10.1007/s10584-009-9783-z, 2010	Tela Code Changea
704 705 706	Brázdil, R.et. al., Droughts in the Czech Lands, 1090-2012 AD, Clim. Past, 9, 1985-2002. doi:10.5194/cp-9-1985-2013, 2013	
706 707 708 709	Brázdil , R. et. al., Documentary and Instrumental-based drought indices for the Czech Lands back to AD1501, Clim. Research., 70, 103-117, doi: 10.3354/cr01380, 2016.	
710 711 712	Brázdil, R. et. al. Documentary data and the study of past droughts: a global state of the art, Clim. Past, 14, 1915-1960, https://doi.org/10.5194/cp-14-1915-2018, 2018.	Field Code Changed
713 714	Brázdil, R. et. al., Extreme Droughts and Human Responses to them: the Czech Lands in the Pre-Instrumental Period. Clim. Past, 15, 1-24 https://doi.org/10.5194/cp-15-1-2019, 2019.	Field Code Changed
715 716 717	Brázdil, R. et. al.: Droughts in Historical Times in Europe, as derived from Documentary Evidence, in: Palaeohydrology. Traces, Tracks and Trails of Extreme Events, edited by. Herget J. and Fontana, A., Springer, Cham 65-96. https://doi.org/10.5194/cp-16-2125-2020, 2020.	
718 719	Briffa, K. van der Schier G. and Jones P., Wet and dry summers in Europe since 1750: evidence of increasing drought, International Journal of Climatology, DOi: 10.1102/joc. 1836, 2009.	Field Code Changed
720 721 722	Buisman, J. Duizend jaar weer, wind en water in de Lage Landen, Van Wijnen, Francker, 1995/1998/2000/2006/2015.	
723 724 725 726	Camenisch, C. and Salvisberg M. Droughts in Bern and Rouen from the 14 th to the beginning of the 18 th century derived from documentary evidence, Clim. Past, 16, 2173-2182. https://doi.org/10.5194/cp-16-2173-2020 , 2020.	Field Code Changed
727 728 729	Camenisch, C. et. al. Extreme Heat and Drought in 1473 and their Impacts in Europe in the Context of the early 1470s, Reg. Environ. Change, 20, https://doi.org/10.1007/s10113-020-01601-0 2020, 2020	Field Code Changed
730 731 732	Cook, E. et. al., Old World megadroughts and pluvials during the Common Era, Science Advances, 1, <u>pOI:</u> 10.1126/sciadv.150056, 2015.	Field Code Changed
733 734 735	Degroot D. et. al., Towards a rigorous understanding of societal responses to climate change, Nature, 591, 539-550, https://doi.org/10.1038/s41586-021-03190-2, 2021	
736 737	Dominguez-Castro F. et. al., Assessing extreme droughts in Spain during 1750-1850 from rogation ceremonies, Clim. Past, 8, 705-722, 2012.	
738 739 740 741	Garnier E., Strengthened Resilience from Historic Experience. European Societies Confronted with Hydrometeor in the Sixteenth to Twentieth Centuries, in: Hydrometeorological Hazards. Interfacing Science and Policy, edited by Quevaeviller Ph., Wiley & Sons, New York, 2014	
742 743 744	Garnier E., European historic droughts beyond the modern instrumental records 16th-20th centuries, in: Drought: Research and Science-Policy Interfacing, edited by Andreu J. et. al., CRC Press, Boca Raton, 2015.	

746 edited by Iglesias, A., Assimacopoulos, D., and Van Lanen, H.A.J., Wiley-Blackwell, New York, 45-67, 2019. 747 Garrioch D., Towards a fire history of European cities (late Middle Ages to late nineteenth century), Urban History, 46, 202-224, https://doi.org/10.1017/S0963926818000275, 2018. 748 749 **Field Code Changed** 750 751 Gorostiza, S. Escayol M. and Barriendos M., Controlling water infrastructure and codifying water knowledge: 752 institutional responses to severe drought in Barcelona (1620-1650), Clim. Past, 17, 913-927, 753 754 https://doi.org/10.5194/cp-17-913-2021, 2021. 755 Grau-Sattoras M. et. al., Prudent Peasantries: Multilevel Adaptation to Drought in Early Modern Spain (1600-1715), Environment and History, 27, 3-36, https://doi-org.vu-nl.idm.oclc.org/10.3197/096734019X15463432086964 2021. 756 Field Code Changed 757 758 759 Geurts H. and Van Engelen A., Beschrijving antieke meetreeksen, Koninklijk Nederlands Meteorologisch 760 Instituut: Historische weerkundige waarnemingen, KNMI, De Bilt, part V, 1992. 761 762 Kchouk, S. et. al., A review of drought indices: predominance of drivers over impact and the importance of local 763 context, Nat. Haz. Syst. Sci., [preprint], https://doi.org/10.5194/nhess-2021-152, 17 June 2021. **Field Code Changed** 764 765 Kiss, A. and Nikolić Z., Droughts, Dry Spells and Low Water Levels in Medieval Hungary (and Croatia) I: The 766 Great Droughts of 1362, 1474, 1479, 1494 and 1507, Journal of Environmental Geography, 8, 11-22, Doi: 767 10.1515/jengeo-2015-0002, 2015. 768 769 Kiss, A., Droughts and Low Water Levels in Late Medieval Hungary II: 1361, 1439, 1443-4, 1455, 1473, 1480, 770 1482(?), 1502-3, 1506: Documentary versus Three-ring (OWDA) Evidence, Journal of Environmental 771 Geography, 10, 43-56, DOI: 10.1515/jengeo-2017-0012, 2017. 772 773 Kiss, A., The great (1506-)1507 drought and its consequences in Hungary in a (Central) European context, Reg. 774 Environ. Change, 20, https://doi.org/10.1007/s10113-020-01634-5 2020 **Field Code Changed** 775 776 777 777 778 779 Leijonhufvud L. and Retsö D., Documentary evidence of droughts in Sweden between the Middle Ages and ca. 1800 CE, Clim. Past, 17, 2015-2029, https://doi.org/10.5194/cp-17-2015-2021, 2021. Machairas, I. and Van de Ven. F. An urban drought categorization framework and the vulnerability of a lowland Formatted: English (United Kingdom) 780 781 city to groundwater urban droughts, Nat. Hazards, 116, https://doi.org/10.1007/s11069-022-05767-0, Formatted: English (United Kingdom) 782 Maughan, N. et. al., Societal impacts of historical droughts in a warming world, Reg. Environ. Change, 22, Formatted: English (United Kingdom) 783 https://doi.org/10.1007/s10113-022-01935-x, 2022. Formatted: English (United Kingdom) 784 785 Mukherjee S. Mishra A. and Trenberth K., Climate Change and Drought: a Perspective on Drought Indices, Formatted: Font: (Default) + Headings CS (Times New 786 Current Climate Change Reports, 4, 145-163, https://doi.org/10.1007/s40641-018-0098-x , 2018. Roman), Complex Script Font: +Headings CS (Times New 787 Roman), English (United Kingdom) 788 Nash D. et. al., Climate indices in historical climate reconstructions: A global state-of-the-art, Clim. Past, 17, Formatted: English (United Kingdom) 789 1273-1314, Doi 10.5194/cp-17-1273-2021, 2021. 790 Formatted: Font: (Default) + Headings CS (Times New 791 Pfister, C. Evidence from the Archives of Societies: Institutional Sources, in: The Palgrave Handbook of Climate Roman), Complex Script Font: +Headings CS (Times New 792 History, edited by White S. et. al., Palgrave Macmillan, London, 67-81, https://doi.org/10.1057/978-1-137-Roman), English (United Kingdom) 793 43020-5_4, 2018, Formatted: English (United Kingdom) 794 795 Pfister C. Camenisch C. and Dobrovolný P., Analysis and Interpretation: Temperature and Precipitation Indices, Field Code Changed 796 in: The Palgrave Handbook of Climate History, edited by White S. et. al., Palgrave Macmillan, London, 115-**Field Code Changed** 797 129, https://doi.org/10.1057/978-1-137-43020-5_11, 2018. 798 **Field Code Changed** 799 Phillip, S. et. al., Regional differentiation in climate change induced drought trends in the Netherlands, Environ.

Field Code Changed

Piervitali E. and Colacino M., Evidence from Drought in Western Sicily During the Period 1565-1915 From

Res. Lett., 15, https://doi.org/10.1088/1748-9326/ab97ca, 2020.

Liturgical Offices, Clim. Change, 49, 225-235, 2001.

Garnier, E. Historic Drought from Archives: Beyond the Instrumental Record, in: Drought. Science and Policy,

745

800

801 802

803 804 805 Pribyl K. and Cornes R., Droughts in Medieval and Early Modern England, part 1: the evidence, Weather, 75, 806 168-172, doi:10.1002/wea.3599, 2020. 807 808 Pribyl, K., A survey of the impact of summer droughts in southern and eastern England, 1200-1700, Clim. Past, 809 16, 1027-1041. https://doi.org/10.5194/cp-16-1027-2020, 2020. **Field Code Changed** 810 811 Savelli, E. et. al., Drought and society: scientific progress, blind spots, and future prospects, WIREs Clim. 812 813 814 815 Change 761, DOI: 10.1002/wcc.761, 2022. Formatted: Dutch (Netherlands) Schutten, G., Varen waar geen water is. Reconstructie van een verdwenen wereld. Broekhuis, 1981. Formatted: English (United Kingdom) 816 Spinoni J. et. al., Will drought events become more frequent and severe in Europe?, International Journal of 817 Climatology, 38, 1718-1736, DOI: 10.1002/joc.5291, 2018. 818 819 Stangl, M. and Foelsche U., Climate History of the Principality of Transylvania during the Maunder Minimum 820 (MM) Years (1645-1715 CE) Reconstructed from German Language Sources, Climate, 10, 821 822 823 824 https://doi.org/10.3390/cli10050066, 2022. Field Code Changed Szalinska W., Otop I. and Tokarczyk T., Local urban risk assessment of dry and hot hazards for planning mitigation issues, Climate Risk Management 34, doi.10.1016/j.crm.2021.100371, 2021. 825 826 Van Engelen A., Buisman J. and IJnsen F., A millenium of weather, winds and water in the Low Countries, in: 827 History and Climate, Memories of the Future? Edited by Jones et. al., Kluwer Academic/Plenum Publishers, Formatted: English (United Kingdom) 828 829 830 101-124, 2001 Van Loon, A. et. al., Drought in a human-modified world: reframing drought definitions, understanding, and 831 analysis approaches, Hydrol. Earth Syst. Sci., 20, 3631-3650, doi:10.5194/hess-20-3631-2016, 2016. 832 833 834 Vogelzang, I. De drinkwatervoorziening van Nederland voor de aanleg van de drinkwaterleidingen. Joh. Mulder, 835 Gouda, 1956. 836 Vörösmarty C. et. al., Humans Transforming the Global Water System, Eos, Transactions American Geophysical 837 Union, 85, 509-514, Formatted: Font: (Default) + Headings CS (Times New Roman), Complex Script Font: +Headings CS (Times New 838 Wetter, O. et. al., The year-long unprecedented European heat and drought of 1540 - a worst case, Clim. Change, Roman), Italic, English (United Kingdom) 125, 349-363, DOI 10.1007/s10584-014-1184-2, 2014. 839 840 Wilhite D. and Pulwarty R., Drought as Hazard: Understanding the Natural and Social Context, in: Drought and Water Crisis: Integrating Science, Management, and Policy, 2^{nd} edition, edited by Wilhite D. and Pulwarty R., 841 842 CRC Press: Boca Raton Fl, 3-20, 2018. 843 844 IJnsen, F., Methoden van onderzoek naar 12 eeuwen temperatuur in Nederland. Verslag van de gevolgde 845 statistische aanpak, Stiens, 2010. 846 847 848 849