

Supplemental figures for "An Improved Representation of Aerosol Mixing State for Air-Quality-Weather Interactions"

Robin Stevens^{1,2}, Andrei Ryjkov¹, Mahtab Majdzadeh³, and Ashu Dastoor¹

¹Air Quality Research Division, Environment and Climate Change Canada, 2121 Trans-Canada Highway, Dorval, Québec, Canada

²Université de Montreal, Montréal, Quebec, Canada

³Air Quality Research Division, Environment and Climate Change Canada, 4905 Dufferin Street, Toronto, Ontario, Canada

Correspondence: Ashu Dastoor (Ashu.Dastoor@ec.gc.ca)




Figure S1. left: mean PM_{10} concentrations from the SRIM simulation; top right: mean difference in PM_{10} concentrations between the HYGRO and SRIM simulations; bottom right: relative difference in mean PM_{10} concentrations between the HYGRO and SRIM simulations. Note that PM_{10} concentrations are nearly identical in the HYGRO and 1L2B simulations.




Figure S2. left: mean PM₁₀ AQHI values from the SRIM simulation; top right: mean difference in PM₁₀ AQHI values between the HYGRO and SRIM simulations; bottom right: relative difference in mean PM₁₀ AQHI values between the HYGRO and SRIM simulations. Note that PM₁₀ AQHI values are nearly identical in the HYGRO and 1L2B simulations.