

Brief communication: Is vertical shear in an ice shelf (still) negligible?

Chris Miele¹, Timothy C. Bartholomaus¹, and Ellyn M. Enderlin²

¹Department of Earth and Spatial Sciences, University of Idaho, Moscow, ID, USA

²Department of Geosciences, Boise State University, Boise, ID, USA

Correspondence: Chris Miele (mielebzu@uw.edu)

Abstract. Vertical shear is recognized today as a key component of the stress balance of ice shelves. However, the first ice shelf models were built on the neglect of vertical shear. Partly due to its historical treatment, it remains common to discuss vertical shear as though it were still considered negligible in ice shelf models. Here, we offer a historical perspective on the changing treatment of vertical shear over time, and we emphasize the term’s non-negligibility in current ice shelf modeling. We illustrate our discussion in the simplest context of an analytic, isothermal, shallow ice shelf model.

1 Introduction

Analytic models of floating ice shelves date back to at least 1957, when Weertman derived expressions for the tension and velocity gradients within a uniform-thickness ice shelf. Weertman found that, for a shelf with uniform surface elevation $h = h_T$, uniform density ρ , and no lateral flow, the depth-averaged longitudinal deviatoric tension, $\overline{\tau_{xx}}$, could be calculated via

$$10 \quad \overline{\tau_{xx}} = \frac{1}{4} \rho g h_T. \quad (1)$$

Using a depth-averaged constitutive relation, expressions of this form permit the calculation of strain rates and velocities. Nearly two decades later, Thomas (1973) set out to generalize Weertman’s expression to shelves of nonuniform thickness. Using the same underlying assumptions as Weertman, but imposing no restrictions on the surface elevation $h = h(x)$, Thomas obtained an expression nearly identical to Weertman’s, wherein the depth-averaged deviatoric tension is

$$15 \quad \overline{\tau_{xx}} = \frac{1}{4} \rho g h. \quad (2)$$

By Thomas’ analysis, Weertman’s solution is valid regardless of how h varies along a shelf. Thomas’ expression remains the generally-accepted description of a nonuniform-thickness shelf in longitudinal extension, and it is routinely cited or independently derived in the literature (Sanderson, 1979; Cuffey and Paterson, 2010; Gudmundsson, 2013; Oerlemans, 2021; Millstein et al., 2022). However, though Equation 2 has persisted, the formulation of this model has quietly undergone a conceptual shift over the decades. This conceptual shift relates to the role of vertical shear in ice shelves – a topic which is sometimes incompletely communicated today, and on which we seek to provide clarification.

2 The conceptual evolution of Thomas' model

In originally deriving the nonuniform-thickness model of Equation 2, Thomas' "sole restriction [was] that of zero shear stresses in vertical planes." The neglect of vertical shear stress, τ_{xz} , was universal in the formulation of ice shelf models at the time
25 (Weertman, 1957; Thomas, 1973; Robin, 1975; Sanderson, 1979). However, it was understood by some authors to be theoretically suspect. In a seminal paper titled *Is Vertical Shear in an Ice Shelf Negligible?*, Sanderson and Doake (1979) argued that vertical shear is fundamentally linked with the thickness gradient of an ice shelf, and that, strictly speaking, vertical shear "cannot be precisely zero" except in the case of uniform thickness. This observation did not challenge the practical utility of Equation 2 (Sanderson and Doake found vertical shear to be small enough that its neglect was, in fact, justified, answering their
30 own titular question in the affirmative), but it highlighted a relationship that had been missed in Thomas' analysis.

The formulation of Thomas' model evolved with the development of the Shallow Shelf Approximation (SSA) (Morland, 1987; MacAyeal, 1989; Schoof and Hindmarsh, 2010). The SSA, besides empowering a leap forward in computational glaciology, was accompanied by two key theoretical advances in ice shelf modeling: *how* the neglect of terms is justified, and *which* terms are neglected.

35 The SSA is built on the fundamental assumption that the thickness-to-length aspect ratio, ϵ , of an ice shelf is small (this is the "shallowness" of the SSA). With $\epsilon \ll 1$, larger powers of the aspect ratio attain smaller values. In contemporary terminology, an "nth order approximation" is obtained by neglecting any term appearing as a coefficient of ϵ^{n+1} after nondimensionalization (i.e., setting those terms to zero in the approximate model, with the understanding that they are not exactly zero in real life). This dimensional analysis approach to excluding terms adds quantitative rigour to approach of Sanderson and Doake, for whom
40 negligibility was more qualitatively assessed. As we sketch in the next section, and contrary to the postulates of the first ice shelf modelers, dimensional analysis does not lead to the wholesale neglect of vertical shear from shallow-shelf models. Using the SSA as a starting point to derive an analytic model for a longitudinally extending ice shelf, Thomas' Equation 2 results, but without the assumption of vanishing vertical shear. This is the modern approach to deriving Equation 2.

However, the inclusion of vertical shear stress in the present-day interpretation of Thomas' model may somewhat clash with
45 intuition, not least because the vertical shear term doesn't actually appear anywhere in Equation 2. Even in literature postdating the development of the SSA, it is common to encounter language which, to a novice glaciologist, might seem to imply that vertical shear is still discarded entirely from shallow ice shelf models.¹ This potential misstep is the primary motivation for the present manuscript. In the sections below, we briefly illustrate a) that dimensional analysis does not entail the neglect of vertical shear from the stress balance of even a zero-order shallow ice shelf model, and b) that, despite the term's absence in

¹For example, in constructing the ice shelf model of Pattyn and Declair (1995), "the [vertical] shear stress term in [the x -momentum equation] is omitted." Bueler and Brown (2009) state that " $D(\mathbf{v})_{13}, D(\mathbf{v})_{31}, D(\mathbf{v})_{23}, D(\mathbf{v})_{32}$ [i.e., the vertical shear strain rates] are all negligible in the SSA." Cuffey and Paterson (2010) specify that, to construct a nonuniform-thickness ice shelf model, the "assumption must be made that the slope at the bottom surface of the shelf is small so that the stress τ_{xz} will be negligible." Larour et al. (2012) introduce the SSA as obtained by "assuming that vertical shear is negligible," and then specify that $\dot{\epsilon}_{xz} = \dot{\epsilon}_{yz} = 0$. In an ice shelf model intercomparison, Pattyn et al. (2013) write, "A further approximation, known as the shallow-shelf approximation (SSA), is obtained by neglecting vertical shear." Bondzio et al. (2016) describe the SSA as an approximation which "neglects all vertical shearing but includes membrane stresses," and Rückamp et al. (2019) affirm that "the SSA neglects vertical shearing."

50 Equation 2, the vertical shear stress of an ice shelf can be directly calculated. For compactness, we present this discussion in the simplest context of an isothermal, unconfined ice shelf in one horizontal dimension (as depicted in Figure 1).

3 Pre-construction: which terms are neglected from shallow ice shelf models by dimensional analysis?

The typical balance of momentum for a 2D ice shelf cross-section, in x and z , can be expressed

$$\frac{\partial}{\partial x}\tau_{xx} + \frac{\partial}{\partial z}\tau_{xz} = \frac{\partial}{\partial x}P \quad (3a)$$

55
$$\frac{\partial}{\partial x}\tau_{xz} + \frac{\partial}{\partial z}\tau_{zz} = \frac{\partial}{\partial z}P, \quad (3b)$$

where each τ_{ij} is a deviatoric stress and P is pressure. Both historically and today, simplification of these equations has typically been done by neglecting the “bridging term,” ($\frac{\partial}{\partial x}\tau_{xz}$ of Equation 3b). Possibly in an effort to maintain internal consistency, the pioneering authors discussed above tended to additionally neglect all other appearances of τ_{xz} , including the second term of Equation 3a.

60 In contrast to their approach, and with asterisks denoting appropriately scaled parameters, Equations 3a and 3b can be nondimensionalized as in Weis et al. (1999) (see also MacAyeal (1989) or Schoof and Hindmarsh (2010)) to become

$$\frac{\partial}{\partial x^*}\tau_{xx}^* + \frac{\partial}{\partial z^*}\tau_{xz}^* = \frac{\partial}{\partial x^*}P^* \quad (4a)$$

$$\epsilon^2 \frac{\partial}{\partial x^*}\tau_{xz}^* + \frac{\partial}{\partial z^*}\tau_{zz}^* = \frac{\partial}{\partial z^*}P^*. \quad (4b)$$

By this approach, in the zeroth and first order approximations, the bridging term in 4b will be neglected as a coefficient of ϵ^2 (i.e., omitted for the purpose of further simplification), in agreement with Weertman, Thomas, and others. However, the vertical shear term in Equation 4a is retained, as it represents a coefficient of ϵ^0 . Thus, dimensional analysis provides an internally consistent means of neglecting $\frac{\partial}{\partial x}\tau_{xz}$ while retaining $\frac{\partial}{\partial z}\tau_{xz}$.

4 Constructing the simplest shallow-shelf model

Following the workflow presented in Section 5.2 of Greve and Blatter (2009), the neglect of $\frac{\partial}{\partial x}\tau_{xz}$ in Equation 4b yields the modified x -momentum equation shown below (where we have omitted asterisks for readability).

70
$$2\frac{\partial}{\partial x}\tau_{xx} + \frac{\partial}{\partial z}\tau_{xz} = \rho g \frac{\partial}{\partial x}h \quad (5)$$

Although the most general shallow-shelf models are constructed by depth-integrating equations of the above form (resulting in, for example, Greve and Blatter’s Equation 6.55), we can provide an even simpler solution for an isothermal shelf, for which viscosity is depth invariant, and, consequently, τ_{xx} is depth invariant and equal to its depth-averaged value, $\overline{\tau_{xx}}$. It can be

75 verified, by direct substitution (see also Schoof and Hindmarsh (2010)), that Equation 5 is solved by the system

$$\tau_{xx} = \frac{1}{4}\rho gh \quad (6a)$$

$$\tau_{xz} = \frac{1}{2}\rho gz \frac{\partial}{\partial x}h, \quad (6b)$$




Figure 1. An ice shelf cross-section alongside a visual description of several geometric parameters commonly used to describe ice shelf dynamics. H , h , and b represent the thickness, surface elevation, and basal elevation of the shelf. $z = 0$ is the waterline and $x = x_T$ is the terminus. People on terminus for scale.

where Equation 6a is simply the isothermal case of Thomas' Equation 2, and Equation 6b is the (nonzero!) vertical shear stress which must accompany that solution. In fact, if we had set $\tau_{xz} = 0$, Equation 6a would not actually solve Equation 5, *unless* we additionally assumed that $\frac{\partial}{\partial x} h = 0$. This observation succinctly illustrates the work of Sanderson and Doake (1979): $\tau_{xz} = 0$ only to the extent that a shelf has uniform thickness.

5 Concluding remarks

In discussions of shallow ice shelf models, it is fairly common to hear vertical shear spoken of as “zero,” “neglected,” or otherwise unimportant. While this certainly was an approximation made by early ice shelf modelers, this language is at odds with current modeling practice. Indeed, as first shown by Sanderson and Doake's *Is Vertical Shear in an Ice Shelf Negligible?*, nonzero vertical shear stress is a fundamental requirement of a nonuniform-thickness ice shelf. With dimensional analysis now enabling modelers to more rigorously define negligibility, the present-day answer to their question is a resounding “no.”

Author contributions. CM devised the project and wrote the manuscript, with guidance from TB and EE. TB and EE both reviewed and edited, and acquired the financial support necessary for the project. TB directly supervised CM.

90 *Competing interests.* The authors declare that they have no conflict of interest.

Acknowledgements. This work was made possible by grants 1716865 and 1933105 from the U.S. National Science Foundation, and grant 80NSSC18K1477 from NASA.

References

- Bondzio, J. H., Seroussi, H., Morlighem, M., Kleiner, T., Rückamp, M., Humbert, A., and Larour, E. Y.: Modelling calving front dynamics using a level-set method: Application to Jakobshavn Isbræ, West Greenland, *Cryosphere*, 10, 497–510, <https://doi.org/10.5194/tc-10-497-2016>, 2016.
- Bueler, E. and Brown, J.: Shallow shelf approximation as a "sliding law" in a thermomechanically coupled ice sheet model, *Journal of Geophysical Research: Solid Earth*, 114, 1–21, <https://doi.org/10.1029/2008JF001179>, 2009.
- Cuffey, K. M. and Paterson, W. S. B.: *The Physics of Glaciers*, Butterworth-Heinemann, Burlington, MA, 4th edn., <https://doi.org/10.3189/002214311796405906>, 2010.
- Greve, R. and Blatter, H.: *Dynamics of Ice Sheets and Glaciers*, Springer, Berlin, 2009.
- Gudmundsson, G. H.: Ice-shelf buttressing and the stability of marine ice sheets, *The Cryosphere*, 7, 647–655, <https://doi.org/10.5194/tc-7-647-2013>, 2013.
- Larour, E., Seroussi, H., Morlighem, M., and Rignot, E.: Continental scale, high order, high spatial resolution, ice sheet modeling using the Ice Sheet System Model (ISSM), *Journal of Geophysical Research: Earth Surface*, 117, <https://doi.org/10.1029/2011JF002140>, 2012.
- MacAyeal, D. R.: Large-scale ice flow over a viscous basal sediment: theory and application to Ice Stream B, Antarctica, *Journal of Geophysical Research*, 94, 4071–4087, 1989.
- Millstein, J. D., Minchew, B. M., and Pegler, S. S.: Ice viscosity is more sensitive to stress than commonly assumed, *Communications Earth Environment*, 3, 1–7, <https://doi.org/10.1038/s43247-022-00385-x>, 2022.
- Morland, L. W.: Unconfined ice-shelf flow, in: *Dynamics of the West Antarctic Ice Sheet*, vol. 28, pp. 5241–5244, 1987.
- Oerlemans, J.: Analytical Models of Ice Sheets and Ice Shelves, in: *Glaciers and Ice Sheets in the Climate System*, edited by Fowler, A. and Ng, F., pp. 241–254, Springer International Publishing, https://doi.org/10.1007/978-3-030-42584-5_10, 2021.
- Pattyn, F. and Declair, H.: Numerical simulation of Shirase Glacier, East Queen Maud Land, Antarctica, *NIPR Symp. Polar Meteorol. Glaciol.*, 87, 1995.
- Pattyn, F., Perichon, L., Durand, G., Favier, L., Gagliardini, O., Hindmarsh, R. C., Zwinger, T., Albrecht, T., Cornford, S., Docquier, D., Fürst, J. J., Goldberg, D., Gudmundsson, G. H., Humbert, A., Hütten, M., Huybrechts, P., Juvet, G., Kleiner, T., Larour, E., Martin, D., Morlighem, M., Payne, A. J., Pollard, D., Rückamp, M., Rybak, O., Seroussi, H., Thoma, M., and Wilkens, N.: Grounding-line migration in plan-view marine ice-sheet models: Results of the ice2sea MISMIP3d intercomparison, *Journal of Glaciology*, 59, 410–422, <https://doi.org/10.3189/2013JoG12J129>, 2013.
- Robin, G. D. Q.: Ice shelves and ice flow, *Nature*, 253, 168–172, <https://doi.org/10.1038/253168a0>, 1975.
- Rückamp, M., Neckel, N., Berger, S., Humbert, A., and Helm, V.: Calving Induced Speedup of Petermann Glacier, *Journal of Geophysical Research: Earth Surface*, 124, 216–228, <https://doi.org/10.1029/2018JF004775>, 2019.
- Sanderson, T. J.: Equilibrium profile of ice shelves, *Journal of Glaciology*, 22, 1979.
- Sanderson, T. J. and Doake, C. S.: Is vertical shear in an ice shelf negligible?, *Journal of Glaciology*, 22, 285–292, <https://doi.org/10.1017/S0022143000014271>, 1979.
- Schoof, C. and Hindmarsh, R. C.: Thin-film flows with wall slip: An asymptotic analysis of higher order glacier flow models, *Quarterly Journal of Mechanics and Applied Mathematics*, 63, 73–114, <https://doi.org/10.1093/qjmam/hbp025>, 2010.
- Thomas, R. H.: The creep of ice shelves: theory, *Journal of Glaciology*, 12, 1973.
- Weertman, J.: Deformation of floating ice shelves, *Journal of Glaciology*, 3, 1957.

