

1 We appreciate the detailed and thorough reviews from Referee 1, 2 and 3. Between the three
2 reviews, there are common themes, which we group together and respond to at once when
3 appropriate. Below are responses to 1) their general comments, and 2) line-by-line comments. We
4 also include our response to the editor’s comment on our initial revision.

5 The reviewer comments are unbolded and marked as Referee 1 (R1), Referee 2 (R2), and Referee 3
6 (R3). The author’s responses are marked as AR and **bolded**. This same document is included in all
7 three replies and responds to all referee and editorial comments. The line numbers refer to the
8 manuscript with tracked changes and are stated below the comment they address.

9

10 *Presentation and discussion of the Allerød Re-advance Hypothesis*

11 *Referee 1 (R1):* 2) The "controversial" hypothesis should be presented in more detail in the
12 introduction or geological setting. Now it is only briefly mentioned in the introduction and again in
13 the discussion. It is very relevant to describe in detail how Young et al concluded that a readvance
14 took place at 13 ka.

15 **Author Response (AR):** We will update the introduction to include the following text in red:

16 “However, Young et al. (2020) recently interpreted new **and existing** radiocarbon ages from
17 western New York to support a significant re-advance of the LIS at ~13 ka that overtopped the
18 Lake Escarpment Moraine and nearly reached the Kent Moraine (Fig. 1). **The evidence includes**
19 **the re-interpretation of several unrelated sites throughout western New York, but largely**
20 **hinges on new trenched sections near the Kent Moraine revealing logs in clayey diamicton,**
21 **which Young et al. (2020) suggest requires glacial overriding of a forest ~13.3 to ~13.0 ka. In**
22 **contrast to Young et al.’s (2020) reconstruction, most literature places the LIS margin north of**
23 **Lake Ontario at this time (Dalton et al., 2020; Muller and Calkin, 1993; Terasmae, 1980; and**
24 **references therein), with the drainage of Glacial Lake Iroquois occurring at ~13 ka (Fig. 1;**
25 **Cronin et al., 2012; Lewis and Anderson, 2019; Rayburn et al., 2005). To reconcile the**
26 **disagreement in timing between the hypothesized Allerød re-advance and existing**
27 **chronologies, Young et al. (2020) invoke a largely floating ice mass that left minimal traces of**
28 **its existence in most areas. If a re-advance of the scale hypothesized by Young et al. (2020)**
29 **occurred (henceforth referred to as the ‘Allerød re-advance hypothesis’), we would need to**
30 **revisit many regional deglaciation chronologies.**

31 **Please see lines 56 - 67 with this updated text.**

32

33 *Presentation, organization, and discussion of the stratigraphy:*

34 *R2:* Section 4.1. It's easy to get lost in the stratigraphic descriptions for each core in Section 4.1. It
35 could be helpful for the reader to explicitly discuss each core based on the associated moraine, so
36 it becomes easier to follow when the stratigraphy of a Lake Escarpment moraine core is being
37 described versus a Kent moraine core.

38 *R3: The stratigraphy and sediment core chronology sections need some deep reworking. Indeed, I*
39 *found these sections poorly organized, making it difficult to read and understand the results. The*
40 *different cores are mixed in the text and the different units are not well defined. A better*
41 *presentation of the data is important, as the position of the samples within the units is*
42 *subsequently used extensively to correlate ages. Suggestions for improvement are included in my*
43 *comments line by line in the “specific comments”.*

44 **AR: These two comments suggest a reformatting of the results section to group the**
45 **stratigraphy and radiocarbon results by sediment core and moraine. We will format the**
46 **results sections to discuss each site in order by moraine, describing each sediment core**
47 **individually. This individual description will include 1) descriptions of the core stratigraphy by**
48 **Unit, 2) radiocarbon ages with information about the unit they come from and 3) the age-depth**
49 **relationship.**

50 **Please see lines 248 - 307 for the updated text.**

51

52 *Presentation, organization, and discussion of the radiocarbon:*

53 *Associate editor: Concerning the table 2 and reporting all calibrated intervals associated to the*
54 *relative probability. I'll stick on the recommendations of the 14C community (e.g. Millard 2014). By*
55 *reporting the interval that encompasses all calibrated intervals, you miss important information:*
56 *the time periods that are unlikely and you no longer report a 95% confidence probability but*
57 *something higher, between 0.95 and 1 since you include part of the remaining 5%. This is not*
58 *mathematically correct. I would also draw your attention to the fact that the median makes no*
59 *sense in the context of a multiinterval calibration. You may even end up with a median in a non-*
60 *probable interval. You'll save space by eliminating this column. Furthermore, as the d13C are*
61 *reported with uncertainty of 0.1‰, a single digit will sufficient to report this value. The spare room*
62 *can be used to report 14C lab code. I understand your desire for an elegant table. My*
63 *recommendation is to play with the thickness and color of the lines.*

64 **AR: In Table 2 we will report the discrete solutions within the 95% confidence interval (as**
65 **shown in your example table) instead of the min and max of this range (as it is reported now).**
66 **We will truncate the d13C to one decimal point.**

67 **Please see line 361 for the updated Table 2.**

68

69 *R1: 1) The radiocarbon ages a given as ranges (min-max) throughout the text. Although this is the*
70 *most correct way of reporting radiocarbon ages it makes the text less readable. I suggest that the*
71 *min-max ranges are provided in the table and calibrated ages (in kiloyears) are used in the*
72 *manuscript.*

73 **AR: If the editor agrees, we would change the age presentation in the text and figures to**
74 **median ages reported from Calib and uncertainties as the larger difference between the**
75 **median and the maximum and minimum age, like this: “X.X ± X.X cal ka BP”. Table 2 will**

76 **still list ages in min-max form including discrete intervals as described above. Otherwise**
77 **we will keep the age presentation in the text as the full 2-sigma range, as it is now, and**
78 **refer to the table for more detailed information.**

79 **As advised from the associate editor, we report the 95% interval in the text as a range**
80 **of ages in cal BP.**

81

82 *R1:* 3) It would be worthwhile to consider making age-depth models for the records where there are
83 many radiocarbon ages. This would allow a better assessment of the potential outliers mentioned
84 in the text and also plot the proxy data on an age scale.

85 *R3:* Radiocarbon ages should be placed in a chronological framework using chronostratigraphic
86 models (in figure 5 or in the appendix) instead of just reported ages in a stratigraphic column as
87 discussed in the main text. This should be easily done with Oxcal for example (using sequence or
88 phase command...). Then we may have access to probability spectra, for individually calibrated
89 and modelled ages. This would make it possible to better justify/approve the choices made by the
90 authors to conclude that the ages are not those expected. This also allows them to better constrain
91 the ages between the bottom and the top of the different cores. Maybe the radiocarbon ages will
92 perhaps also be less rejected by the authors...

93 ***AR:* These two comments both suggest making age-depth models for the cores where we have**
94 **sufficient radiocarbon constraints, so we will address their comments together. We agree**
95 **that the age-depth plots provide a nice framework for discussing the radiocarbon results. We**
96 **will add a supplemental file to our paper that contains age-depth plots so readers can**
97 **visualize the sample distribution. We find the data shown as age-depth plots is most useful**
98 **because we can symbolize the data by single terrestrial radiocarbon sample vs combined**
99 **macrofossils with aquatic influence, etc., whereas an age-depth model created from rBacon**
100 **or OxCal cannot. The 2 σ age range is typically smaller than the symbol to show the sample**
101 **age when viewing all the dates on a single plot, and the probability spectra for each age can be**
102 **created with the raw data should a reader want to access this. Finally, our interpretation that**
103 **Unit 2 records the collapse of ice-cored moraines and the creation of kettles in an unstable**
104 **environment makes us hesitant to create an age-depth model through these sediments.**

105 **Please see the new Supplemental File for these age-depth plots. They are referenced**
106 **in the text throughout the new results section (lines 248 - 307)**

107

108 *R2:* Section 4.2. It could be helpful to declare the stratigraphic unit in which each basal age is found
109 since that is not consistent across all cores. As an example, starting on line 264 the basal ages for
110 the Kent moraine are described, yet the 15,050-15,550 cal yr BP ages from 20VIN1 are in Unit 2 just
111 above the boundary with Unit 1, whereas the 13,00-14,050 cal yr BP ages from 15ABB7 are found in
112 Unit 3. Clarifying this for all radiocarbon data in Section 4.2 will strengthen your argument and
113 allow the reader to immediately associate the ages with their stratigraphic unit, at the same time
114 setting up the stratigraphic discordance with older ages higher up the core.

115 **AR: This will be clarified in the new structure of the results section.**

116 **Please see lines 248 - 307 for the updated text.**

117

118 *R2:* Section 5.2. The second paragraph of Section 5.2 discusses the basal radiocarbon ages in
119 relation to the timing of LIS retreat from the Kent moraine. It would be helpful to clarify you are
120 referring to the ages from 20VIN1 located in Unit 2 just above Unit 1 which is interpreted as the
121 glacial till. The description of “shortly before ~15 ka” needs to be changed to “prior to ~15 ka” as
122 these are minimum-limiting ages on deglaciation and the duration between deglacial onset, as
123 indicated as the stratigraphic change from Unit 1 to Unit 2, and the radiocarbon ages cannot be
124 determined from these data alone. As such, there is not necessarily a contradiction between the
125 young basal radiocarbon ages and regional correlations with the Lake Escarpment moraine ~17 ka.
126 These results simply state that abandonment of the Kent moraine happened prior to ~15 ka and
127 must have occurred prior to deposition of the Lake Escarpment moraine ~17 ka. Additionally, this
128 interpretation of the basal radiocarbon age lends support to the eventual age-lag conclusion due to
129 persistent ice and permafrost within the moraine.

130 **AR: We agree that the nature of minimum-limiting radiocarbon ages means the ages are not**
131 **contradictory to any of the correlations or the OSL ages. We will clarify wording according to**
132 **this suggestion. A couple of line-by-line comments from R3 also suggest clarifying our**
133 **discussion section that we address in more detail below.**

134 **We removed this paragraph and replaced the information in lines 439 - 457. We find**
135 **this new text a more straightforward way of discussing the minimum-limiting nature of**
136 **each Unit. We also changed the wording in the abstract (Lines 22 - 29).**

137

138 *Methods section:*

139 *R2:* Section 3. There are no issues with the content of this section. However, many of the sentences
140 start with the word “we” (e.g., “We collected...”, “We determined...”, “We returned...”, etc.) often
141 in sequential sentences. I recognize that there is debate within the scientific community about the
142 use of active or passive voice in writing, but for now the Methods section would read more fluidly if
143 many of these sentences were changed to “Samples collected were analyzed for...” or “OSL
144 analysis was conducted at...”.

145 **AR: We appreciate this comment aimed at streamlining our writing. That said, this comment is**
146 **a bit subjective (first vs. third person a matter of writers’ preference) and would like this in**
147 **active voice.**

148

149 *Line-by-line comments:*

150 *R1:*

151 Line 15: consider using another word than "provocative" - it gives the wrong impression. Maybe use
152 an alternative instead of provocative.

153 **AR: We agree to change the adverb provocative, perhaps to 'controversial', as described**
154 **above.**

155 **We chose to remove the adverb altogether (Line 15).**

156 Line 19: ..luminescence ages..."of what?

157 **AR: We will include that these ages are from topset beds in an ice-contact delta.**

158 **This information is included on Line 19.**

159 Line 29: see the first comment about "provocative"

160 **AR: See above reply.**

161 Line 50: More information is needed about how Young interpreted the radiocarbon ages (see
162 general comment)

163 **AR: See above reply.**

164 Line 69 (Fig. 1): Nice figure. Maybe add the existing chronological constraints mentioned in the text.

165 **AR: We will add in data discussed in the text as points along the moraines.**

166 **Figure 1 has been updated with the dates discussed in the text (Line 80) and the**
167 **caption includes the citations (Lines 90-95).**

168 Line 173 (Fig 3): Nice figure but consider changing the yellow colour or increasing the line
169 thickness.

170 **AR: We will increase the line thickness.**

171 **Please see updated figure on Line 191 with increased line thickness.**

172 Line 214 (Fig. 4): Overall good figure but panel A could be improved. The dimensions seem off and I
173 wonder what the light brown colour below (a) represents.

174 **AR: R3 also has comments on how to improve this figure. We will sub-out the image in Figure**
175 **4, check the alignments and dimensions, and provide in the figure that the light brown is also**
176 **bedrock.**

177 **Please see updated figure on Line 234 with fixed dimensions and bedrock labeled.**

178 Line 224: Ok descriptions, but it would be good to include the proxy data more in the description of
179 the 3 units. In particular, MS, CaCO₃ and water content could be better incorporated in the text.

180 **AR: We believe these data are best shown in the figures – we will refer to the graphs in the**
181 **beginning of the results sections to guide readers.**

182 **We refer to the graphs and broadly describe the downcore data on Lines 257 - 260.**

183 Line 249 (Fig. 5): Good summary figure with proxy data from the sediment cores. In 15ABB7 MS is 0
184 - is that a mistake? Also, some LOI and water content data are missing in 20VIN4.

185 **AR: Yes ABB7 has MS values of zero for the entire core. We did not measure LOI and water**
186 **content in 20VIN4 because it was a diamicton and difficult to sample, and we will add that**
187 **information into the figure.**

188 **Please see updated figure on Line 332.**

189 Line 317-321: Consider starting with summarizing new data before stating it supports the existing
190 data.

191 **AR: This was also mentioned by R3 – we will move this sentence to the end of the paragraph.**

192 **We moved this sentence to the end of the paragraph (Lines 410 - 413).**

193

194 **R2:**

195 *Line specific comments:*

196 Line 36: Consider revising. “Well constrained ice sheet chronologies...constrain”. Refine?

197 **AR: We would change the wording to: ‘...are necessary to *determine* the timing of ...’.**

198 **We changed this wording, see Line 43.**

199 Line 93: Consider revising. “...dated to...by radiocarbon dating” is redundant.

200 **AR: We would change the wording to: ‘...basin *around* 17 – 16 cal ka BP *based on* radiocarbon**
201 **dating...’.**

202 **We changed this wording, see Line 108.**

203 Line 116: Define “significant” if you plan to describe the re-advance in this way.

204 **AR: Similar to R1 comments about ‘provocative’, we will revise.**

205 **We removed this adverb as well (Line 132).**

206 Line 154: Was sediment bulk density only measured on the Little Protection cores? If so, why not
207 on the others?

208 **AR: The data are only from Little Protection because we investigated the Allerød re-advance in**
209 **our two cores from the Lake Escarpment Moraine, and Dragonfly Kettle data creation took**
210 **place before the Allerød re-advance hypothesis was published and we did not measure bulk**
211 **density. We will include this information on Line 155.**

212 **Please see this new text in Lines 171 - 173.**

213 Line 283: Missing an end parenthesis after Olley et al. (1999).

214 **AR: Thanks! We will correct that.**

215 **Corrected in Line 370.**

216 Line 290: Consider using consistent terminology when discussing cores. Here you describe
217 Vincent-1 when previously these cores were described as “20VIN1”. You could also include the
218 associated cores in parentheses after “Vincent-1” for clarity.

219 **AR: We will include the core name in parentheses after Vincent-1 for clarity. We will do the**
220 **same if there is another occurrence of this.**

221 **We included the core name on Line 377.**

222 Line 300: Careful with the word “probably”. This is an interpretation based on stratigraphy alone. A
223 safer word to use here is “potentially”.

224 **AR: We will change this to potentially.**

225 **We changed this wording on Line 388.**

226 Line 301: Reiterate that core 21LPB1 is associated with the Lake Escarpment moraine.

227 **AR: We will clarify which moraine the core is from within this section.**

228 **We include which moraine the cores are from in Line 387 and Line 389.**

229 Line 330: Clarify that “These samples...” refers to the macrofossils.

230 **AR: Thanks, we will clarify that.**

231 **We included this on Line 422.**

232 Line 336: Greater description is needed for how samples were assumed to be terrestrial origin.
233 What visual cues were looked for to identify terrestrial vs. aquatic samples.

234 **AR: Identification was rare at the time of sampling, partly due to the small size of the**
235 **macrofossils available to be collected. Dr. Ole Bennike identified some of the dated samples.**
236 **We opted for measurements of $\delta^{13}\text{C}$ to provide a basis to infer terrestrial vs aquatic nature of**
237 **samples dated. The samples that we identified as likely aquatic material had identifiable**
238 **spores of aquatic material and the samples inferred to be terrestrial do not. So, we will**
239 **change this sentence to be ‘We move forward using samples assumed to be terrestrial from a**
240 **lack of identifiable aquatic macrofossils and supported by $\delta^{13}\text{C}$ values’.**

241 **We include this new sentence in Lines 430-431.**

242 Line 348: Consider revising. The basal radiocarbon ages are trustworthy, but the up-core ages
243 exhibit stratigraphic discordance and therefore do not reflect an accurate age of sediment
244 deposition.

245 **AR: The Unit 2 ages are trustworthy as minimum-limiting constraints on moraine**
246 **abandonment, but the evidence for slumps and rip-up clasts in Unit 2, plus the stratigraphic**
247 **discordance in radiocarbon ages, are reasons to doubt the reliability of radiocarbon ages to**
248 **reflect the age of the sediment they are within. We will include these reasons within this**
249 **paragraph (Line 348) to clarify.**

250 **As described above, we have changed wording in the discussion section to better our**
251 **interpretation of the ages in each Unit. Please see Lines 439 - 457.**

252 Line 364: The radiocarbon ages are from sediments stratigraphically above the glacial deposits
253 therefore would not reflect moraine deposition. Do you mean “do not record deglacial onset”? A
254 more accurate conclusion is reached on Line 425 “...radiocarbon dates can be extreme minimum
255 age constraints on deglaciation.”

256 **AR: We can change the wording for more clarification here: “According to this interpretation,**
257 **our radiocarbon ages from Unit 2 could reflect plant death anytime between moraine**
258 **deposition and kettle basin stabilization.”**

259 **We have included this in Line 475.**

260 Line 366: Consider revising. “Ice cored moraines remained *as such...*” or “Moraines can remain ice
261 cored for...”

262 **AR: Thanks, we will correct to ‘Moraine can remain ice cored for...’**

263 **Corrected on Line 479.**

264

265 **R3:**

266 Line 99/100: the 13,750-15,250 cal yr BP is from wood sample. This is an important point that may
267 be more discussed later in the discussion section. Is the age calibrated against IntCal20 as your
268 dataset? If not, it should be recalibrated and compared. This is also a general comment for all
269 radiocarbon ages presented in the paper.

270 **AR: We will include this in the discussion around Line 365. The age is from wood within a marl**
271 **layer that was deposited in a pond, so it is another basal radiocarbon age from a lake deposit**
272 **and supports our conclusions. All radiocarbon ages in the text were recalibrated with IntCal20**
273 **and will be mentioned on Line 167.**

274 **We have included that Nichols Brook acts as another example of delayed kettle**
275 **formation on Lines 475 - 477. We have stated that all ages in the text have been**
276 **recalibrated with IntCal20 (Line 186).**

277 Line 204: Please justify here why you applied a MAM age (bleaching problem) and also which model
278 was used (MAM-3 or MAM-4 ?). What is the ob value used to calculate your MAM model? Also,
279 even with a MAM age you may always over-estimate the depositional ages.

280 **AR: We will add a clause here that we and other studies in glaciofluvial environments use**
281 **MAM’s because of the increased potential for incomplete bleaching from subglacial or turbid**
282 **water sediment transport that can sometimes shield sediment from complete bleaching. We**
283 **will include more specifics with the MAM in the results section.**

284 **We have included why we use the MAM on Lines 223 - 225.**

285 Line 224 from 247: I recommend presenting the data by units but also by separating Kent moraine
286 and Lake escarpment moraine sites. They are far away from each other... In my opinion, correlating
287 data and units separated by more than 50 km is risky.

288 To avoid any confusions, you should write a paragraph for the Kent moraine sites and the different
289 cores and then another one for the Lake escarpment site.

290 # Chronology section should be organized as in figure 5 :

- 291 ● Kent moraine with ages from VIN1 to VIN4, SONG1, 15ABB7
- 292 ● Lake escarpment ages with 13DFK1 and 21LPB1

293 **AR: This comment is in alignment with comments by other R's and will be addressed with a**
294 **new results section (see above).**

295 **Please see new results section from Lines 248 - 307.**

296 Line 265 : “*For 20VIN3, 20VIN4, and 21SONG1, the basal ages cluster around 14,700 cal yr*
297 *BP*”. This sentence should be placed at the end of the section after a detailed review of the ages.

298 How do you calculate the mean age of 14,700 yrs? Did you use an oxcal model to determine a pdf
299 age?

300 **AR: The word ‘cluster’ was a non-technical term that describes the general agreement within**
301 **uncertainty around 14,700 cal yr BP. We will replace this sentence with the details of each**
302 **core in this new chronology section described in the general comments.**

303 **Each cores lowest age is now discussed individually in the new results section (Lines**
304 **248 - 307).**

305 Line 265 : SONG1-age is taken from Unit 3 whereas VIN-4 and VIN-3 ages are from unit 2. Why are
306 you mixing ages from different units? Your ages are maybe “basal” but are in different stratigraphic
307 units. Please justify.

308 **AR: We will include the Unit information for each radiocarbon sample in the new chronology**
309 **section described in the general comments. The reason they are in different units is the**
310 **availability of material for dating. We will clarify in the text that ages in Unit 2 are used as**
311 **minimum-limits on deglaciation, and Unit 3 ages are used as minimum-limits on kettle basin**
312 **formation.**

313 **The new results section outlines the Unit that each age is from (Lines 248 - 307) and the**
314 **next discussion section describes the interpretation of the radiocarbon ages in each**
315 **Unit (Lines 439 - 457).**

316 Line 266: “*The basal ages from the Lake Escarpment Moraine are 15,000-15,400 and 16,650-17,350*
317 *cal yr BP.*” Again, I strongly recommend not mixing here the two sites. This sentence and all data
318 from Lake escarpment should be placed together, in another paragraph.

319 **AR: See new strat/chronology section described in the general comments.**

320 **The sites are now described individually in the new results section (Lines 248 - 307)**

321 Line 267 : “*The basal ages are not the oldest ages, however*”. Please delete this sentence or
322 rephrase it.

323 **AR: This will be rephrased in the discussion section.**

324 **This sentence was deleted when we rewrote the results section.**

325 Line 270 : “Combined macrofossils ...” : this is an important information that is not highlighted in
326 the text and in figure 5. You should draw a different symbol for combined-fossils ages in figure 5,
327 not only use stars. How many fossils are combined? Are they terrestrial or lacustrine?

328 **AR: In Unit 2, the sediment is very minerogenic, but millimeter- to sub-millimeter-sized**
329 **macrofossils were present. Aiming for 2 mg of dry sample often meant 10+ pieces were**
330 **combined. Please see response to R2 for terrestrial vs lacustrine samples. We will change the**
331 **symbol for combined macrofossil vs full macrofossils in Figure 5 and the supplementary age-**
332 **depth plots.**

333 **Please see figures 5a, 5b, and all the supplementary files for updated symbols showing**
334 **the difference between radiocarbon sample types and lines 177-179 and 430-431 for**
335 **macrofossil identification text.**

336 Line 271 : “*In 20VIN3, the basal age is 14,350-15,150 cal yr BP, yet combined macrofossils higher in*
337 *the core, at the Unit 2/3 boundary, produce an age of 15,350-15,650 cal yr BP.*” Again, these ages
338 should go with the kent moraine.

339 Your basal age is from unit 2 and not from unit 3.

340 Again, you have a combined macrofossils sample, should be drawn with a different symbol.

341 **AR: See new results section described in the general comments and response above to which**
342 **Unit our ages belong to.**

343 Line 280 : the radial plots placed in Appendix may be placed on figure 4 on D and the field photo
344 may be placed on Appendix.

345 **AR: We will switch the figures.**

346 **Panel (d) has been switched to show the radial plots (Line 234).**

347 Line 283 : Same comment made on line 204

348 Line 301 to 305 : I don't understand how you came to that conclusion. Please rephrase this part.

349 **AR: Noted that R3 found this writing unclear, will revise for clarity.**

350 **We chose to remove the specific details in Lines 390-393 and describe the**
351 **interpretation more broadly like we did for 20VIN4 (Line 387-388).**

352 Line 306 to 314 : again this paragraph is hard to read. Maybe some rewording may be good there.

353 **AR: Noted that R3 found this writing unclear, will revise for clarity.**

354 **We streamlined this paragraph to include the most important points and use more**
355 **clear language. Instead of ‘productive lake and landscape’ we changed the wording to**
356 **‘more vegetation growing in the lake and landscape’. We removed the sentence about**
357 **minerogenic sediment layers because it was redundant as we subsequently discuss**
358 **the rip-up clasts later in the paragraph. (Lines 394 - 403).**

359 Line 317 : “*The OSL ages support our estimated age of 25 – 20 ka for the Kent Moraine from prior*
360 *literature and affirms our confidence in the age assignments using correlations of dated features*
361 *elsewhere*”. The sentence should be placed at the end of the paragraph.

362 **AR: This was also noted by R1, and we will move the sentence to the end.**

363 **This was moved to the end of the sentence (Lines 410 - 413).**

364 Line 317 : “our estimated ages” : Why our? Please replace by the.

365 **AR: We will replace with ‘the’.**

366 **Replaced with ‘the’, line 410.**

367 Line 317 : Also cite references for the “prior literature”

368 **AR: We will cite Glover et al. (2011), Corbett et al. (2017), Stanford et al. (2020) and Balco et al.**
369 **(2009; 2002).**

370 **These citations are included (Line 412-413).**

371 Line 321 : You should remember that they are MAM ages.

372 **AR: We state that these ages are from a minimum-age model and why we use the MAM in the**
373 **methods in Line 204.**

374 **Our MAM explanation is now placed in Lines 223 - 225.**

375 Line 322 : “*The basal ages, taken at face value, indicate the deposition of the Kent Moraine*
376 *occurred shortly before ~15 ka; this does not agree with our OSL age or the regional correlations*”.
377 Why? Please develop in the main text this conclusion. It is not a problem for me that lacustrine
378 conditions occurred after the deposition of the sediments dated with OSL. Again, your OSL ages
379 may overestimate the true age.

380 **AR: Section 5.2 will be restructured to explain these arguments better. Also see response to**
381 **R2.**

382 **Restructure is found in lines 439 - 457.**

383 Line 324 : “contradicts the 17 ka age ...”. Please cite the references here for this age. Based on
384 which dating method? OSL, 14C or cosmogenic?

385 **AR: The 17 ka age was the oldest basal radiocarbon age from the Lake Escarpment moraine.**
386 **This will be made more clear in the restructured 5.2 section.**

387 **This was deleted in the restructuring.**

388 Line 338 : “We derived”: why derive? Use another word.

389 **AR: We will change to “The age of...”**

390 **This was deleted in the restructuring.**

391 Line 339 : “fish bone”: again a missing information in figure 5 : Another symbol should be used for
392 this sample!

393 **AR: We will define this sample as aquatic in Figure 5 and use a different symbol in the**
394 **Supplementary Age-Depth plots.**

395 **See Figure 5 on Line 334 and Supplementary Figure 5.**

396 Line 334 : “*The macrofossil-rich rip-up clast in 20VIN1 holds evidence for two important*
397 *interpretations: 1) the landscape was ice-free and at least sparsely vegetated as early as 19,350-*
398 *19,600 cal yr BP (consistent with our OSL ages suggesting ice sheet retreat by $19.8 \pm 2.6 - 20.6 \pm 2.9$*
399 *ka), and 2) the landscape stored this long-dead vegetation for thousands of years before it was*
400 *redeposited.*” This sentence is not in a good position in the text. I recommend placing the sentence
401 on line 338 after “*trustworthy age of 14,350-15,150 cal yr BP*”

402 **AR: We do not believe line 338 is a better position for this sentence. The paragraph**
403 **surrounding line 338 is describing the ages we use in our analysis, and the sentence above is**
404 **part of the analysis. We will restructure section 5.2 for clarity.**

405 **We believe this sentence is in a better place now that this paragraph is describing how**
406 **we interpret Unit 2 (Lines 439-449).**

407 Line 415 : “*The tundra zone is overlain by an interval with high spruce and pine pollen; this is the*
408 *lowest unit found in the other five records (Miller, 1973; Calkin and McAndrews, 1980). This is likely*
409 *reflecting the new forest biome associated with warmer temperatures*”. Not well placed, I
410 recommend moving it at line 411 after “*complicates their interpretation.*”

411 **AR: We agree this sentence best fits on line 411 and will move it there.**

412 **This sentence is now in Lines 524 - 527.**

413 Line 428 : In 10Be dating you have potentially inheritance problems that may over-estimate the
414 ages of moraines. The age gap needs to be looked at more carefully and is under-discussed in your
415 paper.

416 **AR: We do not think this discussion is within the scope of our paper.**

417 Line 444: “*The stratigraphically lowest radiocarbon ages from Unit 3 in the Lake Escarpment*
418 *Moraine kettle basins, which are 15,000-15,400 and 13,600-14,000 cal yr BP, pre-date the ~13.1 ka*
419 *re-advance suggested by Young et al. (2020) ».*

420 And if all your radiocarbon ages were all reworked or contained some reservoir effects?

421 **AR: With the new results section, we hope it will be more clear that these two ages are from**
422 **terrestrial macrofossils within Unit 3, which has conformable radiocarbon ages (as discussed**

423 **in above replies). As such, we do not think the macrofossils in these units are reworked, nor**
424 **could they be significantly affected by a hardwater effect. We hope the new age-depth models**
425 **will help visual the sample placement.**

426 Line 444: For the age of Young et al. : please remember on which kind of sample is based the age,
427 piece of wood? You must discuss more here the data in my point of view.

428 **AR: See reply to general comment from R1.**

429 **We include more information on the Young data in the introduction (Lines 56 - 65) and**
430 **on lines 566 - 568 we reference that their data is primarily based on logs within clayey**
431 **diamicton.**

432 Line 444: Also, on line 99 an age of 13 750 – 15 250 yr BP is based on a piece of wood. How do you
433 reconcile your data with these ages? On figure 2 this age is found really close to your site E , and
434 looking your LPB1 section the ages look mostly in agreement, right? Your basal ages are close to
435 those published ages. This may help...

436 **AR: See reply to previous comment from line 99.**

437 Line 460 : Again the 5 kyr offset could be due to some unbleached sediments, you can not totally
438 delete this option.

439 **AR: The MAM has been found to successfully date glaciofluvial sediments with some portion**
440 **of partial bleaching in other glacial settings in the northeast (Rittenour et al., 2015), and we**
441 **believe this technique is working well in our study area. Our confidence is bolstered by the**
442 **reworked macrofossils that date to 19 cal ka BP and the agreement in correlations to dated**
443 **moraines in Ohio and eastern New York. We will include this wording in our discussion near**
444 **Line 347.**

445 **We mention that the 19,350 - 19,600 cal BP age lends confidence to our MAM on Line**
446 **448.**

447 *RC3 Figures :*

448 Figure 3: Please indicate the core's names in the insets close to the colored dots. It is hard to
449 follow the position of the cores and the descriptions in figure 5 when you are not familiar with the
450 area.

451 **AR: We will add the core names next to the site names in the inset maps.**

452 **See Figure 3 on Line 191.**

453 Figure 5:

454 Please use different symbols according to the samples (terrestrial, lacustrine, combined
455 macrofossils, fish bone...)

456 A chronostratigraphic model with spectra may be much better than just calibrated ages.

457 **AR: We will include different symbols for different samples in Figure 5. We will add age-depth**
458 **plots in the supplement to include another way of viewing the radiocarbon ages.**

459 **We have displayed the radiocarbon samples based on single vs combined, terrestrial**
460 **vs aquatic in Figure 5 on Line 335 and also in the Supplementary.**

461