

1 *Supplement of*

2 **Modeling of PAHs From Global to Regional Scales: Model
3 Development and Investigation of Health Risks from 2013
4 to 2018 in China**

5 Zichen Wu^{1,2,3}, Xueshun Chen^{1,2,3*}, Zifa Wang^{1,2,3*}, Huansheng Chen^{1,2,3}, Zhe Wang^{1,2,3},
6 Qing Mu⁴, Lin Wu^{1,2,3}, Wending Wang^{1,2,3}, Xiao Tang^{1,2,3}, Jie Li^{1,2,3}, Ying Li^{1,2,3},
7 Qizhong Wu⁵, Yang Wang^{3,6}, Zhiyin Zou^{1,2,3}, Zijian Jiang^{1,2,3}

8 ¹ State Key Laboratory of Atmospheric Boundary Layer Physics and Atmospheric Chemistry, Institute
9 of Atmospheric Physics, Chinese Academy of Sciences, Beijing 100029, China

10 ² Key Laboratory of Atmospheric Environment and Extreme Meteorology, Institute of Atmospheric
11 Physics, Chinese Academy of Sciences, Beijing 100029, China

12 ³ University of Chinese Academy of Sciences, Beijing 100049, China

13 ⁴ Department of Health and Environmental Sciences, School of Science, Xi'an Jiaotong-Liverpool
14 University, Suzhou 215123, China

15 ⁵ Beijing Normal University, Beijing 100875, China

16 ⁶ Research Center for Eco-Environmental Sciences, Chinese Academy of Sciences, Beijing 100085,
17 China

18 *Correspondence to:* Xueshun Chen (chenxsh@mail.iap.ac.cn) and Zifa Wang (zifawang@mail.iap.ac.cn)

19 The copyright of individual parts of the supplement might differ from the article licence.

Table S1. The standard values and chemical properties of soil.


Parameter	Symbol	Units	Standard value
Bulk density	ρ_s	kg m^{-3}	^a 1350
Soil depth	z_s	m	^a 0.15
Organic carbon fraction	f_{oc}	kg kg^{-1}	^a 0.0125
Air diffusion coefficient	D_G^{air}	$\text{m}^2 \text{s}^{-1}$	^a 5.0×10^{-6}
Liquid diffusion coefficient	D_L^{water}	$\text{m}^2 \text{s}^{-1}$	^a 5.0×10^{-10}
Air content	a	$\text{m}^3 \text{m}^{-3}$	^a 0.2
Water content	l	$\text{m}^3 \text{m}^{-3}$	^a 0.3
Degradation rate	k_{soil}	s^{-1}	^b 1.00×10^{-8}

21 (a) Jury et al. (1983); (b) Finlayson-Pitts and Pitts (2000) and Klöpffer et al. (2007).

Table S2. The parameters used in the ILCR mode for different age groups ^a.

Parameter	Units	Children	Women	Men
IR (Inhalation rate)	$\text{m}^3 \cdot d^{-1}$	10.8	14.5	17.7
EF (Exposure duration)	$d \cdot a^{-1}$	350	350	350
ED (Exposure period)	a	6	24	24
BW (Body weight)	kg	21.8	56.8	65.0
SA (Skin exposed surface area)	cm^2	1600	4350	4350
ABS (Skin absorption factor)	dimensionless	0.13	0.13	0.13
AT (average exposure time)	d	25550	25550	25550
SFO_{inh}^b (carcinogenic slope factor of inhalation)	$kg \cdot day \cdot mg^{-1}$	3.14	3.14	3.14
SFO_{der}^b (carcinogenic slope factor of dermal contact)	$kg \cdot day \cdot mg^{-1}$	37.47	37.47	37.47

25 (a) ChinaMEP, 2013. (b) Hussain et al., 1998.



26

27

Figure S1. The nested domains (red box) and the division of Global.

28

29

30

Table S3. The definition of regions in the world.

Region	Definition
CHA	China
RBU	Russia, Belarusia, Ukraine
MCA	Mexico, Central America, Caribbean, Guyanas, Venezuela, Colombia
MDE	Middle East
SAF	Southern Africa
NAF	Northern Africa, Sahara, Sahel
PAN	Pacific, Australia, New Zealand
SEA	South East Asia
SAS	South Asia
EUR	Europe
CAS	Central Asia, Mongolia
NAM	United States + Canada
SAM	South America
SPO	Antarctic

SOK	South Korea
JPN	Japan
NOK	North Korea
NPO	the ocean north of 66.5° N
OCN	Non-arctic Ocean

31


32

33 **Table S4. The definition of regions in China.**

Region	Definition
BJ	Beijing
TJ	Tianjin
HE	Hebei
SD	Shandong
HA	Henan
AH	Anhui
JS	Jiangsu
SH	Shanghai
ZJ	Zhejiang
JX	Jiangxi
HB	Hubei
HN	Hunan
FJ	Fujian
TW	Taiwan
GD	Guangdong
GX	Guangxi
HI	Hainan
HL	Heilongjiang
JL	Jilin
LN	Liaoning
NM	Inner Mongolia

SX	Shanxi
SN	Shaanxi
NX	Ningxia
GS	Gansu
QH	Qinghai
SC	Sichuan
CQ	Chongqing
GZ	Guizhou
YN	Yunnan
XJ	Xinjiang
XZ	Tibet
HK	Hongkong
MO	Macao

34
35



36

37

Figure S2. The spatial distribution of the BaP observations

Table S5. Details of monitoring sites in Europe ^c.

Country	Code	Latitude	Longitude
Belgium	B13	51°0'58" N	2°34'56" E
Croatia	H02	45°54'0" N	15°58'0" E
Cyprus	C02	35°2'20" N	33°3'29" E
Czech Republic	C03	49°35'0" N	15°5'0" E
	D01	54°55'32" N	8°18'35" E
	D02	52°48'8" N	10°45'34" E
Germany	D03	47°54'53" N	7°54'31" E
	D08	50°39'0" N	10°46'0" E
	D09	54°26'0" N	12°44'0" E
	E01	39°32'49" N	4°21'2" W
	E06	39°52'3" N	4°19'19" E
Spain	E07	37°14'14" N	3°32'3" W
	E08	43°26'32" N	4°51'1" W
	E14	41°23'33" N	0°44'3" E
	F18	60°31'48" N	27°40'3" E
Finland	F36	68°0'0" N	24°14'23" E
	F50	61°51'0" N	24°17'0" E
	R08	48°30'0" N	7°8'0" E
	R09	49°54'0" N	4°38'0" E
	R13	43°37'0" N	0°11'0" E
France	R23	44°34'10" N	5°16'44" E
	R24	47°49'55" N	1°50'11" W
	R25	46°48'53" N	2°36'36" E
	G14	54°20'4" N	0°48'27" W
	G55	51°8'59" N	1°26'18" W
Great Britain	G36	51°34'23" N	1°19'0" W
	G48	55°47'31" N	3°14'34" W

Latvia	L10	56°9'44" N	21°10'23" E
Netherlands	N09	53°33'4" N	6°27'68" E
	N91	52°29'66" N	4°51'9" E
Norway	N02	58°23'0" N	8°15'0" E
	N42	78°54'0" N	11°53'0" E
Poland	P05	54°7'3" N	22°2'17" E
	P09	53°39'44" N	17°56'2" E
Slovenia	S08	45°33'45" N	14°51'45" E
	S11	56°1'0" N	13°9'0" E
	S12	58°48'0" N	17°23'0" E
Sweden	S14	57°23'38" N	11°55'50" E
	S20	56°2'44" N	13°8'80" E
	S22	60°5'9" N	17°30'19" E

39

40

41

42

Table S6. Details of monitoring sites in Asia, the United States, and Canada.

Location	Latitude	Longitude	Sampling time	Area type	Reference
Beijing	39.93°N	116.34°E	2013	Urban	Liu et al., 2017
Chengdu	30.64°N	104.08°E	2013	Urban	Liu et al., 2017
Lanzhou	36.05°N	103.86°E	2013	Urban	Liu et al., 2017
Wuhan	30.53°N	114.37°E	2013	Urban	Liu et al., 2017
Taiyuan	37.54°N	112.33°E	2013	Urban	Liu et al., 2017
Xinxiang	35.33°N	113.91°E	2013	Urban	Liu et al., 2017
Guangzhou	23.15°N	113.36°E	2013	Urban	Liu et al., 2017
Nanjing	32.06°N	118.8°E	2013	Urban	Liu et al., 2017
Shanghai	31.29°N	121.5°E	2013	Urban	Liu et al., 2017
Jinan	36.60°N	117.01°E	2014	Urban	Jiao et al., 2016
Huangshi	30.17°N	115.0°E	2013	Urban	Hu et al., 2018
Fushun	41.86°N	123.79°E	2013	Urban	Zhao et al., 2014
Huainan	32.6°N	116.9°E	2013	Urban	Hu et al., 2016

Hohhot	40.8°N	111.6°E	2015	Urban	Wei et al., 2017
Jiaozuo	35.2°N	113.27°E	2013	Urban	Ji et al., 2017
Hefei	31.82°N	117.22°E	2013	Urban	Zheng et al., 2014
Haikou	19.98°N	110.33°E	2014	Urban	Liu et al., 2016
Guiyang	26.58°N	106.73°E	2014	Urban	Zhou, 2016
Changzhou	31.78°N	119.92°E	2016	Suburban	Wang, 2017
Zhenjiang	32.53°N	119.6°E	2016	Urban	Wang et al., 2018
Jiangning	32.6°N	119.42°E	2016	Urban	Wang et al., 2018
Wuxi	31.93°N	120.4°E	2016	Urban	Wang et al., 2018
Xuzhou	34.46°N	117.25°E	2016	Urban	Wang et al., 2018
Hong Kong	22.21°N	114.25°E	2013	Urban	Leung et al., 2014
Urumqi	44.28°N	88.02°E	2010	Urban	Limu et al., 2013
Chongqing	29.49°N	106.48°E	2012	Urban	Chen, 2013
Chongqing	29.83°N	106.38°E	2012	Suburban	Chen, 2013
Yuxi	24.85°N	102.85°E	2014	Urban	Huang, 2016
Yichang	30.85°N	112.29°E	2015	Urban	Yang et al., 2017
Xuzhou	34.2°N	117.17°E	2012	Urban	Chen et al., 2013
Xiangtan	27.74°N	112.54°E	2015-2016	Urban	Wang et al., 2016
Wenzhou	27.98°N	120.76°E	2015	Urban	Zheng et al., 2017
Taizhou	28.5°N	121.5°E	2015-2016	Urban	Tao et al., 2017
Shijiazhuang	38.02°N	114.5°E	2015	Urban	Zhang, 2016
Shijiazhuang	37.8°N	114.53°E	2015	Suburban	Zhang, 2016
Qingdao	36.06°N	120.34°E	2013	Urban	Wang, 2015
Pingdingshan	33.71°N	113.31°E	2015	Urban	Wang, 2017
Luoyang	34.67°N	112.43°E	2015	Urban	Wang, 2017
Zhengzhou	34.8°N	113.53°E	2015	Urban	Wang, 2017
Nanjing	32.05°N	118.74°E	2013	Urban	Wang, 2015
Nanchang	28.65°N	115.83°E	2013	Urban	Wang, 2015
Mianyang	31.54°N	104.69°E	2013	Urban	Wang, 2015
Kunshan	31.11°N	120.81°E	2013	Urban	Yu et al., 2015
Lanxi	29.15°N	119.47°E	2014,2016	Urban	Zhou et al., 2018

Lhasa	29.64°N	91.18°E	2008, 2009	Urban	Ma et al., 2013b
Yinchuan	38.41°N	106.28°E	2015	Urban	Tian et al., 2017
Xi'an	34.23°N	108.82°E	2013	Urban	Wang et al., 2017
Panjin	41.17°N	122.07°E	2013	Urban	Tao, 2015
Ningbo	29.4°N	121.37°E	2009, 2010	Rural	Liu et al., 2014
Nantong	32.52°N	120.55°E	2016	Urban	Cui and Wu, 2018
Jinhua	29.12°N	119.71°E	2016	Urban	He et al., 2017
Hotan	37.1°N	79.5°E	2014	Urban	Suwubinuer et al., 2018
Hainan	18.84°N	109.5°E	2011	Suburban	Ma et al., 2013a
Harbin	45.72°N	126.73°E	2013	Urban	Li, 2015
Fuzhou	26.1°N	119.29°E	2010	Urban, Suburban	Yi et al., 2013
Ordos	36.3°N	107.18°E	2005	Urban	Wu et al., 2014
Shenzhen	22.59°N	113.97°E	2012, 2013	Urban	Sun et al., 2015
Jinan	36.66°N	117.05°E	2011	Urban	Yang, 2014
Mianyang	31.54°N	104.71°E	2014, 2015	Urban	Zhuo et al., 2017
Kunming	24.83°N	102.87°E	2014, 2015	Urban	Zhuo et al., 2017
Kunming	25.4°N	102.7°E	2013	Urban	Bi et al., 2015
Jiamusi	46.79°N	130.37°E	2012	Suburban	Li et al., 2013
Jilin	44.0°N	125.67°E	2008	Urban	Li et al., 2011
Huludao	40.0°N	119.3°E	2008	Urban	Li et al., 2011
Changchun	43.84°N	125.31°E	2008	Urban	Li et al., 2011
Qingyuan	23.68°N	113.17°E	2010	Urban	Wei et al., 2012
Xining	36.56°N	101.75°E	2007	Urban	Tang et al., 2010
Waliguan	36.3°N	100.9°E	2007	Urban	Tang et al., 2010
India	28°N	77°E	2007,2008	Urban	Singh et al., 2011
India	22°N	88°E	1992-1994	Urban	Chattopadhyay et al., 1998
Sturgeon Point	44.65°N	83.3°W	2013	Urban	IADN ^a
Sleeping Bear Dunes	44.98°N	86.18°W	2013	Urban	IADN ^a
Point Petre	44.28°N	81.65°W	2013	Urban	IADN ^a


Eagle Harbor	47.5°N	88.05°W	2013	Urban	IADN ^a
Cleveland	41.48°N	81.68°W	2013	Urban	IADN ^a
Chicago	41.86°N	87.62°W	2013	Urban	IADN ^a
Montreal-					
Riviere des Prairies	45.65°N	73.57°W	2013	Urban	NAPS ^b
Toronto - Gage Institute	43.65°N	79.39°W	2013	Urban	NAPS ^b
Simcoe	42.85°N	80.26°W	2013	Rural	NAPS ^b

43 (a) IADN: the Integrated Atmospheric Deposition Network.

44 (b) NAPS: the National Air Pollution Surveillance network


45

46




47


48 **Figure S3. The TILCR values for the three age groups (Children, Women, and Men) in different provinces
49 of China in 2018.**



50
51 **Figure S4. The ILCR_{inh} values for the three groups (Children, Women, and Men) in different provinces of**
52 **China in 2018.**




55
56 **Figure S5. The ILCR_{der} values for the three groups (Children, Women, and Men) in different provinces of**
57 **China in 2018.**




58

59 **Figure S6. Spatial distributions of annual and seasonal mean BaP concentrations based on the PKU (a) and**
 60 **EDGAR (b) inventories in 2013. The concentration difference between PKU and EDGAR (c), positive values**
 61 **indicate that the result of PKU is greater than that of EDGAR, negative values are the opposite.**



62
63 **Figure S7. Spatial distributions of annual and seasonal mean BaP concentrations based on the no-**
64 **heterogeneous reactions (a) and ROI-T (b) mechanisms in 2018. The concentration difference between no-**
65 **heterogeneous reactions and ROI-T (c), positive values indicate that the result of no-heterogeneous reactions**
66 **is greater than that of ROI-T, negative values are the opposite.**



67

68 **Figure S8. Spatial distributions of annual and seasonal mean BaP concentrations based on the Langmuir-
69 Hinshelwood (a) and ROI-T (b) mechanisms in 2018. The concentration difference between Langmuir-
70 Hinshelwood and ROI-T (c), positive values indicate that the result of Langmuir-Hinshelwood is greater
71 than that of ROI-T, negative values are the opposite.**

72 **References**

- 73 Bi, L. M., Hao, J. M., Ning, P., Shi, J. W., Shi, Z., Xu, X. F.: Characteristics and sources apportionment
74 of PM_{2.5}-bound PAHs in Kunming (in Chinese), 35, 659-667, 2015.
- 75 Chattopadhyay, G., Samanta, G., Chatterjee, S., Chakraborti, D.: Determination of Particulate Phase
76 Polycyclic Aromatic Hydrocarbons in Ambient Air of Calcutta for Three Years During Winter,
77 Environmental Technology, 19, 873-882, <https://doi.org/10.1080/09593331908616745>, 1998.
- 78 Chen, F., Qin, C. G., Zhong, Q.: Source apportionment of polycyclic aromatic hydrocarbon in Xuzhou
79 (in Chinese), Ecology and Environmental Sciences, 22, 1916-1921,
80 <https://doi.org/10.16258/j.cnki.1674-5906.2013.12.009>, 2013.
- 81 Chen, M.: Analysis on the distribution of PAHs in PM₁₀ and PM_{2.5} in Chongqing (in Chinese), M.S.
82 thesis, Southwest University, China, 81 pp., 2013.
- 83 ChinaMEP: Exposure Factors Handbook of Chinese Population, China Environment Press, China, 71
84 pp., 2013.
- 85 Cui, J., Wu, P.: Pollution Characteristics and Source of Polycyclic Aromatic in Fine air Particulates in
86 Nantong City (in Chinese), Arid Environmental Monitoring, 32, 119-123, 2018.
- 87 Finlayson-Pitts, B. J., Pitts, J. N. Chemistry of the Upper and Lower Atmosphere: Theory, Experiments,
88 and Applications. 2000.
- 89 He, C. Q., Sheng, W., Wang, Z. Y., Chen, Q., Sheng, J. R., Luo, J. B.: Analysis of the mass concentration
90 and major contaminants characteristics of PM_{2.5} in Jinhua city (in Chinese), Chinese Journal
91 of Health Laboratory Technology, 27, 3304-3306+3309, 2017.
- 92 Hu, T., Zhang, J., Xing, X., Zhan, C., Zhang, L., Liu, H., Liu, T., Zheng, J., Yao, R., Cao, J.: Seasonal
93 variation and health risk assessment of atmospheric PM_{2.5}-bound polycyclic aromatic
94 hydrocarbons in a classic agglomeration industrial city, central China, Air Quality, Atmosphere
95 & Health, 11, 683-694, <https://doi.org/10.1007/s11869-018-0575-3>, 2018.
- 96 Hu, Y., zheng, L. G., Cheng, H., Chen, Y. C., Yang, Y. J., G. Y., Kong, L. J.: Characteristics and Source
97 Identification of Polycyclic Aromatic Hydrocarbons (PAHs) in PM_{2.5} in Huainan City (in
98 Chinese), The Administration and Technique of Environmental Monitoring, 28, 33-37,
99 <https://doi.org/10.19501/j.cnki.1006-2009.20161107.005>, 2016.
- 100 Huang, L.: The Pollution Characteristics of Particle-associated Polycyclic Aromatic Hydrocarbons(PAHs)

- 101 and Source Apportionment in Yuxi (in Chinese), M.S. thesis, Kunming University of Science
102 and Technology, China, 92 pp., 2016.
- 103 Hussain, M., Rae, J., Gilman, A., Kauss, P.: Lifetime health risk assessment from exposure of recreational
104 users to polycyclic aromatic hydrocarbons, Archives of Environmental Contamination and
105 Toxicology, 35, 527-531, <https://doi.org/10.1007/s002449900412>, 1998.
- 106 Ji, W. W., Tai, C., Song, D. Y., Tang, J. T.: Pollution Characteristics and Source Apportionment of
107 Atmospheric PAHs in PM_{2.5}: a Case Study in Jiaozuo City (in Chinese), Environmental Science
108 & Technology, 40, 92-99, 2017.
- 109 Jiao, H. T., Yang, Y. L., YU, Z. G., LI, X. W., Sun, Z., liu, L. Z.: Pollution characterization and health risk
110 assessment of PM_{2.5} in Shiliulihe community in Jinan 2014 (in Chinese), Modern Preventive
111 Medicine, 43, 3688-3691+3695, 2016.
- 112 Jury, W. A., Spencer, W. F., Farmer, W. J.: Behavior Assessment Model for Trace Organics in Soil: I.
113 Model Description, Journal of Environmental Quality, 12, 558-564,
114 <https://doi.org/10.2134/jeq1983.00472425001200040025x>, 1983.
- 115 Klöpfffer, W., Wagner, B., Scheringer, M.: Atmospheric degradation of organic substances data for
116 persistence and long-range transport potential, Environmental Science and Pollution Research
117 - International, 14, 143-144, <https://doi.org/10.1065/espr2007.04.408>, 2007.
- 118 Leung, P. Y., Wan, H. T., Billah, M. B., Cao, J. J., Ho, K. F., Wong, C. K. C.: Chemical and biological
119 characterization of air particulate matter 2.5, collected from five cities in China, Environmental
120 Pollution, 194, 188-195, <https://doi.org/10.1016/j.envpol.2014.07.032>, 2014.
- 121 Li, S. X., Lu, H. J., Hu, G. C., Qiu, H. B., Wang, J. Q., Sha, J. Q., Liu, F. H., Sun, G. C.: Characteristics
122 of polycyclic aromatic hydrocarbons in PM_{2.5} and health risk assessment in winter in suburb
123 of Jiamusi, Heilongjiang (in Chinese), Journal of Environment and Health, 30, 794-796,
124 <https://doi.org/10.16241/j.cnki.1001-5914.2013.09.018>, 2013.
- 125 Li, W. F., Peng, Y., Shi, J. W., Qiu, W. G., Wang, J., Bai, Z. P.: Particulate polycyclic aromatic
126 hydrocarbons in the urban Northeast Region of China: Profiles, distributions and sources,
127 Atmospheric Environment, 45, 7664-7671, <https://doi.org/10.1016/j.atmosenv.2011.04.004>,
128 2011.
- 129 Li, Y. J.: Pollution characteristics analysis of atmospheric particulate matter in Harbin (in Chinese), M.S.

- 130 thesis, Harbin Institute of Technology, China, 74 pp., 2015.
- 131 Limu, Y. L. M. A. B. D., LiFu, D. L. N. T., Miti, A. B. L. Y., Wang, X., Ding, X.: Autumn and Wintertime
132 Polycyclic Aromatic Hydrocarbons in PM_{2.5} and PM_{2.5-10} from Urumqi, China, Aerosol and
133 Air Quality Research, 13, 407-414, <https://doi.org/10.4209/aaqr.2012.05.0130>, 2013.
- 134 Liu, D., Lin, T., Syed, J. H., Cheng, Z. N., Xu, Y., Li, K. C., Zhang, G., Li, J.: Concentration, source
135 identification, and exposure risk assessment of PM_{2.5}-bound parent PAHs and nitro-PAHs in
136 atmosphere from typical Chinese cities, Scientific Reports, 7, 12,
137 <https://doi.org/10.1038/s41598-017-10623-4>, 2017.
- 138 Liu, D., Xu, Y., Chaemfa, C., Tian, C. G., Li, J., Luo, C. L., Zhang, G.: Concentrations, seasonal variations,
139 and outflow of atmospheric polycyclic aromatic hydrocarbons (PAHs) at Ningbo site, Eastern
140 China, Atmospheric Pollution Research, 5, 203-209, <https://doi.org/10.5094/apr.2014.025>, 2014.
- 141 Liu, J., Jian, L., Li, H. J., Zhang, J.: Distribution Characteristics of PAHs in PM_{2.5} during Autumn and
142 Winter in Haikou (in Chinese), Environmental Science & Technology, 39, 86-90, 2016.
- 143 Ma, S. X., Zhang, X., Chen, L. G., Liu, M., Tang, C. M., Su, Y. H.: Characteristics of PAHs concentration
144 in the atmospheric PM_{2.5} in Wuzhi Mountain background in Hainan, south China (in Chinese),
145 China Environmental Science, 33, 103-107, 2013a.
- 146 Ma, W. L., Qi, H., Baidron, S., Liu, L. Y., Yang, M., Li, Y. F.: Implications for long-range atmospheric
147 transport of polycyclic aromatic hydrocarbons in Lhasa, China, Environmental Science and
148 Pollution Research, 20, 5525-5533, <https://doi.org/10.1007/s11356-013-1577-1>, 2013b.
- 149 Singh, D. P., Gadi, R., Mandal, T. K.: Characterization of particulate-bound polycyclic aromatic
150 hydrocarbons and trace metals composition of urban air in Delhi, India, Atmospheric
151 Environment, 45, 7653-7663, <https://doi.org/10.1016/j.atmosenv.2011.02.058>, 2011.
- 152 Sun, J. L., Jing, X., Chang, W. J., Chen, Z. X., Zeng, H.: Cumulative health risk assessment of halogenated
153 and parent polycyclic aromatic hydrocarbons associated with particulate matters in urban air,
154 Ecotoxicology and Environmental Safety, 113, 31-37,
155 <https://doi.org/10.1016/j.ecoenv.2014.11.024>, 2015.
- 156 Suwubinuer, R., Yusun, T., Dilnur, T., Wang, X. M., Abulikemu, A., Yalikunjiang, T., Ding, X.: Chemical
157 characterization and Source Apportionment of PM_{2.5} in Urban Area of Hotan, China (in
158 Chinese), Research of Environmental Sciences, 31, 823-833,

- 159 https://doi.org/10.13198/j.issn.1001-6929.2017.04.23, 2018.
- 160 Tang, L. L., Niu, S. J., Pan, S. X., Nie, H., Gao, R. X., Jin, S. H., Yang, G. Y.: Observational Study of
161 Spectral Distribution of Polycyclic Aromatic Hydrocarbons (PAHs) and PM10 in Waliguan and
162 Xining (in Chinese), Plateau Meteorology, 29, 236-243, 2010.
- 163 Tao, X. J.: Pollution and Health Risk Assessment of Airborne Particulate Matter in Panjin (in Chinese),
164 M.S. thesis, Dalian University of Technology, China, 60 pp., 2015.
- 165 Tao, Z. H., Xie, S. Q., He, W. N., Ge, L. L., Li, W., Wang, Q. L., Wang, X. Q.: Pollution Characteristics
166 and Toxicity Assessment of PAHs in PM2.5 in Taizhou (in Chinese), Environmental
167 Engineering, 35, 152-156, https://doi.org/10.13205/j.hjgc.201707030, 2017.
- 168 Tian, D. N., Ding, R. M., Cai, Q., Zhang, P. J., Wang, L.: Pollution characteristics of polycyclic aromatic
169 hydrocarbons in PM2.5 and PM10 in Yinchuan (in Chinese), Modern Preventive Medicine, 44,
170 3672-3676, 2017.
- 171 Wang, J. Z., Cao, J. J., Dong, Z. B., Guinot, B., Gao, M. L., Huang, R. J., Han, Y. M., Huang, Y., Ho, S.
172 S. H., Shen, Z. X.: Seasonal variation, spatial distribution and source apportionment for
173 polycyclic aromatic hydrocarbons (PAHs) at nineteen communities in Xi'an, China: The effects
174 of suburban scattered emissions in winter, Environmental Pollution, 231, 1330-1343,
175 https://doi.org/10.1016/j.envpol.2017.08.106, 2017.
- 176 Wang, Q.: Characteristics and source appointment of carbonaceous species in PM2.5 in urban area of
177 Zhengzhou, Luoyang and Pingdingshan (in Chinese), M.S. thesis, Zhengzhou University,
178 China, 65 pp., 2017.
- 179 Wang, Q. Q., Ma, X. Y., Xu, B., Ding, Z., Chen, X. D., Zhou, L.: Outdoor inhalation exposure risk
180 assessment of polycyclic aromatic hydrocarbons among PM2.5 in 4 Cities of Jiangsu province
181 (in Chinese), Jiangsu Journal of Preventive Medicine, 29, 140-144+207,
182 https://doi.org/10.13668/j.issn.1006-9070.2018.02.007, 2018.
- 183 Wang, R.: The preliminary study of PM10-bound Polycyclic Aromatic Hydrocarbons during winter and
184 summer in some region, China (in Chinese), M.S. thesis, Xinjiang University, China, pp., 2015.
- 185 Wang, Z., Xu, X. Y., Chen, R. X.: Regional distribution characteristics of polycyclic aromatic
186 hydrocarbons in PM2.5 and health risk assessment in winter in Xiangtan, Hunan (in Chinese),
187 Journal of Environment and Health, 33, 703-706, https://doi.org/10.16241/j.cnki.1001-

- 188 5914.2016.08.012, 2016.
- 189 Wei, N. N., Wang, W. R., Zhang, C. G., Yang, T., Li, J., Yu, D., Zhang, X. H., Gao, S.: Distribution
190 characteristics of atmospheric PM_{2.5} and its polycyclic aromatic hydrocarbons in two districts
191 of Hohhot (in Chinese), Journal of Environmental & Occupational Medicine, 34, 410-414,
192 <https://doi.org/10.13213/j.cnki.jeom.2017.16608>, 2017.
- 193 Wei, S. L., Huang, B., Liu, M., Bi, X. H., Ren, Z. F., Sheng, G. Y., Fu, J. M.: Characterization of PM_{2.5}-
194 bound nitrated and oxygenated PAHs in two industrial sites of South China, Atmospheric
195 Research, 109, 76-83, <https://doi.org/10.1016/j.atmosres.2012.01.009>, 2012.
- 196 Wu, D., Wang, Z. S., Chen, J. H., Kong, S. F., Fu, X., Deng, H. B., Shao, G. F., Wu, G.: Polycyclic
197 aromatic hydrocarbons (PAHs) in atmospheric PM_{2.5} and PM₁₀ at a coal-based industrial city:
198 Implication for PAH control at industrial agglomeration regions, China, Atmospheric Research,
199 149, 217-229, <https://doi.org/10.1016/j.atmosres.2014.06.012>, 2014.
- 200 Yang, C. P., Ma, B. B., Yu, Q., Wan, Z. Y.: Characteristics of PM_{2.5} pollution and its risk assessment in
201 Yichang City (in Chinese), Practical Preventive Medicine, 24, 1209-1212, 2017.
- 202 Yang, F.: Analysis on characteristics and source apportionment of polycyclic aromatic
203 hydrocarbons(PAHs) in atmospheric particles PM_{2.5} in Jinan (in Chinese), M.S. thesis,
204 Shandong University, China, 83 pp., 2014.
- 205 Yi, Z. G., Huang, X. R., Bi, J. Q., Guo, P. P., Zheng, L. L.: Characteristics of PAHs in the atmosphere in
206 winter and summer in the urban and suburban of Fuzhou (in Chinese), Environmental Science,
207 34, 1252-1257, <https://doi.org/10.13227/j.hjkx.2013.04.019>, 2013.
- 208 Yu, L. M., Jiang, D. S., Chen, C., Sun, X. Y., Gu, H. D.: Pollution Characteristics Study of Atmospheric
209 Polycyclic Aromatic Hydrocarbons(PAHs) in PM_{2.5} in Kunshan (in Chinese), Environmental
210 Impact Assessment, 37, 78-81+85, <https://doi.org/10.14068/j.ceia.2015.01.020>, 2015.
- 211 Zhang, W. W.: Pollution Characteristic and Sources of Organic Compounds in the Atmospherical
212 Particles in Shijiazhuang (in Chinese), M.S. thesis, Hebei University of Science and Technology
213 China, 61 pp., 2016.
- 214 Zhao, L. J., Zhang, J. S., Li, L. H., Zhao, M. M., Wang, X.: Study of pollution characteristic of PAHs in
215 PM_{2.5} in Fushun Wanghua district (in Chinese), Applied Chemical Industry 43, 1336-1338,
216 <https://doi.org/10.16581/j.cnki.issn1671-3206.2014.07.017>, 2014.

- 217 Zheng, Y. Z., Ge, L. L., Zheng, X. J., Zhu, C., Ruan, F. F., Tu, S. F., Li, S. J., Li, W., Zhu, J. K.: Pollution
218 characteristics and sources apportionment of PAHs bound to PM_{2.5} in Wenzhou (In Chinese),
219 Environmental Pollution & Control, 39, 534-539, [https://doi.org/10.15985/j.cnki.1001-
220 3865.2017.05.015](https://doi.org/10.15985/j.cnki.1001-3865.2017.05.015), 2017.
- 221 Zheng, Z. X., Pan, C. R., Gao, K. L., Wu, W.: Pollution characteristics and risk assessment of polycyclic
222 aromatic hydrocarbons in PM₁₀ and PM_{2.5} of Hefei City (in Chinese), Environmental Science
223 Survey, 33, 55-59, <https://doi.org/10.13623/j.cnki.hkdk.2014.06.014>, 2014.
- 224 Zhou, Y. D.: Pollution characteristics and health risk assessment on polycyclic aromatic hydrocarbons in
225 PM_{2.5} in Huaxi and Nanming district of Guiyang (in Chinese), M.S. thesis, Guizhou Normal
226 University, China, 74 pp., 2016.
- 227 Zhou, Z. G., Hu, F. W., Bao, Z. W., Mao, W. W., Feng, J. L.: Study on the composition characteristics,
228 seasonal variation and sources of organic matter in PM_{2.5} in Lanxi (in Chinese), Acta Scientiae
229 Circumstantiae, 38, 2253-2261, <https://doi.org/10.13671/j.hjkxxb.2018.0063>, 2018.
- 230 Zhuo, S. J., Du, W., Shen, G. F., Wang, R., Pan, X. L., Li, T. C., Han, Y., Li, Y. G., Pan, B., Peng, X.,
231 Cheng, H. F., Wang, X. L., Shi, G. L., Xing, B. S., Tao, S.: Urban air pollution and health risks
232 of parent and nitrated polycyclic aromatic hydrocarbons in two megacities, southwest China,
233 Atmospheric Environment, 166, 441-453, <https://doi.org/10.1016/j.atmosenv.2017.07.051>,
234 2017.