Modular approach to near-time data management for multi-city atmospheric environmental observation campaigns

Matthias Zeeman¹, Andreas Christen¹, Sue Grimmond², Daniel Fenner¹, William Morrison^{1,2}, Gregor Feigel¹, Markus Sulzer¹, and Nektarios Chrysoulakis³

¹Albert-Ludwigs-Universität Freiburg, Environmental Meteorology, Freiburg, Germany ²University of Reading, Urban Meteorology, Reading, UK ³FORTH, Heraklion, Greece

Correspondence: Matthias Zeeman (matthias.zeeman@meteo.uni-freiburg.de)

Abstract. Urban observation networks are becoming denser, more diverse, and more mobile, while being required to provide results in near-time. The Synergy Grant *urbisphere* funded by the European Research Council (ERC) has multiple simultaneous field campaigns in cities of different sizes collecting data, for improving weather and climate models and services, including assessing the impact of cities on the atmosphere (e.g., heat, moisture, pollutant and aerosol emissions) and people's exposure to

5 extremes (e.g., heat waves, heavy precipitation, air pollution episodes). Here, a solution to this challenge for facilitating diverse data streams, from multiple sources, scales (e.g., indoors, regional-scale atmospheric boundary layer) and cities is presented.

For model development and evaluation in heterogeneous urban environments, we need meshed networks of *in situ* observations with ground-based and airborne (remote-)sensing platforms. In this contribution we describe challenges, approaches and solutions for data management, data infrastructure, and data governance to handle the variety of data streams from primar-


10 ily novel modular observation networks deployed in multiple cities, in combination with existing data collected by partners, ranging in scale from indoor sensor deployments to regional-scale boundary layer observations.

A metadata system documents: (1) sensors/instruments, (2) location and configuration of deployed components, and (3) maintenance and events. This metadata system provides the backbone for converting instrument records to calibrated, location-aware, convention-aligned and quality-assured data products, according to FAIR (Findable, Accessible, Interoperable and

15 Reusable) principles. The data management infrastructure provides services (via, e.g., APIs, Apps, ICEs) for data inspection and subsequent calculations by campaign participants. Some near real-time distributions are made to international networks (e.g., AERONET, Phenocam) or local agencies (e.g., GovDATA) with appropriate attribution. The data documentation conventions, used to ensure structured data sets, in this case are used to improve the delivery of integrated urban services, such as to research and operational agencies, across many cities.

20 Summary

Overview of a data system for documenting, processing, managing and publishing data streams from research networks of atmospheric/environmental sensors of varying complexity in urban environments. Our solutions aim to deliver resilient, near-time data using freely-available software.



Key Figure or Graphical Abstract

1 Introduction

Field observation campaigns are an essential source of information in urban environments, as long-term global climate and weather observation networks often explicitly exclude cities (Grimmond et al., 2020). Urban field campaigns differ in length providing different benefits. For example, short (approximately one year) campaigns offer a cost-effective way to explore

- 30 seasonal variability in multiple urban areas by relocating instruments, whereas long-term observatories allow changes both from climate and the city itself (e.g., physical, behavioural) to be better understood. Data from both types are needed to support model development for numerical weather and climate predictions and the delivery of integrated urban services (Baklanov et al., 2018) to support current operations, plan management (Chrysoulakis et al., 2023), and adaptation of cities into the future. Such observation campaigns require robust, structured data management. Unlike operational regulatory networks (e.g., air quality),
- 35 campaigns have limited duration, often employ novel measurement systems often prior to open-source or commercial data management solutions existing.

Urban environments pose challenges because of multiple scales of interest (indoors to city-wide), intra-city and intercity diversity at most scales (e.g., room uses, building types, neighbourhoods), people's activities (e.g., needing to continue undisturbed but impacts observed), and all compounded by city size (Landsberg, 1970; Oke, 2005; Grimmond, 2005; Muller et al.,

- 40 2013b; WMO, 2019; Yang and Bou-Zeid, 2019; Masson et al., 2020; Grimmond et al., 2020). Existing long-term sensors, enhanced for campaign objectives and applications (e.g., human health, energy infrastructure) allow urban surface-atmosphere dynamics to be captured. However, the multitude of city layouts, topographic settings, and regional climates means there is not one solution to combining field observations, remote sensing and modelling in urban areas. Rather there is need to address this at multiple scales simultaneously, in multiple cities with duplication of combinations to ensure the general pattern is correctly
- 45 identified (Barlow et al., 2017; Pardyjak and Stoll, 2017; WMO, 2021) in comparisons. Hence, concurrent sensor deployments, mounted on static and mobile platforms, located indoors and outdoors, measuring micro- to mesoscale processes over different length of periods will need to occur.

Research campaigns by definition deviate from operational deployments (e.g., WMO's National Meteorological and Hydrological Services). Urban campaigns have a long tradition of multiple groups combining resources to focus on a city or a

- 50 specific aspect of the urban environment (e.g., Changnon et al., 1971; Rotach et al., 2005; Allwine et al., 2004; Mestayer et al., 2005; Wood et al., 2013; Bohnenstengel et al., 2015; Scherer et al., 2019; Karl et al., 2020; Caluwaerts et al., 2021; Fenner et al., 2024b), making the homogeneous single-sensor-model network, operated by multiple collaborating partners using identical operating protocols (e.g., same objectives, calibration procedures) unlikely (Scherer et al., 2019; Caluwaerts et al., 2021; Marquès et al., 2022). Although sensors designed for the same observation type may be similar, they are rarely fully inter-
- 55 changeable (de Vos et al., 2020). However, intentionally heterogeneous sensor model networks (e.g., low-cost and high-grade instruments) may complement each-other (Jha et al., 2015; Gubler et al., 2021).

Data collection by a single project in one city should produce comparable data to that collected in other cities, or a later campaign in the same city, to support comparative and longitudinal studies. The large data sets need to be easily ingestible into

model evaluation studies, today and in the future, requiring structured data, attributed metadata, following conventions and

60 standards.

Short-term urban field observation campaigns are highly dynamic (Yang and Bou-Zeid, 2019), capturing processes of interest and responding to near real-time results allowing plans to evolve. The dynamics make data assessments time-sensitive and network operational status diagnostics a critical task, as intermediate results become indispensable for informing models, making decisions on resource-intensive field deployments (e.g. radiosoundings, tracer releases) and making dynamic adjust-

- 65 ments to network design (Changnon et al., 1971; Rotach et al., 2005). Data management for rapid discovery needs to be both technically and organisationally structured, posing additional challenges (Wilkinson et al., 2016; Middel et al., 2022). In a research community, sharing near real-time data internally and publicly is increasingly expected, as data, software code and products (results) are co-produced. Thus, output becomes "Living Data" given continuous sharing, even before all required metadata are available (Oke, 2005; Stewart, 2011; Muller et al., 2013a; WMO, 2023) including attribution, documentation
- 70 in peer-reviewed papers, or full scientific scrutiny. However, rapid availability does not remove scientific obligations (e.g., peer-reviewed publications with careful scientific assessment, attribution to researchers, institutions, funding agencies).

Here, we present an approach developed within the European Research Council (ERC) Synergy Grant *urbisphere. urbisphere* addresses dynamic feedback between weather, climate and cities through synergistic activities between four disciplines (spatial planning, air- and spaceborne observations, modelling, and ground-based observations). The project involves quantify-

- 75 ing aspects of the influence of urban emissions on the atmospheric boundary layer above and downwind of cities; and human exposure in urban environments (e.g., streets, indoors) that vary across a city and with time as both form and function change. Central to *urbisphere* are both concurrent and consecutive campaigns in multiple cities undertaken in different countries, using a modular observation system. Observations are needed to support empirical assessments and studies, model development and model evaluation. Activities are structured into four Modules (A to D, Figure 1). Module A gathers data on urban form
- 80 (e.g., morphology, materials) and function (e.g., people's mobility patterns, vegetation phenology), which varies in space and over time. Data from surveys, official sources, imagers and spaceborne sensors are used for geographically and temporally assessing form and function and to derive inputs to models. Module B quantifies how urban form and function affect the urban atmosphere over and downwind of cities through emissions of heat, pollutants, and aerosols and how cities modify the dynamic and thermodynamic state of the overlying atmospheric boundary layer. In Module C, we quantify differential exposure
- 85

of people in and between cities (e.g., to heat, flooding). The different objectives in Module A to C require targeted and specific observational strategies, but all require consistent data management, documentation and quality control processes (Module D).

Here we present the integrating data management and infrastructure system (Module D) developed to support the observational sensors and systems in modules A to C (Figure 1). We are excluding spaceborne observations, data from long-term partner data networks (e.g. meteorological agencies and services), and surveys and administrative data as there are existing

90 data management platforms and systems available. Instead we focus on atmospheric and environmental sensing systems in Modules A to C that are deployed during campaigns. The observational sensors and systems deployed in Modules A to C are diverse (Figure 1)., quantifying many variables, and are operated in diverse settings (e.g., street-light posts, building roof-tops, indoors) as well as on mobile platforms (e.g., vehicles, balloons, drones). Hence, there are fixed deployments and mobile measurements, sensors with multiple uses, need for near real-time data (e.g., during intensive observation periods (IOPs)),

95 and changing configurations, deployments of varying duration (e.g., hours, days, months, years). This is managed by multiple people with different responsibilities, roles and backgrounds.

The system currently ingests on the order of 10^9 datapoints per day from about 100+ different stations and approximately 1000 sensors in five different cities. Using automated processes, data are delivered in near-time (minutes to hours) to central data infrastructure through mobile phone and Internet of Things (IoT) connectivity. We showcase the technical and organiza-

100 tional solutions to creating a modular data management system, considering: documentation, acquisition, products, governance, standardisation, reuse and sharing.

2 Data documentation

As data documentation during observation campaigns occurs at pre-, during-during- and post-deployment, it is critical to have a structure early for capturing all details (e.g., Table 1), especially at busy, time-limited periods. As part of sensor installation preparation, data to describe a site and sensor-system details need to be captured, as they are essential metadata for processing

105 preparation, data to describe a site and sensor-system details need to be captured, as they are essential metadata for processing the datastream. Standard conventions facilitate data (re)use, enhancing data value both to the general community and the project (Muller et al., 2013a; WMO, 2021). Critical to this, is it are data being accessible to team members during a campaign and subsequently as data are processed (Figure 2).

2.1 Metadata

- 110 As field observations involve multiple networks (Table 1), metadata are essential to organizing the data collection (e.g., files, directories), and as the audit trail of modifications. Because of the latter, the physical, logical, and organisational context of the field observations are defined early in the data management process (Table 1), and amended with updates from planning to collection to publication. Once data collection begins, the production chain needs to systematically encode attributes (e.g., location) into a series of searchable metadata databases (DBs; Figure 3).
- The *Inventory DB* has all instruments used in the campaigns with links to the maintenance and organisation details (e.g., owners of different parts of a deployment, Figure 3). The inventory DB holds the primary calibration, purchasing, maintenance and software (firmware) history and availability of each instrument. The operational relational queries are supported by graphical user interfaces (GUI) with shortcuts for specific summaries. Those help find, e.g., (1) if an identical instrument model exists in storage or in another deployment, (2) all instruments at a location, (3) all mobile-phone SIM cards linked to a data plan (4)
- 120 all calibration sheets and warranty documents for a given sensor to facilitate sending an instrument back to a manufacturer for service. The inventory GUI offers dialogue in multiple languages, facilitating international cooperative use by all staff and incorporates direct access to all instrument manuals.

The *Deployment DB* (Figure 3) has information about an instrument's configuration, including location and relation to other instruments during a deployment, as well as organisation details. This is the primary record of instrument operational status at

125 any time. The Deployment DB GUI allows entries to be added or modified. Most instruments are in a hierarchical relation, such

as being a "child" connected a "parent" (e.g., internet-attached data logger connected to an instrument). A two-level parentchild hierarchy has instruments on a local network node with a local storage node referred to as a "system" (Table 1 and 2). For the *Deployment DB* consistency, instruments with integrated data recording and autonomous network capabilities are both a "system" and a "sensor".

- 130 The hierarchy of spatial information for a "station" (or "site") starts with geographic coordinates of a point on a representative surface, which can be determined accurately in advance to assure suitability for sampling by (airborne) remote sensing. The "system" and "sensor" are measured in relation to the "site" in a local Cartesian or polar coordinate system (Figure A3). This helps explain details in a complex setting such as a roof (Figure A1), a street canyon or within a building (Figure A2). The database relationships allow identical sensor replacement, without needing to modify any of this spatial information.
- 135 Typically, a duplicate configuration is modified to capture the changes occurring for a period. Given numerous complementary data sources, including space- and airborne (e.g., satellites, drone, aircraft sensors), city GIS, and models (e.g., source areas, numerical weather prediction model output), it is critical that metadata are precisely geo-located and time-stamped. In the deployment DB, start and end time identify the operational periods (Figure 4).
- The *Events DB* (Figure 3) captures the field and laboratory notes, normally linked to events, such as on-site maintenance visits, relevant near site changes, remotely identified anomalies, and instrument disturbances (e.g. dirt on sensors). All field visits, instrument malfunctions, disturbances, anomalous weather, unexpected patterns in observed data, and brief data stream outages need to be documented as "events" at the time, and may require subsequent actions. Complete documentation should provide a traceable audit trail of all intended and unexpected conditions related to an observed variable and, to facilitate subsequent data interpretation, measurement and photos of the location, orientation, direction of view and relative position to
- 150 see Appendix B). Event detection can include spatial statistics, but this is not operationally implemented. Documentation based on the metadata uses persistent identifiers and versioning in order to accommodate the advancing insights on quality, events and deployment status (e.g., Plein et al., 2024).

2.2 Conventions

Building on existing data conventions and standards can enhance data usage. In *urbisphere*, we use the climate and forecast
 (CF) metadata conventions (cf-conventions-1.10, or CF hereafter; see Hassell et al., 2017) API-Application Programming
 Interface (API) for NetCDF, with extensions often used in the urban research community (Scherer et al., 2019). The use is consistent with prior campaigns, model applications, third-party software tools, and common with the campaign's instruments and project-specific production needs.

Most of the production chain in *urbisphere* is based on NetCDF database files. To maximise portability, only features commonly implemented in the various software libraries and platforms are used. A set of unique identifiers creates a relational chain between locations, instruments, events, variables and variable units, and therefore the data recorded and publishable data products. To facilitate this, instruments and data are organised into functional groups (Figure 1, Table 3; see also Appendix B).

Many instruments and data recorders encode sensor data records to proprietary formats, which based on user options may provide calibrated and aggregated data records with sensor diagnostics. To simplify later inquiries, a best practise for output file

165 formats, metadata attributes and file name patterns for each instrument model or instrument group (see, e.g., Appendix B) is adopted. Where possible, identifiers are included as headers in instrument data files, directory names and/or file names. These practises allow programmatic extraction of key identifiers from file names, data and metadata databases with few exceptions. Particularly for observation systems that used APIs for the retrieval of data, a consistent use of identifiers is an essential operational aspect (Feigel et al., in review).

170 2.2.1 Vocabulary

CF forms a robust framework for data and metadata, but does not formally include all variables needed in urban areas (Grimmond et al., 2010; Scherer et al., 2019, 2022; WMO, 2021; Lipson et al., 2022), so extensions are made building on earlier projects that will need further review to be formally brought into the CF (Hassell et al., 2017). The shared vocabulary facilitates efficient queries and benefits for the machine-operability of the data. - The CF conventions defines vocabulary for dimensions

175 and units for many variables, as well as attributes to assure data provenance (Hassell et al., 2017). Existing community software tools work with NetCDF and CF-related vocabulary definitions, including modules to perform programmatic conversion of units (e.g., the UDUNITS module; Hassell et al., 2017).

2.2.2 Outdoor deployment

Site selections in urban deployments depend on research questions, measured variables, and scales of interest (WMO, 2006;
Oke, 2017). For example, the measurement of near-surface air temperature in an urban area may require different siting requirements than standard WMO regional scale weather measurements (Stewart, 2011; WMO, 2023).

Most deployments are at fixed locations, but as surroundings change, regular review of deployment configurations are required, and time-specific amendments are needed to the metadata. Some instruments have accurate clocks and sensors to self-determine location and orientation, providing metadata as a separate time-series in the data (e.g., pressure and GPS sen-

- 185 sors on radio-sounding systems; motor-drive position and inclinometer on lidar systems). Other deployments may require the sensor viewpoint and orientation as well as time offsets to be measured regularly or determined continuously relative to a (local) reference. Site documentation requires consistent use of coordinate reference systems, considering various aspects of urban landscapes and linkable to other sources (e.g., city GIS systems derived from detailed airborne lidars, numerical models) (Appendix A; Figure A1). Local reference points are needed for all observations to be linked to other (e.g. geospatial) datasets.
- 190 Some stations are located on surfaces (e.g., roofs) that may not coincide with the deployed platforms or instruments. However, using a representative surface coordinate set (Figure A1b), instead of exact system location (Figure A1a; Figure A2), simpli-

fies immediate reuse of coordinates between sources. Furthermore, some sensor views may not provide usable data for some research objectives, requiring detailed understanding of a site (e.g., glass or shaded areas for thermal imagery; orientation of a roof edge for momentum flux; three-dimensional scan patterns for Doppler wind-lidar). All systems have GPS time or internet

195 reference time services, and all data during *urbisphere* campaigns are recorded in UTC Coordinated Universal Time (UTC). Greenwich Mean Time (GMT) or the GMT/UTC+0000 locale without daylight saving for systems with time-zone unaware recording of timestamps (Appendix A1).

2.2.3 Indoor deployment

Sensors deployed indoors have multiple purposes including assessing: human exposure (Sulzer et al., 2022), building energy

- 200 models (Liu et al., 2023), and influences of the indoor micro-climate extremes on human and animal stress (Walikewitz et al., 2015; Marquès et al., 2022; Sulzer et al., 2023), so require many site details. A classification is implemented that includes characteristics and orientation of the building, room, walls, windows, content of the room, space usage type, occupancy, and other factors affecting the indoor climate and human comfort of workers or residents (Appendix A; Figure A2). Whereas basic meteorological observations are recommended to be free of obstacles and heterogeneous influences, indoor observations are, in summary, an opposite. Siting for all sensors need to be representative of what people and room are likely to experience.
- 205 in summary, an opposite. Siting for all sensors need to be representative of what people and room are likely to experience, while still allowing the room to be used in its intended way.

2.3 Operational management

Conversations about planning, issues and resolutions are an essential part of a campaign's knowledge base. To make communication related to the deployments accessible for discovery by data users, from any location and at any time, each campaign

210 maintains a repository for issue tracking, source code development and wiki-type documentation (GitHub, GitHub Inc, San Francisco, CA, USA). Similar repositories help maintain overarching subjects, such as data management. Other repositories are maintained on enterprise cloud data storage (Dropbox, Dropbox International Unlimited Company, Dublin, Ireland), to store and share auxiliary data files, such as photos, protocols and calibration records, organised by campaign, location, and time. Additionally, customised forms and shareable spreadsheets are accessible using online services (Google Forms and Google Sheets, Google Ireland Limited, Dublin, Ireland), to gather provisional metadata.

The core database systems, including the inventory and deployment configuration DBs-Inventory DB and Deployment DB (Figure 3), are designed using open source web-, database-web-, database- and user-interface tools (the so-called LEMP stack; Linux, Nginx, MariaDB, PHP) and application frameworks (Appendix C3).

3 Data acquisition and products

A "data source" may be a sensor, a network node or an organisational unit (Table 1), with different contexts that need to be retained and clearly identifiable. Typically, a chain of systems and responsibilities are involved, with multiple actors, nodes and locations (Table 1; Table 3; Figure 5). The origin of data may be expressed in terms of the physical network of infrastructure at distributed locations, the logical network involved in data telemetry, storage and processing, and the network of organisations and actors who have various roles. The source needs to be defined and preserved in order to ensure data governance agreements,

accessibility, responsibilities and , and also to effectively respond to issues that occur. For example, if an instrument at a particular location is not responding, the data and metadata must allow the relevant infrastructure, the responsible people and the production line processes to be looked up efficiently for that particular source (Figure 2) for that particular location. Key features of the physical and logical networks (this section) are presented to organisational aspects (Section 4).

3.1 Data infrastructure

- The data infrastructure combines the interest of data safe-keeping with data accessibility (Figure 6). Keeping data secure is a primary project deliverable and involves basic protection against unknown malicious actors and protection against accidental data loss. Within the data architecture, a central operational archive is maintained on a suitably large storage volume (larger than 50 Tb logical volumes on RAID storage units). A replica of the data is maintained on an identical storage unit in a different building (geo-redundant backup), with additional daily backups on enterprise storage services (on and off campus). The data infrastructure uses virtualised computing hardware. Virtualization makes it possible to isolate critical functions without the
- need to expand physical hardware, and allows the data infrastructure to scale dynamically as needed. The critical functions include a remote access node for all uploads from local field stations ("gateway"), a remote access node for metadata databases and related web-interfaces ("status"), a remote storage node for archival of data and public access nodes ("workstations") for monitoring, computations and user access to data (Figure 6).

240 3.2 Access

The original data and metadata are kept on different physical servers. However, users with access to a workstation are provided with immediate access to a read-only view of the original data, as well as a read-only replica of the metadata DBs (Section 2.1). Access to data and metadata is read-only by default, primarily to minimize the risk of accidental data loss. This in turn removes the need for strict user access guidelines on the public access node workstations, allowing a more liberal use of the workstation resources. Workstations are used as public access nodes, with a wide selection of services available at the user-level, including Application Programming Interfaces (APIs) APIs, Integrated Computing Interfaces (ICEs) and other interactive websites (Apps) for users and the public (see also Appendix C).

However, adding new files to the archive, or modifying files on the archive, is more involved, and requires new or renewed upload. The uploaded data are managed by data managers, using separate accounts for the upload and data management. Users

- and groups are managed on a file system level and the credentials are maintained in encrypted key chains for each campaign. The need for administrator privileges is avoided, where possible, and the directory access for accounts used in automation (e.g., FTP-File Transfer Protocol (FTP) credentials are transmitted as text) is restricted in scope. Write access to the remote storage node is restricted by default and limited in scope. Typically, data are uploaded automatically by an instrument, or manually by a user, onto intermediate storage locations on the remote storage node ("upload server"; see Figure 6). Typically, uploads
- 255 are synchronised immediately to dedicated locations on the archive. The synchronisation uses individual configurations for

each of the upload locations, which can be activated or deactivated if needed. Data management accounts are restricted in access scope to the relevant locations on the archive, set by file system permissions of the intermediate storage source and the destination location on the remote storage node. The design allows multiple campaigns to be operated at the same time without cross-interference, and facilitates the transition in instrument deployment from one campaign to the next by either replacement

260 of the user credentials for data upload on the local network node in the field or by re-configuring the redirection destinations on the remote access node. Such a transition between campaigns is helpful, as it allows the write access to original data locations to be revoked by a data manager after completion of one campaign, without the need to modify the individual file attributes of a complex subset of millions of files in file locations shared with subsequent campaigns.

3.3 Sources

265 Instrument groups are based on characteristic instrument features (Table 3). The three-character identifier is sufficient to prevent ambiguity.

Data are stored in the instrument-provided formats, which may be custom text records (encoded information in a proprietary format, e.g., TOA5, or a defined schema, e.g., XML), where new records are appended as lines to a file with a header that contains metadata and a column description. However, we have a preference for standardised delimited text files (e.g., comma

270 separated values) to simplify archival. Binary format files are used only where no text-based alternative exists. Binary formats are introduced where encoding is necessary to save storage space and bandwidth, including image formats for grid data and NetCDF format for trajectory data (Table 3). The data files contain collections of up to daily periods, except for the few cases with single timestamp observations stored in separate files.

3.4 Transmission

- 275 Network connections for temporarily deployed instruments need to be flexible and modular. As a research network, temporary and long-term network outages must be accounted for in the design, requiring sufficient local data storage on or near the instrument, as well as methods to resume data transmission after an outage. The data recorded since the start of the network outage need to be transferred, ideally automatically. This requires methods that identify what is missing on the remote storage location, and skip redundant uploading to save bandwidth. Although there are no substantial differences between text and
- 280 binary data storage, the transfer of binary data requires extra caution. File corruption from an incompletely transferred binary file makes data inaccessible, whereas incomplete text files can mostly be read and processed. In both cases, it is critical to assure transfer of an identical copy from the local instrument to the remote archive.

As a logical network, the local storage node and local access node have an important role in transmission of data (Table 2). The local storage and local access node are combined, where possible, by selecting instruments with autonomous mobile phone

285 network capabilities (NBIoT network typec.g., Narrowband IoT (NB-IoT) network services) or by connecting an instrument directly to: an existing station network (wired or 4G LTE network type), a mobile phone network router (4G LTE network type) or a more capable instrument within the shared local network (see e.g., Raspberry PI model 4 based data logging; Feigel et al., in review). Those capabilities include having redundancy in data storage, network access and data transfer services (e.g.,

desktop access, file access) and housekeeping software. These capabilities typically help remedy limitations arising from any

290 legacy operating systems and outdated firmware of instruments.

The logical network uses industry-standard protocols for the transmission of data files (i.e., FTP, SFTP and RSYNC through SSH) Secure FTP (SFTP) and Secure Shell (SSH) in combination with the Rsync network file transfer software). SFTP adds a secure authentication and encryption layer to the transfer (cf. FTP), whereas RSYNC the Rsync software adds incremental, compressed and validated data transfer (cf. SFTP). RSYNC Rsync is preferred, as it allows reliable recovery of incomplete

or failed transfers with limited bandwidth overhead on the logical network. Custom software is used to configure the RSYNC Rsync client software and set retention periods for data transmission (Morrison, 2022). The synchronisation of data between storage locations also relies on RSYNC Rsync (i.e., as transport method for Lsynedthe Lsyncd file synchronisation software). We find the FTP protocol is no longer fully supported by all mobile phone network carriers. As some data loggers (e.g., model CR1000X, Campbell Scientific, Logan, Utah, USA) use alternative protocols, the upload server is configured to allow legacy authentication methods for SFTP connection. The flexibility to make such server-side adjustment to the configuration underpins

why ad-hoc research data collection benefits from a dedicated, custom data infrastructure (Figure 7). A limitation of the current internet infrastructure is that an assigned network address cannot be reached from outside a private

or mobile network without a Virtual Private Network (VPN). By default, the data transfer can only be initiated from the local access node to the remote storage node. VPN is available through some routers (e.g., model RUT240 and Teltonika services, Teltonika Network, Kaunas, Lithuania), or commercial remote desktop software (e.g., AnyDesk Software GmbH, Stuttgart, Germany). On occasions, both remote access solutions are used to diagnose issues, transfer miscellaneous files or reconfigure instruments from a remote office location.

3.5 Production levels

315

Participants and data systems produce many data set sets and services. Most intermediate results are shared immediately and
automatically for different uses. Production processes have production levels (some optional) to help keep track of data from collection to publication, as follows (Figure 8):

- RAW: Data recorded by instruments, from multiple sources (e.g., campaign-deployed sensors, partners, third-party APIs).
- L0 (optional): Transcribed RAW data (i.e., to binary) with metadata attributes and typically aggregated to daily or monthly periods. This structured alternative to RAW data is intended to speed up data ingestion for subsequent data processing tasks, with variable vocabulary identical to the RAW input files.
- L1 (optional): Curated data sets, with various processing (e.g., quality control, coordinate alignments, metadata standardization, translation of names and units according to conventions) but remaining penultimate to L2.
- L2: Published or publication-ready data sets. Metadata attributes, as its absolute minimum, include title, source, keywords, references, authors, contributors, license, comments, history and creation time.

The production levels are collaboratively managed. L0 products are typically scheduled automated routines (e.g., Figure 8, Figure 9, Figure 2), with timing adjusted to recover if brief (2 - 28 h) data transmission delays occur between a local instrument source and the remote destination (Figure 5). Beyond this, further interaction is needed (Appendix A1). L0 data are shared as input for diagnostics and other near real-time analyses. Data products and intermediate results follow naming conventions given in Appendix B.

325 3.6 Services

Web-based interactive computing environments (ICE) ICE on workstations with common libraries and replicate programming environments are to develop code with immediate access to the data archive. The intent of this centrally-managed ICE is to reduce interoperability issues arising between libraries and versions from individually-maintained code environments. The common ICE has Python and R interfaces (JupyterLab), is modified upon request and documented (i.e., a GitHub repository) and if needed, users can built and use their own ICE (Appendix C2, Figure C1).

330 a

Visualisation of data is implemented into internet-accessible applications (Apps), developed and deployed by researchers using ICEs. The main evaluation of data processes, operational status and availability relies on "quick-look" figures, automatically generated from RAW/L0/L1 data. These are integrated into interactive Apps, or dashboards (Appendix C; notably C3). Data flows are monitored with respect to recorded data files and data within. A software tool monitors The monitoring

335 of computer system status, resource monitoring use and alerts ("watchdog") using the NAGIOS protocol and toolsuses the open-source Nagios protocol and software.

Application programming interfaces <u>APIs</u> can enhance data access by providing dedicating handling of communication between computer programs and are used for many tasks. For some instrument subgroups, APIs are the main point of access to recorded data (e.g., a street-level automatic weather stations network, Figure C1). In turn, we provide access to curated data in near real-time to researchers and partners using APIs (Appendix C4). The ZENODO research data repository API helps simplify automated data management tasks for publication of data (European Organization For Nuclear Research and

340

3.7 Operational Costs

To help keep operating costs low, logical network design, careful configuration of data transfer tools and automation are used. 345 Semi-automated, central data collection allows multiple people to monitor instrument and network output in near real-time. The efficiency of incremental, compressed data transfer reduces data transfer volumes, allowing many systems (stations) to share one mobile phone data plan. User-level automation on local storage nodes (e.g., scheduled data transfer, local data housekeeping and data transfer recovery after outages) reduce interference of running systems during maintenance (e.g., onsite swapping storage cards). User-level automation on remote access node and public access nodes, allow campaign data managers

OpenAIRE, 2013; Rettberg, 2018). The APIs use REST methods for communication (Appendix C4).

350 to control their data flow and allow multiple users to develop solutions for data monitoring, data exploration and computation, independently.

The virtual hardware is provided by the host (approx. EUR 500 to 1000 per year) with a one-time purchase of data storage units (approx, EUR 40.000). The software tools are open source, except for remote access software license (approx, EUR 250) per year). All tools need to be configured and programmed, for which the personnel costs include a data scientist, as well as a researcher, a field technician and research assistants for each campaign.

355

The benefits of near real-time data access and cost savings must be weighed against costs (e.g., mobile phone network routers, data subscriptions, development time). Other operational costs involve the servers (e.g. configuration, maintenance of local and remote access nodes), storage (e.g. remote nodes, redundant backup systems) and public access node workstations. Typically, local access nodes are not modified during a campaign, so require rigorous testing prior to deployment (Feigel et al.,

360 in review). For our system, the remote access, storage and metadata database nodes consisting of ten servers using Windows, Linux and OSX operating systems. All requiring frequent security updates to comply with institutional requirements and industry practise. Virtualization hardware, additional backup systems and encryption certificates are provided institutionally. This data infrastructure can be expanded as required from multiple, concurrent campaigns and projects.

4 Data governance

- Most campaigns use data streams from partners partner instrumentation either directly or more typically from their data net-365 works (e.g., Weather Service), or from third-party networks they contribute to (e.g., AERONET, Phenocam Network, ICOS, PANAME) (Giles et al., 2019; Richard et al., 2018; Haeffelin et al., 2023). Many of the latter are two-way contributions with campaign sensors also providing data to these networks. Data management is facilitated by assignment of roles and responsibilities. The roles are commonly shared or combined. Examples of different type of roles of users of user roles of the system 370 include (Figure 2, Figure 5, Figure 7, Figure 8, Table A2).
 - Principal Investigator: executive responsibility for all scientific activities, campaigns, data and peer-reviewed publications and priorities;
 - Publication Manager: responsible for a data publication process;
 - *Campaign Manager*: lead for all aspects of a particular campaign (city);
- 375 - Data Manager: lead for data infrastructure supporting campaign teams;
 - *Researcher*: responsible for a particular data production line or instrument group;
 - *Field Operator*: responsible for deployment and maintenance.

Many people undertake data manager and researcher roles, with most at the end having a responsibility for publishing data. We should further recognise the responsibilities for (1) data science (i.e., scientific requirements, analysis, products), (2) data management (i.e., logical requirements, policies, workflow design, quality control) and (3) data infrastructure engineering 380

(i.e., software and hardware architecture, software development, operations, performance management, end-to-end user/security/network implementation). There are clear differences between these responsibilities, and having experts focus on each separately can arguably improve data system resilience and longevity. However, setting up teams of data experts is not common in soft-funded academic projects engaged in short-term collaborative observational campaigns, and responsibilities end up being carried by few people (see Section 3.7).

Data governance needs to recognize the multiple participating members (e.g., campaign teams, project partners, land owners, external data providers and data users), their interests (e.g., contribution to outputs, liability limitations, expenses, funding agencies) and to provide open data using FAIR principles (i.e., findable, accessible, interoperable and reusable; Hassell et al., 2017). Thus, data governance covers (Figure 10):

390

- Formal agreements for deploying instruments on a property or institutional platform (e.g., lattice mast) or location (e.g., observatory).
 - Grant agreements (e.g., urbisphere Data Management Policy) covering data ownership and grant compliance laws (e.g., European GDPR (General Data Protection Regulation 2016/679), FAIR, data security and data retention).
- L2 data are releases with a *license* (e.g., Creative Commons Attribution 4.0 International; CC BY 4.0) with terms of use 395 adjusted in compliance with the license (Brettschneider et al., 2021). Various notices are included, e.g., license, creator, copyright, attribution, materials, disclaimer notice and citation. The license notice is a machine readable reference to the license, including a link or URI Uniform Resource Identifier (URI) to the full license text. The creator notice states the data authorship. The attribution notice includes a template to address attribution parties, e.g., to credit the primary funding agency. The disclaimer notice involves legal text regarding the limitation of liability and warranty. The material 400 notice describes exactly what part of the work is covered by the licence, such as data records, images and text, but not the NetCDF database structure. Prior to release, the license and creator notice will not be included and a copyright notice

is used instead (Table 6).

The data management agreements set requirements on how data will be stored and accessed, which must be communicated and made understandable to the individuals and associations involved (Figure 11), regardless of their role in the organisation of a campaign (Figure 2, Table 1). 405

5 Conclusions

410

A resilient modular monitoring system for urban environments has been developed to allow rapid new deployments with changes in infrastructure and network technology with a diverse set of field instruments being deployed during observation campaigns. The implementation primarily uses: freely-available software tools, established services for storing research data, and community adopted conventions.

³⁸⁵

The system has to date been employed in several cities and different countries simultaneously. Our use cases not only involve research data products but also urban hydrometeorological services that reach the users – government officials, modeling teams and the public – in near real-time through the implementation of FAIR principles.

Code and data availability. Datasets are available through the Zenodo community urbisphere (zen, 2021).

415 List of Tables

	1		19
	2	Observational network data are organised using a limited set of dimensions, (typically) retrieved from the data	
		itself and their associated metadata. Ingested data (RAW) are completed across the multi-dimensional data	
		stores at level 0 (L0). Although metadata are essential for data analysis, they are not repeated at all levels (L)	
420		to improve interoperability.	20
	3	Instruments are classified into functional groups with sensors measuring at a point, along a path, or pixel area.	
		Many instruments have dynamic source areas either because of meteorological conditions or if the sensor is	
		mounted on a mobile platform.	21
	4	Example production lines used in the data management system	22
425	5	Glossary.	24
	6	Notices (e.g., disclaimers) accompanying data publications in the <i>urbisphere</i> project. Data published in near-	
		time have additional text (bold). Author list is updated at publication with an open licence.	26
	A1	Coordinate attributes and the relationship between coordinate reference systems (i.e., station, using global CRS	
		and VRS references; system, sensor, channel using local references) and metadata (i.e., conventions, standards,	
430		definitions, units).	39
	A2	Coordinate attributes and their meaning for metadata that are required, partially required or required but set	
		with a default value	41
	B1	Naming convention for different types by production level with patterns and attributes	48

List of Figures

435	1	Conceptual diagram of the modular observation system operated in the urbisphere project. Modules A to C	
		collect observational data in different cities, Module D integrates them in the unified data management approach.	27
	2	Operational connections are entwined between the physical and logical networks and the organisations.	28
	3	Conceptual overview of databases (DBs) that form the metadata, and the primary attributes that connect the DBs.	29
	4	Example of data (air temperature) through time per station deployed (Freiburg, Germany): (upper) pre- and	
440		(lower) post-metadata application for masking invalid data. In this case, the instruments (autonomous Auto-	
		matic Weather Stations) report data if powered, so metadata are needed to define operational deployment periods.	30
	5	Conceptual timeline (days, D) before and after an event is raised and resolved, with different examples of when	
		and who are involved, including two automated methods (M1, M2). \ldots	31
	6	Access to data is needed from both public and private domains, using private data infrastructure. Archived data	
445		and metadata are read-only accessible (dashed lines, light colors) for shared production (L0, L1, L2), which is	
		redirected to the archive and interfaces for public access and other uses. DB: Database	32
	7	Example of a data-stream from multiple networks and various databases (DBs), with the applications used in	
		the production steps and the data store formats (bottom row) using scheduled scripts. The typical data stream	
		is from local instruments to a remote server that provides public access.	33
450	8	Pathways of data (from RAW to intermediate (L0, L1) and publication (L2)) with archiving at multiple stages.	
		Data are shared (dark) and replicated (light).	34
	9	An example of a production line, the various databases (DBs) and applications used in the production steps and	
		the (bottom) data formats for data products for multiple uses. Scheduled scripts generate configurations that	
		actuate the production line code during automation.	35
455	10	Pathways to making data publicly accessible require different data governance policies (yellow boxes) to be	
		formalized early, allowing public access to be rapid and restrictions to be mitigated. Open access of collected	
		data (RAW) is an option without such policies (bottom pathway), and embargoed release can be agreed with	
		policies in place (center pathway), but the curation and analysis work (L0-L2) can involve intellectual owner-	
		ship and personal interests that may otherwise lead to delays in open data publication (top pathway)	36
460	11	An info-graphics using a switchboard analogy is used to communicate where data is uploaded, where data	
		can be downloaded and where data streams (RAW and L0-L2 productions) are being managed, monitored or	
		modified.	37
	A1	Deployment on a building roof with the relations between (a) a local station, platform, instrument, recorded	
		image and related coordinate systems in polar and Cartesian coordinates, and (b) local and global coordinate	
465		reference systems as well as features in ordinance inventory and Earth Observation	42

	A2	Indoor measurements of ambient temperature require uniquely different metadata, compared to classical out-		
	door measurements, including additional coordinates for the orientation and features of the b			
		the walls and the adjacent space, as well as of objects that generate, transmit, transport or intercept radiative heat.	43	
	A3	Metadata definitions for the relationships between platforms and instruments, and their coordinate systems.	44	
470	A4	Production schedule includes batch routines, sub-hourly and daily overlapping routines to recover data if short-		
		term interruptions in networks occur (e.g., within last 48 h)	46	
	B1	Example of automatic quality control for AWS air temperature (ta, bottom panel) data to illustrate VDI 3786		
		(VDI, 2013) quality control indicators (vertical lines = bad quality, top panel)	50	
	B2	VDI 3786 (VDI, 2013) quality control indicators applied to the Freiburg AWS network (rows) during a storm		
475		(11 to 12 Jul 2023) for all variables (precipitation <i>pr_rate</i> ; air temperature <i>ta</i> ; relative humidity <i>hur</i> ; wind speed		
		ws; wind direction wd; station pressure plev; incoming short wave (or global) radiation rds) with quality flags		
		shown: long = "bad", short = missing	51	
	C1	An example of web browser data science environment and ICE (JupyterLab) with simple code inspecting data.	54	
	C2	As Fig. C3 but, of most recently changed files and folders by campaign (e.g., city).	55	
480	C3	Dashboard App used to visualise most recent data for inspection.	56	
	C4	Example overview of available data as time against time of day, includes metadata attributes to help identify		
		attribution, location context, production information and a time line of events as known at time of creation	57	
	C5	Near-time Doppler Wind Lidar (DWL) data used for diagnostics and data exploration.	58	
	C6	As Fig. C5, but for Automatic Lidar and Ceilometer (ALC)	59	
485	C7	An example of (a) an AWS product summary (b) a data API and (c) the uniWeather Phone App (Feigel et al.,		
		in review) that use the same (meta-)data dynamically.	60	

Table 1.

Physical Network	Logical Network	Organisation /Association	
Instrument/Sensor *	Local source node *	Owner *	
Instrument/System *	Local storage node *	Owner *	
Instrument/System *	Local access node *	Field Operator *	
Station *		Station Owner*	
Server	Remote access node	Data Operator	
Server	Remote storage node	Data Manager	
Server	Public access node	Open Access	

Table 2. Observational network data are organised using a limited set of dimensions, (typically) retrieved from the data itself and their associated metadata. Ingested data (RAW) are completed across the multi-dimensional data stores at level 0 (L0). Although metadata are essential for data analysis, they are not repeated at all levels (L) to improve interoperability.

Data dimension	Production Level			
	RAW	L0	L1	L2
time	\checkmark	\checkmark	\checkmark	\checkmark
station		\checkmark	\checkmark	\checkmark
system		\checkmark		
sensor		\checkmark		
channel		\checkmark		
cell	\checkmark	\checkmark	\checkmark	\checkmark
attributes	\checkmark	\checkmark		
attribution		\checkmark	\checkmark	\checkmark
history		\checkmark	\checkmark	\checkmark
license				\checkmark

Table 3. Instruments are classified into functional groups with sensors measuring at a point, along a path, or pixel area. Many instruments
have dynamic source areas either because of meteorological conditions or if the sensor is mounted on a mobile platform.

Gro	up Feature	Name
AW	'S point	Automatic Weather Station
RA	D point	Radiometer System
IBS	S point	Indoor Biometeorology System
EC	S point	Eddy Covariance System ^a
GA	S point	Gas Analyser System
SR	S point	Spectroradiometer System
AL	C path	Automatic Lidar and Ceilometer
DW	L path	Doppler Wind Lidar
LA	S path	Large Aperture Scintillometer
MW	R path	Microwave Radiometer System
RS	S path	Radio Sounding System
SP	S path	Sun Photometer System
HI	R area	Hyper-Spectral Image Recorder
MI	R area	Multi-Spectral Image Recorder
TII	R area	Thermal Infrared Image Recorder
VI	R area	Visible and Thermal Infrared Image Recorder
RG	B area	Visible Red-Green-Blue Image Recorder
PH	E area	Phenocam

a) Can include a gas analyser instrument.

Modu	ile Group	Production line	Instrument(s)	Primary products (RAW, L0)	Secondary products (L1, L2)	Example tools used for the production
А	PHE TIR	Phenocams, Cloudcams		RGB, IR images	Green chromatic coor- dinate time series	Richardson et al. (2018, Phenocam Network)
В	ALC	Automatc lidar and ceilometer	Vaisala CL31, CL61; Lufft CMK15	Attenuated backscatter; layer detection; diagnostics	Mixed layer heights; PM10 concentration	Kotthaus et al. (2020, STRATfinder)
В	DWL	Doppler wind lidar	HaloPhotonics StreamLine	Attenuated backscatter; radial wind velocity; diagnostics	Wind direction; wind speed; velocity variance; layer classification	Manninen et al. (2018) and Vakkari et al. (2019, FMI code); Teschke and Lehmann (2017) and Kayser et al. (2021, DWD code); Zeeman et al. (2022).
В	LAS	Scintillometers	Scintec BLS450, BLS2000	CN2	Sensible heat flux	Fenner et al. (2024a)
В	ECS	Flux towers	CampbellSci IRGASON	Wind components; H ₂ O, CO ₂ fluctuations	Wind direction; wind speed; velocity variance; latent heat flux; sensible heat flux; CO ₂ flux; H ₂ O flux; momentum flux	Eddy Pro
С	RSS	Radio Sounding	SparvEmbedded WindSond	Air temperature; Humidity; Pressure; Location	Calibrated values	Fenner et al. (2024b)
С	RAD AWS	Sun trackers and ra- diometers	KippZonen CM21, CG1, CG4, CHP1, Solsys2, CNR4	Shortwave irradiance (direct, diffuse); Long-wave irradiance; Shortwave out; Long-wave out	Calibrated values; On-site calibration with roving reference system	

Table 4: Example production lines used in the data management system.

C	SPS	Sun Photometers	CIMEL X18-T	Directional irradiance in different wave- lengths	Aerosol optical depth	Giles et al. (2019, AERONET)
С	AWS	Outdoor street- level sensor net- work and weather stations	CampbellSci ClimaVUE50, Blackglobe-L; PESSL LoRAIN	Air temperature; humidity; precipitation; wind speed; wind direction; pressure; global radiation; lightning; black globe tempera- ture;	Mean radiant tempera- ture; Physiologically equiva- lent temperature (PET); Universal Thermal Cli- mate Index (UTCI)	Feigel et al. (in review), VDI (2013, automated QC),
C	IBS	Indoor sensor net- work		diagnostics Air temperature; humidity; black globe tempera- ture; wind speed; diagnostics	Mean radiant tempera- ture; Physiologically equiva- lent temperature (PET); Universal Thermal Cli- mate Index (UTCI)	Sulzer et al. (2022, on- line calibration and cal- culations)

Table 5: Glossary.

Term	Definition	Example
Data	Collected observations, recorded information.	
Metadata	Description of circumstances, configurations, conditions, deci- sions under which data were collected and/or processed.	
Deployment	The installation and operation of an instrument at a given station over a given timeframe.	A ceilometer deployed from April 1 to April 15 at a given station.
Deployment Configuration	The details of the deployment, namely the arrangement, align- ment and programming of instruments in a deployment	Location, tilt, relative position (see Appendix A).
Event	A period in time in which either a sensor, a system, a station is affected by a situation that could affect data quality and/or scientific relevance.	Snow cover on radiometers, weather forecast warnings for storm or heatwave, power out- age, damage by vandalism, maintenance such as, e.g., sensor and platform cleaning.
Production level	Milestones in the recording, production and publication process of data and metadata.	
	 RAW: Data files, as recorded and transmitted by systems and sensors, i.e., the primary measurements; 	
	- L0: Conversion to a common data structure;	
	- L1: Computation, conversion to a common vocabulary;	
	- L2: Final attribution for public release.	
Production line	A set of consistently applied conversions, computations and other procedures to obtain consolidated, attributed secondary information from original measurements.	Mixed layer height determination, eddy covari- ance flux calculation, statistics
Station	A fixed geographic location where one or several instruments are deployed.	Eddy covariance station, observatory
Platform	A structure or mobile device on which one or several instru- ments are deployed.	Tower, tripod, van, balloon, drone, aircraft
Network	A group of stations and/or platforms in a campaign. The group- ing can be physical (same city), logical (same instrument model, same production line) and/or organisational (same owner).	Street-level sensor network, indoor sensor net- work.
System (Instrument)	A coherent device that contains one or more sensors and/or records and transmits data.	Radiosonde, datalogger
Sensor (Instrument)	A device that records an atmospheric or environmental property over time (and/or space).	Thermometer, barometer, thermal camera

Channel	Data dimension for variables with the same coordinates.	Red-Blue-Green in an image, recordings with diagnostics/computations/statistics separately
Cell	Data dimension for a single data point (one unit of observation, at one point in time, at the data collection level or subsequent statistics), defined with spatial and temporal boundaries.	
Point	Feature of data, a data point (or a basic volume).	See Table 3
Path	Feature of multi-dimensional data:	See Table 3
	- Trajectory: way-points for each cell;	
	- Transect: between two locations;	
	- Profile: along an axis (i.e., vertical).	
Area	Feature of multi-dimensional data, e.g, raster, grid, image pixel.	See Table 3

Table 6. Notices (e.g., disclaimers) accompanying data publications in the *urbisphere* project. Data published in near-time have additional text (bold). Author list is updated at publication with an open licence.

Notice Type	Production	Publication	
Author	Principal Investigators (PIs) of the project	List of authors in compliance with the (national, insti-	
		tutional) academic code of conduct.	
Copyright	"Some rights reserved."		
License		"This work is licensed under a <a <="" rel="license" th="">	
		href="http://creativecommons.org/licenses/by/4.0/">	
		Creative Commons Attribution 4.0 International Li-	
		cense."	
Creator	"This work is owned by the PIs of the urbisphere project ."		
Material	"The notices cover data in databases, APIs, text and ima	ges contained in the work."	
Attribution	"The [creation and] curation of this work has been fun	ded by the European Research Council (ERC) under the	
	European Union's Horizon 2020 research and innovation	n programme (grant agreement No 855005)."	
Disclaimer ^a	"The use of the work is at the user's own risk. The author	rs, the involved institutions, and/or the European Research	
	Council accept no liability for material or non-material	damage arising from the use or non-use or from the use of	
	incorrect or incomplete information in this work. There	is no legal claim to permanent availability of this work.	
	The authors, the involved institutions, and/or the Europe	ean Research Council do not guarantee the completeness	
	and timeliness of the information provided. The authors	, the involved institutions, and/or the European Research	
	Council are not responsible for any use that may be made	ade of the information in this work. The legal provisions	
	remain unaffected."		

a) Additional wording is used for near real-time publication (text in bold).




Figure 1. Conceptual diagram of the modular observation system operated in the *urbisphere* project. Modules A to C collect observational data in different cities, Module D integrates them in the unified data management approach.




Figure 2. Operational connections are entwined between the physical and logical networks and the organisations.




Figure 3. Conceptual overview of databases (DBs) that form the metadata, and the primary attributes that connect the DBs.




Figure 4. Example of data (air temperature) through time per station deployed (Freiburg, Germany): (upper) pre- and (lower) post-metadata application for masking invalid data. In this case, the instruments **30** tonomous Automatic Weather Stations) report data if powered, so metadata are needed to define operational deployment periods.

time




Figure 5. Conceptual timeline (days, D) before and after an event is raised and resolved, with different examples of when and who are involved, including two automated methods (M1, M2).




Figure 6. Access to data is needed from both public and private domains, using private data infrastructure. Archived data and metadata are read-only accessible (dashed lines, light colors) for shared production (L0, L1, L2), which is redirected to the archive and interfaces for public access and other uses. DB: Database




Figure 7. Example of a data-stream from multiple networks and various databases (DBs), with the applications used in the production steps and the data store formats (bottom row) using scheduled scripts. The typical data stream is from local instruments to a remote server that provides public access.




Figure 8. Pathways of data (from RAW to intermediate (L0, L1) and publication (L2)) with archiving at multiple stages. Data are shared (dark) and replicated (light).




Figure 9. An example of a production line, the various databases (DBs) and applications used in the production steps and the (bottom) data formats for data products for multiple uses. Scheduled scripts generate configurations that actuate the production line code during automation.




Figure 10. Pathways to making data publicly accessible require different data governance policies (yellow boxes) to be formalized early, allowing public access to be rapid and restrictions to be mitigated. Open access of collected data (RAW) is an option without such policies (bottom pathway), and embargoed release can be agreed with policies in place (center pathway), but the curation and analysis work (L0-L2) can involve intellectual ownership and personal interests that may otherwise lead to delays in open data publication (top pathway).




Figure 11. An info-graphics using a switchboard analogy is used to communicate where data is uploaded, where data can be downloaded and where data streams (RAW and L0–L2 productions) are being managed, monitored or modified.

Appendix A: Coordinate Systems

490

495

500

505

In an urban deployment ensuring a "station" is representative of the scale of interest is challenging, as is finding sites to deploy sensors. Often the place a sensor will be mounted will be in a complex location, resulting in a need to a hierarchy of spatial coordinates (Figure A3). For example, providing coordinates for a sensor mounted on a boom that extends off the edge of a

- roof is challenging, yet required for accurate documentation (Figure A). Similarly, further complications arise with sensors within buildings (Figure A2). Fortunately, high-resolution geographic information systems are extremely common in cities, helping this process (e.g., Fenner et al., 2024b; Hertwig et al., in preparation). Here, we use the follow coordinate systems:
 - The *Coordinate Reference System* (CRS) is a commonly-used global system, i.e., WGS84 or EPSG:4326. In some cases
 the UTM or a European reference system (i.e., ETRS89) can be useful alternatives, but their use in reporting must be
 explicitly specified in metadata.
 - The Vertical Coordinate Reference System (VRS) by default uses a global or regional system (e.g., European reference EVRS by EUREF; specifically the European Vertical Reference Frame, EVRF2007/EVRF2019, as it is integrated in the Global Navigation Satellite Systems, GNSS, and tied to the level of the Normaal Amsterdams Peil; Bundesamt für Kartographie und Geodäsie, 2023), and must be specified explicitly with a datum and coordinate system otherwise.
 - In some cases, National Reference Systems may be used, when *urbisphere* observations need to be combined with local GIS data (e.g., spatial datasets provided by local authorities). In these cases, the respective ellipsoid and datum should also be specified.
 - Urban heights: in urban deployments, all instrument configurations are linked to an "active surface" for which the height can be ambiguously interpreted as height above the ground (i.e., ground surface, topographic elevation) and height above a structure (e.g., a floor in a building, a roof terrace, a pavement level). Therefore, estimates of the altitude of the observation volume, as well as the altitude/height and properties of the (nearest) urban feature and the surrounding topographic elevation are documented in the metadata (Figure A1b).
- *Local coordinate systems*: to help with the documentation of locations in the physical network, a local reference system
 was used. A fixed point on the active surface is defined as a station, from which offsets are measured in the field, such as the distance to the platform and any offsets from the platform to the the observed volume (Figure A1a). Any offset in the alignment with zenith and north are recorded as tilt and bearing (elevation and azimuth in CF standards; which typically are also recorded, e.g., by remote sensing systems and mobile platforms (compare Figure A3d and Figure A3e, respectively)).
- The information is stored in coordinates that are consistent with conventions and the hierarchical (physical) network (Table A1; see also Table 1). It is helpful to assume defaults, as particularly the vertical coordinates (altitude, topographic elevation of the ground level) take care to be determined and may be revised (Table A2).

Coordinate Name	Standard Name	Optional suffix	Conven- tion	Refer- ence	Units	Comment
station_lat	lat	bounds	CF	CRS	degree	Default CRS "epsg:4326"
station_lon	lon	bounds	CF	CRS	degree	Default CRS "epsg:4326"
station_height	height	bounds	CF		m	Vertical distance above the sur-
						face.
station_altitude	altitude	bounds	CF	VRS	m	Vertical distance above mean sea level.
station_ground_level_altitude	ground_level_altitude	bounds	CF	VRS	m	Vertical distance above the named surface "sea_level"; Ob- served or derived from a Dig- ital Surface Model; a.k.a. sur- face elevation.
station_surface_height _above_ground_level	surface_height _above_ground_level	bounds			m	Vertical distance of a surface above the ground level.
station_surface_name					m	Surface name, e.g., roof-top,
station_surface_name						ground
station_surface_type		lcz;	cf			Landcover classification.
		ura;	classifi-			Optional as Local Climate
		clc;	cation			Zone (lcl), Urban Atlas (ura),
		osm				CORINE Landcover (clc)
						or OpenStreetMap object
						identifier (osm).
system_azimuth_angle	platform_azimuth_angle	bounds	CF	station	degree	
system_zenith_angle	platform_zenith_angle	bounds	CF	station	degree	
system_x		bounds		station	m	Cartesian distance to Reference
system_y		bounds		station	m	Cartesian distance to Reference
system_z		bounds		station	m	Cartesian distance to Reference
sensor_azimuth_angle	sensor_azimuth_angle	bounds	CF	system	degree	
sensor_zenith_angle	sensor_zenith_angle	bounds	CF	system	degree	
sensor_view_angle	sensor_view_angle	bounds	CF	system	degree	
sensor_x		bounds		system	m	Cartesian distance to Reference
sensor_y		bounds		system	m	Cartesian distance to Reference
sensor_z		bounds		system	m	Cartesian distance to Reference

Table A1: Coordinate attributes and the relationship between coordinate reference systems (i.e., station, using global CRS and VRS references; system, sensor, channel using local references) and metadata (i.e., conventions, standards, definitions, units).

cell_x	bounds	sensor;	m;	Cartesian distance to Refer-
		CRS	degree	ence; alternatively as longitude
				time series
cell_y	bounds	sensor;	m;	Cartesian distance to Refer-
		CRS	degree	ence; alternatively as latitude
				time series
cell_z	bounds	sensor;	m	Cartesian distance to Refer-
		VRS		ence; alternatively as altitude
				time series

Coordinate Name	Data Dimension	Requirement	Default
station_lat	station	\checkmark	
station_lon	station	\checkmark	
station_height	station	\checkmark^{b}	0
station_altitude	station	$\checkmark^{a,b}$	
station_ground_level_altitude	station	\checkmark^{b}	
station_surface_height_above_ground_level	station	\checkmark^{b}	0
station_surface_name	station		ground
station_surface_type	station		
system_azimuth_angle	system	\checkmark^{b}	0
system_zenith_angle	system	\checkmark^{b}	0
system_x	system	\checkmark^{b}	0
system_y	system	\checkmark^{b}	0
system_z	system	\checkmark^{b}	0
sensor_azimuth_angle	sensor	\checkmark^{b}	0
sensor_zenith_angle	sensor	\checkmark^{b}	0
sensor_view_angle	sensor	\checkmark^{b}	0
sensor_x	sensor	\checkmark^{b}	0
sensor_y	sensor	\checkmark^{b}	0
sensor_z	sensor	\checkmark^{b}	0
cell_x	cell	\checkmark^{b}	0
cell_y	cell	\checkmark^{b}	0
cell_z	cell	\checkmark^{b}	0

Table A2. Coordinate attributes and their meaning for metadata that are required, partially required or required but set with a default value.

a) Required, but can be derived. b) Required, but a default value can be assumed if omitted.




Figure A1. Deployment on a building roof with the relations between (a) a local station, platform, instrument, recorded image and related coordinate systems in polar and Cartesian coordinates, and (b) local and global coordinate reference systems as well as features in ordinance inventory and Earth Observation.




Figure A2. Indoor measurements of ambient temperature require uniquely different metadata, compared to classical outdoor measurements, including additional coordinates for the orientation and features of the building, the room, the walls and the adjacent space, as well as of objects that generate, transmit, transport or intercept radiative heat.




Figure A3. Metadata definitions for the relationships between platforms and instruments, and their coordinate systems.

A1 Time

Data management operates in close to real-time or in short-interval batch acquisition (Figure A4). All system clocks use UTC time (ideally), but if local time (without daylight saving) is locally essential the metadata includes this information.

- An accurate time convention is critical. The CF convention offers comprehensive and clearly defined options to describe and encode the start and end of intervals of time (or any other dimension). A basic option is to declare the relevant attributes of the "cell" value. For many of the data products, the data are "point" samples stored in their original sampling resolution. This is specified as an attribute to the variable (e.g., cell_method: "time: point"). Upon any aggregation, along the
- 525 time dimension or any spatial dimension, the bounds can be (must be) declared and the cell_method attribute for those variables updated accordingly. The CF convention further reserves suffixes for aggregation to be added to the variable name, such as _mean and _maximum, to indicate aggregation of data has occurred. Adding the time bounds technically implies adding a 2-position virtual dimension to the data structure, in order to store both the start and end of the interval coordinates along dimension time.
- 530 Besides the use of time bounds for aggregation periods in the data, also metadata may require intervals to be specified. The ISO8601 standard provides a detailed formatting description for the representation of periods as a machine-readable text. This notation works well in metadata records, including attributes in NetCDF data files, but the separator between the start- and end-time is defined as a forward slash character and is incompatible with use of in file names (see Section B1).




Figure A4. Production schedule includes batch routines, sub-hourly and daily overlapping routines to recover data if short-term interruptions in networks occur (e.g., within last 48 h).

Appendix B: Curation

535 B1 File names

To define locations, deployment configurations and production stages, short-hand identifiers are used to structure both the metadata database relational features, and the directories and files for data (Table B1).

- *Project identifier*: the organisational framework in which a data record is collected or computed. Much of the procedures and agreements depend on a formal separation of organisational units within the organisational network (see, e.g., Table 1):
- 540

545

- *Production level* (RAW, L0, L1, L2, see section 3.5): the original source data need to be archived in a different location than subsequent production stages;
- Instrument identifier vs Location identifier: the (re-)organisation of data files by location can vastly improve the overview of the network, but a deployed configuration is typically unaware of its location and can only reliably provide instrument serial numbers as identification. The location short code is a CCNNNN format, which merges a two-character CC city code (optional) and a four-character NNNN station identifier. Station names are generally based on geographic neighborhood and not street names or property names, to avoid referring to a company/trademark or disclose exact locations, where privacy is affected. The station codes do not necessarily need to be unique, for example, stations FRCHEM and PACHEM operated simultaneously and are located in Freiburg (FR) and Paris (PA), respectively.
- 550 Instrument classification: most instruments can be configured to use a model identifier in their output file path and file header. In some cases, the output file format did not differ between instrument models (e.g., TOA5 data logger files) and the output for a instrument group (e.g., data loggers) could be combined during subsequent production steps.
 - *Time*: all file names include a timestamp or time bounds (in UTC), and in case large numbers of daily files are expected, additional sub-folders with year or date information facilitate manual file browsing.
- The motivation for the use of definition rules for acronyms is not to be restrictive, but to reserve acronyms for 2- 3- 4- and 6character uppercase acronyms to, city, system group (Table 3), station identifier and combined city-station identifier reference, respectively. We found the consistent use of those formats in metadata, communication and publication helpful.

Production level	Туре	Naming convention pattern (example)	Attribute
RAW	folder	/srv/meteo/archive/./	base path
	folder	urbisphere/	project name
	folder	data/RAW/	production level
	folder	by-source/smurobs/	network identifier
	folder	by-serialnr/France/Paris/CL61/U4910813/	campaign and instrument identifiers
	file	U4910813_20231126_090916.nc	instrument recorded file name
L0	folder	/srv/meteo/archive/./	base path
	folder	urbisphere/	project name
	folder	data/L0/	production level
	folder	by-source/smurobs/	network identifier
	folder	by-location/France/Paris/PAAUNA/ALC/U4910813/	campaign and instrument identifiers
	file	raw211	production name
	file (cont'd)	_set(*,**,***)	production identifier(s)
	*	fr.paris.PAAUNA	location identifier(s)
	**	ALC_U4910813	system group and serial no.
	***	20231126T000000_20231127T000000	time bounds (ISO8601)
	file (cont'd)	_version(****)	version identifier(s)
	****	v1.0.1	semantic version
	file (cont'd)	.nc	file extension(s)

Table B1. Naming convention for different types by production level with patterns and attributes.

B2 Quality Control

An automated assessment of typical meteorological variables was implemented using the Verein Deutscher Ingenieure (VDI)

570

560 guidelines for meteorological observations (VDI, 2013). The guidelines provide threshold values for the range, rate of change (absolute deviation) and duration of steady-state (stationarity duration) for a number of variables. The threshold values are specified for different averaging times. Testing the data with these threshold values determines for each data point if the quality is good, ambiguous or poor. The procedure for change rate and steady-state calculations require data before and after a data point to be available and the computations involve repeated averaging at different time intervals, which incurs computational costs and complexity. Additional care is needed to assure the units between the data and threshold values match.

The output of the quality control is a new dataset with the same time dimension as the original data. The result can be summarized into an ensemble quality control indicator for specific variables, which can be useful for evaluation and masking data points before further use. (Figure B1). By combining all quality control output for a network of sensors and multiple variables, outliers and trends can be assessed (Figure B2). The example describes a passing storm on the evening of 11 Jul 2023, registering (1) a rapid humidity change at most locations, (2) high variability in wind speed and/or wind direction at

some locations depending on the orientation of the street canyon to the wind (3) a possible malfunction in the precipitation sensor at FRLAND (4) a possible time offset of the system at FRCHEM, and (5) an unspecified technical issue that affects the data delivery at FRTECH. The information should be considered indicative, as it can reveal both natural changes and technical problems, but can be further supported by spatial statistics (not implemented here) and field reports.




Figure B1. Example of automatic quality control for AWS air temperature (ta, bottom panel) data to illustrate VDI 3786 (VDI, 2013) quality control indicators (vertical lines = bad quality, top panel).




Figure B2. VDI 3786 (VDI, 2013) quality control indicators applied to the Freiburg AWS network (rows) during a storm (11 to 12 Jul 2023) for all variables (precipitation pr_rate ; air temperature ta; relative humidity hur; wind speed ws; wind direction wd; station pressure plev; incoming short wave (or global) radiation rds) with quality flags shown: long = "bad", short = missing.

575 Appendix C: Services

C1 Computing Environment

A system-wide copy of the Anaconda Python distribution (ana, 2023) is installed on Workstations in order to provide users with preconfigured python and R environments. These environments are updated occasionally to introduce new features. The environments contain packages for scientific data analytics (e.g., functions for calculation, access to common data file formats) and access to the metadata DBs. Taking a pragmatic approach, we rely on Python libraries supported by the Numerical Foundation for Open Code and Useable Science (NumFOCUS). Libraries (*xarray*; *pandas*; *numpy*; *scipy* and *dask*), plus useful extensions to NetCDF (e.g., data access: *zarr*, time conversion: *cftime*, unit conversion: *cfunits*) allow the produced NetCDF

database files to be used in R and Matlab ICEs and by dedicated NetCDF tools (e.g., NCO, CDO, Panoply), and vice-versa.

C2 Online access

585 Each workstation functions as a web server, with certificate-based communication (HTTPS) using the host institution IT services and authentication for security. Web hosting has different domains for public and private access. The private domain have basic authentication with credentials entered in a web browser pop-up.

Apps are not private because of sensitive information, but because of performance cost and operational risks linked to public access. Some experimental services have additional authentication (e.g., JupyterLab; Figure C1). Although setting up web services requires system administrator changes to the workstation web proxy, researchers are free to manage their Apps

590

580

independently.

C3 Apps

595

Web app templates, using open source projects (e.g., shiny, panel), are modified to comply with publication guidelines, host institution policies, project policies, European law (e.g., terms of use statement) and other legal terms. The template header and footer information (e.g., location, contact, creation time, terms of use) identify version status and formal reference if used (e.g., during talks). The templates are prepared using the *plotly* library, as it is available for multiple ICEs (e.g., R, python). Apps assist field operators, data managers and researchers in diagnostics and early exploration:

- Diagnostics to help monitor the network data stream (Figure C2): overview of recently added or modified files, automated tasks status reports, interactive figures showing file count for individual systems in past hour and days.
- Visualisation of variables gives operational status of dynamic processes (Figure C3): templates combining metadata and data, give automatic, distributed, provisional data for review of quality and availability (Figure C4, Figure C5, Figure C6 and Figure C7b).
 - *Outreach* providing community-available near real-time data (Figure C7c; Feigel et al., in review): can also be usable as a diagnostic tool.

Methods to expose NetCDF4 data stores through a Representational State Transfer Application Programming Interface (REST API) are provided by libraries (*zarr, xarray, fastapi, fsspec, xpublish*; Figure C7b). JSON output format, a widely supported text-based encoding format for data storage, is added to the API as local governments (e.g., City of Freiburg) require it for applications (e.g., urban planning, civil protection, disaster management, climate adaptation). However, as JSON is unsuitable

610 for streaming large data queries (>10 MB), an alternative format is needed (i.e., Zarr). The JSON data output can be converted back to NetCDF (i.e., using *xarray*), ensuring both Zarr and JSON output of the API can be used, interchangeably.




Figure C1. An example of web browser data science environment and ICE (JupyterLab) with simple code inspecting data.

	Notification Catistics File	Search					
ontrols							
	Recent Files						
lle (Search) Filters earch Profile	Search	File			Location		
('0', 'archive » RAW » SmUrObs » Paris') ▼	Timespan ▲ System ▲		▲ Size ▲ Name ▲	NameTime 🔺	Path		
/stem	Enter search				Enter search		
CR1000X/38879 CR1000X/38880	System: BLS/SPU_T-E-10	56 (8 items)					1
CR3000/1307 StreamLine/204		(193 items)					
alerange	System: CL61/T2 +50755	(191 items)					
2023-04-01 00:00:00 to 2023-04-13 00:00:00	System: CL61/T3 120614	(193 items)					
mespan	▶ System: CL61/T3 250605	(191 items)					
1H 1D 10D	System: CL 1/T3 320613	(193 items)					
	System: CL 1/U/ 910813	(191 items)					
2022	System: CL 1/U! 140726	(193 items)					
Professur für Umweitmeteorologie	✓ System: CR 000 1/16938						
Fakultät für Umwelt und Natürliche Ressourcen Albert-Ludwigs-Universität Freiburg			04:28 46,505.0 MET_1day_16938_2023-04-12.csv				
mpressum			03:57 56,141.0 MET_1hr_16938_2023-04-12.csv 03:26 80,181.0 MET_1min_16938_2023-04-12.csv			rbisphere/data/RAW/by-source	
Die hier gezeigten Daten werden automatisch erfasst und			02:45 293,471.0 RAW_1min_16938_2023-04-12.csv			· ·	
usschließlich für Zwecke der Forschung, Studium und Lehre von			00:31 13,699.0 SYS_10min_16938_2023-04-12.csv				
Subset selection	stem: CR 000 1/16941	(6 items)					
Subset selection	stem: CR1000X/16942	(6 items)					
	Cystem: CR1000X/16945	(6 items)					
udualität der bereitoestellten Informationen. Die Nutzung aller hier							
Notes and Statisti	cs						

Figure C2. As Fig. C3 but, of most recently changed files and folders by campaign (e.g., city).




Figure C3. Dashboard App used to visualise most recent data for inspection.




Figure C4. Example overview of available data as time against time of day, includes metadata attributes to help identify attribution, location context, production information and a time line of events as known at time of creation.




Figure C5. Near-time Doppler Wind Lidar (DWL) data used for diagnostics and data exploration.




Figure C6. As Fig. C5, but for Automatic Lidar and Ceilometer (ALC)




Figure C7. An example of (a) an AWS product summary (b) a data API and (c) the uniWeather Phone App (Feigel et al., in review) that use the same (meta-)data dynamically.

Author contributions. AC, SG and NC supervised the project; DF, WM, GF and MS performed investigation; MZ performed data management and computations; all authors contributed to the data system; MZ wrote the manuscript draft; AC, SG, NC, DF, WM and GF reviewed and edited the manuscript.

615 Competing interests. The authors declare that they have no conflict of interest.

620

Acknowledgements. This project has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement No 855005). We thank Karthik Reddy Bushireddy Sri, Kai König, Joshua Lartey, Ferdinand Briegel, Rainer Hilland, Dana Looschelders, Joshua Hashemi, Dirk Schindler, Carlotta Gertsen, Olga Shevchenko, Marvin Plein, Dirk Redepenning, Benjamin Gebert, Jan Leendertse, Philipp Michels and Raphaël Pesché (all University Freiburg), Giorgos Somarakis (FORTH), Jörn Birkmann (University of Stuttgart), Swen Metzger (University Freiburg and Research Concepts Io GmbH), Kit Benjamin and Matthew Clements (both University of Reading), Fred Meier and Dieter Scherer (both Technische Universität Berlin), Martial Haeffelin (SIRTA), Marc-Antoine Drouin and Simone Kotthaus (both Ecole Polytechnique), Kai Fisher (Fraunhofer EMI), Gerold Hahn (Epitonion GmbH) and Dominik Froehlich (Stadt Freiburg) for assistance and helpful discussion. We acknowledge an anonymous reviewer and Scotty Strachan for their important contribution to the quality of this publication.

625 References

Zenodo Community: urbisphere, https://zenodo.org/communities/urbisphere/, last access: 15 May 2024, 2021.

Anaconda Software Distribution, https://docs.anaconda.com/, 2023.

- Allwine, J., Leach, M., Stockham, L., Shinn, J., Hosker, R., Bowers, J., and Pace, J.: Overview of Joint Urban 2003: an atmospheric dispersion study in Oklahoma City, Symposium on Planning, Nowcasting, and Forecasting in the Urban Zone, Seattle, Washington, 2004.
- 630 Baklanov, A., Grimmond, C., Carlson, D., Terblanche, D., Tang, X., Bouchet, V., Lee, B., Langendijk, G., Kolli, R., and Hovsepyan, A.: From urban meteorology, climate and environment research to integrated city services, Urban Climate, 23, 330–341, https://doi.org/10.1016/j.uclim.2017.05.004, 2018.
 - Barlow, J., Best, M., Bohnenstengel, S. I., Clark, P., Grimmond, S., Lean, H., Christen, A., Emeis, S., Haeffelin, M., Harman, I. N., Lemonsu, A., Martilli, A., Pardyjak, E., Rotach, M. W., Ballard, S., Boutle, I., Brown, A., Cai, X., Carpentieri, M., Coceal, O., Crawford, B.,
- 635 Di Sabatino, S., Dou, J., Drew, D. R., Edwards, J. M., Fallmann, J., Fortuniak, K., Gornall, J., Gronemeier, T., Halios, C. H., Hertwig, D., Hirano, K., Holtslag, A. A. M., Luo, Z., Mills, G., Nakayoshi, M., Pain, K., Schlünzen, K. H., Smith, S., Soulhac, L., Steeneveld, G.-J., Sun, T., Theeuwes, N. E., Thomson, D., Voogt, J. A., Ward, H. C., Xie, Z.-T., and Zhong, J.: Developing a Research Strategy to Better Understand, Observe, and Simulate Urban Atmospheric Processes at Kilometer to Subkilometer Scales, Bulletin of the American Meteorological Society, 98, ES261–ES264, https://doi.org/10.1175/bams-d-17-0106.1, 2017.
- Bohnenstengel, S. I., Belcher, S. E., Aiken, A., Allan, J. D., Allen, G., Bacak, A., Bannan, T. J., Barlow, J. F., Beddows, D. C. S., Bloss, W. J., Booth, A. M., Chemel, C., Coceal, O., Di Marco, C. F., Dubey, M. K., Faloon, K. H., Fleming, Z. L., Furger, M., Gietl, J. K., Graves, R. R., Green, D. C., Grimmond, C. S. B., Halios, C. H., Hamilton, J. F., Harrison, R. M., Heal, M. R., Heard, D. E., Helfter, C., Herndon, S. C., Holmes, R. E., Hopkins, J. R., Jones, A. M., Kelly, F. J., Kotthaus, S., Langford, B., Lee, J. D., Leigh, R. J., Lewis, A. C., Lidster, R. T., Lopez-Hilfiker, F. D., McQuaid, J. B., Mohr, C., Monks, P. S., Nemitz, E., Ng, N. L., Percival, C. J., Prévôt, A. S. H., Ricketts, H.
- 645 M. A., Sokhi, R., Stone, D., Thornton, J. A., Tremper, A. H., Valach, A. C., Visser, S., Whalley, L. K., Williams, L. R., Xu, L., Young, D. E., and Zotter, P.: Meteorology, Air Quality, and Health in London: The ClearfLo Project, Bulletin of the American Meteorological Society, 96, 779–804, https://doi.org/10.1175/bams-d-12-00245.1, 2015.
 - Brettschneider, P., Axtmann, A., Böker, E., and Von Suchodoletz, D.: Offene Lizenzen für Forschungsdaten, o-bib. Das offene Bibliotheksjournal / Herausgeber VDB, p. Bd. 8 Nr. 3 (2021), https://doi.org/10.5282/O-BIB/5749, 2021.
- 650 Bundesamt für Kartographie und Geodäsie: European Vertical Reference System EVRS, Online, https://evrs.bkg.bund.de/Subsites/EVRS /EN/Home/home.html, 2023.
 - Caluwaerts, S., Top, S., Vergauwen, T., Wauters, G., Ridder, K. D., Hamdi, R., Mesuere, B., Schaeybroeck, B. V., Wouters, H., and Termonia,
 P.: Engaging Schools to Explore Meteorological Observational Gaps, Bulletin of the American Meteorological Society, 102, E1126– E1132, https://doi.org/10.1175/bams-d-20-0051.1, 2021.
- 655 Changnon, S. A., Huff, F. A., and Semonin, R. G.: METROMEX: an Investigation of Inadvertent Weather Modification, Bulletin of the American Meteorological Society, 52, 958–968, https://doi.org/10.1175/1520-0477(1971)052<0958:maioiw>2.0.co;2, 1971.
 - Chrysoulakis, N., Ludlow, D., Mitraka, Z., Somarakis, G., Khan, Z., Lauwaet, D., Hooyberghs, H., Feliu, E., Navarro, D., Feigenwinter, C., Holsten, A., Soukup, T., Dohr, M., Marconcini, M., and Holt Andersen, B.: Copernicus for urban resilience in Europe, Scientific Reports, 13, https://doi.org/10.1038/s41598-023-43371-9, 2023.

660 de Vos, L. W., Droste, A. M., Zander, M. J., Overeem, A., Leijnse, H., Heusinkveld, B. G., Steeneveld, G. J., and Uijlenhoet, R.: Hydrometeorological Monitoring Using Opportunistic Sensing Networks in the Amsterdam Metropolitan Area, Bulletin of the American Meteorological Society, 101, E167–E185, https://doi.org/10.1175/bams-d-19-0091.1, 2020.

European Organization For Nuclear Research and OpenAIRE: Zenodo, https://doi.org/10.25495/7GXK-RD71, 2013.

Feigel, G., Plein, M., Zeeman, M., Metzger, S., Matzarakis, A., Schindler, D., and Christen, A.: High spatio-temporal and continuous mon-

- 665 itoring of outdoor thermal comfort in urban areas: a generic and modular sensor network and outreach platform, Sustainable Cities and Society, in review.
 - Fenner, D., Christen, A., Gertsen, C., Grimmond, S., König, K., Looschelders, D., Meier, F., Metzger, S., Mitraka, Z., Morrison, W., Tsirantonakis, D., and Zeeman, M.: Metadata for the urbisphere-Berlin campaign during 2021-2022: technical documentation, https://doi.org/10.5281/ZENODO.10833089, 2024a.
- Fenner, D., Christen, A., Grimmond, S., Meier, F., Morrison, W., Zeeman, M., Barlow, J., Birkmann, J., Blunn, L., Chrysoulakis, N., Clements, M., Glazer, R., Hertwig, D., Kotthaus, S., König, K., Looschelders, D., Mitraka, Z., Poursanidis, D., Tsirantonakis, D., Bechtel, B., Benjamin, K., Beyrich, F., Briegel, F., Feigel, G., Gertsen, C., Iqbal, N., Kittner, J., Lean, H., Liu, Y., Luo, Z., McGrory, M., Metzger, S., Paskin, M., Ravan, M., Ruhtz, T., Saunders, B., Scherer, D., Smith, S. T., Stretton, M., Trachte, K., and Van Hove, M.: urbisphere-Berlin campaign: Investigating multi-scale urban impacts on the atmospheric boundary layer, Bulletin of the American Meteorological
- 675 Society, https://doi.org/10.1175/bams-d-23-0030.1, 2024b.
- Giles, D. M., Sinyuk, A., Sorokin, M. G., Schafer, J. S., Smirnov, A., Slutsker, I., Eck, T. F., Holben, B. N., Lewis, J. R., Campbell, J. R., Welton, E. J., Korkin, S. V., and Lyapustin, A. I.: Advancements in the Aerosol Robotic Network (AERONET) Version 3 database automated near-real-time quality control algorithm with improved cloud screening for Sun photometer aerosol optical depth (AOD) measurements, Atmospheric Measurement Techniques, 12, 169–209, https://doi.org/10.5194/amt-12-169-2019, 2019.
- 680 Grimmond, C. S. B.: Progress in measuring and observing the urban atmosphere, Theoretical and Applied Climatology, 84, 3–22, https://doi.org/10.1007/s00704-005-0140-5, 2005.
 - Grimmond, C. S. B., Blackett, M., Best, M. J., Barlow, J., Baik, J.-J., Belcher, S. E., Bohnenstengel, S. I., Calmet, I., Chen, F., Dandou, A., Fortuniak, K., Gouvea, M. L., Hamdi, R., Hendry, M., Kawai, T., Kawamoto, Y., Kondo, H., Krayenhoff, E. S., Lee, S.-H., Loridan, T., Martilli, A., Masson, V., Miao, S., Oleson, K., Pigeon, G., Porson, A., Ryu, Y.-H., Salamanca, F., Shashua-Bar, L., Steeneveld, G.-J.,
- 685 Tombrou, M., Voogt, J., Young, D., and Zhang, N.: The International Urban Energy Balance Models Comparison Project: First Results from Phase 1, Journal of Applied Meteorology and Climatology, 49, 1268–1292, https://doi.org/10.1175/2010jamc2354.1, 2010.
- Grimmond, S., Bouchet, V., Molina, L. T., Baklanov, A., Tan, J., Schlünzen, K. H., Mills, G., Golding, B., Masson, V., Ren, C., Voogt, J., Miao, S., Lean, H., Heusinkveld, B., Hovespyan, A., Teruggi, G., Parrish, P., and Joe, P.: Integrated urban hydrometeorological, climate and environmental services: Concept, methodology and key messages, Urban Climate, 33, 100623, https://doi.org/10.1016/j.uclim.2020.100623, 2020.
 - Gubler, M., Christen, A., Remund, J., and Brönnimann, S.: Evaluation and application of a low-cost measurement network to study intra-urban temperature differences during summer 2018 in Bern, Switzerland, Urban Climate, 37, 100817, https://doi.org/10.1016/j.uclim.2021.100817, 2021.
 - Haeffelin, M., Kotthaus, S., Bastin, S., Bouffies-Cloché, S., Cantrell, C., Christen, A., Dupont, J.-C., Foret, G., Gros, V., Lemonsu, A.,
- Leymarie, J., Lohou, F., Madelin, M., Masson, V., Michoud, V., Price, J., Ramonet, M., Ribaud, J.-F., Sartelet, K., and Wurtz, J.: PANAME
 Project synergy of atmospheric research in the Paris region, https://doi.org/10.5194/egusphere-egu23-14781, 2023.

- Hassell, D., Gregory, J., Blower, J., Lawrence, B. N., and Taylor, K. E.: A data model of the Climate and Forecast metadata conventions (CF-1.6) with a software implementation (cf-python v2.1), Geoscientific Model Development, 10, 4619–4646, https://doi.org/10.5194/gmd-10-4619-2017, 2017.
- 700 Hertwig, D., McGrory, M., Paskin, M., Liu, Y., Lo Piano, S., Ramirez-Mendiola, J., Smith, T., and Grimmond, S.: Connecting physical and socio-economic spaces for urban modelling: a dataset for London, Geoscience Data Journal, in preparation.
 - Jha, M., Marpu, P. R., Chau, C.-K., and Armstrong, P.: Design of sensor network for urban micro-climate monitoring, in: 2015 IEEE First International Smart Cities Conference (ISC2), IEEE, https://doi.org/10.1109/isc2.2015.7366153, 2015.
 - Karl, T., Gohm, A., Rotach, M. W., Ward, H. C., Graus, M., Cede, A., Wohlfahrt, G., Hammerle, A., Haid, M., Tiefengraber, M., Lamprecht,
- 705 C., Vergeiner, J., Kreuter, A., Wagner, J., and Staudinger, M.: Studying Urban Climate and Air Quality in the Alps: The Innsbruck Atmospheric Observatory, Bulletin of the American Meteorological Society, 101, E488-E507, https://doi.org/10.1175/bams-d-19-0270.1. 2020.
 - Kayser, M., Päschke, E., Detring, C., Lehmann, V., Beyrich, F., and Leinweber, R.: Standardized Doppler lidar processing for operational use in a future network, https://doi.org/10.5194/dach2022-209, 2021.
- Kotthaus, S., Haeffelin, M., Drouin, M.-A., Dupont, J.-C., Grimmond, S., Haefele, A., Hervo, M., Poltera, Y., and Wiegner, M.: Tailored 710 Algorithms for the Detection of the Atmospheric Boundary Layer Height from Common Automatic Lidars and Ceilometers (ALC), Remote Sensing, 12, 3259, https://doi.org/10.3390/rs12193259, 2020.
 - Landsberg, H. E.: Meteorological Observations in Urban Areas, pp. 91–99, American Meteorological Society, https://doi.org/10.1007/978-1-935704-35-5 14, 1970.
- 715 Lipson, M., Grimmond, S., Best, M., Chow, W. T. L., Christen, A., Chrysoulakis, N., Coutts, A., Crawford, B., Earl, S., Evans, J., Fortuniak, K., Heusinkveld, B. G., Hong, J.-W., Hong, J., Järvi, L., Jo, S., Kim, Y.-H., Kotthaus, S., Lee, K., Masson, V., McFadden, J. P., Michels, O., Pawlak, W., Roth, M., Sugawara, H., Tapper, N., Velasco, E., and Ward, H. C.: Harmonized gap-filled datasets from 20 urban flux tower sites, Earth System Science Data, 14, 5157–5178, https://doi.org/10.5194/essd-14-5157-2022, 2022.

Liu, Y., Luo, Z., and Grimmond, S.: Impact of building envelope design parameters on diurnal building anthropogenic heat emission, Building 720 and Environment, 234, 110 134, https://doi.org/10.1016/j.buildenv.2023.110134, 2023.

- Manninen, A. J., Marke, T., Tuononen, M., and O'Connor, E. J.: Atmospheric Boundary Layer Classification With Doppler Lidar, Journal of Geophysical Research: Atmospheres, 123, 8172-8189, https://doi.org/10.1029/2017jd028169, 2018.
- Marquès, E., Masson, V., Naveau, P., Mestre, O., Dubreuil, V., and Richard, Y.: Urban Heat Island Estimation from Crowdsensing Thermometers Embedded in Personal Cars, Bulletin of the American Meteorological Society, 103, E1098-E1113, https://doi.org/10.1175/bams-d-21-0174.1, 2022.
- 725
 - Masson, V., Lemonsu, A., Hidalgo, J., and Voogt, J.: Urban Climates and Climate Change, Annual Review of Environment and Resources, 45, 411-444, https://doi.org/10.1146/annurev-environ-012320-083623, 2020.
 - Mestayer, P. G., Durand, P., Augustin, P., Bastin, S., Bonnefond, J. M., Bénech, B., Campistron, B., Coppalle, A., Delbarre, H., Dousset, B., Drobinski, P., Druilhet, A., Fréjafon, E., Grimmond, C. S. B., Groleau, D., Irvine, M., Kergomard, C., Kermadi, S., Lagouarde, J. P.,
- 730 Lemonsu, A., Lohou, F., Long, N., Masson, V., Moppert, C., Noilhan, J., Offerle, B., Oke, T. R., Pigeon, G., Puygrenier, V., Roberts, S., Rosant, J. M., Sanïd, F., Salmond, J., Talbaut, M., and Voogt, J.: The urban boundary-layer field campaign in marseille (ubl/clu-escompte): set-up and first results, Boundary-Layer Meteorology, 114, 315–365, https://doi.org/10.1007/s10546-004-9241-4, 2005.
 - Middel, A., Nazarian, N., Demuzere, M., and Bechtel, B.: Urban Climate Informatics: An Emerging Research Field, Frontiers in Environmental Science, 10, https://doi.org/10.3389/fenvs.2022.867434, 2022.

735 Morrison, W.: sync-obs, https://github.com/willmorrison1/sync-obs, 2022.

Muller, C. L., Chapman, L., Grimmond, C., Young, D. T., and Cai, X.-M.: Toward a Standardized Metadata Protocol for Urban Meteorological Networks, Bulletin of the American Meteorological Society, 94, 1161–1185, https://doi.org/10.1175/bams-d-12-00096.1, 2013a.

Muller, C. L., Chapman, L., Grimmond, C. S. B., Young, D. T., and Cai, X.: Sensors and the city: a review of urban meteorological networks, International Journal of Climatology, 33, 1585–1600, https://doi.org/10.1002/joc.3678, 2013b.

740 NumFOCUS: Numerical Foundation for Open Code and Useable Science, online, https://numfocus.org/sponsored-projects. Oke, T. R.: Towards better scientific communication in urban climate, Theoretical and Applied Climatology, 84, 179–190, https://doi.org/10.1007/s00704-005-0153-0, 2005.

Oke, T. R.: Urban climates, Cambridge University Press, Cambridge, includes bibliographical references and index, 2017. Pardyjak, E. R. and Stoll, R.: Improving measurement technology for the design of sustainable cities, Measurement Science and Technology,

- 745 28, 092 001, https://doi.org/10.1088/1361-6501/aa7c77, 2017.
 - Plein, M., Kersten, F., Zeeman, M., and Christen, A.: Street-level weather station network in Freiburg, Germany: Station documentation, https://doi.org/10.5281/ZENODO.12732551, 2024.

Rettberg, N.: Zenodo Launches!, https://www.openaire.eu/zenodo-is-launched, 2018.

Richard, Y., Emery, J., Dudek, J., Pergaud, J., Chateau-Smith, C., Zito, S., Rega, M., Vairet, T., Castel, T., Thévenin, T., and Pohl, B.: How

- relevant are local climate zones and urban climate zones for urban climate research? Dijon (France) as a case study, Urban Climate, 26, 258–274, https://doi.org/10.1016/j.uclim.2018.10.002, 2018.
 - Richardson, A. D., Hufkens, K., Milliman, T., Aubrecht, D. M., Chen, M., Gray, J. M., Johnston, M. R., Keenan, T. F., Klosterman, S. T., Kosmala, M., Melaas, E. K., Friedl, M. A., and Frolking, S.: Tracking vegetation phenology across diverse North American biomes using PhenoCam imagery, Scientific Data, 5, https://doi.org/10.1038/sdata.2018.28, 2018.
- 755 Rotach, M. W., Vogt, R., Bernhofer, C., Batchvarova, E., Christen, A., Clappier, A., Feddersen, B., Gryning, S.-E., Martucci, G., Mayer, H., Mitev, V., Oke, T. R., Parlow, E., Richner, H., Roth, M., Roulet, Y.-A., Ruffieux, D., Salmond, J. A., Schatzmann, M., and Voogt, J. A.: BUBBLE – an Urban Boundary Layer Meteorology Project, Theoretical and Applied Climatology, 81, 231–261, https://doi.org/10.1007/s00704-004-0117-9, 2005.

Scherer, D., Antretter, F., Bender, S., Cortekar, J., Emeis, S., Fehrenbach, U., Gross, G., Halbig, G., Hasse, J., Maronga, B., Raasch, S., and

- 760 Scherber, K.: Urban Climate Under Change [UC]2 A National Research Programme for Developing a Building-Resolving Atmospheric Model for Entire City Regions, Meteorologische Zeitschrift, 28, 95–104, https://doi.org/10.1127/metz/2019/0913, 2019.
 - Scherer, D., Fehrenbach, U., Grassmann, T., Holtmann, A., Meier, F., Scherber, K., Pavlik, D., Höhne, T., Kanani-Sühring, F., Maronga, B., Ament, F., Banzhaf, S., Langer, I., Halbig, G., Kohler, M., Queck, R., Stratbücker, S., Winkler, M., Wegener, R., and Zeeman, M.: [UC]2 Data Standard "Urban Climate under Change", Online, https://uc2-program.org/sites/default/files/inline-files/uc2_data_standard_0.pdf,

765 version 1.5.2, 2022.

- Stewart, I. D.: A systematic review and scientific critique of methodology in modern urban heat island literature, International Journal of Climatology, 31, 200–217, https://doi.org/10.1002/joc.2141, 2011.
- Sulzer, M., Christen, A., and Matzarakis, A.: A Low-Cost Sensor Network for Real-Time Thermal Stress Monitoring and Communication in Occupational Contexts, Sensors, 22, 1828, https://doi.org/10.3390/s22051828, 2022.
- 770 Sulzer, M., Christen, A., and Matzarakis, A.: Predicting indoor air temperature and thermal comfort in occupational settings using weather forecasts, indoor sensors, and artificial neural networks, Building and Environment, 234, 110077, https://doi.org/10.1016/j.buildenv.2023.110077, 2023.

Teschke, G. and Lehmann, V.: Mean wind vector estimation using the velocity–azimuth display (VAD) method: an explicit algebraic solution, Atmospheric Measurement Techniques, 10, 3265–3271, https://doi.org/10.5194/amt-10-3265-2017, 2017.

- 775 Vakkari, V., Manninen, A. J., O'Connor, E. J., Schween, J. H., van Zyl, P. G., and Marinou, E.: A novel post-processing algorithm for Halo Doppler lidars, Atmospheric Measurement Techniques, 12, 839–852, https://doi.org/10.5194/amt-12-839-2019, 2019.
 - VDI: Environmental meteorology Meteorological measurements Fundamentals, in: VDI-Richtlinien, vol. Part 1 of VDI 3786, Beuth Verlag, Berlin, 2013.
 - Walikewitz, N., Jänicke, B., Langner, M., and Endlicher, W.: Assessment of indoor heat stress variability in summer and during heat warnings:
- 780 a case study using the UTCI in Berlin, Germany, International Journal of Biometeorology, 62, 29–42, https://doi.org/10.1007/s00484-015-1066-y, 2015.
 - Wilkinson, M. D., Dumontier, M., Aalbersberg, I. J., Appleton, G., Axton, M., Baak, A., Blomberg, N., Boiten, J.-W., da Silva Santos, L. B., Bourne, P. E., Bouwman, J., Brookes, A. J., Clark, T., Crosas, M., Dillo, I., Dumon, O., Edmunds, S., Evelo, C. T., Finkers, R., Gonzalez-Beltran, A., Gray, A. J., Groth, P., Goble, C., Grethe, J. S., Heringa, J., 't Hoen, P. A., Hooft, R., Kuhn, T., Kok, R., Kok, J., Lusher, S. J.,
- 785 Martone, M. E., Mons, A., Packer, A. L., Persson, B., Rocca-Serra, P., Roos, M., van Schaik, R., Sansone, S.-A., Schultes, E., Sengstag, T., Slater, T., Strawn, G., Swertz, M. A., Thompson, M., van der Lei, J., van Mulligen, E., Velterop, J., Waagmeester, A., Wittenburg, P., Wolstencroft, K., Zhao, J., and Mons, B.: The FAIR Guiding Principles for scientific data management and stewardship, Scientific Data, 3, https://doi.org/10.1038/sdata.2016.18, 2016.

WMO: Initial Guidance to Obtain Representative Meteorological Observations at Urban Sites, in: WMO-No. 1250, edited by Oke, T. R.,

- 790 Instruments and Observing Methods, p. 51, World Meteorological Organisation, https://library.wmo.int/doc_num.php?explnum_id=9286, 2006.
 - WMO: Guidance on Integrated Urban Hydrometeorological, Climate and Environment Services Volume I: Concept and Methodology, in: WMO-No. 1234, edited by Grimmond, S., Bouchet, V., Molina, L., Baklanov, A., and Joe, P., Weather Climate Water, World Meteorological Organisation, https://library.wmo.int/doc_num.php?explnum_id=11537, 2019.
- 795 WMO: Guidance on Integrated Urban Hydrometeorological, Climate and Environment Services Volume II: Demonstration Cities, in: WMO-No. 1234, edited by Grimmond, S. and Sokhi, R., Weather Climate Water, World Meteorological Organisation, https://library.wm o.int/doc_num.php?explnum_id=11537, 2021.
 - WMO: Guidance on Measuring, Modelling and Monitoring the Canopy Layer Urban Heat Island (CL-UHI), in: WMO-No. 1292, edited by Schlünzen, K. H., Grimmond, S., and Baklanov, A., Weather Climate Water, p. 88, World Meteorological Organisation, https://library.wm o.int/doc_num.php?explnum_id=11537, 2023.
- Wood, C. R., Järvi, L., Kouznetsov, R. D., Nordbo, A., Joffre, S., Drebs, A., Vihma, T., Hirsikko, A., Suomi, I., Fortelius, C., O'Connor, E., Moiseev, D., Haapanala, S., Moilanen, J., Kangas, M., Karppinen, A., Vesala, T., and Kukkonen, J.: An Overview of the Urban Boundary Layer Atmosphere Network in Helsinki, Bulletin of the American Meteorological Society, 94, 1675–1690, https://doi.org/10.1175/bamsd-12-00146.1, 2013.

800

- 805 Yang, J. and Bou-Zeid, E.: Designing sensor networks to resolve spatio-temporal urban temperature variations: fixed, mobile or hybrid?, Environmental Research Letters, 14, 074 022, https://doi.org/10.1088/1748-9326/ab25f8, 2019.
 - Zeeman, M., Holst, C. C., Kossmann, M., Leukauf, D., Münkel, C., Philipp, A., Rinke, R., and Emeis, S.: Urban Atmospheric Boundary-Layer Structure in Complex Topography: An Empirical 3D Case Study for Stuttgart, Germany, Frontiers in Earth Science, 10, https://doi.org/10.3389/feart.2022.840112, 2022.