

## 2 **Opinion: Distribute paleoscience information across the next IPCC reports**

4 Darrell Kaufman<sup>1</sup> and Valérie Masson-Delmotte<sup>2</sup>

<sup>1</sup> School of Earth & Sustainability, Northern Arizona University, Flagstaff AZ, USA

6 <sup>2</sup> Laboratoire des Sciences du Climat et de l'Environnement (UMR CEA-CNRS-UVSQ/IPSL  
8212), Université Paris Saclay, France

8

Correspondence to: Darrell S. Kaufman (darrell.kaufman@nau.edu)

10

**Abstract.** Rather than reverting to a dedicated paleoclimate chapter, we argue that knowledge  
12 about pre-industrial climate should be further integrated with other lines of evidence throughout  
the 7th assessment reports by the Intergovernmental Panel on Climate Change. We contend  
14 that paleoscience expertise is most effectively deployed where it leads to integration of  
paleoscience knowledge and demonstration of its policy relevance, as it was in the most recent  
16 assessment cycle. We address arguments in favor of including a separate chapter devoted to  
paleoscience information as well as the challenges of the distributed approach, and we  
18 conclude with suggested opportunities for expanding the paleoscience content of future reports.

## 20 **Introduction**

With the scoping phase of the next IPCC report now taking shape (IPCC, 2024a), some in the  
22 paleoscience community are advocating for the inclusion of a separate chapter dedicated to this  
subject (Esper et al., 2024; PAGES, 2024). We argue here that paleoscience is made more  
24 relevant to the target audience – those interested in current and future climate change, risks and  
responses – and that it is afforded greater visibility when the information is distributed and  
26 integrated with other lines of evidence across the reports, as it was in the latest IPCC  
Assessment Reports (AR6). In this distributed approach, knowledge of pre-instrumental, pre-  
28 industrial climate is considered alongside and on par with other multiple lines of evidence  
including observations, theory and modeling that are needed for a robust and comprehensive  
30 assessment of the state of knowledge, including the assignment of confidence levels. We find  
that insights from paleoscience were promoted in AR6 because, rather than consolidating the  
32 subject within a separate chapter where it might appear unconnected to actionable knowledge,  
the relevance of pre-industrial climate change was highlighted in multiple chapters of the  
34 Working Group I report (WGI; IPCC, 2021a) where current and projected climate changes were  
placed into a broader context of long-term natural variability. However, others see a dedicated

36 paleoscience chapter as a safeguard to selecting paleoscience experts as IPCC authors,  
together with increased relevancy and visibility of paleoscience (PAGES, 2024).

38 The outline for AR6 Working Group I report (IPCC, 2021a) was scoped following  
extensive discussions by an international group of select climate experts, with input from the  
40 broader community (IPCC, 2018a), and guided by a vision for a holistic and integrative report  
(IPCC, 2018b). The resulting outline focused on the state of the climate system, processes that  
42 shape global and regional climate responses, and regional information (section 1.1.2 of Chen et  
al. (2021) explains the rationale for the AR6-WGI structure and its relation to the previous AR5-  
44 WGI report). In AR6, paleoscience content was further distributed in the Working Group II report  
(IPCC, 2022a) as it relates to the detection and attribution of ecosystem changes, and the  
46 vulnerability and adaptation of Earth's biota, socio-ecological systems and societies to past  
climate variations (Cross-Chapter Box PALEO, Vulnerability and Adaptation to Past Climate  
48 Change, in Ara Begum et al., 2022). And in the Working Group III report (IPCC, 2022b),  
centennial and longer timescales were part of the assessment of carbon storage and removal.

50 While the previous two assessment reports (AR4 and AR5) had included a separate  
chapter focused on paleoclimate, this was not the case for AR6. The separate chapters in AR4  
52 and AR5 did much to advance the assessment of the state of knowledge from paleoclimate  
archives in those reports; however, considering the purpose of IPCC reports along with  
54 advances in paleoscience, we see distinct advantages to the distributed approach adopted for  
AR6, where paleoscience information was integrated with other lines of evidence whenever  
56 possible based on available literature.

We view the expansion of paleoscience information across AR6 as integral to the  
58 maturation of scientific knowledge. While maturation focused on specific past periods builds  
depth and specialization, integration across lines of evidence and timescales enables a more  
60 holistic understanding of such complex phenomena as the response of the Earth system to  
natural and anthropogenic forcings. In AR6 for instance, proxy-based reconstructions provided a  
62 long-term perspective on the evolution of modes of variability (Cassou et al., 2021). This  
integration of knowledge across fields of climate science is facilitated by the IPCC assessment  
64 process, which strengthens interactions among scientists with complementary expertise (Weart,  
2013). It enhances the robustness and relevance of knowledge, making it a more powerful and  
66 comprehensive process. This holistic approach ultimately accelerates the maturation of  
knowledge by fostering a more interconnected, accurate, and actionable understanding of  
68 climate science.

70 **Response to arguments favoring a separate chapter**

71 Some see a separate chapter as a means to a more complete assessment of paleoscience  
72 information. Thoroughness is indeed a core principle of IPCC assessments, but there are  
73 practical limits to what can be included and the reports have already been criticized for being  
74 too sprawling. The study of past Earth system changes is a huge field and the diversity of  
75 scientists selected as IPCC authors must encompass its full breadth of expertise. Considering  
76 the exponential rise in climate science evidence from the literature (Masson-Delmotte, 2024)  
77 and faced with very tight constraints on the number of words and pages available for any one  
78 topic, we argue that the limited paleoscience information that is included is most effectively  
79 deployed where it leads to integration of paleoscience knowledge and demonstration of its  
80 relevance. The distributed approach facilitates a more complete assessment by avoiding potential  
81 gaps where paleoscience information might have contributed to informed decision-making. This  
82 relevance dimension is core to IPCC assessments, which thus differ from textbooks or in-depth  
83 reviews for specialized audiences.

84 Some have suggested that paleoscience information should be included both in a  
85 dedicated chapter plus distributed in other chapters. However, this would be difficult to achieve  
86 in practice because, considering all of the other dimensions of climate science expertise to  
87 represent when selecting IPCC authors, the fair share of paleoscience experts among the group  
88 of IPCC Lead Authors would be too small to both populate a separate paleoclimate chapter and  
89 to embed into other chapters. Embedding paleoscience authors within each chapter team is  
90 needed to ensure that the paleo perspective is effectively included within the context of those  
91 topics and their high-level, policy-relevant findings of the type that are promoted to chapter  
92 Executive Summaries, which underpin the summary documents. Moreover, this would increase  
93 the challenges to ensure consistency and complementarity among chapters and reports, and to  
94 avoid gaps. We argue that the contribution of the handful of paleoscience authors in IPCC  
95 reports is most critical for the integration of advances in paleoscience knowledge wherever  
96 possible, thereby demonstrating policy-relevant outcomes to a broader audience.

97 A separate chapter is also seen as a platform for a team of experts to work together  
98 closely to assess topics in more depth and deliver a more robust and detailed assessment of  
99 uncertainties, compared to the distributed approach. Whether information from paleoscience  
100 comprises a separate chapter or is distributed across chapters, the quality in IPCC reports is  
101 upheld through an extensive open review process overseen by designated Review Editors.  
102 These subject-matter experts ensure that all substantive comments are addressed in a  
balanced and transparent way. In our experience, and from our conversations with other IPCC

104 authors, the content of the reports are more thoroughly reviewed and heavily scrutinized than  
any single publication in peer-reviewed journals. The quality of the information in IPCC reports  
106 can also be attributed to the readily accessible data that underlie the major findings, which  
enables traceability and reproducibility.

108 A separate chapter focusing on paleoscience could make it easier to locate information  
about the subject. However, the field of climate science is far too large and rapidly growing for  
110 each discipline in Earth system observations, theory, processes and projections to have their  
own convenient chapter. Instead, in AR6-WGI, key paleoscience information from across the  
112 chapters came together in a dedicated box in the Technical Summary (Box TS.2,  
“Paleoclimate,” in Arias et al., 2021) as part of the report’s distillation process in support of the  
114 Summary for Policy Makers. A cross-chapter box in AR6-WGI-Chapter 2 (Changing State of the  
Climate System; Gulev et al., 2021) points to sections across the report that present information  
116 about each of multiple “paleoclimate reference periods,” periods that have been extensively  
studied based on both empirical evidence and climate modeling as examples of distinct climate  
118 states. Meanwhile, emerging artificial intelligence tools (e.g., Climate Q&A, 2024) offer new  
user-friendly opportunities to interact with IPCC reports across individual chapters.

120 Some see a separate chapter as providing greater visibility to paleoscience. We place  
high value on visibility for raising awareness of our science across a broader audience, an  
122 opportunity afforded by the widely distributed IPCC reports. We emphasize that paleoscience  
information is made more visible when it is covered more comprehensively, as we contend that  
124 it was in AR6-WGI than in previous IPCC reports. This is evidenced by the breadth of topics  
informed by paleoscience information across the report, including the summary documents  
126 (PAGES, 2022; Masson-Delmotte, 2021), and by a textural analysis of its content (see below).  
Some of this expanded coverage reflects paleoscience knowledge developments, with longer  
128 time span between reports and more material to be assessed. Plus, paleoscience chapters in  
AR4 and AR5 had themselves stimulated new paleoscience research.

130

### **Paleoscience coverage in AR6-WGI compared with previous reports**

132 Despite the absence of a chapter dedicated to paleoscience, or because of the choice of more  
holistic approach for the report structure designed to integrate multiple lines of evidence,  
134 paleoscience information was featured more prominently in AR6 than in the previous two  
reports (AR5 and AR4). This assertion is based on an analysis of the contents of the WGI  
136 Summary for Policy Makers (SPM) (IPCC, 2021b), which highlights findings of greatest  
relevance to decision makers. Specifically, the keywords “paleo” or “millennia”(l), which were

138 typically used when assessing pre-industrial climate at multiple time scales, were mentioned  
more frequently in AR6-WGI-SPM than in those of AR5 (IPCC, 2013) and AR4 (IPCC, 2007),  
140 both as a total number of occurrences and relative to the number of pages (Table 1). The  
frequency of key findings based on paleoscience evidence were also greater in AR6-WGI-SPM,  
142 as was the number of words that comprise these findings (Table 1). Our simple keyword search  
leads to the same conclusion as that of one of the preprint referees for this manuscript (Lunt,  
144 2024) who independently surveyed the two SPMs for mentions of paleoscience information.

Another preprint referee (Brierley, 2024a) surveyed the frequency of citations to *Climate  
146 of the Past*. He found that this journal was cited 122 times in AR5-WGI versus 163 times in  
AR6-WGI. This increase in citations represents an approximately constant proportion of the total  
148 number of works cited in the WGI contributions to AR5 and AR6 (1.34% vs 1.25%, respectively).  
However, this metric needs to be seen in context of the huge expansion of papers published  
150 across the field of climate change generally. The number of peer-reviewed papers with the  
keyword “climate change” published in the year the AR5-WGI report was released was one-third  
152 the number for the AR6-WGI report (approximately 5000 in 2013 versus 15,000 in 2021 based  
on Web of Science accessed September 2024). This compares with the number of papers  
154 published per year by this journal, which increased by one third (130 in 2013 versus 173 in  
2021). Therefore, the importance of paleoscience as represented by the proportion of *Climate of  
156 the Past* citations compared to all other citations in the WGI report was essentially equal  
between AR5 and AR6, despite the huge growth of climate publications overall (300%)  
158 compared with the modest growth of *Climate of the Past* publications during the same period  
(33%). This analysis addresses the extent to which paleoscience was considered across the  
160 WGI reports of AR5 and AR6 rather than their SPMs alone, and it supports our contention that  
paleoscience was featured more prominently in AR6.

162 Paleoscience has been a part of IPCC reports since the beginning, and the SPMs of all  
previous WGI reports contain findings that attest to increasingly unprecedented changes in the  
164 climate system over centuries and millennia. The latest AR6-WGI-SPM expands on these  
findings by describing evidence from additional indicators of the state of the climate system  
166 beyond atmospheric greenhouse gas concentrations and large-scale surface temperature.  
Paleoscience in the AR6-WGI-SPM looks further back in time to climate states with higher  
168 global warming levels than in previous assessment reports. It is mentioned along with other  
evidence that narrows the uncertainty range of climate sensitivity and strengthens confidence in  
170 projections of long-term sea-level responses to different levels of sustained warming. It is also

used to evaluate low-likelihood events with high-impact outcomes, including large explosive  
172 volcanic eruptions and their documented climate effects.

A similar expansion of paleoscience information is also seen in the Technical Summary  
174 (TS) of the AR6-WGI report (Arias et al., 2021) compared with the previous two reports (Stocker  
et al., 2013; Solomon et al., 2007). All three contain a section or box dedicated to paleoscience.  
176 Outside of these more specialized sections, the keywords “paleo” or “millennia”(l) are mentioned  
more frequently in AR6-WGI-TS than in AR4 and AR5 relative to their number of pages (Table  
178 1). Furthermore, AR6-WGI-TS includes seven figures that feature paleoscience information  
compared with five in AR4 and three in AR5. Among these figures is a direct comparison of  
180 atmospheric carbon dioxide levels back through the Cenozoic and forward through alternative  
projections to 2300, including both timeseries and maps of global temperature. This is the first  
182 time a figure with these global-scale climate indicators has appeared in an IPCC report; it is  
indicative of the integrative approach in AR6, with attention to placing current and projected  
184 changes into a long-term context. Finally, to reach a broader audience, paleoscience  
information is included in more Frequently Asked Questions of AR6 (IPCC, 2021c) than in  
186 previous reports (Table 1), and simulations of paleoclimate reference periods are incorporated  
into the Interactive Atlas alongside historical runs and climate projections from the same models  
188 (Gutiérrez et al., 2021).

## 190 **Challenges of the distributed approach**

While we view the integration of paleoscience topics throughout the IPCC report as an  
192 inevitable and healthy progression for an increasingly expansive and relevant subject, we are  
fully aware of its challenges. When writing the reports, paleoscience authors need to coordinate  
194 closely to avoid redundancies, ensure important topics do not fall into cracks between chapters,  
and prepare dedicated cross-chapter boxes as entry points for paleoscience topics. For  
196 example, cross-chapter boxes in AR6-WGI Chapter 2 (Gulev et al., 2021) focuses on multiple  
“paleoclimate reference periods” and another features the climate of the Pliocene when CO<sub>2</sub>  
198 concentrations were last similar to those of present day. Box TS.2 (Arias et al., 2021) includes a  
synthesis of the assessed values for global mean temperature, atmospheric carbon dioxide, and  
200 global mean sea level for multiple paleoclimate reference periods, and directly compares global  
mean temperatures derived from observations with those from climate models for these  
202 reference periods, with all of the data accessible and traceable.

These boxes were written by AR6 paleoscience Lead Authors and Contributing Authors  
204 from multiple chapters who formed one of several WGI breakout groups that focused on cross-

cutting topics. Paleoscience authors of future reports should be prepared to devote additional  
206 time to serve their roles as authors within both their chapter teams and the paleo breakout  
group. In the future, more formal coordination mechanisms could include a new role for cross-  
208 chapter paleoscience coordinators who could participate in Coordinating Lead Author meetings  
and work proactively across the Working Groups to assure insights from paleo evidence are  
210 considered within chapters where decisions about the specific content are made, as guided by  
the scoping document. This way, novel and relevant paleoscience findings are more likely to be  
212 promoted to the Executive Summary of each chapter, which underpins the most widely read  
summary documents (TS and SPM). The author team for these summary documents needs to  
214 include paleoscientists who can draw together key findings disseminated across chapters.

Despite their increasing length, space available for any climate change subject is  
216 exceedingly limited in IPCC reports. There is generally no scope nor purpose for extensive  
analyses of datasets, textbook-style reviews of methods or lengthy discussions of knowledge  
218 gaps aimed at experts. Instead, IPCC reports rely heavily on evidence from timely published  
literature, including community-based assessments of relevant topics that provide in-depth  
220 analysis of methodologies, outcomes and uncertainties, and that support the integration and  
distillation of information within IPCC assessments of policy-relevant information.

222

### **Opportunities**

224 Regardless of whether the information is consolidated in a separate chapter or distributed  
through the report, the success of paleoscience in future reports depends primarily on  
226 community efforts to advance the state of knowledge and evaluate uncertainties within timely  
academic publications. It also depends on input from paleoscientists during the scoping phase  
228 of the report (planned in December 2024 for AR7) so the full breadth of relevant paleoscience  
topics is explicitly identified and effectively parsed among chapters, and key expertise is  
230 ensured within the selection of author teams. Timely publications calling for specific topics to be  
addressed, with suggestions for scoping are also valuable. Individuals and organizations have  
232 input to this process through their appointed IPCC National Focal Points and Observer  
Organizations (IPCC, 2024b). They can advocate for topics and keywords to be included in  
234 chapter outlines or cross-chapter boxes, which will help ensure that the author selection  
includes the right balance of expertise.

236 Like the PAGES communication that motivated this piece (PAGES, 2024), we too  
encourage paleoscientists to support and engage in the IPCC process. Among the various  
238 avenues for participation (IPCC, 2024c) is volunteering as a reviewer during the drafting and

revision phases to make sure that new knowledge developments are included where relevant.

240 Collective reviews of IPCC reports by early career scientists can be especially fruitful, as it was  
for AR6, and this activity could be strengthened for future reports (Moreno-Ibáñez et al., 2024).

242 In addition, Contributing Authors play an important role as content experts to help draft chapter  
text alongside Lead Authors. In Chapter 2 of AR6-WGI (Gulev et al., 2021), for example, 22

244 paleoscientists served as Contributing Authors from outside the WGI Lead Author team.

Paleoscience, like all climate science communities competing for coverage in this high-  
246 level product, can work proactively and in concert with the current IPCC assessment cycle to  
generate or update systematic reviews of the state of knowledge regarding understanding past  
248 climate variations and their implications, and regarding key policy-relevant topics. Now is the  
time to identify what appraisals of major research advances that address socially relevant  
250 understanding of climate change (e.g., Kaufman, 2020) are missing from the literature and to  
initiate coordinated efforts by experts to fill these gaps in support of AR7. An example of such a  
252 community-led effort in support of a key IPCC topic is that by the World Climate Research  
Programme (WCRP) for the grand challenge of understanding climate sensitivity (Sherwood et  
254 al., 2020), with new developments underway to inform AR7 (e.g., Cooper et al., 2024).

We see potential for stronger inclusion of information regarding topics such as climate  
256 extremes of the past, implications of different durations of different sustained levels of warming,  
past abrupt events, irreversibility, and insights related to the vulnerability and adaptation of  
258 ecosystems and biodiversity. Major collective efforts are needed to evaluate and communicate  
the state of understanding of past climate variations at global to regional levels.

260 While the AR6 placed a stronger emphasis on regional climate information than previous  
reports, advances are needed to include paleoscience information in the distillation of regionally  
262 relevant climate information. This includes, for example, regional-scale seasonal and annual  
hydroclimate reconstructions, extreme events and climatic impact-drivers. Syntheses based on  
264 transparent approaches and supported by well-curated and readily traceable data are especially  
useful. This includes updates of paleoclimate forcings and of key indicators of the state of global  
266 climate and their uncertainties – including the limitations of paleo data assimilation products –  
for well-studied paleoclimate reference periods. Considering the emphasis on climate modeling  
268 in IPCC reports, efforts directed toward model evaluation and other CMIP7 (2024) and PMIP5  
(Brierley, 2024b) science goals are crucial. We see the need for expanded use of evidence from  
270 paleoscience for assessing climate model fitness-for-purpose and confidence in projections  
grounded in rigorous model-data comparisons, especially for the paleoclimate reference



272 periods, and where there is deep uncertainty, including for instance tipping points, Antarctic sea  
ice, or land carbon feedbacks.

274 In addition to their core mandate, IPCC reports also contribute to strengthening climate  
literacy. Report elements designed for schoolteachers and the general public include  
276 “Frequently Asked Questions,” which address key topics with up-to-date information in a  
consistent style and have been bundled into a single pdf (Connors et al., 2022). New for AR6 is  
278 the colorfully illustrated, plain language “Summary for All” (IPCC, 2022c), which is translated  
into multiple languages. Considering the widespread misconceptions and outdated views of past  
280 climate variations, we see a need to distillate the current state of knowledge using accessible  
plain-language text and scientifically rigorous, user-friendly data visualizations, anchored in a  
282 co-design process (Morelli et al., 2021; InfoDesignLab, 2024). We argue that paleoclimate  
literacy can be strengthened by clear communication of topics such as the causes, mechanisms  
284 and characteristics of past climate changes, lessons from past climates that are relevant for  
well-informed climate action, and how recent and future changes compare with those of the  
286 past. This includes improving the display of post-industrial changes in key climate system  
indicators, such as global mean surface temperature, in context of long-term changes in a way  
288 that the general public and decision-makers can easily understand.

The underlying publications with these advances are needed in support of the AR7  
290 assessment cycle. These advances will require substantial support for community efforts, both  
by funding agencies and by professional organizations equipped for regional and international  
292 coordination. Considering the major expansion of paleoscience knowledge since AR6, such  
products are beyond what can be produced by a small group of IPCC authors regardless of  
294 whether those authors work within a single chapter or are distributed across the Working  
Groups.

296

### **Competing interests**

298 The authors were involved in the preparation of AR6.

### **Acknowledgement**

We thank M. Grosjean, F. Lambert, N. McKay, T. Stocker, and P. Thorne for their valued input  
302 on an earlier version of the manuscript, although not all fully shared our views. We thank the two  
referees (C. Brierley, D. Lunt) and members of the paleoclimate community (N. Abram, K. Allen,  
304 K. Anchukaitis, E. Arellano-Torres, I. Cacho, C. Martin-Puertas, M. Prather, M. Sigl, J. Smerdon,  
A. Voelker, R. Wilson, E. Wolff) for their comments and suggestions during the open discussion

306 phase of the manuscript review. C. Brierley provided the count of citations to articles in *Climate*  
308 *of the Past*.

## References

310 Ara Begum, R., Lempert, R., Ali, E., Benjaminsen, T. A., Bernauer, T., Cramer, W., Cui, X.,  
Mach, K., Nagy, G., Stenseth, N. C., Sukumar, R., and Wester, P.: Point of departure and key  
312 concepts, in: *Climate Change 2022: Impacts, Adaptation and Vulnerability*, edited by: Pörtner,  
H. -O., Roberts, D. C., Tignor, M., Poloczanska, E. S., Mintenbeck, K., Alegría, A., Craig, M.,  
314 Langsdorf, S., Löschke, S., Möller, V., Okem, A., and Rama, B., Cambridge University Press.  
Cambridge University Press, Cambridge, UK and New York, NY, Cambridge University Press,  
316 Cambridge, UK and New York, NY, USA, pp. 121–196,  
<https://doi.org/10.1017/9781009325844.003>, 2022.

318  
Arias, P. A., Bellouin, N., Coppola, E., Jones, R. G., Krinner, G., Marotzke, J., Naik, V., Palmer,  
320 M. D., Plattner, G. -K., Rogelj, J., Rojas, M., Sillmann, J., Storelvmo, T., Thorne, P. W., Trewin,  
B., Achuta Rao, K., Adhikary, B., Allan, R. P., Armour, K., Bala, G., Barimalala, R., Berger, S.,  
322 Canadell, J. G., Cassou, C., Cherchi, A., Collins, W., Collins, W. D., Connors, S.L., Corti, S.,  
Cruz, F., Dentener, F. J., Dereczynski, C., Di Luca, A., Diongue Niang, A., Doblus-Reyes, F.J.,  
324 Dosio, A., Douville, H., Engelbrecht, F., Eyring, V., Fischer, E., Forster, P., Fox-Kemper, B.,  
Fuglestvedt, J. S., Fyfe, J. C., Gillett, N. P., Goldfarb, L., Gorodetskaya, I., Gutierrez, J. M.,  
326 Hamdi, R., Hawkins, E., Hewitt, H. T., Hope, P., Islam, A. S., Jones, C., Kaufman, D. S., Kopp,  
R. E., Kosaka, Y., Kossin, J., Krakovska, S., Lee, J. -Y., Li, J., Mauritsen, T., Maycock, T. K.,  
328 Meinshausen, M., Min, S. -K., Monteiro, P. M. S., Ngo-Duc, T., Otto, F., Pinto, I., Pirani, A.,  
Raghavan, K., Ranasinghe, R., Ruane, A. C., Ruiz, L., Sallée, J. -B., Samset, B. H.,  
330 Sathyendranath, S., Seneviratne, S. I., Sörensson, A. A., Szopa, S., Takayabu, I., Treguier, A. -  
M., van den Hurk, B., Vautard, R., von Schuckmann, K., Zaehle, S., Zhang, X., and Zickfeld, K.:  
332 Technical summary, in: *Climate Change 2021: The Physical Science Basis. Contribution of*  
*Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate*  
334 *Change*, edited by: Masson-Delmotte, V., Zhai, P., Pirani, A., Connors, S. L., Péan, C., Berger,  
S., Caud, N., Chen, Y., Goldfarb, L., Gomis, M. I., Huang, M., Leitzell, K., Lonnoy, E., Matthews,  
336 J. B. R., Maycock, T. K., Waterfield, T., Yelekçi, O., Yu, R., and Zhou, B., Cambridge University  
Press, Cambridge, United Kingdom and New York, NY, USA, 33-144,  
338 <https://doi.org/10.1017/9781009157896.002>, 2021.

340 Brierley, C. M.: Review of egusphere-024-1845. doi: 10.5194/egusphere-2024-1845-RC1,  
2024a.

342

Brierley, C. M.: PMIP and CMIP7 update. PAGES News.

344 <https://pastglobalchanges.org/news/137793>, last access: 21 September 2024b.

346 Chen, D., Rojas, M., Samset, B. H., Cobb, K., Diongue Niang, A., Edwards, P., Emori, S, Faria,  
S. H., Hawkins, E., Hope, P., Huybrechts, P., Meinshausen, M., Mustafa, S. K., Plattner, G. -K.,  
348 and Tréguier, A. -M.: Framing, context, and methods, in: Climate Change 2021: The Physical  
Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the  
350 Intergovernmental Panel on Climate Change, edited by: Masson-Delmotte, V., Zhai, P., Pirani,  
A., Connors, S .L., Péan, C., Berger, S., Caud, N., Chen, Y., Goldfarb, L., Gomis, M. I., Huang,  
352 M., Leitzell, K., Lonnoy, E., Matthews, J. B. R., Maycock, T. K., Waterfield, T., Yelekçi, O., Yu,  
R., and Zhou, B., Cambridge University Press, Cambridge, United Kingdom and New York, NY,  
354 USA, pp. 147–286, <https://doi.org/10.1017/9781009157896.003>, 2021.

356 Climate Q&A, <https://climateqa.com/docs/intro/>, last access: 3 August 2024.

358 CMIP7: <https://wcrp-cmip.org/cmip-panel-meet-to-advance-cmip7-and-ar7-fast-track/>, last  
access: 27 July 2024.

360

Cooper, V. T., Armour, K. C., Hakim, G. J., Tierney, J. E., Osman, M. B., Proistosescu, C.,  
362 Dong, Y., Burls, N. J., Andrews, T., Amrhein, D. E., and Zhu, J.: Last Glacial Maximum pattern  
effects reduce climate sensitivity estimates, *Science Advances*, 10, p.eadk9461. 2024.

364

Cassou, C., Acherchi, A., Kosaka, Y., Corti, S., Engelbrecht, F., Lee, J.- Y., Maycock, A.,  
366 McGregor, S., Morgenstern, O., Nnamchi, H. C., Rivera, J. A., and Trewin, B.: Annex IV: Modes  
of variability, in: Climate Change 2021: The Physical Science Basis. Contribution of Working  
368 Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change,  
edited by: Masson-Delmotte, V., Zhai, P., Pirani, A., Connors, S .L., Péan, C., Berger, S., Caud,  
370 N., Chen, Y., Goldfarb, L., Gomis, M. I., Huang, M., Leitzell, K., Lonnoy, E., Matthews, J. B. R.,  
Maycock, T. K., Waterfield, T., Yelekçi, O., Yu, R., and Zhou, B., Cambridge University Press,  
372 Cambridge, United Kingdom and New York, NY, USA, pp. 2153-2192,  
<https://doi.org/10.1017/9781009157896.018>, 2021.

374  
376 Connors, S. L., Nicolai, M., Berger, S., Pidcock, R., Walsh, M., and Hawtin, N.: Co-developing  
the IPCC frequently asked questions as an effective science communication tool. *Climatic  
Change*, 171, 10, 2022.

378  
380 Esper, J., Smerdon, J. E., Anchukaitis, K. J., Allen, J., Cook, E. R., D'Arrigo, R., Guillet, S.,  
Ljungqvist, F. C., Reinig, F., Schneider, L., Sigl, M., Stoffel, M., Trnka, M., Wilson, R., and  
Büntgen, U.: The IPCC's reductive Common Era temperature history, *Communications Earth &  
382 Environment*, 5, 222, 2024.

384 Gulev, S. K., Thorne, P. W., Ahn, J., Dentener, F. J., Domingues, C. M., Gerland, S., Gong, D.,  
Kaufman, D. S., Nnamchi, H. C., Quaas, J., Rivera, J. A., Sathyendranath, S., Smith, S. L.,  
386 Trewin, B., von Shuckmann, K., and Vose, R. S.: Changing state of the climate system, in:  
*Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth  
388 Assessment Report of the Intergovernmental Panel on Climate Change*, edited by: Masson-  
Delmotte, V., Zhai, P., Pirani, A., Connors, S. L., Péan, C., Berger, S., Caud, N., Chen, Y.,  
390 Goldfarb, L., Gomis, M. I., Huang, M., Leitzell, K., Lonnoy, E., Matthews, J. B. R., Maycock, T.  
K., Waterfield, T., Yelekçi, O., Yu, R., and Zhou, B., Cambridge University Press, Cambridge,  
392 United Kingdom and New York, NY, USA, pp. 287–422,  
<https://doi.org/10.1017/9781009157896.004>, 2021.

394  
396 Gutiérrez, J. M., Jones, R. G., Narisma, R. T., Alves, L. M., Amjad, M., Gorodetskaya, I. V.,  
Grose, M., Klutse, N. A. B., Krakovska, S., Li, J., Martínez-Castro, D., Mearns, L. O., Mernild, S.  
H., Ngo-Duc, T., van den Hurk, B., and Yoon, J. -H.: Atlas, in: *Climate Change 2021: The  
398 Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the  
Intergovernmental Panel on Climate Change*, edited by: Masson-Delmotte, V., Zhai, P., Pirani,  
400 A., Connors, S. L., Péan, C., Berger, S., Caud, N., Chen, Y., Goldfarb, L., Gomis, M. I., Huang,  
M., Leitzell, K., Lonnoy, E., Matthews, J. B. R., Maycock, T. K., Waterfield, T., Yelekçi, O., Yu,  
402 R., and Zhou, B. Cambridge University Press. Interactive Atlas available from [http://interactive-  
atlas.ipcc.ch/](http://interactive-atlas.ipcc.ch/), 2021.

404  
406 InfoDesignLab: <https://infodesignlab.com/selected-projects/ipcc-reports>, last access: 6 October  
2024.

408 IPCC: Summary for policymakers, in: Climate Change 2007: The Physical Science Basis.  
Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental  
410 Panel on Climate Change, edited by: Solomon, S., Qin, D., Manning, M., Chen, Z., Marquis, M.,  
Averyt, K. B., Tignor, M., and Miller, H. L., Cambridge University Press, Cambridge, United  
412 Kingdom and New York, NY, USA, 2007.

414 IPCC: Summary for policymakers, in: Climate Change 2013: The Physical Science Basis.  
Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel  
416 on Climate Change, edited by: Stocker, T. F., Qin, D., Plattner, G. -K., Tignor, M., Allen, S.  
K., Borschung, J., Nauels, A., Xia, Y., Bex V., and Midgley, P. M., Cambridge University Press,  
418 Cambridge, United Kingdom and New York, NY, USA, 2013.

420 IPCC: [https://www.ipcc.ch/site/assets/uploads/2018/04/040820170312-  
WGI\\_inf1\\_background\\_information.pdf/](https://www.ipcc.ch/site/assets/uploads/2018/04/040820170312-WGI_inf1_background_information.pdf/), last access: 1 June 2024, 2018a

422  
IPCC: <https://www.ipcc.ch/site/assets/uploads/2018/11/AR6-Chair-Vision-Paper.pdf/>, last  
424 access: 1 June 2024, 2018b.

426 IPCC: Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to  
the Sixth Assessment Report of the Intergovernmental Panel on Climate Change, edited by:  
428 Masson-Delmotte, V., Zhai, P., Pirani, A., Connors, S .L., Péan, C., Berger, S., Caud, N., Chen,  
Y., Goldfarb, L., Gomis, M. I., Huang, M., Leitzell, K., Lonnoy, E., Matthews, J. B. R., Maycock,  
430 T. K., Waterfield, T., Yelekçi, O., Yu, R., and Zhou, B., Cambridge University Press, Cambridge,  
United Kingdom and New York, NY, USA, <https://doi.org/10.1017/9781009157896>, 2021a.

432  
IPCC: Summary for policymakers, in: Climate Change 2021: The Physical Science Basis.  
434 Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel  
on Climate Change, edited by: Masson-Delmotte, V., Zhai, P., Pirani, A., Connors, S .L., Péan,  
436 C., Berger, S., Caud, N., Chen, Y., Goldfarb, L., Gomis, M. I., Huang, M., Leitzell, K., Lonnoy,  
E., Matthews, J. B. R., Maycock, T. K., Waterfield, T., Yelekçi, O., Yu, R., and Zhou, B.,  
438 Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 3–32,  
<https://doi.org/10.1017/9781009157896.001>, 2021b.

440

IPCC: Frequently Asked Questions:  
442 [https://www.ipcc.ch/report/ar6/wg1/downloads/faqs/IPCC\\_AR6\\_WGI\\_FAQs\\_Compiled.pdf](https://www.ipcc.ch/report/ar6/wg1/downloads/faqs/IPCC_AR6_WGI_FAQs_Compiled.pdf), last  
access: 6 October 2024, 2021c.  
444

IPCC: Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working  
446 Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change,  
edited by: Pörtner, H. -O., Roberts, D. C., Tignor, M., Poloczanska, E. S., Mintenbeck, K.,  
448 Alegría, A., Craig, M., Langsdorf, S., Löschke, S., Möller, V., Okem, A., and Rama, B.,  
Cambridge University Press. Cambridge University Press, Cambridge, UK and New York, NY,  
450 USA, 3056 pp., <https://doi.org/10.1017/9781009325844>, 2022a.

452 IPCC: Climate Change 2022: Mitigation of Climate Change. Contribution of Working Group III to  
the Sixth Assessment Report of the Intergovernmental Panel on Climate Change, edited by:  
454 Shukla, P. R., Skea, J., Slade, R., Al Khourdajie, A., van Diemen, R., McCollum, D., Pathak, M.,  
Some, S., Vyas, P., Fradera, R., Belkacemi, M., Hasija, A., Lisboa, G., Luz, S., and Malley, J.,  
456 Cambridge University Press, Cambridge, UK and New York, NY, USA,  
<http://doi.org/10.1017/9781009157926>, 2022b.  
458

IPCC: Climate Change 2021: Summary for All, Working Group I Technical Support Unit,  
460 <https://www.ipcc.ch/report/ar6/wg1/resources/summary-for-all/>, 2022c.

462 IPCC: <https://www.ipcc.ch/2024/05/03/ipcc-ar7-scoping-nominations/>, last access: 1 June  
2024a.  
464

IPCC: <https://www.ipcc.ch/focal-points/>, last access: 21 September, 2024b.  
466

IPCC: [https://www.ipcc.ch/about/engage\\_with\\_the\\_ipcc/](https://www.ipcc.ch/about/engage_with_the_ipcc/), last access: 21 September 2024c.  
468

Kaufman, D. S.: Paleoscience questions for socially relevant understanding of climate change.  
470 Abstract PP017-0002 presented at 2020 Fall Meeting, AGU, Online, 1-17 Dec, 2020.

472 Lunt, D.: Comment on egusphere-2024-1845. doi: 10.5194/egusphere-2024-1845-RC1, 2024.

474 Masson-Delmotte, V. [@valmasdel] (11 Nov 2021). You may have noticed that there was no  
specific chapter on paleoclimate in the 2021 AR6 @IPCC\_CH #ClimateReport [tweet]. Twitter.  
476 <https://x.com/valmasdel/status/1458853767194066949>.

478 Masson-Delmotte, V.: The physical science basis of climate change empowering  
transformations, insights from the IPCC AR6 for a climate research agenda grounded in ethics.  
480 PLOS Clim., 3, e0000451. <https://doi.org/10.1371/journal.pclm.0000451>, 2024.

482 Morelli, A., Johansen, T. G., Pidcock, R., Harold, J., Pirani, A., Gomis, M., Lorenzoni, I.,  
Haughey, E., and Coventry, K.: Co-designing engaging and accessible data visualisations: a  
484 case study of the IPCC reports. *Climatic Change*, 168, pp.1-11, 2021.

486 Moreno-Ibáñez, M., Casado, M., Gremion, G., Rabanal, V., Adojoh, O., Anoruo, C., Arshad, A.,  
Faten, A. B., Bello, C., Bergstedt, H., and Caccavo, J. A.: Engagement of early career  
488 researchers in collaborative assessments of IPCC reports: achievements and insights, *Frontiers  
in Climate*, 6, 1395040, 2024.

490  
PAGES: <https://pastglobalchanges.org/news/quick-guide-paleoclimate-ipcc-ar6-2021-report>, last  
492 access: 27 July 2024, 2022.

494 PAGES: <https://pastglobalchanges.org/node/137814/>, last access: 1 June 2024.

496 Sherwood, S. C., Webb, M. J., Annan, J. D., Armour, K. C., Forster, P. M., Hargreaves, J. C.,  
Hegerl, G., Klein, S. A., Marvel, K. D., Rohling, E. J., and Watanabe, M.: An assessment of  
498 Earth's climate sensitivity using multiple lines of evidence. *Reviews of Geophysics*, 58,  
e2019RG000678, <https://doi.org/10.1029/2019RG000678>, 2020.

500  
Solomon, S., Qin, D., Manning, M., Alley, R. B., Berntsen, T., Bindoff, N. L., Chen, Z.,  
502 Chidthaisong, A., Gregory, J. M., Hegerl, G. C., Heimann, M., Hewitson, B., Hoskins, B. J.,  
Joos, F., Jouzel, J., Kattsov, V., Lohmann, U., Matsuno, T., Molina, M., Nicholls, N., Overpeck,  
504 J., Raga, G., Ramaswamy, V., Ren, J., Rusticucci, M., Somerville, R., Stocker, T. F., Whetton,  
P., Wood R. A., and Wratt, D.: Technical summary, in: *Climate Change 2007: The Physical  
506 Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the  
Intergovernmental Panel on Climate Change*, edited by: Solomon, S., Qin, D., Manning, M.,

508 Chen, Z., Marquis, M., Averyt, K. B., Tignor, M., and Miller, H. L., Cambridge University Press,  
Cambridge, United Kingdom and New York, NY, USA, 2007.

510

512 Stocker, T. F., Qin, D., Plattner, G. K., Alexander, L. V., Allen, S. K., Bindoff, N. L., Bréon, F. M.,  
Church, J. A., Cubasch, U., Emori, S., and Forster, P.: Technical summary, in: Climate Change  
2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment  
514 Report of the Intergovernmental Panel on Climate Change, edited by: Stocker, T. F., Qin, D.,  
Plattner, G. -K., Tignor, M., Allen, S. K., Boschung, J., Nauels, A., Xia, Y., Bex, V., and Midgley,  
516 P. M., Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 33-  
115, 2013.

518

520 Weart, S.: Rise of interdisciplinary research on climate, Proceedings of the National Academy of  
Sciences, 110(supplement\_1), 3657-3664, 2013.



Table 1. The frequency of paleoscience information in the Working Group I contributions to the last three IPCC climate assessment reports.

Working Group I	AR4	AR5	AR6
Publication year	2007	2014	2021
Paleoclimate chapter in report	Yes	Yes	No
FAQs with paleo content	2	2	4
CP citations	NA	123	175
Summary for Policy Makers			
Total pages of content	17	26	28
“Paleo” or “millennia” mentions*	6	8	15
Average mentions per page	0.35	0.31	0.54
Major sections with paleo content	3	2	3
Bullets/subsections with paleo content	4	6	8
Approx. words containing paleo content	390	360	460
Figures with paleo content	1	0	1
Technical Summary			
Total pages of content	71	82	107
“Paleo” or “millennia” mentions**	19	38	56
Average mentions per page	0.27	0.46	0.52
Figures with paleo content	5	3	7

\* Includes “palaeo” and “millennial”

\*\* Not counting the paleo box or paleo perspective or text within figures and their captions