

Supplementary Material

Spatio-temporal variations in surface Marine Carbonate System properties across the Western Mediterranean Sea using Volunteer Observing Ship data.

David Curbelo-Hernández*, David González-Santana, Aridane González-González, J. Magdalena Santana-Casiano and Melchor González-Dávila

¹ Instituto de Oceanografía y Cambio Global (IOCAG), Universidad de Las Palmas de Gran Canaria (ULPGC). Las Palmas de Gran Canaria, Spain.

* Corresponding Author: david.curbelo@ulpgc.es

Legend for Figures

Figure Sup1. Spatial distribution of the average SSS, AT, NAT and NC_T calculated on a seasonal and annual basis every 0.1° longitude along the S section (left panels) and every 0.25° latitude along the E section (right panels). The 3-months periods January-March, April-June, July-September and October-December were considered as winter, spring, summer and autumn, respectively. Note the different scales used for AT, NAT and CT due to significant variations between the S and E sections. Standard deviations are provided in Table S1 and indicate the range of variability among the study period.

Figure Sup2. Time-series of SST, $f\text{CO}_{2,\text{sw}}$ and pH at S2 and S4 in the Alboran Sea within the five years of observations. The weekly average data was fitted to Eq. 10. The thermal and non-thermal terms of the average $f\text{CO}_{2,\text{sw}}$ calculated by following the procedures of Takahashi et al., 2002 (T,02) and Fassbender et al., 2022 (F'22) and the pH₁₉ are depicted. The coefficients *a-f*, the standard error of estimate and the r² given by Eq. 10 are presented in Table S1.

Figure Sup3. Time-series of SST, $f\text{CO}_{2,\text{sw}}$ and pH at E2, E3 and E6 along the eastern Iberian margin within the five years of observations. The weekly average data was fitted to Eq. 10. The thermal and non-thermal terms of the average $f\text{CO}_{2,\text{sw}}$ calculated by following the procedures of Takahashi et al., 2002 (T,02) and Fassbender et al., 2022 (F'22) and the pH₁₉ are depicted. The coefficients *a-f*, the standard error of estimate and the r² given by Eq. 10 are presented in Table S1.

Figure Sup4. Time-series of SSS, C_T, NC_T, AT and NAT at S1-S5 and E1-E6 within the five years of observations. The weekly average data was fitted to Eq. 10. The thermal and non-thermal terms of the average $f\text{CO}_{2,\text{sw}}$ calculated by following the procedures of Takahashi et al., 2002 (T,02) and Fassbender et al., 2022 (F'22) and the pH₁₉ are depicted. The coefficients *a-f*, the standard error of estimate and the r² given by Eq. 10 are presented in Table S1.

Figure Sup5. Temporal evolution of average $\Delta f\text{CO}_2$ and wind speed calculated on a seasonal and annual basis for each year (2019-2023) at S1-S5. The 3-months periods January-March, April-June, July-September and October-December were considered as winter, spring, summer and autumn, respectively. The legend includes the interannual trends for $\Delta f\text{CO}_2$ ($\mu\text{atm yr}^{-1}$) and wind speed ($\text{m s}^{-1} \text{yr}^{-1}$) based on linear regression of the seasonal and annual means. *** denotes that the trends are statistically significant at the 99% level of confidence, ** at the 95% level of confidence and * at the 90% level of confidence. Standard deviations are presented in Table S4.

Figure Sup6. Temporal evolution of average $\Delta f\text{CO}_2$ and wind speed calculated on a seasonal and annual basis for each year (2019-2023) at E1-E6. The 3-months periods January-March, April-June, July-September and October-December were considered as winter, spring, summer and autumn, respectively. The legend includes the interannual trends for $\Delta f\text{CO}_2$ ($\mu\text{atm yr}^{-1}$) and wind speed ($\text{m s}^{-1} \text{yr}^{-1}$) based on linear regression of the seasonal and annual means. *** denotes that the trends are statistically significant at the 99% level of confidence, ** at the 95% level of confidence and * at the 90% level of confidence. Standard deviations are presented in Table Sup4.

Legend for Tables

Table Sup1. Coefficients *a-f*, standard error of estimate and r^2 given by Eq. 10 for each variable. The standard error of each coefficient was calculated at the 95% level of confidence and is provided.

Table Sup2. Standard deviation of average SST, SSS, fCO_2_{sw} , pH, pH₁₉, C_T, NC_T, A_T and NA_T calculated on a seasonal and annual basis every 0.1° longitude along the S section and every 0.25° latitude along the E section. Means are represented in Figure 2 and Sup1.

Table Sup3. Standard errors of fCO_2^{SST} , fCO_2^{SSS} , fCO_2^{AT} , fCO_2^{CT} , $\frac{dfCO_2_{sw}}{dt}$ (sum) and $\frac{dfCO_2_{sw}}{dt}$ (obs) for each year (2019-2023) at S1-S5 and E1-E6.

Table Sup4. Standard deviation of CO_{2f}, ΔfCO_2 and wind speed calculated on a seasonal and annual basis for each year (2019-2023) at S1-S5 and E1-E6. Means are represented in Figure 7, Sup5 and S6.

Fig. Sup1




Fig. Sup2




Fig. Sup3




Fig. Sup4




Fig. Sup5




Fig. Sup6




Table Sup1

	Coefficients	S1	S2	S3	S4	S5	E1	E2	E3	E4	E5	E6
SST (°C)	a	17.35 ± 0.44	17.94 ± 0.52	17.77 ± 0.55	18.04 ± 0.59	18.07 ± 0.58	19.22 ± 0.50	19.30 ± 0.43	19.58 ± 0.44	19.40 ± 0.42	19.23 ± 0.39	19.23 ± 0.47
	b	0.28 ± 0.14	0.52 ± 0.17	0.36 ± 0.18	0.26 ± 0.20	0.46 ± 0.19	0.29 ± 0.16	0.32 ± 0.14	0.24 ± 0.15	0.24 ± 0.14	0.23 ± 0.13	0.20 ± 0.16
	c	-1.19 ± 0.29	-2.61 ± 0.33	-2.42 ± 0.36	-3.02 ± 0.40	-3.45 ± 0.38	-3.97 ± 0.33	-4.05 ± 0.29	-4.35 ± 0.30	-4.64 ± 0.28	-4.59 ± 0.26	-4.69 ± 0.31
	d	-1.63 ± 0.32	-2.51 ± 0.38	-1.95 ± 0.40	-2.11 ± 0.42	-2.78 ± 0.38	-3.74 ± 0.34	-4.06 ± 0.29	-4.35 ± 0.30	-4.49 ± 0.29	-4.46 ± 0.28	-4.52 ± 0.32
	e	-0.10 ± 0.32	0.08 ± 0.36	0.18 ± 0.39	0.39 ± 0.43	0.50 ± 0.40	-0.06 ± 0.34	-0.06 ± 0.30	-0.05 ± 0.32	0.07 ± 0.30	0.12 ± 0.28	0.12 ± 0.35
	f	0.06 ± 0.29	0.65 ± 0.35	0.35 ± 0.36	0.94 ± 0.40	0.97 ± 0.37	0.90 ± 0.33	0.76 ± 0.28	0.81 ± 0.29	0.91 ± 0.28	0.92 ± 0.26	0.95 ± 0.30
	Standard error of estimate	0.95	1.09	1.19	1.29	1.17	1.08	0.91	0.95	0.90	0.87	1.01
SSS	r ²	0.69	0.85	0.78	0.81	0.87	0.92	0.94	0.95	0.95	0.96	0.95
	a	36.610 ± 0.075	36.667 ± 0.062	36.651 ± 0.077	36.838 ± 0.105	36.947 ± 0.141	37.265 ± 0.107	37.429 ± 0.116	37.747 ± 0.141	37.840 ± 0.113	38.130 ± 0.105	38.001 ± 0.092
	b	-0.075 ± 0.025	-0.080 ± 0.021	-0.070 ± 0.025	-0.052 ± 0.035	-0.063 ± 0.046	-0.070 ± 0.035	-0.096 ± 0.038	-0.142 ± 0.046	-0.071 ± 0.038	-0.101 ± 0.035	-0.012 ± 0.031
	c	0.079 ± 0.050	0.038 ± 0.039	0.069 ± 0.050	-0.065 ± 0.071	-0.110 ± 0.093	0.180 ± 0.071	0.109 ± 0.078	0.191 ± 0.097	0.196 ± 0.078	0.065 ± 0.071	0.014 ± 0.062
	d	0.041 ± 0.055	-0.016 ± 0.044	0.039 ± 0.056	0.077 ± 0.075	0.155 ± 0.094	0.116 ± 0.074	0.146 ± 0.078	0.166 ± 0.097	0.247 ± 0.080	0.181 ± 0.074	-0.003 ± 0.063
	e	0.025 ± 0.055	-0.023 ± 0.042	0.060 ± 0.055	0.070 ± 0.077	-0.034 ± 0.098	0.038 ± 0.074	0.004 ± 0.081	-0.045 ± 0.101	0.088 ± 0.082	0.009 ± 0.075	0.014 ± 0.068
	f	0.071 ± 0.050	0.035 ± 0.042	0.073 ± 0.051	0.061 ± 0.071	0.119 ± 0.090	0.099 ± 0.071	0.080 ± 0.075	-0.016 ± 0.093	0.048 ± 0.076	0.084 ± 0.070	0.040 ± 0.060
fCO _{2,sw}	Standard error of estimate	0.164	0.129	0.167	0.228	0.287	0.232	0.243	0.302	0.246	0.233	0.275
	r ²	0.43	0.48	0.41	0.23	0.32	0.42	0.40	0.42	0.50	0.46	0.04
	a	377.26 ± 4.65	381.71 ± 6.77	374.07 ± 8.11	374.33 ± 8.95	378.97 ± 6.19	388.42 ± 5.35	389.91 ± 5.12	389.31 ± 5.10	386.25 ± 5.86	386.69 ± 4.90	381.69 ± 6.16
	b	3.16 ± 1.54	4.78 ± 2.27	5.16 ± 2.69	4.98 ± 2.98	6.27 ± 2.01	4.54 ± 1.74	4.92 ± 1.67	5.14 ± 1.67	5.64 ± 1.95	5.50 ± 1.62	6.46 ± 2.05
	c	-7.60 ± 3.09	-22.13 ± 4.31	-19.30 ± 5.30	-27.65 ± 6.09	-35.29 ± 4.07	-50.91 ± 3.53	-52.57 ± 3.44	-54.14 ± 3.50	-50.26 ± 4.02	-51.17 ± 3.28	-47.84 ± 4.12
	d	-10.65 ± 3.38	-21.77 ± 4.87	-16.89 ± 5.91	-17.30 ± 6.38	-25.62 ± 4.11	-25.07 ± 3.71	-25.96 ± 3.47	-26.48 ± 3.51	-26.89 ± 4.11	-25.84 ± 3.46	-32.58 ± 4.20
	e	0.51 ± 3.39	7.23 ± 4.66	5.50 ± 5.82	9.35 ± 6.52	10.54 ± 4.29	5.75 ± 3.71	5.76 ± 3.59	7.77 ± 3.66	8.32 ± 4.25	11.12 ± 3.51	9.31 ± 4.55
fCO _{2,T} T02	Standard error of estimate	10.13	14.13	17.68	19.46	12.59	11.59	10.77	10.92	12.72	10.86	15.09
	r ²	0.50	0.72	0.55	0.63	0.86	0.92	0.93	0.93	0.90	0.93	0.91
	a	378.00 ± 7.52	379.96 ± 9.42	378.07 ± 9.86	382.79 ± 10.85	384.42 ± 10.18	397.76 ± 8.82	400.82 ± 7.75	403.68 ± 7.54	405.76 ± 7.08	407.72 ± 6.55	405.04 ± 8.06
	b	4.58 ± 2.48	8.68 ± 3.15	6.09 ± 3.27	4.43 ± 3.62	7.92 ± 3.30	5.23 ± 2.87	5.44 ± 2.53	3.97 ± 2.48	3.92 ± 2.35	3.77 ± 2.16	3.06 ± 2.68
	c	-19.88 ± 5.00	-44.93 ± 6.00	-41.19 ± 6.45	-51.68 ± 7.38	-60.20 ± 6.70	-69.50 ± 5.82	-71.33 ± 5.20	-76.23 ± 5.17	-81.87 ± 4.86	-81.20 ± 4.39	-82.30 ± 5.38
	d	-27.40 ± 5.47	-43.74 ± 6.77	-33.44 ± 7.19	-36.69 ± 7.74	-49.52 ± 6.75	-66.74 ± 6.11	-72.48 ± 5.25	-77.21 ± 5.19	-79.82 ± 4.97	-79.55 ± 4.62	-79.97 ± 5.50
	e	-1.99 ± 5.48	1.28 ± 6.48	3.45 ± 7.08	7.38 ± 7.91	8.16 ± 7.05	-1.01 ± 6.12	-1.44 ± 5.43	-1.19 ± 5.41	1.34 ± 5.13	1.91 ± 4.69	2.02 ± 5.95
fCO _{2,NT} T'02	Standard error of estimate	16.39	19.66	21.50	23.60	20.70	19.09	16.29	16.15	15.37	14.52	17.30
	r ²	0.68	0.84	0.76	0.80	0.88	0.92	0.94	0.95	0.96	0.96	0.95
	a	385.61 ± 6.73	397.48 ± 8.35	383.76 ± 6.95	378.10 ± 6.50	390.25 ± 8.83	388.67 ± 5.04	387.23 ± 4.63	381.28 ± 6.51	377.71 ± 7.09	377.18 ± 6.92	371.22 ± 8.41
	b	-1.54 ± 2.22	-3.92 ± 2.80	-0.80 ± 2.30	0.83 ± 2.17	-1.33 ± 2.86	-0.18 ± 1.64	-0.07 ± 1.51	1.47 ± 2.14	1.65 ± 2.36	2.00 ± 2.29	3.57 ± 2.79
	c	11.76 ± 4.48	21.88 ± 5.32	21.04 ± 4.54	22.46 ± 4.42	22.26 ± 5.81	16.30 ± 3.33	16.04 ± 3.11	19.85 ± 4.46	28.01 ± 4.86	26.13 ± 4.64	30.77 ± 5.62
	d	15.78 ± 4.89	19.00 ± 6.01	14.87 ± 5.07	17.34 ± 4.64	19.61 ± 5.85	37.43 ± 3.50	41.73 ± 3.13	45.62 ± 4.48	47.43 ± 4.97	47.30 ± 4.89	42.07 ± 5.74
	e	2.26 ± 4.91	5.61 ± 5.75	2.43 ± 4.98	2.96 ± 4.74	2.03 ± 6.11	4.83 ± 3.50	4.75 ± 3.24	5.79 ± 4.68	4.77 ± 5.14	6.85 ± 4.96	5.48 ± 6.21
Standard error of estimate	f	-0.66 ± 4.51	-6.96 ± 5.65	-3.93 ± 4.61	-6.17 ± 4.38	-10.38 ± 5.62	-4.79 ± 3.33	-1.67 ± 3.00	-1.66 ± 4.28	0.26 ± 4.74	-2.67 ± 4.60	2.91 ± 5.45
	r ²	0.46	0.60	0.59	0.67	0.58	0.86	0.90	0.85	0.84	0.84	0.78
a		378.01 ± 7.27	377.71 ± 8.96	375.01 ± 9.36	380.51 ± 10.31	378.78 ± 9.64	393.09 ± 8.37	397.38 ± 7.38	408.62 ± 7.37	405.80 ± 6.86	404.95 ± 6.34	401.83 ± 7.74

	b	4.47 ± 2.40	8.36 ± 3.00	5.86 ± 3.11	4.26 ± 3.44	7.55 ± 3.13	4.95 ± 2.72	5.22 ± 2.41	3.91 ± 2.42	3.84 ± 2.28	3.68 ± 2.09	3.01 ± 2.57
	c	-19.34 ± 4.84	-43.14 ± 5.70	-39.54 ± 6.12	-49.68 ± 7.01	-57.25 ± 6.34	-66.21 ± 5.52	-68.16 ± 4.95	-74.39 ± 5.05	-79.02 ± 4.71	-77.93 ± 4.25	-78.96 ± 5.17
	d	-26.63 ± 5.28	-41.89 ± 6.44	-32.07 ± 6.83	-35.19 ± 7.35	-46.91 ± 6.39	-63.39 ± 5.80	-69.11 ± 4.99	-75.19 ± 5.08	-76.93 ± 4.82	-76.25 ± 4.48	-76.61 ± 5.28
	e	-1.88 ± 5.30	1.25 ± 6.16	3.26 ± 6.72	6.99 ± 7.51	7.85 ± 6.67	-0.96 ± 5.81	-1.32 ± 5.16	-1.12 ± 5.29	1.26 ± 4.97	1.85 ± 4.54	1.94 ± 5.72
	f	1.63 ± 4.87	12.58 ± 6.05	7.33 ± 6.22	17.61 ± 6.94	19.10 ± 6.14	19.21 ± 5.53	17.40 ± 4.78	18.71 ± 4.84	21.00 ± 4.59	20.60 ± 4.21	21.37 ± 5.02
$f\text{CO}_{2,\text{T}}$ F22	Standard error of estimate	15.85	18.69	20.41	22.41	19.60	18.12	15.51	15.79	14.90	14.06	16.61
	r^2	0.68	0.84	0.76	0.80	0.88	0.92	0.94	0.95	0.96	0.96	0.95
$f\text{CO}_{2,\text{NT}}$ F22	a	383.92 ± 6.75	396.44 ± 7.62	384.72 ± 6.57	377.94 ± 6.29	392.47 ± 8.24	389.70 ± 5.00	385.97 ± 4.57	370.06 ± 6.12	370.23 ± 7.17	372.48 ± 6.65	366.59 ± 8.12
	b	-1.36 ± 2.23	-3.58 ± 2.55	-0.68 ± 2.18	0.75 ± 2.10	-1.27 ± 2.68	-0.54 ± 1.63	-0.33 ± 1.49	1.25 ± 2.01	1.74 ± 2.38	1.78 ± 2.20	3.44 ± 2.70
	c	11.71 ± 4.49	21.05 ± 4.85	20.47 ± 4.29	22.22 ± 4.28	21.92 ± 5.42	15.51 ± 3.30	15.54 ± 3.07	20.45 ± 4.19	28.88 ± 4.92	26.85 ± 4.46	31.12 ± 5.43
	d	16.11 ± 4.90	20.10 ± 5.48	15.27 ± 4.79	18.26 ± 4.49	21.31 ± 5.47	38.55 ± 3.47	43.16 ± 3.09	48.74 ± 4.21	50.19 ± 5.03	50.49 ± 4.70	44.08 ± 5.54
	e	2.48 ± 4.92	5.97 ± 5.24	2.27 ± 4.71	2.65 ± 4.58	2.70 ± 5.71	6.73 ± 3.47	7.16 ± 3.20	8.70 ± 4.39	7.08 ± 5.19	9.15 ± 4.76	7.42 ± 6.00
	f	-1.31 ± 4.51	-7.91 ± 5.15	-5.15 ± 4.36	-8.05 ± 4.23	-12.71 ± 5.25	-7.90 ± 3.30	-5.24 ± 2.96	-5.68 ± 4.02	-4.47 ± 4.80	-7.25 ± 4.41	-1.30 ± 5.27
	Standard error of estimate	14.70	15.90	14.31	13.68	16.76	10.83	9.61	13.10	15.56	14.74	18.90
	r^2	0.46	0.64	0.61	0.70	0.64	0.87	0.91	0.88	0.85	0.87	0.81
pH (total scale)	a	8.0792 ± 0.0048	8.0758 ± 0.0061	8.0831 ± 0.0078	8.0855 ± 0.0085	8.0826 ± 0.0060	8.0786 ± 0.0054	8.0794 ± 0.0052	8.0840 ± 0.0047	8.0877 ± 0.0054	8.0911 ± 0.0044	8.0946 ± 0.0053
	b	-0.0041 ± 0.0016	-0.0056 ± 0.0020	-0.0059 ± 0.0026	-0.0054 ± 0.0028	-0.0068 ± 0.0019	-0.0054 ± 0.0018	-0.0061 ± 0.0017	-0.0068 ± 0.0016	-0.0063 ± 0.0018	-0.0066 ± 0.0015	-0.0065 ± 0.0017
	c	0.0085 ± 0.0032	0.0214 ± 0.0039	0.0193 ± 0.0051	0.0254 ± 0.0058	0.0319 ± 0.0039	0.0497 ± 0.0036	0.0502 ± 0.0035	0.0525 ± 0.0033	0.0495 ± 0.0037	0.0486 ± 0.0029	0.0451 ± 0.0035
	d	0.0111 ± 0.0035	0.0207 ± 0.0044	0.0170 ± 0.0057	0.0178 ± 0.0061	0.0268 ± 0.0040	0.0256 ± 0.0038	0.0267 ± 0.0035	0.0276 ± 0.0033	0.0292 ± 0.0038	0.0277 ± 0.0031	0.0314 ± 0.0036
	e	-0.0003 ± 0.0035	-0.0069 ± 0.0042	-0.0042 ± 0.0056	-0.0075 ± 0.0062	-0.0104 ± 0.0041	-0.0037 ± 0.0038	-0.0041 ± 0.0036	-0.0062 ± 0.0034	-0.0054 ± 0.0039	-0.0091 ± 0.0031	-0.0075 ± 0.0039
	f	0.0008 ± 0.0032	-0.0034 ± 0.0041	-0.0006 ± 0.0052	-0.0079 ± 0.0057	-0.0037 ± 0.0038	-0.0075 ± 0.0036	-0.0089 ± 0.0034	-0.0109 ± 0.0031	-0.0133 ± 0.0036	-0.0103 ± 0.0029	-0.0166 ± 0.0034
	Standard error of estimate	0.0105	0.0127	0.0170	0.0186	0.0121	0.0117	0.0109	0.0102	0.0117	0.0097	0.0128
	r^2	0.54	0.76	0.58	0.63	0.86	0.92	0.92	0.94	0.91	0.94	0.92
pH ₁₉ (total scale)	a	8.0539 ± 0.0064	8.0596 ± 0.0070	8.0644 ± 0.0063	8.0710 ± 0.0056	8.0682 ± 0.0075	8.0810 ± 0.0047	8.0835 ± 0.0045	8.0926 ± 0.0055	8.0932 ± 0.0064	8.0942 ± 0.0061	8.0976 ± 0.0071
	b	0.0002 ± 0.0021	0.0022 ± 0.0023	-0.0004 ± 0.0021	-0.0015 ± 0.0019	0.0003 ± 0.0024	-0.0008 ± 0.0015	-0.0012 ± 0.0015	-0.0032 ± 0.0018	-0.0025 ± 0.0021	-0.0030 ± 0.0020	-0.0034 ± 0.0024
	c	-0.0097 ± 0.0043	-0.0183 ± 0.0045	-0.0177 ± 0.0041	-0.0207 ± 0.0038	-0.0206 ± 0.0049	-0.0108 ± 0.0031	-0.0113 ± 0.0030	-0.0138 ± 0.0038	-0.0213 ± 0.0044	-0.0213 ± 0.0041	-0.0264 ± 0.0048
	d	-0.0139 ± 0.0047	-0.0173 ± 0.0050	-0.0128 ± 0.0046	-0.0146 ± 0.0040	-0.0155 ± 0.0050	-0.0315 ± 0.0033	-0.0350 ± 0.0030	-0.0386 ± 0.0038	-0.0392 ± 0.0045	-0.0403 ± 0.0043	-0.0375 ± 0.0049
	e	-0.0019 ± 0.0047	-0.0056 ± 0.0048	-0.0015 ± 0.0046	-0.0019 ± 0.0041	-0.0028 ± 0.0052	-0.0047 ± 0.0033	-0.0051 ± 0.0031	-0.0068 ± 0.0039	-0.0044 ± 0.0047	-0.0073 ± 0.0044	-0.0057 ± 0.0053
	f	0.0017 ± 0.0043	0.0064 ± 0.0047	0.0046 ± 0.0042	0.0064 ± 0.0037	0.0108 ± 0.0048	0.0055 ± 0.0031	0.0024 ± 0.0029	0.0011 ± 0.0036	0.0002 ± 0.0043	0.0034 ± 0.0040	-0.0025 ± 0.0046
	Standard error of estimate	0.0140	0.0146	0.0138	0.0121	0.0152	0.0103	0.0095	0.0118	0.0140	0.0135	0.0164
	r^2	0.40	0.61	0.55	0.70	0.61	0.82	0.87	0.85	0.81	0.83	0.80
C_T ($\mu\text{mol kg}^{-1}$)	a	2131.5 ± 6.4	2132.9 ± 7.0	2129.1 ± 7.1	2141.4 ± 9.8	2152.6 ± 12.9	2172.2 ± 8.8	2184.5 ± 9.2	2207.4 ± 12.4	2213.7 ± 10.4	2237.7 ± 9.8	2224.6 ± 10.1
	b	-6.5 ± 2.1	-8.1 ± 2.3	-5.8 ± 2.3	-3.6 ± 3.3	-5.7 ± 4.2	-5.6 ± 2.9	-7.6 ± 3.0	-10.5 ± 4.1	-4.6 ± 3.5	-6.8 ± 3.2	1.0 ± 3.4
	c	12.3 ± 4.3	13.6 ± 4.5	16.2 ± 4.6	6.5 ± 6.7	2.5 ± 8.5	21.8 ± 5.8	16.3 ± 6.2	23.3 ± 8.5	30.3 ± 7.2	19.0 ± 6.6	17.3 ± 6.8
	d	11.5 ± 4.7	8.5 ± 5.0	10.7 ± 5.1	15.3 ± 7.0	22.6 ± 8.6	28.9 ± 6.1	33.8 ± 6.2	37.6 ± 8.6	45.8 ± 7.3	40.9 ± 6.9	23.9 ± 6.9
	e	3.0 ± 4.7	1.2 ± 4.8	6.0 ± 5.1	7.1 ± 7.2	-1.5 ± 8.9	6.1 ± 6.1	3.5 ± 6.4	1.9 ± 8.9	10.3 ± 7.6	5.3 ± 7.0	5.2 ± 7.5
	f	5.1 ± 4.3	-1.0 ± 4.7	3.6 ± 4.7	1.3 ± 6.6	3.7 ± 8.2	5.1 ± 5.8	5.4 ± 5.9	-1.7 ± 8.2	3.9 ± 7.0	5.0 ± 6.5	4.5 ± 6.6
	Standard error of estimate	14.0	14.6	15.4	21.4	26.2	19.1	19.3	26.6	22.7	21.8	27.4
	r^2	0.56	0.55	0.55	0.28	0.33	0.65	0.68	0.60	0.73	0.68	0.45
NC _T ($\mu\text{mol kg}^{-1}$)	a	2177.5 ± 3.7	2175.7 ± 4.6	2172.6 ± 4.0	2174.0 ± 4.6	2178.8 ± 6.0	2180.0 ± 3.5	2182.8 ± 3.2	2186.1 ± 5.0	2187.6 ± 5.0	2194.7 ± 4.7	2189.2 ± 5.7
	b	-2.3 ± 1.2	-3.6 ± 1.6	-1.8 ± 1.3	-0.6 ± 1.5	-2.1 ± 1.9	-1.5 ± 1.1	-2.0 ± 1.0	-2.0 ± 1.6	-0.4 ± 1.7	-0.9 ± 1.5	1.7 ± 1.9
	c	7.9 ± 2.5	11.8 ± 3.0	12.4 ± 2.6	10.4 ± 3.1	9.0 ± 3.9	11.5 ± 2.3	9.9 ± 2.2	13.2 ± 3.4	18.5 ± 3.4	14.9 ± 3.1	16.6 ± 3.8
	d	9.4 ± 2.7	9.8 ± 3.3	8.7 ± 2.9	11.0 ± 3.3	13.9 ± 4.0	22.3 ± 2.4	25.4 ± 2.2	28.1 ± 3.4	31.0 ± 3.5	29.9 ± 3.3	23.5 ± 3.9
	e	1.7 ± 2.7	2.7 ± 3.2	2.6 ± 2.9	3.0 ± 3.3	0.7 ± 4.1	4.0 ± 2.4	3.4 ± 2.2	3.6 ± 3.6	5.2 ± 3.6	4.8 ± 3.4	4.2 ± 4.2
	f	1.0 ± 2.5	-2.9 ± 3.1	-0.6 ± 2.7	-2.2 ± 3.1	-3.2 ± 3.8	-0.6 ± 2.3	0.7 ± 2.1	-1.1 ± 3.3	1.0 ± 3.3	0.0 ± 3.1	2.2 ± 3.7

	Standard error of estimate	8.2	9.7	8.8	9.9	12.2	7.5	6.7	10.7	10.8	10.4	13.7
	r^2	0.55	0.61	0.61	0.54	0.48	0.83	0.88	0.79	0.83	0.82	0.71
$A_T (\mu\text{mol kg}^{-1})$	a	2407.7 \pm 7.5	2413.4 \pm 6.2	2412.0 \pm 7.7	2430.9 \pm 10.7	2442.1 \pm 14.3	2474.3 \pm 10.8	2490.9 \pm 11.7	2523.1 \pm 14.3	2532.6 \pm 11.5	2561.9 \pm 10.7	2549.3 \pm 9.0
	b	-7.4 \pm 2.5	-8.1 \pm 2.1	-7.1 \pm 2.6	-5.3 \pm 3.6	-6.4 \pm 4.6	-7.1 \pm 3.5	-9.7 \pm 3.8	-14.4 \pm 4.7	-7.2 \pm 3.8	-10.2 \pm 3.5	-1.3 \pm 3.0
	c	8.0 \pm 5.0	3.8 \pm 4.0	7.0 \pm 5.1	-6.6 \pm 7.2	-11.1 \pm 9.4	18.2 \pm 7.2	11.0 \pm 7.9	19.3 \pm 9.8	19.9 \pm 7.9	6.6 \pm 7.1	1.1 \pm 6.0
	d	4.2 \pm 5.5	-1.7 \pm 4.5	3.9 \pm 5.6	7.8 \pm 7.6	15.6 \pm 9.5	11.7 \pm 7.5	14.8 \pm 7.9	16.8 \pm 9.8	25.1 \pm 8.1	18.4 \pm 7.5	-0.1 \pm 6.2
	e	2.4 \pm 5.5	-2.4 \pm 4.3	6.0 \pm 5.5	7.1 \pm 7.8	-3.5 \pm 9.9	3.8 \pm 7.5	0.5 \pm 8.2	-4.6 \pm 10.3	8.9 \pm 8.3	0.9 \pm 7.6	1.5 \pm 6.7
	f	7.1 \pm 5.0	3.4 \pm 4.2	7.3 \pm 5.1	6.2 \pm 7.2	11.9 \pm 9.1	10.1 \pm 7.2	8.2 \pm 7.6	-1.7 \pm 9.4	4.9 \pm 7.7	8.6 \pm 7.1	3.8 \pm 5.9
	Standard error of estimate	16.4	13.0	16.8	23.2	29.0	23.5	24.6	30.6	25.0	23.6	27.4
	r^2	0.4	0.5	0.4	0.2	0.3	0.4	0.4	0.4	0.5	0.5	0.0
$NA_T (\mu\text{mol kg}^{-1})$	a	2459.7 \pm 2.7	2461.8 \pm 2.2	2461.3 \pm 2.8	2467.9 \pm 3.8	2471.9 \pm 5.1	2483.1 \pm 3.8	2488.9 \pm 4.1	2499.8 \pm 4.9	2503.0 \pm 3.9	2512.9 \pm 3.6	2508.6 \pm 3.0
	b	-2.7 \pm 0.9	-2.9 \pm 0.8	-2.6 \pm 0.9	-1.9 \pm 1.3	-2.3 \pm 1.6	-2.5 \pm 1.2	-3.4 \pm 1.3	-5.0 \pm 1.6	-2.4 \pm 1.3	-3.4 \pm 1.2	-0.4 \pm 1.0
	c	2.9 \pm 1.8	1.4 \pm 1.4	2.5 \pm 1.8	-2.4 \pm 2.6	-4.0 \pm 3.3	6.3 \pm 2.5	3.8 \pm 2.7	6.6 \pm 3.4	6.7 \pm 2.7	2.2 \pm 2.4	0.4 \pm 2.0
	d	1.5 \pm 2.0	-0.6 \pm 1.6	1.4 \pm 2.0	2.8 \pm 2.7	5.5 \pm 3.4	4.0 \pm 2.6	5.1 \pm 2.7	5.8 \pm 3.4	8.5 \pm 2.7	6.2 \pm 2.5	0.0 \pm 2.1
	e	0.9 \pm 2.0	-0.9 \pm 1.5	2.2 \pm 2.0	2.5 \pm 2.8	-1.2 \pm 3.5	1.3 \pm 2.6	0.2 \pm 2.8	-1.6 \pm 3.5	3.0 \pm 2.8	0.3 \pm 2.6	0.5 \pm 2.2
	f	2.6 \pm 1.8	1.2 \pm 1.5	2.7 \pm 1.8	2.2 \pm 2.5	4.2 \pm 3.2	3.5 \pm 2.5	2.8 \pm 2.6	-0.6 \pm 3.2	1.6 \pm 2.6	2.9 \pm 2.4	1.3 \pm 2.0
	Standard error of estimate	5.9	4.7	6.1	8.2	10.3	8.2	8.5	10.5	8.5	8.0	9.2
	r^2	0.4	0.5	0.4	0.2	0.3	0.4	0.4	0.4	0.5	0.5	0.0
$FCO_2 (\text{mmol m}^{-2} \text{ d}^{-1})$	a	-2.55 \pm 0.94	-2.37 \pm 1.11	-2.55 \pm 1.13	-2.98 \pm 1.15	-2.30 \pm 0.99	-1.93 \pm 0.97	-1.69 \pm 0.93	-1.52 \pm 0.91	-1.65 \pm 0.85	-1.47 \pm 0.79	-1.85 \pm 0.84
	b	0.19 \pm 0.31	0.32 \pm 0.37	0.23 \pm 0.38	0.44 \pm 0.38	0.34 \pm 0.32	0.31 \pm 0.32	0.30 \pm 0.30	0.26 \pm 0.30	0.30 \pm 0.28	0.25 \pm 0.26	0.35 \pm 0.28
	c	-1.36 \pm 0.63	-1.90 \pm 0.71	-1.98 \pm 0.74	-2.12 \pm 0.78	-2.82 \pm 0.65	-3.44 \pm 0.64	-3.34 \pm 0.62	-3.26 \pm 0.62	-2.74 \pm 0.58	-2.65 \pm 0.53	-2.35 \pm 0.56
	d	-1.49 \pm 0.68	-2.31 \pm 0.80	-1.90 \pm 0.83	-1.79 \pm 0.82	-2.00 \pm 0.66	-1.94 \pm 0.67	-1.86 \pm 0.63	-1.80 \pm 0.63	-1.58 \pm 0.59	-1.51 \pm 0.56	-1.36 \pm 0.57
	e	0.01 \pm 0.69	0.63 \pm 0.76	0.37 \pm 0.81	0.89 \pm 0.84	0.45 \pm 0.69	0.28 \pm 0.67	0.16 \pm 0.65	0.19 \pm 0.65	0.23 \pm 0.61	0.37 \pm 0.56	0.00 \pm 0.62
	f	-0.32 \pm 0.63	-0.04 \pm 0.75	-0.37 \pm 0.75	0.28 \pm 0.78	0.01 \pm 0.63	0.26 \pm 0.64	0.44 \pm 0.60	0.50 \pm 0.60	0.68 \pm 0.57	0.53 \pm 0.52	0.84 \pm 0.54
	Standard error of estimate	2.05	2.31	2.47	2.51	2.01	2.10	1.95	1.95	1.84	1.75	1.85
	r^2	0.33	0.46	0.39	0.42	0.58	0.63	0.63	0.61	0.57	0.58	0.54
d/CO_2	a	-25.24 \pm 4.67	-20.49 \pm 6.97	-28.39 \pm 8.10	-27.57 \pm 9.06	-22.63 \pm 6.21	-12.44 \pm 5.22	-10.89 \pm 5.11	-11.40 \pm 5.19	-15.11 \pm 5.92	-14.39 \pm 5.04	-18.35 \pm 6.49
	b	1.13 \pm 1.54	2.92 \pm 2.33	3.27 \pm 2.69	2.84 \pm 3.02	4.12 \pm 2.02	2.11 \pm 1.70	2.75 \pm 1.67	3.01 \pm 1.70	3.70 \pm 1.97	3.45 \pm 1.67	4.21 \pm 2.16
	c	-12.70 \pm 3.11	-27.96 \pm 4.44	-25.04 \pm 5.29	-33.93 \pm 6.16	-41.71 \pm 4.09	-57.56 \pm 3.45	-59.99 \pm 3.43	-61.70 \pm 3.55	-58.00 \pm 4.06	-58.93 \pm 3.38	-55.15 \pm 4.34
	d	-16.46 \pm 3.40	-27.87 \pm 5.01	-22.92 \pm 5.90	-23.43 \pm 6.46	-32.03 \pm 4.12	-32.63 \pm 3.62	-33.73 \pm 3.46	-33.88 \pm 3.57	-33.94 \pm 4.15	-32.58 \pm 3.56	-40.32 \pm 4.43
	e	-1.57 \pm 3.41	5.20 \pm 4.79	3.84 \pm 5.81	7.22 \pm 6.60	8.98 \pm 4.30	4.16 \pm 3.62	4.37 \pm 3.58	6.52 \pm 3.72	7.28 \pm 4.29	10.38 \pm 3.61	8.45 \pm 4.79
	f	1.82 \pm 3.13	6.38 \pm 4.71	3.46 \pm 5.38	11.35 \pm 6.10	8.30 \pm 3.96	12.76 \pm 3.45	13.96 \pm 3.31	14.81 \pm 3.41	18.50 \pm 3.96	15.39 \pm 3.35	22.97 \pm 4.21
	Standard error of estimate	10.18	14.55	17.65	19.69	12.63	11.31	10.73	11.10	12.86	11.18	16.18
	r^2	0.66	0.78	0.65	0.71	0.89	0.94	0.95	0.95	0.92	0.94	0.92

Table Sup2

	Longitude (°W)	SST (°C)				SSS				TCO _{2,sw} (μatm)				pH (total scale)				pH ₁₉ (total scale)				C _T (μmol kg ⁻¹)				NC _T (μmol kg ⁻¹)				A _T (μmol kg ⁻¹)				NA _T (μmol kg ⁻¹)												
		Winter	Spring	Summer	Autumn	Annual	Winter	Spring	Summer	Annual	Winter	Spring	Summer	Autumn	Annual	Winter	Spring	Summer	Autumn	Annual	Winter	Spring	Summer	Autumn	Annual	Winter	Spring	Summer	Autumn	Annual	Winter	Spring	Summer	Autumn	Annual	Winter	Spring	Summer	Autumn	Annual						
S section	5.15	0.69	1.04	2.13	1.12	1.70	0.255	0.197	0.223	0.253	0.247	10.84	11.63	13.47	12.68	14.02	0.0121	0.0124	0.0137	0.0134	0.0151	0.0130	0.0166	0.0246	0.0186	0.0197	20.6	16.6	19.6	24.5	23.3	10.2	9.5	14.2	14.1	13.7	20.6	19.1	19.9	23.4	22.3	7.4	6.9	7.2	8.5	8.1
	5.05	0.68	1.02	2.12	1.31	1.83	0.232	0.173	0.241	0.261	0.243	12.41	11.73	17.09	11.65	15.16	0.0144	0.0124	0.0165	0.0136	0.0164	0.0133	0.0144	0.0155	0.0200	0.0192	17.9	14.5	19.0	23.2	22.0	8.5	8.3	9.9	13.7	12.8	20.1	16.8	21.1	21.8	21.7	7.3	6.1	7.6	7.9	7.8
	4.95	0.72	1.23	2.20	1.68	2.00	0.323	0.167	0.198	0.303	0.271	12.96	13.84	27.13	13.05	18.66	0.0149	0.0139	0.0260	0.0154	0.0195	0.0123	0.0168	0.0163	0.0211	0.0207	19.8	15.3	15.2	28.8	24.4	9.1	9.9	8.6	16.1	14.3	22.2	16.8	20.1	27.5	23.6	8.0	6.1	7.2	9.8	8.5
	4.85	0.67	1.27	2.46	1.69	2.46	0.345	0.151	0.225	0.252	0.261	13.08	15.57	29.38	11.53	23.55	0.0147	0.0155	0.0281	0.0133	0.0235	0.0131	0.0162	0.0168	0.0237	0.0224	22.5	11.9	12.3	24.4	22.2	10.5	8.2	8.4	16.1	14.4	24.4	15.0	17.4	21.9	21.5	8.8	5.4	6.3	7.9	7.8
	4.75	0.78	1.51	2.21	2.05	2.57	0.338	0.149	0.234	0.205	0.251	14.60	13.42	26.77	11.96	25.03	0.0167	0.0135	0.0255	0.0133	0.0249	0.0140	0.0144	0.0121	0.0271	0.0224	23.0	13.6	15.1	23.3	21.9	11.0	8.4	7.9	18.0	14.6	25.0	15.2	17.7	16.7	20.6	9.1	5.5	6.3	6.1	7.5
	4.65	0.73	1.60	1.92	1.93	2.64	0.306	0.133	0.179	0.225	0.235	13.43	13.90	20.14	12.55	24.95	0.0147	0.0128	0.0176	0.0138	0.0241	0.0127	0.0157	0.0130	0.0269	0.0229	21.2	12.7	8.1	24.2	21.3	10.4	9.0	7.0	18.0	14.9	22.2	13.5	9.7	17.6	18.4	8.0	4.9	3.5	6.4	6.7
	4.55	0.78	1.50	1.91	1.85	2.65	0.249	0.117	0.176	0.233	0.209	13.74	15.61	21.24	12.53	25.43	0.0153	0.0145	0.0185	0.0142	0.0245	0.0127	0.0122	0.0117	0.0258	0.0226	20.8	9.6	8.0	23.6	20.0	9.8	6.3	17.1	14.1	23.2	11.9	8.7	19.7	18.3	8.4	4.3	3.1	7.1	6.6	
	4.45	0.77	1.62	1.91	2.10	2.77	0.265	0.128	0.175	0.209	0.212	13.71	18.37	22.49	14.27	26.40	0.0154	0.0178	0.0195	0.0147	0.0254	0.0141	0.0102	0.0111	0.0286	0.0240	19.4	11.5	8.1	29.0	22.5	9.8	6.3	20.3	18.3	7.7	4.7	2.9	7.3	6.6						
	4.35	0.77	1.57	2.05	2.10	2.63	0.282	0.138	0.190	0.209	0.218	13.97	19.53	24.86	13.35	25.78	0.0161	0.0195	0.0217	0.0142	0.0249	0.0146	0.0082	0.0102	0.0258	0.0224	16.5	12.8	6.5	28.1	8.8	5.9	5.7	18.8	14.6	19.4	14.0	6.7	20.2	17.8	7.0	5.1	2.4	7.3	6.4	
	4.25	0.80	1.50	2.63	2.07	2.58	0.230	0.140	0.166	0.194	0.197	12.13	17.98	31.35	12.98	25.05	0.0141	0.0183	0.0275	0.0143	0.0245	0.0122	0.0080	0.0045	0.0224	0.0198	18.0	13.6	7.4	23.0	20.2	8.5	6.4	7.5	15.5	13.3	20.6	14.2	8.6	17.6	17.7	7.4	5.1	3.1	6.4	6.4
	4.15	0.70	1.60	2.66	2.03	2.65	0.303	0.138	0.092	0.226	0.228	10.33	18.45	30.55	14.18	26.17	0.0124	0.0186	0.0267	0.0162	0.0255	0.0118	0.0095	0.0156	0.0220	0.0202	19.1	12.9	6.6	24.7	21.1	8.9	6.4	7.8	15.7	13.7	21.8	14.0	9.3	20.7	19.2	7.9	5.1	3.4	7.5	6.9
	4.05	0.63	1.55	2.32	1.77	2.67	0.382	0.146	0.161	0.251	0.272	13.70	17.45	29.39	12.54	26.62	0.0173	0.0179	0.0258	0.0150	0.0263	0.0148	0.0127	0.0146	0.0191	0.0217	22.4	13.4	9.1	25.9	23.8	9.3	7.6	8.4	15.0	14.8	30.2	14.8	7.8	23.2	23.4	10.8	5.3	2.8	8.4	8.4
	3.95	0.69	1.53	2.21	1.55	2.54	0.324	0.139	0.189	0.265	0.258	13.74	22.37	30.13	11.66	26.39	0.0150	0.0226	0.0276	0.0139	0.0260	0.0158	0.0166	0.0116	0.0182	0.0218	21.2	10.5	10.3	27.6	23.4	10.9	8.2	15.5	15.0	24.5	21.2	8.8	5.1	4.5	8.7	8.0				
	3.85	0.70	1.67	2.11	1.70	2.37	0.279	0.195	0.211	0.253	0.247	12.09	23.74	26.21	11.85	24.37	0.0127	0.0227	0.0256	0.0141	0.0242	0.0134	0.0130	0.0125	0.0173	0.0190	22.1	15.4	13.6	25.9	23.0	10.9	7.1	7.7	14.4	13.6	21.9	16.2	23.1	22.0	7.9	7.2	5.8	8.3	7.9	
	3.75	0.71	1.59	1.77	1.69	2.29	0.258	0.196	0.236	0.292	0.269	11.64	27.32	26.57	15.80	25.04	0.0139	0.0271	0.0248	0.0180	0.0256	0.0113	0.0118	0.0121	0.0188	0.0184	23.5	16.6	15.1	29.1	25.7	9.9	7.3	7.3	15.7	14.0	26.2	19.9	19.2	27.9	25.8	9.4	7.2	6.9	10.0	9.3
	3.65	0.75	1.60	2.17	1.73	2.49	0.345	0.218	0.281	0.280	0.281	13.81	28.28	34.05	17.14	28.89	0.0163	0.0292	0.0307	0.0186	0.0290	0.0131	0.0145	0.0114	0.0202	0.0201	22.3	17.8	14.4	26.7	24.7	9.3	8.7	4.7	15.2	13.7	28.5	22.0	22.0	28.3	28.2	10.2	7.9	7.9	10.2	10.1
	3.55	0.73	1.57	2.40	1.75	2.56	0.405	0.226	0.238	0.291	0.333	11.24	26.91	36.21	17.66	29.48	0.0148	0.0275	0.0326	0.0189	0.0293	0.0100	0.0165	0.0155	0.0190	0.0205	27.6	18.8	17.1	27.9	26.9	9.9	10.4	7.5	15.4	14.4	34.7	22.9	25.0	28.8	30.9	12.4	8.3	8.9	10.3	11.0
	3.45	0.68	1.62	2.17	1.61	2.51	0.419	0.200	0.253	0.306	0.343	9.66	25.03	34.51	15.49	27.95	0.0130	0.0249	0.0315	0.0171	0.0280	0.0096	0.0159	0.0125	0.0173	0.0201	30.5	16.1	14.5	31.0	29.4	11.6	9.4	6.4	16.2	15.5	36.1	19.4	20.6	29.0	31.8	12.8	7.0	10.4	11.3	
	3.35	0.65	1.82	2.36	1.76	2.87	0.423	0.197	0.210	0.309	0.333	10.56	31.41	32.53	15.01	31.43	0.0134	0.0283	0.0169	0.0306	0.0111	0.0178	0.0135	0.0179	0.0228	30.2	18.0	13.6	32.6	29.1	12.0	11.1	6.0	16.6	16.1	34.9	20.0	21.3	31.1	31.8	12.4	7.2	11.2	11.4		
	3.25	0.63	1.97	2.30	1.76	2.97	0.361	0.149	0.288	0.289	0.292	10.89	31.42	31.66	16.76	33.95	0.0137	0.0309	0.0278	0.0189	0.0323	0.0096	0.0191	0.0142	0.0189	0.0226	23.3	16.4	15.7	32.2	24.7	9.1	7.7	17.0	14.8	29.0	15.1	26.5	10.4	5.4	8.2	10.5	9.5			
	3.15	0.74	1.62	2.32	1.63	2.96	0.368	0.157	0.274	0.289	0.289	10.76	22.09	31.82	14.03	32.22	0.0128	0.0210	0.0277	0.0166	0.0303	0.0104	0.0150	0.0144	0.0184	0.0221	26.2	12.9	14.2	29.8	23.4	11.1	8.8	7.3	16.0	14.4	29.3	15.9	20.4	27.0	24.8	7.3	9.7	8.9		
	3.05	0.78	1.62	2.25	1.62	3.04	0.353	0.236	0.281	0.296	0.316	13.53	26.61	30.24	13.38	33.47	0.0149	0.0266	0.0259	0.0164	0.0320	0.0140	0.0157	0.0150	0.0182	0.0228	33.2	18.7	13.8	28.3	27.6	14.4	9.4	7.6	14.7	15.5	34.4	24.0	19.8	28.0	29.8	12.2	8.0	1		

40.125	0.87	2.63	1.17	2.84	4.24	0.285	0.391	0.142	0.219	0.286	15.55	29.10	22.94	17.81	43.63	0.0163	0.0263	0.0181	0.0196	0.0406	0.0149	0.0266	0.0096	0.0268	0.0320	25.0	41.6	15.6	29.1	31.5	11.2	22.8	8.3	19.5	21.4	28.9	34.8	14.3	21.7	27.2	9.7	12.0	4.8	7.3	9.3
40.375	0.75	2.73	1.29	2.78	4.30	0.298	0.188	0.114	0.230	0.230	14.40	30.49	25.93	17.34	43.93	0.0138	0.0292	0.0209	0.0198	0.0413	0.0159	0.0194	0.0108	0.0266	0.0322	31.4	26.0	14.9	29.6	31.4	14.6	15.8	8.9	19.7	22.2	30.2	19.0	11.5	21.8	22.9	10.2	6.4	3.9	7.3	7.7
40.625	0.70	2.73	1.28	2.76	4.33	0.192	0.271	0.121	0.241	0.228	7.86	32.97	26.59	17.62	43.59	0.0078	0.0308	0.0213	0.0199	0.0409	0.0119	0.0205	0.0108	0.0282	0.0328	21.6	32.8	14.4	30.3	32.9	10.7	18.4	8.6	20.2	23.2	19.5	27.5	12.3	24.1	23.0	6.5	9.4	4.1	8.1	7.7
40.875	0.83	2.49	1.25	2.43	3.86	0.193	0.229	0.110	0.296	0.265	11.86	30.49	24.02	12.65	35.52	0.0118	0.0286	0.0199	0.0139	0.0333	0.0166	0.0192	0.0123	0.0281	0.0318	23.1	27.7	14.0	24.6	29.5	13.0	16.1	9.2	16.1	20.6	19.6	23.2	11.1	29.1	26.4	6.5	7.9	3.7	9.8	8.9
41.125	0.58	2.41	1.03	3.29	3.72	0.213	0.109	0.133	0.209	0.209	8.02	32.17	19.30	13.61	23.38	0.0103	0.0307	0.0165	0.0162	0.0242	0.0078	0.0144	0.0053	0.0376	0.0361	17.4	14.2	12.4	40.5	35.5	6.7	10.0	5.2	28.4	25.7	21.5	10.5	13.5	21.0	21.0	7.2	3.5	4.5	7.0	7.0

Table Sup3

	$d/\text{CO}_2^{\text{SST}}$	$d/\text{CO}_2^{\text{SSS}}$	$d/\text{CO}_2^{\text{AT}}$	$d/\text{CO}_2^{\text{CT}}$	$d/\text{CO}_2/\text{dt}$ (sum)	$d/\text{CO}_2/\text{dt}$ (obs)
S1	2019	0.25	0.23	0.74	0.78	1.13
	2020	1.90	0.56	1.82	1.67	3.17
	2021	4.29	0.32	1.01	2.04	4.87
	2022	0.97	0.14	0.42	0.81	1.34
	2023	6.44	0.99	1.62	2.86	7.30
S2	2019	1.23	0.01	0.17	1.31	1.80
	2020	4.77	0.08	1.03	1.68	5.17
	2021	2.90	0.06	0.64	2.70	4.01
	2022	1.50	0.04	0.31	1.22	1.95
	2023	3.96	0.53	1.58	2.26	4.85
S3	2019	2.36	0.15	1.44	2.16	3.51
	2020	3.67	0.11	1.21	1.54	4.16
	2021	3.89	0.13	1.29	2.07	4.59
	2022	1.28	0.09	0.70	1.11	1.83
	2023	4.66	0.56	1.78	2.64	5.67
S4	2019	1.34	0.03	1.34	2.03	2.78
	2020	6.38	0.00	2.76	2.59	7.42
	2021	4.77	0.00	1.56	1.97	5.39
	2022	2.12	0.02	0.96	1.15	2.60
	2023	6.84	0.24	2.69	5.01	8.90
S5	2019	1.81	0.07	0.66	1.86	2.68
	2020	3.66	0.02	3.03	2.34	5.30
	2021	2.85	0.16	2.22	2.61	4.46
	2022	2.35	0.15	1.28	1.04	2.87
	2023	8.10	0.82	4.28	4.73	10.35
E1	2019	1.77	0.10	1.54	1.51	2.79
	2020	3.43	0.10	0.98	2.28	4.23
	2021	2.59	0.19	1.52	2.82	4.13
	2022	2.25	0.09	0.68	2.08	3.14
	2023	7.62	0.62	3.40	3.43	9.04
E2	2019	1.56	0.64	1.99	1.67	3.09
	2020	3.43	0.44	1.47	1.85	4.19
	2021	2.74	0.57	2.13	3.04	4.65
	2022	2.28	0.10	0.45	2.41	3.35
	2023	4.19	0.75	3.74	3.84	6.85
E3	2019	2.16	0.37	1.38	2.42	3.55
	2020	3.29	0.42	2.64	3.38	5.42
	2021	3.16	0.27	2.72	3.56	5.49
	2022	2.44	0.03	0.42	2.61	3.60
	2023	5.58	0.43	3.49	4.44	7.96
E4	2019	2.47	0.25	1.43	1.71	3.34
	2020	3.41	0.56	2.48	2.74	5.06
	2021	2.32	0.72	2.90	3.73	5.32
	2022	2.55	0.25	1.03	2.51	3.73
	2023	3.60	1.14	2.41	3.01	5.39
E5	2019	2.50	0.13	0.54	1.46	2.94
	2020	3.09	0.31	1.18	2.01	3.88
	2021	2.55	0.34	1.28	2.71	3.95
	2022	2.54	0.15	0.65	2.61	3.71
	2023	4.74	0.86	1.99	2.82	5.93
E6	2019	2.76	0.52	1.02	1.67	3.42
	2020	4.63	0.57	1.15	1.62	5.07
	2021	2.11	0.84	2.11	2.58	4.04
	2022	2.59	0.06	0.21	1.73	3.12
	2023	2.83	0.20	1.34	2.51	4.01

Table Sup4

FCO ₂ (mol m ⁻² yr ⁻¹)												ΔfCO ₂ (μatm)										Wind speed (m s ⁻¹)												
	S1	S2	S3	S4	S5	E1	E2	E3	E4	E5	E6	S1	S2	S3	S4	S5	E1	E2	E3	E4	E5	E6	S1	S2	S3	S4	S5	E1	E2	E3	E4	E5	E6	
2019	Annual	0.20	0.48	0.38	0.76	0.82	0.90	1.02	1.04	0.88	0.85	0.92	9.04	17.63	14.24	36.27	31.95	49.01	55.87	61.14	59.62	57.64	65.01	0.9	1.0	0.9	0.8	0.9	0.8	0.8	0.7	0.7	0.8	1.2
	Winter	0.02	0.32	0.29	0.26	0.30	0.14	0.10	0.14	0.12	0.19	0.35	5.25	4.42	3.25	0.27	4.41	3.32	7.34	0.55	1.20	4.49	0.66	0.7	0.9	0.7	0.7	0.7	0.5	0.3	0.3	0.4	0.3	0.6
	Spring	0.16	0.47	0.43	0.61	0.79	0.76	0.67	0.81	0.61	0.69	0.35	1.24	10.97	8.69	20.34	25.08	31.22	31.34	40.03	34.95	39.39	34.59	0.6	0.7	0.7	0.6	0.6	0.5	0.4	0.4	0.4	0.4	0.1
	Summer	0.09	0.17	0.24	0.31	0.54	0.58	0.47	0.57	0.40	0.44	0.32	3.36	0.49	1.36	9.22	10.73	13.53	13.43	17.49	15.27	15.17	17.86	0.5	0.6	0.7	0.5	0.6	0.4	0.4	0.4	0.5	0.5	0.7
	Autumn	0.06	0.04	0.10	0.22	0.15	0.20	0.42	0.31	0.35	0.25	0.58	8.88	10.05	8.27	22.44	12.28	26.11	34.04	31.51	35.19	28.60	41.73	0.6	0.7	0.7	0.6	0.7	0.5	0.4	0.4	0.5	0.5	0.4
2020	Annual	0.51	0.71	0.68	0.83	0.82	0.91	0.97	0.96	0.82	0.81	0.81	12.58	26.47	24.14	32.35	33.20	46.51	50.07	52.61	50.25	51.42	55.46	1.0	1.1	0.9	0.8	0.8	0.9	0.7	0.7	0.8	0.8	0.9
	Winter	0.24	0.36	0.29	0.40	0.20	0.12	0.04	0.05	0.08	0.10	0.18	3.05	4.48	3.39	5.03	2.08	2.63	2.60	1.20	2.24	2.80	5.30	0.5	0.6	0.4	0.7	0.5	0.5	0.3	0.3	0.4	0.3	0.4
	Spring	0.47	0.67	0.59	0.76	0.73	0.76	0.75	0.73	0.62	0.65	0.39	9.40	19.92	16.48	23.43	23.61	30.91	33.47	36.37	33.74	37.20	36.61	0.5	0.7	0.6	0.5	0.5	0.6	0.5	0.5	0.6	0.6	0.3
	Summer	0.17	0.24	0.17	0.33	0.40	0.46	0.45	0.45	0.37	0.38	0.21	1.97	6.17	3.95	9.93	9.63	14.61	16.75	19.00	16.81	18.39	16.62	0.4	0.5	0.3	0.2	0.3	0.4	0.3	0.3	0.4	0.4	0.3
	Autumn	0.09	0.11	0.19	0.14	0.20	0.25	0.34	0.34	0.29	0.26	0.52	5.58	11.66	12.68	14.01	15.50	22.93	24.04	23.74	24.01	22.02	27.49	0.3	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.7
2021	Annual	0.71	0.92	0.94	0.95	0.95	1.12	1.05	0.99	0.89	0.91	0.77	16.09	29.13	24.95	30.03	36.24	46.39	48.87	48.56	48.21	49.29	52.72	1.0	1.0	0.9	0.8	0.8	0.9	0.8	0.8	0.8	0.7	0.7
	Winter	0.19	0.33	0.21	0.34	0.12	0.17	0.11	0.10	0.06	0.07	0.07	4.09	6.94	3.65	4.18	3.04	2.34	1.35	2.17	2.30	1.67	4.74	0.2	0.2	0.1	0.7	0.1	0.2	0.3	0.3	0.2	0.1	0.2
	Spring	0.54	0.80	0.71	0.80	0.70	0.78	0.76	0.67	0.62	0.64	0.46	10.66	23.46	19.14	20.44	25.99	31.39	33.45	32.80	33.39	35.46	36.84	0.7	0.7	0.6	0.7	0.6	0.8	0.8	0.8	0.7	0.6	0.3
	Summer	0.11	0.26	0.16	0.21	0.25	0.29	0.30	0.27	0.29	0.29	0.17	3.41	9.98	7.22	8.67	11.30	15.19	17.22	17.53	19.10	19.61	17.77	0.2	0.2	0.2	0.1	0.3	0.3	0.4	0.4	0.4	0.3	0.1
	Autumn	0.30	0.26	0.42	0.30	0.43	0.54	0.48	0.50	0.42	0.41	0.46	7.80	10.03	10.33	14.28	16.31	22.17	22.51	22.44	20.80	20.34	23.78	0.5	0.5	0.5	0.1	0.3	0.3	0.1	0.1	0.2	0.2	0.5
2022	Annual	0.54	0.81	0.74	0.78	0.92	1.04	1.01	0.98	0.85	0.81	0.74	15.01	28.97	24.78	30.99	38.74	47.99	50.06	51.40	49.93	49.75	51.78	0.6	0.6	0.6	0.4	0.6	0.5	0.5	0.4	0.4	0.4	0.6
	Winter	0.10	0.23	0.16	0.19	0.11	0.13	0.14	0.13	0.08	0.05	0.12	1.24	3.82	2.71	1.81	3.84	4.84	5.08	4.07	2.38	1.31	1.74	0.1	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.3
	Spring	0.33	0.64	0.54	0.67	0.66	0.67	0.62	0.61	0.54	0.56	0.41	7.72	20.59	17.34	22.46	28.74	30.13	31.38	33.46	32.92	34.98	34.88	0.3	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2
	Summer	0.04	0.14	0.11	0.27	0.22	0.26	0.25	0.25	0.24	0.25	0.20	3.56	6.30	4.94	10.30	11.03	13.45	14.20	15.86	15.98	17.58	15.92	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.2
	Autumn	0.31	0.30	0.33	0.20	0.41	0.53	0.54	0.52	0.43	0.38	0.43	9.95	13.41	11.81	13.15	16.36	25.39	26.37	25.54	24.22	21.72	24.73	0.4	0.2	0.3	0.1	0.4	0.3	0.2	0.2	0.2	0.2	0.4
2023	Annual	0.60	0.88	0.83	0.82	0.97	1.20	1.03	1.05	0.93	0.85	0.72	17.78	33.27	31.95	38.29	45.98	50.05	48.52	51.81	50.67	48.40	48.59	1.0	0.9	0.9	0.6	0.9	0.9	0.8	0.8	0.7	0.7	0.7
	Winter	0.18	0.12	0.18	0.14	0.17	0.23	0.23	0.24	0.16	0.16	0.04	1.39	4.46	3.28	3.96	8.00	6.14	6.44	6.32	3.85	4.33	2.20	0.5	0.4	0.4	0.3	0.7	0.5	0.4	0.4	0.4	0.3	0.3
	Spring	0.22	0.58	0.50	0.70	0.60	0.67	0.53	0.54	0.54	0.50	0.46	10.05	24.36	24.13	31.68	37.60	30.12	29.08	32.10	34.22	32.93	31.66	0.3	0.4	0.3	0.2	0.4	0.4	0.4	0.3	0.3	0.3	0.5
	Summer	0.16	0.12	0.06	0.42	0.13	0.22	0.15	0.16	0.19	0.18	0.18	3.57	8.76	10.34	21.65	16.83	13.81	12.69	14.95	17.76	18.65	16.01	0.5	0.5	0.4	0.4	0.5	0.5	0.4	0.4	0.4	0.3	0.3
	Autumn	0.47	0.48	0.49	0.19	0.57	0.75	0.69	0.70	0.56	0.49	0.39	11.27	14.99	13.28	9.49	15.75	27.82	27.33	27.70	23.57	21.32	24.11	0.8	0.5	0.6	0.4	0.8	0.5	0.5	0.4	0.4	0.4	0.2

