

Figure S1. SON-mean total AOD at 550 nm and winds at 925 hPa for 2002–2023 in (a) observations (CAMS/ERA5) and (b) CMIP6 MMM. (c) CMIP6 MMM bias against observations and (d) intermodel standard deviation for precipitation. Bias in mean AOD at 550 nm in the models with the (e) least (CanESM5) and (f) most (CESM2-WACCM) deviation from CAMS as determined by pattern correlation. Pattern correlation with CAMS is shown below




Figure S2. SON-mean total AOD at 870 nm for 2002–2023 in (a) observations (CAMS) and (b) CMIP6 MMM. (c) CMIP6 MMM bias against observations and (d) intermodel standard deviation for precipitation. Mean AOD at 870 nm in the models with the (e) least (IPSL-CM6A-LR) and (f) most (MRI-ESM2-0) deviation from CAMS as determined by pattern correlation.




Figure S3. Average distribution of rainfall in August from 1981-2023 for a) ERA5 b) GPCP c) CRU and d) CHIRPS, demonstrating the high orographical rainfall in ERA5 not present in other observational datasets.

U.S. Embassy Location	Model	R²	RMSE (μgm^{-3})	MAE (μgm^{-3})
Accra	GFDL-ESM4	0.50	12.24	7.00
	GISS-E2-1-G	0.55	11.69	6.76
	IPSL-CM5A2-INCA	0.36	13.91	8.34
	MIROC6	0.38	13.68	8.59
	NorESM1-LM	0.42	13.27	7.77
	CESM2	0.51	12.21	7.83
	EC-Earth3-AerChem	0.64	10.44	6.90
	UKESM1-0-LL	0.53	11.94	7.09
	GFDL-ESM4	0.39	22.95	15.55
Ouagadougou	GISS-E2-1-G	0.45	21.93	14.84
	IPSL-CM5A2-INCA	0.27	25.14	17.48
	MIROC6	0.13	27.46	19.93
	NorESM1-LM	0.50	20.85	15.67
	CESM2	0.38	23.13	17.40
	EC-Earth3-AerChem	0.32	24.31	16.90
	UKESM1-0-LL	0.27	25.14	17.27
	GFDL-ESM4	0.56	8.09	6.21
	GISS-E2-1-G	0.59	7.83	6.35
Abidjan	IPSL-CM5A2-INCA	0.39	9.52	7.31
	MIROC6	0.34	9.93	8.01
	NorESM1-LM	0.45	9.01	6.72
	CESM2	0.37	9.69	7.72
	EC-Earth3-AerChem	0.57	7.96	6.34
	UKESM1-0-LL	0.60	7.71	6.21
	GFDL-ESM4	0.62	21.97	14.68
	GISS-E2-1-G	0.50	25.36	15.68
	IPSL-CM5A2-INCA	0.34	29.10	19.02
Abuja	MIROC6	0.20	32.00	22.02
	NorESM1-LM	0.29	30.20	23.17
	CESM2	0.37	28.50	19.87
	EC-Earth3-AerChem	0.35	28.81	20.07
	UKESM1-0-LL	0.40	27.82	17.33
	GFDL-ESM4	0.02	7.44	5.90
	GISS-E2-1-G	0.01	7.49	5.89
	IPSL-CM5A2-INCA	0.08	7.21	5.53
	MIROC6	0.003	7.50	5.89
Addis Ababa	NorESM1-LM	0.07	7.25	5.26
	CESM2	0.06	7.27	5.27
	EC-Earth3-AerChem	0.11	7.07	5.38
	UKESM1-0-LL	0.05	7.32	5.59
	GFDL-ESM4	0.02	13.53	10.45
	GISS-E2-1-G	0.01	13.60	10.58
	IPSL-CM5A2-INCA	0.01	13.63	10.49
	MIROC6	0.0003	13.69	10.68
	NorESM1-LM	0.02	13.58	10.45
Kampala	CESM2	0.00006	13.69	10.69
	EC-Earth3-AerChem	0.002	13.68	10.68
	UKESM1-0-LL	0.01	13.60	10.60

Nairobi	GFDL-ESM4	0.001	8.35	6.36
	GISS-E2-1-G	0.003	8.34	6.31
	IPSL-CM5A2-INCA	0.02	8.28	6.05
	MIROC6	0.004	8.35	6.29
	NorESM1-LM	0.08	8.01	5.71
	CESM2	0.60	8.11	5.68
	EC-Earth3-AerChem	0.01	8.31	6.23
	UKESM1-0-LL	0.008	8.32	6.23
Kigali	GFDL-ESM4	0.001	13.81	11.21
	GISS-E2-1-G	0.02	13.05	11.25
	IPSL-CM5A2-INCA	0.02	13.08	11.17
	MIROC6	0.11	12.47	11.05
	NorESM1-LM	0.12	13.67	11.45
	CESM2	0.05	12.85	10.85
	EC-Earth3-AerChem	0.00004	13.19	11.23
	UKESM1-0-LL	0.001	13.18	11.25
Lome	GFDL-ESM4	0.95	2.96	2.42
	GISS-E2-1-G	0.91	4.06	3.70
	IPSL-CM5A2-INCA	0.96	2.57	1.86
	MIROC6	0.89	4.55	4.30
	NorESM1-LM	0.57	8.89	6.37
	CESM2	0.77	6.51	5.42
	EC-Earth3-AerChem	0.80	6.13	4.73
	UKESM1-0-LL	0.93	3.54	3.07
Dakar	GFDL-ESM4	0.25	12.89	10.03
	GISS-E2-1-G	0.23	13.03	10.63
	IPSL-CM5A2-INCA	0.15	13.76	10.88
	MIROC6	0.22	13.14	11.20
	NorESM1-LM	0.31	12.40	8.63
	CESM2	0.11	14.06	10.86
	EC-Earth3-AerChem	0.14	13.79	10.90
	UKESM1-0-LL	0.29	12.58	10.39
Cairo	GFDL-ESM4	0.005	13.82	10.48
	GISS-E2-1-G	0.009	13.79	10.87
	IPSL-CM5A2-INCA	0.15	12.75	10.70
	MIROC6	0.12	12.98	10.50
	NorESM1-LM	0.06	13.41	10.39
	CESM2	0.15	12.79	9.07
	EC-Earth3-AerChem	0.03	13.62	11.00
	UKESM1-0-LL	0.01	13.76	10.90
Bamako	GFDL-ESM4	0.03	31.06	25.07
	GISS-E2-1-G	0.05	30.69	24.52
	IPSL-CM5A2-INCA	0.01	31.28	24.97
	MIROC6	0.12	29.60	23.54
	NorESM1-LM	0.09	30.07	24.45
	CESM2	0.26	26.91	22.01
	EC-Earth3-AerChem	0.003	31.44	25.25
	UKESM1-0-LL	0.10	29.84	23.72

Table S1. Comparison of CMIP6 models and surface PM_{2.5} observations with reference monitors at U.S. embassy locations in Africa.