

Supplemental Material

Ozone deposition measurements over wheat fields in the North China Plain: variability and related factors of deposition flux and velocity

5 Xiaoyi Zhang^{1,2}, Wanyun Xu^{1,*}, Weili Lin³, Gen Zhang¹, Jinjian Geng^{4,5}, Li Zhou^{4,5}, Huarong Zhao^{4,5}, Sanxue Ren^{4,5}, Guangsheng Zhou^{4,5}, Jianmin Chen² and Xiaobin Xu^{1,*}

¹ State Key Laboratory of Severe Weather, Key Laboratory for Atmospheric Chemistry, Institute of Atmospheric Composition, Chinese Academy of Meteorological Sciences, Beijing, China, 100081

² Department of Atmospheric and Oceanic Sciences, Fudan University, Shanghai, China, 200433

10 ³ College of Life and Environmental Sciences, Minzu University of China, Beijing, China, 100081

⁴ State Key Laboratory of Severe Weather, Institute of Agricultural Meteorology, Chinese Academy of Meteorological Sciences, Beijing, China, 100081

⁵ Hebei Gucheng Agricultural Meteorology National Observation and Research Station, Baoding, China, 072656

Correspondence to: Wanyun Xu (xuwy@cma.gov.cn) and Xiaobin Xu (xiaobin_xu@189.cn)

15 List of Contents:

Figure S1: The influences of wind dead-bands (w_0) on REA-H₂O (a, d), REA-CO₂ (b, e) and REA-heat (c, f) fluxes in the daytime (a-c) and nighttime (d-f), driven by EC raw data with a constant $b = 0.60$. F^* and F represent the REA fluxes with and without w_0 , respectively. The linear regressions and correlation coefficients (r) between F^* and F are inset in each figure, and n is the total number of the valid fluxes.

20 **Figure S2:** The comparison of O₃ concentration in the updraft and downdraft reservoirs.

Figure S3: The comparison of CO₂ (a), H₂O (b) and heat (c) fluxes driven by EC theory and REA technique with a constant $b = 0.60$ and w_0 . The linear regressions and correlation coefficients (r) between two fluxes are inset in each figure.


Figure S4: Variations of O₃ flux (purple lines) and concentration (orange lines) during (a) 8-13 April, (b) 27 April-1 May and (c) 18-22 May, with shades representing daytime hours.

25 **Figure S5:** Variations of nighttime averaged O₃ deposition velocity (V_d , blue circle lines), H₂O flux (F_{H_2O} , green lines) and NO concentration (red lines) during 18 March-2 June.

Table S1: Summary of observed O₃ deposition velocity (V_d) in recent years.

Table S2: Winter wheat phenology at GC during 2022-2023.

30 **Table S3:** The relationships of O₃ deposition velocity (V_d) and friction velocity (u^*), soil volumetric water content (soil VWC) at different ranges of LAI.



35 **Figure S1: The influences of wind dead-bands (w_0) on REA- H_2O (a, d), REA- CO_2 (b, e) and REA-heat (c, f) fluxes in the daytime (a-c) and nighttime (d-f), driven by EC raw data with a constant $b = 0.60$. F^* and F represent the REA fluxes with and without w_0 , respectively. The linear regressions and correlation coefficients (r) between F^* and F are inset in each figure, and n is the total number of the valid fluxes.**







Figure S2: The comparison of O₃ concentration in the updraft and downdraft reservoirs.



45 **Figure S3: The comparison of CO₂ (a), H₂O (b) and heat (c) fluxes driven by EC theory and REA technique with a constant $b = 0.60$ and w_0 . The linear regressions and correlation coefficients (r) between two fluxes are inset in each figure.**



50 **Figure S4: Variations of O₃ flux (purple lines) and concentration (orange lines) during (a) 8-13 April, (b) 27 April-1 May and (c) 18-22 May, with shades representing daytime hours.**



55 **Figure S5: Variations of nighttime averaged O₃ deposition velocity (V_d , blue circle lines), H₂O flux (F_{H_2O} , green lines) and NO concentration (red lines) during 18 March-2 June.**

Table S1: Summary of observed O₃ deposition velocity (V_d) in recent years.

Surface type	Date	Metrics	V _d (cm s ⁻¹)	Site	Method	References
Wheat	2016.3.16-5.30	Mean	0.39	Nanjing, China	EC	(Xu et al., 2018)
	2012.3.7-6.7	Day Mean	0.42	Yucheng, China	EC	(Zhu et al., 2015)
		Night Mean	0.14			
Maize	2011.8.9-9.28	Day mean	0.29	Yucheng, China	EC	(Zhu et al., 2014)
	2002 summer	Night mean	0.09	Grignon, France	EC	(Lamaud et al., 2009)
		Mean	0.5			
Potato	2006 summer	Mean	0.66	Scotland, England	EC	(Coyle et al., 2009)
Grassland	May 2000	Mean	0.22±0.22	Braunschweig, Germany	EC	(Mészáros et al., 2009)
	May 2001- Nov. 2004	Median	0.48±0.37	Scotland, England	FG/EC	(Coyle, 2005)
Moorland	1995-1998	Mean, at 0-40 ppb	0.75	Auchencorth Moss, Scotland	FG/EC	(Fowler et al., 2001)
	1995-1998	Mean, at 40-80 ppb	0.4			
Forest	2000-2009	Range	0.11-0.42	Hyttiälä, Finland	EC	(Rannik et al., 2012)
	1993-2000	Median	0.30	Massachusetts, America	EC	(Wu et al., 2015)
			0.35		FG ^c	
			0.35		FG ^d	
			0.62		FG ^e	
Soil	2001.4.30-5.31	Mean	0.21±0.21	La Crau, France	EC	(Stella et al., 2019)
	2008-2010 ^a		0.29±0.33	Lamasquere, France		
	2007.10.19-2008.3.4		0.26±0.20	La Cape Sud, France		
	2011.3.17-5.5		0.36±0.28	Lusignan, France		
	2014.3.24-4.14		0.61±0.48	Turro, Italy		
Sea	2006-2008	Range	0.01-0.24	Gulf of Mexico	EC	(Bariteau et al., 2010)
	2006-2008	Range	0.009-	- ^b	EC	(Helmig et al.,

EC represents eddy covariance (EC) method, and FG refers flux-gradient (FG) approach.

60 ^a The specific observation periods includes 2008.4.24-5.26, 2008.11.20-12.18, 2009.11.14-2010.5.12 and 2010.9.29-11.9.

^b The seas includes The Gulf of Mexico, Eastern Pacific Ocean, Western Atlantic Ocean and Southern Ocean.

^c Modified micrometeorological gradient method.

^d Modified Bowen ratio gradient method.

^e Aerodynamic gradient method.

65

Table S2: Winter wheat phenology at GC during 2022-2023.

Stage	Sowing	Emergence	Three-leaf	Tillering	Dormancy	Greening	Standing
Date	2022.10.18	2022.10.28	2022.11.19		2022.11.29	2023.03.02	2023.03.21
Stage	Elongation	Booting	Heading	Flowering	Milk-ripe	Ripening	Harvest
Date	2023.04.01	2023.04.15	2023.04.27	2023.05.05	2023.05.25	2023.06.11	2023.06.18

70 **Table S3: The relationships of O₃ deposition velocity (V_d) and friction velocity (u*), soil volumetric water content (soil VWC) at different ranges of LAI.**

		Slope	Intercept	Std. Err.	p-value	r	n
V _d ~ u*	LAI<1	0.84	0.09	0.32	0.00	0.39	158
	1≤LAI<2	1.13	0.04	0.67	0.00	0.45	48
	2≤LAI<3	2.36	0.01	0.40	0.00	0.57	282
	LAI≥3	1.91	0.15	0.49	0.00	0.42	285
V _d ~ soil VWC	LAI>3.0	4.42	-1.23	1.01	0.00	0.46	285
	LAI>3.5	7.25	-2.30	2.02	0.00	0.46	186
	LAI>4.0	8.44	-2.86	2.40	0.00	0.52	132
	LAI>4.5	15.32	-5.86	5.61	0.00	0.67	39

References

- 75 Bariteau, L., Helmig, D., Fairall, C. W., Hare, J. E., Hueber, J., and Lang, E. K.: Determination of oceanic ozone deposition by ship-borne eddy covariance flux measurements, *Atmos. Meas. Tech.*, 3, 441-455, 10.5194/amt-3-441-2010, 2010.
Coyle, M.: The gaseous exchange of ozone at terrestrial surfaces : non-stomatal deposition to grassland, Coyle, M., Nemitz, E., Storeton-West, R., Fowler, D., and Cape, J. N.: Measurements of ozone deposition to a potato canopy, *Agricultural and Forest Meteorology*, 149, 655-666, <https://doi.org/10.1016/j.agrformet.2008.10.020>, 2009.
- 80 Fowler, D., Flechard, C., Cape, J. N., Storeton-West, R. L., and Coyle, M.: Measurements of Ozone Deposition to Vegetation Quantifying the Flux, the Stomatal and Non-Stomatal Components, *Water, Air, and Soil Pollution*, 130, 63-74, 10.1023/A:1012243317471, 2001.
Helmig, D., Lang, E. K., Bariteau, L., Boylan, P., Fairall, C. W., Ganzeveld, L., Hare, J. E., Hueber, J., and Pallandt, M.: Atmosphere-ocean ozone fluxes during the TexAQS 2006, STRATUS 2006, GOMECC 2007, GasEx 2008, and AMMA 2008 cruises, *J. Geophys. Res. Atmos.*, 117, <https://doi.org/10.1029/2011JD015955>, 2012.
- 85 Lamaud, E., Loubet, B., Irvine, M., Stella, P., Personne, E., and Cellier, P.: Partitioning of ozone deposition over a developed maize crop between stomatal and non-stomatal uptakes, using eddy-covariance flux measurements and modelling, *Agricultural and Forest Meteorology*, 149, 1385-1396, <https://doi.org/10.1016/j.agrformet.2009.03.017>, 2009.
Mészáros, R., Horváth, L., Weidinger, T., Neftel, A., Nemitz, E., Dämmgen, U., Cellier, P., and Loubet, B.: Measurement and modelling ozone fluxes over a cut and fertilized grassland, *Biogeosciences*, 6, 1987-1999, 10.5194/bg-6-1987-2009, 2009.
- 90 Rannik, Ü., Altimir, N., Mammarella, I., Bäck, J., Rinne, J., Ruuskanen, T. M., Hari, P., Vesala, T., and Kulmala, M.: Ozone deposition into a boreal forest over a decade of observations: evaluating deposition partitioning and driving variables, *Atmos. Chem. Phys.*, 12, 12165-12182, 10.5194/acp-12-12165-2012, 2012.
Stella, P., Loubet, B., de Berranger, C., Charrier, X., Ceschia, E., Gerosa, G., Finco, A., Lamaud, E., Serça, D., George, C., and Ciuraru, R.: Soil ozone deposition: Dependence of soil resistance to soil texture, *Atmos. Environ.*, 199, 202-209, 10.1016/j.atmosenv.2018.11.036, 2019.
- 95 Wu, Z. Y., Zhang, L., Wang, X. M., and Munger, J. W.: A modified micrometeorological gradient method for estimating O_3 dry depositions over a forest canopy, *Atmos. Chem. Phys.*, 15, 7487-7496, 10.5194/acp-15-7487-2015, 2015.
Xu, J., Zheng, Y., Mai, B., Zhao, H., Chu, Z., Huang, J., and Yuan, Y.: Simulating and partitioning ozone flux in winter wheat field: the Surf atm-O₃ model (in Chinese), *China Environmental Science* 38, 455-470, 2018.
- 100 Zhu, Z., Sun, X., Zhao, F., and Meixner, F. X.: Ozone concentrations, flux and potential effect on yield during wheat growth in the Northwest-Shandong Plain of China, *Journal of Environmental Sciences*, 34, 1-9, <https://doi.org/10.1016/j.jes.2014.12.022>, 2015.
Zhu, Z., Sun, X., Dong, Y., Zhao, F., and Meixner, F. X.: Diurnal variation of ozone flux over corn field in Northwestern Shandong Plain of China, *Science China Earth Sciences*, 57, 503-511, 10.1007/s11430-013-4797-9, 2014.