

Supplementary Information

Mechanistic insight into the kinetic fragmentation of Norpinonic Acid in the gas phase: An experimental and DFT study

Izabela Kurzydym^{1,3}, Agata Błaziak², Kinga Podgórniaik^{1,3}, Karol Kułacz^{1,3}, Kacper Błaziak^{*,1,3}

¹Faculty of Chemistry, University of Warsaw, ul. Pasteura 1, 01-224 Warsaw, Poland

²Institute of Physical Chemistry, Polish Academy of Sciences, Warsaw 01-224, Poland

³Biological and Chemical Research Center, University of Warsaw, ul. Żwirki i Wigury 101, 01-224 Warsaw, Poland

Correspondence to: Kacper Błaziak (kblaziak@chem.uw.edu.pl)

Table of contents

1.	Synthesis of investigated compound	3
1.1.	Synthesis protocol	3
1.2	Copies of ¹ H and ¹³ C NMR spectra of isolated compound	3
2.	Experimental procedures.....	4
2.1.	Breakdown Curves	4
2.2.	Extrapolation Procedure.....	4
2.3.	Bimolecular reaction	4
3.	Experimental results.....	4
4.	Computed data for norpinonic acid	36
5.	Geometries	40

1. Synthesis of investigated compound


1.1. Synthesis protocol


The commercially available (1S)-(-)-verbenone (CAS Registry No. 1196-01-6, $\geq 94\%$, Sigma-Aldrich) was used as starting material. The protocol for the synthesis of norpinonic acid covered one step - the oxidative cleavage of the double C=C bond using RuCl₃•H₂O (CAS Registry No. 14898-67-0, Sigma-Aldrich, $\geq 99.98\%$). Other chemicals used in cis-norpinonic acid synthesis were as follows: sodium periodate (CAS Registry No. 7790-28-5, Sigma-Aldrich, $\geq 99.8\%$), carbon tetrachloride (CAS Registry No. 56-23-5, Sigma-Aldrich, $\geq 99.5\%$), acetonitrile (CAS Registry No. 75-05-8, POCH, $\geq 99.9\%$), hexane (CAS Registry No. 110-54-3, POCH, $\geq 99.9\%$), ethyl acetate (CAS Registry No. 60-29-7, POCH, $\geq 99.9\%$), magnesium sulfate (CAS Registry No. 7487-88-9, POCH, $\geq 98.5\%$).

To the stirred solution of (1S)-(-)-verbenone (2.5 mL, 16 mmol) in 2:2:3 carbon tetrachloride-acetonitrile-water (130 mL), catalytic RuCl₃ hydrate (120 mg) and NaIO₄ (13.4 g, 63 mmol) were added. The resulting mixture was stirred overnight at the room temperature, then diethyl ether (100 mL) was added and stirring for the next 5 min. Then mixture was extracted with diethyl ether (3×100 mL). The combined organic extracts were dried (MgSO₄) and concentrated under reduced pressure. Norpinonic acid was isolated as white crystals after crystallization from diethyl ether (yield: 80%).

The structural identification of the final product based on IR, ESI-HR-MS, ¹H, ¹³C and 2D NMR analytical spectra proved the presence of cis-norpinonic acid stereoisomeric form.

1.2 Copies of ¹H and ¹³C NMR spectra of isolated compound





2. Experimental procedures

2.1. Breakdown Curves

Collision spectra were recorded by varying the collision energy in incremental steps. Collision mass spectra were recorded with an energy resolution of 8–30 eV in the lab frame and 2–10 minutes of collection time at each step. Creation of the total breakdown curves was performed using absolute peak heights. Breakdown curves at five different argon pressures are presented in.

2.2. Extrapolation Procedure

To determine the onset/threshold energies (at each gas pressure) to enable a comparison of the energetics of the observed processes, we used a simple extrapolation procedure. By performing a linear fit of the approximately linearly rising section of the breakdown curve, we define the onset energy at each gas pressure by calculation of the energy (X value) at zero intensity (Y = 0). To compare the experimental and theoretical energy values, we opted also for gas pressure extrapolation. We used the energies taken from extrapolation at five different gas pressures to define the onset energy by calculation of the energy (Y value) at zero gas pressure (X = 0). Summaries are presented in Tables.

2.3. Bimolecular reaction

To perform the gas-phase reactions, we introduce neutral reagent vapors into the collision cell by attaching a flask filled with each reagent to the gas inlet system. The results of these experiments for reaction between methyl thiocyanate (CH_3SCN) or dimethyl disulfide (CH_3SSCH_3) and all ions are presented in Figures.

3. Experimental results

3.1. Fragment ion mass spectra




Figure S1. Fragment ion mass spectrum of $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded with a ToF voltage of 3kV, taken at a collision energy of 3.8 eV (CM) with argon collision gas at nominal pressure of 3.54×10^{-4} mBar.




Figure S2. Fragment ion mass spectrum of $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded with a ToF voltage of 3kV, taken at a collision energy of 4.1 eV (CM) with argon collision gas at nominal pressure of 3.54×10^{-4} mBar.




Figure S3. Fragment ion mass spectrum of $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded with a ToF voltage of 3kV, taken at a collision energy of 4.3 eV (CM) with argon collision gas at nominal pressure of 3.54×10^{-4} mBar.

3.2. Breakdown curves and extrapolation results




Figure S4. Breakdown curves for $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 1.06×10^{-4} mbar (left) and 2.08×10^{-4} mbar (right). The intensity of the m/z 169 anion have been multiplied by a scaling factor for readability.




Figure S5. Breakdown curves for $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 3.04×10^{-4} mbar (left) and 4.18×10^{-4} mbar (right). The intensity of the m/z 169 anion have been multiplied by a scaling factor for readability.




Figure S6. Breakdown curve for $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 5.09×10^{-4} mbar. The intensity of the m/z 169 anion have been multiplied by a scaling factor for readability.




Figure S7. Decarboxylation of $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) ion leading to the formation of $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) ion. Comment: From computational and experimental study is known that cyclic structure of m/z 125 (125A) is formed in collision-induced dissociation (CID) experiment, while linear structure of m/z 125 (125B) is formed in an ion source during ionization process.




Figure S8. Extrapolation procedure for the decarboxylation of $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 1.06×10^{-4} mbar (left) and 2.08×10^{-4} mbar (right).




Figure S9. Extrapolation procedure for the decarboxylation of $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 3.04×10^{-4} mbar (left) and 4.18×10^{-4} mbar (right).




Figure S10. Extrapolation procedure for the decarboxylation of $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 5.09×10^{-4} mbar.




Figure S11. Extrapolation procedure for the decarboxylation of $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) at a gas pressure of 0 mbar.

Table S1. Summary of the values from the extrapolation procedure for decarboxylation of $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169).

Pressure [mBar]:	Intercept	Slope	X at Y=0 [eV]	[kJ/mol]
$1.06 \cdot 10^{-4}$	-0.27	0.12	2,33	225
$2.08 \cdot 10^{-4}$	-0.83	0.44	1,92	186
$3.04 \cdot 10^{-4}$	-1.41	0.79	1,79	173
$4.18 \cdot 10^{-4}$	-1.12	0.77	1,49	143
$5.09 \cdot 10^{-4}$	-0.75	0.59	1,28	124
Extrapolated pressure [mBar]:	Intercept	Slope	Y at X=0 [eV]	[kJ/mol]
0	-2507,61	2,54	2,54	245




Figure S12. Elimination of $\text{C}_4\text{H}_6\text{O}$ from $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) leading to the formation of $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) an ion, which can have two possible structure.




Figure S13. Extrapolation procedure for the elimination of $\text{C}_4\text{H}_6\text{O}$ from $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 1.06×10^{-4} mbar (left) and 2.08×10^{-4} mbar (right).




Figure S14. Extrapolation procedure for the elimination of $\text{C}_4\text{H}_6\text{O}$ from $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 3.04×10^{-4} mbar (left) and 4.18×10^{-4} mbar (right).




Figure S15. Extrapolation procedure for the elimination of $\text{C}_4\text{H}_6\text{O}$ from $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded at an argon collision gas pressure of 5.09×10^{-4} mbar.




Figure S16. Extrapolation procedure for the elimination of C₄H₆O from C₉H₁₃O₃⁻ (*m/z* 169) at a gas pressure of 0 mbar.

Table S2. Summary of the values from the extrapolation procedure for the elimination of C₄H₆O from C₉H₁₃O₃⁻ (*m/z* 169).

Pressure [mBar]:	Intercept	Slope	X at Y=0 [eV]	[kJ/mol]
1.06 • 10 ⁻⁴	-0.14	0.06	2.39	231
2.08 • 10 ⁻⁴	-0.32	0.15	2.14	206
3.04 • 10 ⁻⁴	-0.51	0.25	2.07	200
4.18 • 10 ⁻⁴	-0.60	0.31	1.95	188
5.09 • 10 ⁻⁴	-0.29	0.16	1.87	180
Extrapolated pressure [mBar]:	Intercept	Slope	Y at X=0 [eV]	[kJ/mol]
0	-1212.23	2.46	2.46	237




Figure S17. Breakdown curves for $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure of 1.06×10^{-4} mbar (left) and 2.05×10^{-4} mbar (right). The intensity of the m/z 125 anion have been multiplied by a scaling factor for readability.




Figure S18. Breakdown curves for $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure of 3.17×10^{-4} mbar (left) and 4.14×10^{-4} mbar (right). The intensity of the m/z 125 anion have been multiplied by a scaling factor for readability.




Figure S19. Breakdown curve for $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure of 5.07×10^{-4} mbar. The intensity of the m/z 125 anion have been multiplied by a scaling factor for readability.




Figure S20. Elimination reaction of C_4H_8 from $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) leading to the formation of $\text{C}_4\text{H}_5\text{O}^-$ (m/z 69) an ion, which can have two possible structure.




Figure S21. Extrapolation procedure for the elimination of C_4H_8 from $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure gas pressure of 1.06×10^{-4} mbar (left) and 2.05×10^{-4} mbar (right).




Figure S22. Extrapolation procedure for the elimination of C_4H_8 from $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure 3.17×10^{-4} mbar (left) and 4.14×10^{-4} mbar (right).




Figure S23. Extrapolation procedure the elimination of C_4H_8 from $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure of 5.07×10^{-4} mbar.




Figure S24. Extrapolation procedure for the elimination of C₄H₆O from C₈H₁₃O⁻ (*m/z* 125) at a gas pressure of 0 mbar.

Table S3. Summary of the values from the extrapolation procedure for the elimination of C₄H₆O from C₈H₁₃O⁻ (*m/z* 125).

Pressure [mBar]:	Intercept	Slope	X at Y=0 [eV]	[kJ/mol]
1.06 • 10 ⁻⁴	-0.06	0.03	1,70	164
2.05 • 10 ⁻⁴	-0.06	0.06	1,04	100
3.17 • 10 ⁻⁴	-0.01	0.02	0,87	84
4.14 • 10 ⁻⁴	-0.11	0.17	0,66	64
5.07 • 10 ⁻⁴	-0.06	0.14	0,40	39
Extrapolated pressure [mBar]:	Intercept	Slope	Y at X=0 [eV]	[kJ/mol]
0	-2936,75	1,85	1,85	178




Figure S25. Elimination reaction of C₅H₈ from C₈H₁₃O⁻ (*m/z* 125) leading to the formation of C₃H₅O⁻ (*m/z* 57) an ion.




Figure S26. Extrapolation procedure for the elimination of C₅H₈ from C₈H₁₃O⁻ (*m/z* 125) recorded at an argon collision gas pressure gas pressure of 1.06 × 10⁻⁴ mbar (left) and 2.05 × 10⁻⁴ mbar (right).




Figure S27. Extrapolation procedure for the elimination of C_5H_8 from $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure 3.17×10^{-4} mbar (left) and 4.14×10^{-4} mbar (right).




Figure S28. Extrapolation procedure the elimination of C_5H_8 from $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure of 5.07×10^{-4} mbar.




Figure S29. Extrapolation procedure for the elimination of C₅H₈ from C₈H₁₃O⁻ (*m/z* 125) at a gas pressure of 0 mbar.

Table S4. Summary of the values from the extrapolation procedure for the elimination of C₄H₆O from C₈H₁₃O⁻ (*m/z* 125).

Pressure [mBar]:	Intercept	Slope	X at Y=0 [eV]	[kJ/mol]
1.06 • 10 ⁻⁴	-0.06	0.03	1,09	105
2.05 • 10 ⁻⁴	-0.06	0.06	0,72	69
3.17 • 10 ⁻⁴	-0.01	0.02	0,54	52
4.14 • 10 ⁻⁴	-0.11	0.17	0,41	39
5.07 • 10 ⁻⁴	-0.06	0.14	0,39	38
Extrapolated pressure [mBar]:				
0	-1695,25	1,16	1,16	111




Figure S30. Elimination of C₄H₆O from C₈H₁₃O⁻ (*m/z* 125) leading to the formation of C₄H₇⁻ (*m/z* 55) a ion.




Figure S31. Extrapolation procedure for the elimination of $\text{C}_4\text{H}_6\text{O}$ from $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure of 1.06×10^{-4} mbar (left) and 2.05×10^{-4} mbar (right).




Figure S32. Extrapolation procedure for the elimination of $\text{C}_4\text{H}_6\text{O}$ from $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded at an argon collision gas pressure 3.17×10^{-4} mbar (left) and 4.14×10^{-4} mbar (right).




Figure S33. Extrapolation procedure the elimination of C₄H₆O from C₈H₁₃O⁻ (*m/z* 125) recorded at an argon collision gas pressure of 5.07×10^{-4} mbar.




Figure S34. Extrapolation procedure for the elimination of C₅H₈ from C₈H₁₃O⁻ (*m/z* 125) at a gas pressure of 0 mbar.

Table S5. Summary of the values from the extrapolation procedure for the elimination of C₄H₆O from C₈H₁₃O⁻ (*m/z* 125).

Pressure [mBar]:	Intercept	Slope	X at Y=0 [eV]	[kJ/mol]
1.06 • 10 ⁻⁴	-0.40	0.17	1,64	158,03
2.05 • 10 ⁻⁴	-0.25	0.20	1,29	124,44
3.17 • 10 ⁻⁴	-0.16	0.17	0,97	93,79
4.14 • 10 ⁻⁴	-1.19	1.39	0,86	83,23
5.07 • 10 ⁻⁴	-1.46	1.98	0,77	74,46
Extrapolated pressure [mBar]:	Intercept	Slope	Y at X=0 [eV]	[kJ/mol]
0	-2149,233	1,773	1,77	171




Figure S35. Breakdown curves for C₅H₇O₂⁻ (*m/z* 99) recorded at an argon collision gas pressure of 1.06 × 10⁻⁴ mbar (left) and 2.06 × 10⁻⁴ mbar (right). The intensity of the *m/z* 99 anion have been multiplied by a scaling factor for readability.




Figure S36. Breakdown curves for $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded at an argon collision gas pressure of 3.20×10^{-4} mbar (left) and 4.16×10^{-4} mbar (right). The intensity of the m/z 99 anion have been multiplied by a scaling factor for readability.




Figure S37. Breakdown curve for $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded at an argon collision gas pressure of 5.11×10^{-4} mbar. The intensity of the m/z 99 anion have been multiplied by a scaling factor for readability.




Figure S38. Decarboxylation reaction of $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) leading to the formation of C_4H_7^- (m/z 55) an ion.




Figure S39. Extrapolation procedure for the decarboxylation of $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded at an argon collision gas pressure of 1.06×10^{-4} mbar (left) and 2.06×10^{-4} mbar (right).




Figure S40. Extrapolation procedure for the decarboxylation of $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded at an argon collision gas pressure of 3.20×10^{-4} mbar (left) and 4.16×10^{-4} mbar (right).




Figure S41. Extrapolation procedure for the decarboxylation of $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded at an argon collision gas pressure of 5.11×10^{-4} mbar.




Figure S42. Extrapolation procedure for the decarboxylation of $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) at a gas pressure of 0 mbar.

Table S6. Summary of the values from the extrapolation procedure for the decarboxylation of $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99).

Pressure [mBar]:	Intercept	Slope	X at Y=0 [eV]	[kJ/mol]
$1.06 \cdot 10^{-4}$	-0.27	0.12	1,70	164
$2.06 \cdot 10^{-4}$	-0.83	0.44	1,30	126
$3.20 \cdot 10^{-4}$	-1.41	0.79	0,72	69
$4.16 \cdot 10^{-4}$	-1.12	0.77	0.45	43
$5.11 \cdot 10^{-4}$	-0.75	0.59	0.45	44
Extrapolated pressure [mBar]:	Intercept	Slope	Y at X=0 [eV]	[kJ/mol]
0	-3320,26	1,96	1,96	189




Figure S43. Elimination reaction of $\text{C}_3\text{H}_6\text{O}$ from $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) leading to the formation of C_2HO^- (m/z 41) an ion.




Figure S44. Extrapolation procedure for elimination of $\text{C}_3\text{H}_6\text{O}$ from $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded at an argon collision gas pressure gas pressure of 1.06×10^{-4} mbar (left) and 2.06×10^{-4} mbar (right).




Figure S45. Extrapolation procedure for elimination of $\text{C}_3\text{H}_6\text{O}$ from $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded at an argon collision gas pressure of 3.20×10^{-4} mbar (left) and 4.16×10^{-4} mbar (right).




Figure S46. Extrapolation procedure for elimination of $\text{C}_3\text{H}_6\text{O}$ from $\text{C}_5\text{H}_7\text{O}_2^-$ (m/z 99) recorded at an argon collision gas pressure of 5.11×10^{-4} mbar.




Figure S47. Extrapolation procedure for elimination of C₃H₆O from C₅H₇O₂⁻ (*m/z* 99) at a gas pressure of 0 mbar.

Table S7. Summary of the values from the extrapolation procedure for elimination of C₃H₆O from C₅H₇O₂⁻ (*m/z* 99).

Pressure [mBar]:	Intercept	Slope	X at Y=0 [eV]	[kJ/mol]
1,06 • 10 ⁻⁴	-0,02	0,03	0,61	59
2,06 • 10 ⁻⁴	-0,02	0,05	0,52	50
3,20 • 10 ⁻⁴	-0,01	0,04	0,39	38
4,16 • 10 ⁻⁴	-0,03	0,19	0,25	24
5,11 • 10 ⁻⁴	-0,01	0,16	0,17	16
Extrapolated pressure [mBar]:	Intercept	Slope	Y at X=0 [eV]	[kJ/mol]
0	-1135,26	0,74	0,74	72

3.3. Reactions with dimethyl disulfide (CH_3SSCH_3)




Figure S48. Mass spectrum of the reaction between dimethyl disulfide (CH_3SSCH_3) and C_2HO^- (m/z 41) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.7 eV (CM) with reagent vapors at nominal pressures of 3.43×10^{-4} mBar.




Figure S49. Mass spectrum of the reaction between dimethyl disulfide (CH_3SSCH_3) and C_4H_7^- (m/z 55) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.63 eV (CM) with reagent vapors at nominal pressures of 3.43×10^{-4} mBar.




Figure S50. Mass spectrum of the reaction between dimethyl disulfide (CH_3SSCH_3) and $\text{C}_3\text{H}_5\text{O}^-$ (m/z 57) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.62 eV (CM) with reagent vapors at nominal pressures of 3.43×10^{-4} mBar.




Figure S51. Mass spectrum of the reaction between dimethyl disulfide (CH_3SSCH_3) and $\text{C}_4\text{H}_5\text{O}^-$ (m/z 69B) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.62 eV (CM) with reagent vapors at nominal pressures of 3.43×10^{-4} mBar.




Figure S52. Mass spectrum of the reaction between dimethyl disulfide (CH_3SSCH_3) and $\text{C}_5\text{H}_6\text{O}_2^-$ (m/z 99) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.49 eV (CM) with reagent vapors at nominal pressures of 3.43×10^{-4} mBar.




Figure S53. Mass spectrum of the reaction between dimethyl disulfide (CH_3SSCH_3) and $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.43 eV (CM) with reagent vapors at nominal pressures of 3.43×10^{-4} mBar.




Figure S54. Mass spectrum of the reaction between dimethyl disulfide (CH_3SSCH_3) and $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.36 eV (CM) with reagent vapors at nominal pressures of 3.43×10^{-4} mBar. Please note the lack of the product in this reaction.

3.4. Reactions with methyl thiocyanate (CH_3SCN)




Figure S55. Mass spectrum of the reaction between methyl thiocyanate (CH_3SCN) and C_2HO^- (m/z 41) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.64 eV (CM) with reagent vapors at nominal pressures of 1.53×10^{-4} mBar.




Figure S56. Mass spectrum of the reaction between methyl thiocyanate (CH_3SCN) and C_4H_7^- (m/z 55) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.57 eV (CM) with reagent vapors at nominal pressures of 1.53×10^{-4} mBar.




Figure S57. Mass spectrum of the reaction between methyl thiocyanate (CH_3SCN) and $\text{C}_3\text{H}_5\text{O}^-$ (m/z 57) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.56 eV (CM) with reagent vapors at nominal pressures of 1.53×10^{-4} mBar.




Figure S58. Mass spectrum of the reaction between methyl thiocyanate (CH_3SCN) and $\text{C}_4\text{H}_5\text{O}^-$ (m/z 69B) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.51 eV (CM) with reagent vapors at nominal pressures of 1.53×10^{-4} mBar.




Figure S59. Mass spectrum of the reaction between methyl thiocyanate (CH_3SCN) and $\text{C}_5\text{H}_6\text{O}_2^-$ (m/z 99) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.42 eV (CM) with reagent vapors at nominal pressures of 1.53×10^{-4} mBar.




Figure S60. Mass spectrum of the reaction between methyl thiocyanate (CH_3SCN) and $\text{C}_8\text{H}_{13}\text{O}^-$ (m/z 125) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.37 eV (CM) with reagent vapors at nominal pressures of 1.53×10^{-4} mBar.




Figure S61. Mass spectrum of the reaction between methyl thiocyanate (CH_3SCN) and $\text{C}_9\text{H}_{13}\text{O}_3^-$ (m/z 169) recorded with a ToF voltage of 3kV, taken at a collision energy of 0.30 eV (CM) with reagent vapors at nominal pressures of 1.53×10^{-4} mBar.

4. Computed data for norpinonic acid

4.1. Computed fragmentation pathways

Table S8. Calculated electron energy values in kJ/mol for fragmentation reaction of m/z 169 anion.

Structure	Theoretical method		
	CAM-B3LYP/ 6-311+G(2d,p)	PBE1PBE/ 6-311+G(2d,p)	ω B97XD/ 6-311+G(2d,p)
TS_1	307	300	322
TS_2	266	287	301
TS_3	247	241	274
TS_4	176	172	197
TS_5	279	290	304
TS_6	273	294	304
TS_7	256	278	289
TS_8	170	181	201
TS_9	177	164	187
TS_10	178	171	198
TS_11	264	288	304
TS_12	302	318	341
TS_13	275	285	304
CX_99	158	169	187
CX_125B	254	280	288
IC_125B	119	103	143
IC_125C	100	96	120
IC_169	82	79	90

Table S9. Calculated electron energy values and experimental values in kJ/mol for fragmentation reaction of *m/z* 169 anion.

Fragmentation reaction	Theoretical method				Experimental energy
	CAM-B3LYP/ 6-311+G(2d,p)	PBE1PBE/ 6-311+G(2d,p)	ω B97XD/ 6-311+G(2d,p)		
169 → 99	200	236	215	237	
99 → 55	246	246	252	189	
99 → 41	75	67	69	72	
169 → 125	265	272	264	245	
125 → 69	183	185	190	178	
125 → 57	103	93	85	111	
125 → 55	193	197	199	171	




Figure S62. A correlation between the theoretical and the experimental results obtained with PBE1PBE/6-311+g(2d,p) level of theory. Experimental threshold energies as a function of the theoretical threshold energies (kJ/mol).




Figure S63. A correlation between the theoretical and the experimental results obtained with CAM-B3LYP/6-311+g(2d,p) level of theory. Experimental threshold energies as a function of the theoretical threshold energies (kJ/mol).





4.2. Proton affinity calculation


Table S10. Calculated proton affinity values in kJ/mol for anions and reagents.

		Theoretical method		
		CAM-B3LYP/ 6-311+G(2d,p)	PBE1PBE/ 6-311+G(2d,p)	ω / 6-311+G(2d,p)
Anions	P_41	1527	1535	1542
	P_55	1709	1714	1719
	P_57	1540	1545	1555
	P_69A	1611	1618	1621
	P_69B	1530	1532	1542
	P_99A	1560	1545	1557
	P_99B	1434	1445	1449
	IC_125A	1539	1540	1558
	P_125	1703	1701	1719
Neutral reagents	S_169	1378	1422	1430
	CH₂Cl₂	1569	1578	1581
	CHCl₃	1496	1501	1505
	CHBr₃	1467	1465	1479
	CH₃SSCH₃	1525	1550	1565
	CH₃SCN	1548	1551	1561
	CH₃NO₂	1478	1478	1497



5. Geometries

5.1 Anions/neutral structures/fragmentation structures

Anions				
P_41	C	1.24478300	-0.09751100	-0.00000200
	H	2.19261000	0.38814900	0.00000800
	C	0.00642700	0.01585900	0.00000500
	O	-1.21248300	0.01272000	-0.00000300
	O	-1.21248300	0.01272000	-0.00000300
P_55	C	0.24376500	1.55782800	0.00003400
	C	0.02515300	0.22458800	-0.00003900
	H	1.34443700	1.73932000	-0.00006500
	C	1.08186300	-0.87834400	0.00000600
	H	0.99449700	-1.53854700	0.88110600
	H	0.99333700	-1.53975800	-0.88009400
	H	2.09050900	-0.45194100	-0.00096900
	C	-1.38018400	-0.35289400	0.00002400
	H	-1.57067800	-0.98994900	-0.88219300
	H	-1.57041200	-0.99079200	0.88165500
	H	-2.10527300	0.46460100	0.00041700
P_57	C	-1.19319300	-0.77858400	0.00004900
	H	-1.03374800	-1.85325400	0.00017500
	H	-2.21505300	-0.40827000	-0.00048800
	C	-0.13229300	0.10904100	0.00004700
	O	-0.18258700	1.38160900	0.00001000
	C	1.28538000	-0.48928900	-0.00003900
	H	1.82736500	-0.12622300	-0.88144300
	H	1.82726800	-0.12644800	0.88151700
	H	1.29549400	-1.58568100	-0.00019200
P_69A	C	1.96937200	0.35995400	0.00002100
	H	2.93105200	-0.19685000	0.00000500
	C	-0.45944500	-0.19496800	0.00000000
	O	-1.36657600	-1.04027100	0.00001300
	C	-0.83760000	1.27643800	-0.00000500
	H	0.05850300	1.89847100	0.00001300
	H	-1.45304200	1.48136600	-0.88279100
	H	-1.45308000	1.48137800	0.88275000
	C	0.95550200	-0.55665300	-0.00002400
	H	1.08220100	-1.65082600	-0.00003100
P_69B	C	0.61300900	-0.04131300	0.00319000
	O	1.47823900	-0.94403900	-0.01960700

	C	0.81063800	1.30716300	0.01133600
	H	1.82155400	1.70395000	-0.00709300
	H	-0.02133500	2.01009600	0.03836000
	C	-0.79635200	-0.56439300	0.02442800
	H	-0.80960000	-1.65218700	0.07270600
	C	-1.94913300	0.09050500	-0.01790800
	H	-2.89297300	-0.43672200	0.00148000
	H	-1.99253100	1.17540400	-0.07486700
<hr/>				
P_99A	C	0.38682800	-0.00073600	1.10999500
	C	-0.70638800	-0.00012400	0.07593600
	H	0.42126000	0.00352900	2.18965400
	C	-1.56291600	-1.25796600	-0.04602200
	H	-2.24665600	-1.34056600	0.80849500
	H	-2.16359700	-1.24935100	-0.96596100
	H	-0.91279200	-2.13585300	-0.05458700
	C	-1.56053000	1.25950500	-0.04690800
	H	-2.16049900	1.25158200	-0.96729700
	H	-2.24478700	1.34355900	0.80706400
	H	-0.90862500	2.13603400	-0.05530000
	C	1.33062400	-0.00051800	0.09372100
	O	0.32253900	-0.00123100	-0.96462700
	O	2.53871000	-0.00000700	-0.14567400
<hr/>				
P_99B	C	-0.08253100	-0.68656500	-0.00050700
	C	1.12021300	-0.09474800	0.00014100
	H	-0.111111300	-1.77612600	-0.00128800
	C	2.38525100	-0.91919700	-0.00058300
	H	2.17073300	-1.99191300	-0.00192200
	H	3.00369000	-0.69149400	-0.88016300
	H	3.00317600	-0.69358700	0.87988600
	C	1.34089100	1.39419500	0.00128500
	H	1.92554300	1.69370300	0.88326300
	H	1.92584800	1.69509700	-0.88007100
	H	0.37736500	1.90672900	0.00178400
	C	-1.48365000	-0.06824100	-0.00022100
	O	-1.59094900	1.18592700	-0.00178600
	O	-2.40608600	-0.92281100	0.00151300
<hr/>				
P_125	C	-1.72308000	1.27461800	-0.07010100
	C	-0.28699100	1.73925700	-0.48081400
	C	0.13927700	0.27251500	-0.68314600
	C	-1.14439000	-0.15552700	0.14258300
	H	-2.34487800	1.25154300	-0.98280900
	H	0.26681200	2.23598200	0.33085200
	H	-0.17867400	2.37991800	-1.37053700

	H	-0.03582200	-0.03900200	-1.71828500
	C	-1.91696400	-1.33237500	-0.44144100
	H	-1.39773700	-2.29057700	-0.29786300
	H	-2.89844200	-1.39806000	0.04665400
	H	-2.08782400	-1.19137400	-1.51426400
	C	-0.84646900	-0.44511300	1.61887000
	H	-1.79909100	-0.57786800	2.14351400
	H	-0.23090800	-1.34733400	1.76535000
	H	-0.35208900	0.40747000	2.09280400
	C	1.48021700	-0.28821500	-0.29767800
	O	1.86613800	-1.37887100	-0.70637600
	C	2.36516900	0.50894700	0.63901000
	H	3.25780000	-0.07026100	0.88373000
	H	2.64971800	1.45139800	0.15887100
	H	1.82141900	0.77449900	1.54929300
<hr/>				
IC_125A	C	-0.99836500	-0.89971200	-0.10591900
	C	0.15277700	-0.80105900	-1.07376800
	C	1.50823200	-0.95947500	-0.42720600
	C	-2.03495400	-0.08325700	0.07368200
	H	-0.92010300	-1.75238600	0.56634100
	H	0.08105900	0.12711400	-1.64643800
	H	0.02464100	-1.60177300	-1.81609100
	H	1.91559400	-1.96616100	-0.38747900
	C	-3.04633900	-0.33321100	1.15938600
	H	-3.07373800	0.49861900	1.87315700
	H	-4.05948600	-0.42659600	0.75024400
	H	-2.81869900	-1.24410600	1.71415100
	C	-2.29945200	1.15644000	-0.73360600
	H	-3.26612800	1.08911000	-1.24654700
	H	-2.35025500	2.03812100	-0.08487100
	H	-1.53398500	1.33686800	-1.48456700
	C	2.26804100	0.02559500	0.16475300
	O	3.39666700	-0.13683200	0.72132100
	C	1.75830000	1.47177700	0.17517900
	H	1.68396600	1.80247700	1.21429200
	H	2.50381600	2.10659000	-0.31146900
	H	0.79054400	1.62418900	-0.30630400
<hr/>				
IC_125B	C	-1.36203200	1.03394700	-0.13722400
	C	0.07145800	1.42244000	-0.45248000
	C	1.08119700	0.39391800	-0.85889000
	C	-1.96784800	-0.13954900	0.03304400
	H	-2.00961700	1.90826400	-0.03088100
	H	0.42526100	1.99160700	0.41546200
	H	-0.01946100	2.18988600	-1.24044900






	H	0.97359000	-0.01487000	-1.86138300
	C	-3.44260000	-0.19048500	0.34136000
	H	-3.98254000	-0.76471800	-0.42041800
	H	-3.62692700	-0.69503600	1.29670800
	H	-3.88381500	0.80651700	0.39220600
	C	-1.32018200	-1.49314500	-0.04282600
	H	-1.44163100	-2.02176500	0.91001400
	H	-1.81366600	-2.10811900	-0.80497900
	H	-0.26063100	-1.42007900	-0.27444400
	C	2.10492700	-0.14296700	-0.11257000
	O	2.90357700	-1.05183300	-0.50313100
	C	2.35046000	0.32952100	1.32469000
	H	2.20369600	-0.51984900	1.99793400
	H	3.39799000	0.62873100	1.41177900
	H	1.71685200	1.15201000	1.66288200

S_169	C	1.12197900	0.02007100	-0.78957800
	C	0.00096400	-0.95644900	-1.17254900
	C	-1.04272000	0.10561000	-0.77881500
	C	0.08658300	0.86845900	0.01460100
	H	1.47635400	0.59725200	-1.64642100
	H	0.03819900	-1.81573900	-0.50454900
	H	-0.03346800	-1.31594400	-2.20253600
	H	-1.32732600	0.72502600	-1.63190400
	C	0.12700400	2.36845500	-0.20378800
	H	-0.71673800	2.86413500	0.28604400
	H	1.05741700	2.76996500	0.20355400
	H	0.09210100	2.61214100	-1.26833200
	C	0.11657100	0.55571800	1.50504100
	H	1.01913300	0.98785700	1.93879500
	H	-0.75844000	0.97157100	2.01408700
	H	0.16585800	-0.51666600	1.69526400
	C	-2.31733700	-0.23079100	-0.06047600
	C	2.34901800	-0.49417300	-0.00982100
	O	3.16352400	0.39902800	0.30975400
	O	-3.21895000	0.57955300	0.02216000
	O	2.38325700	-1.71580100	0.24526000
	C	-2.46727800	-1.59713600	0.56026600
	H	-3.42132900	-1.65730900	1.08016200
	H	-2.41668500	-2.36132300	-0.21904100
	H	-1.64642000	-1.80178200	1.24820200






Neutral fragments				
P_41N	C	0.00642700	0.01585900	0.00000500
	O	-1.21236721	0.01398374	0.01699319
	C	1.20262468	-0.09365146	-0.00000176

	H	1.64977607	0.87843683	-0.00001276
	H	1.51182613	-0.62846311	0.87365204
P_55N	C	0.02468900	0.22379100	-0.00001300
	C	1.07677400	-0.87793800	-0.00006700
	H	0.98789200	-1.53687900	0.87836400
	H	0.98771800	-1.53696000	-0.87841900
	H	2.08174300	-0.45147600	-0.00018600
	C	-1.38141400	-0.34424400	0.00015700
	H	-1.57346400	-0.97910700	-0.87960100
	H	-1.57329200	-0.97900600	0.88002400
	H	-2.10062500	0.47440300	0.00018100
	C	0.25549253	1.55919235	-0.00010088
	H	-0.18247085	1.99689927	0.87253921
	H	1.31030199	1.73883973	0.00184921
P_57N	C	-0.00530100	0.17565700	-0.00006300
	O	0.01888100	1.37695300	0.00001200
	C	1.27887300	-0.62246700	-0.00036700
	H	1.87467900	-0.33223100	-0.86655200
	H	1.85406700	-0.36289300	0.88951900
	H	1.11120700	-1.69818900	-0.01961800
	C	-1.29960500	-0.59186100	0.00032000
	H	-1.35224900	-1.22776100	-0.88711200
	H	-1.33864300	-1.25556800	0.86767200
	H	-2.14390900	0.09304200	0.01665800
P_69N	C	0.60330900	-0.05462800	0.03333200
	O	1.38490200	-1.03163500	-0.19398200
	C	-0.82685400	-0.46160200	0.27541500
	H	-0.91419000	-1.38893900	0.83889300
	C	-1.92752100	0.11394900	-0.19480200
	H	-2.91352300	-0.29634300	0.00370000
	H	-1.87418300	1.01203700	-0.79992900
	C	0.90405158	1.26541297	0.09343831
	H	0.59370825	1.74351661	-0.81210237
	H	0.39570955	1.70959274	0.92361462
	H	1.96018860	1.38536926	0.21625968
P_99AN	C	-0.70478600	-0.00001500	0.07386900
	C	-1.55944900	-1.25461900	-0.04357300
	H	-2.23953800	-1.33612400	0.81060800
	H	-2.16193900	-1.24624100	-0.95923400
	H	-0.91088900	-2.13007800	-0.05370500
	C	-1.55756500	1.25575900	-0.04478300



	H	-2.16041800	1.24722700	-0.96020300
	H	-2.23723500	1.33934100	0.80953700
	H	-0.90770200	2.13024400	-0.05624000
	C	1.33087000	-0.00033100	0.09454500
	O	0.32146700	-0.00133100	-0.96605500
	O	2.53014900	-0.00003000	-0.14320000
	C	0.38769400	-0.00028800	1.10368900
	H	0.43288296	-0.87400880	1.71970030
	H	0.43273601	0.87329384	1.71990810
<hr/>				
P_99BN 	C	-0.07963900	-0.68279700	-0.00052400
	C	1.11525000	-0.09423500	-0.00003900
	H	-0.10713900	-1.76979100	-0.00100900
	C	2.37750300	-0.91548300	-0.00024500
	H	2.16300800	-1.98513100	-0.00093700
	H	2.99419000	-0.68811600	-0.87779900
	H	2.99377300	-0.68918300	0.87787700
	C	1.33496300	1.39078800	0.00080000
	H	1.91859900	1.68964200	0.88036700
	H	1.91927400	1.69053400	-0.87801600
	H	0.37467700	1.90290500	0.00065900
	C	-1.47943500	-0.06801000	-0.00017300
	O	-2.39454300	-0.92078300	0.00102900
	O	-1.58954238	1.18556336	-0.00104038
	H	-2.51904623	1.42560831	-0.00204427
<hr/>				
P_125N 	C	-0.28011600	1.74391200	-0.46002100
	C	0.13927300	0.28078300	-0.68274900
	C	-1.13841100	-0.15559700	0.14351000
	H	0.28506300	2.23438700	0.34352900
	H	-0.18950100	2.38815800	-1.34452800
	H	-0.03948700	-0.01742100	-1.71781200
	C	-1.92606700	-1.30532700	-0.46095600
	H	-1.41984100	-2.27077800	-0.34198300
	H	-2.90301300	-1.37042900	0.03042300
	H	-2.10072300	-1.13800200	-1.52629900
	C	-0.83219800	-0.48050000	1.60634900
	H	-1.77886000	-0.62129300	2.13433800
	H	-0.22241500	-1.38722200	1.72667400
	H	-0.33006900	0.35585200	2.09435100
	C	1.47225000	-0.29076400	-0.30191200
	O	1.84214800	-1.38140000	-0.70106500
	C	2.36764200	0.50345900	0.62223500
	H	3.25339200	-0.08160600	0.86604600
	H	2.65726200	1.43689400	0.13350400
	H	1.83158500	0.78051500	1.53028100

	C	-1.70813400	1.28085400	-0.03165600
	H	-2.06131974	1.74169394	0.86711337
	H	-2.45850732	1.35772012	-0.79055750
	<hr/>			
IC_125AN	C	-0.99836500	-0.89971200	-0.10591900
	C	0.15277700	-0.80105900	-1.07376800
	C	-2.03495400	-0.08325700	0.07368200
	H	-0.92010300	-1.75238600	0.56634100
	H	0.08105900	0.12711400	-1.64643800
	H	0.02464100	-1.60177300	-1.81609100
	C	-3.04633900	-0.33321100	1.15938600
	H	-3.07373800	0.49861900	1.87315700
	H	-4.05948600	-0.42659600	0.75024400
	H	-2.81869900	-1.24410600	1.71415100
	C	-2.29945200	1.15644000	-0.73360600
	H	-3.26612800	1.08911000	-1.24654700
	H	-2.35025500	2.03812100	-0.08487100
	H	-1.53398500	1.33686800	-1.48456700
	C	2.26804100	0.02559500	0.16475300
	O	3.39666700	-0.13683200	0.72132100
	C	1.75830000	1.47177700	0.17517900
	H	1.68396600	1.80247700	1.21429200
	H	2.50381600	2.10659000	-0.31146900
	H	0.79054400	1.62418900	-0.30630400
	C	1.50823200	-0.95947500	-0.42720600
	H	1.53034391	-1.60437696	0.42632345
	H	2.05640284	-1.40936892	-1.22845764
	<hr/>			
IC_125BN	C	-1.36203200	1.03394700	-0.13722400
	C	0.07145800	1.42244000	-0.45248000
	C	-1.96784800	-0.13954900	0.03304400
	H	-2.00961700	1.90826400	-0.03088100
	H	0.42526100	1.99160700	0.41546200
	H	-0.01946100	2.18988600	-1.24044900
	C	-3.44260000	-0.19048500	0.34136000
	H	-3.98254000	-0.76471800	-0.42041800
	H	-3.62692700	-0.69503600	1.29670800
	H	-3.88381500	0.80651700	0.39220600
	C	-1.32018200	-1.49314500	-0.04282600
	H	-1.44163100	-2.02176500	0.91001400
	H	-1.81366600	-2.10811900	-0.80497900
	H	-0.26063100	-1.42007900	-0.27444400
	C	2.10492700	-0.14296700	-0.11257000
	O	2.90357700	-1.05183300	-0.50313100
	C	2.35046000	0.32952100	1.32469000
	H	2.20369600	-0.51984900	1.99793400



	H	3.39799000	0.62873100	1.41177900
	H	1.71685200	1.15201000	1.66288200
	C	1.08119700	0.39391800	-0.85889000
	H	1.28846018	0.92973418	-1.76157655
	H	0.86014124	-0.62657551	-1.09261494
<hr/>				
S_169N	C	1.06869600	-0.14685800	-0.76648300
	C	-0.07856200	-1.16918700	-0.84959300
	C	-1.06647900	0.00860600	-0.69117600
	C	0.08265300	0.88552500	-0.10202900
	H	1.35671800	0.22251700	-1.75419100
	H	-0.07932100	-1.83580800	0.01469700
	H	-0.14242500	-1.77073700	-1.75862600
	H	-1.33987000	0.39663700	-1.68210300
	C	0.18363800	2.31354800	-0.61323000
	H	-0.63894200	2.91669800	-0.21757300
	H	1.12822500	2.76864700	-0.29897000
	H	0.13894600	2.35065700	-1.70647600
	C	0.14243300	0.85266500	1.42459900
	H	1.08279900	1.29187400	1.77238600
	H	-0.68442700	1.42802600	1.84475500
	H	0.08026600	-0.16508500	1.82190900
	C	-2.36905500	-0.14861300	0.05849400
	C	2.34050000	-0.45019400	-0.03276900
	O	3.31790700	0.26376900	-0.03901800
	O	-2.84971000	0.78280400	0.67510600
	O	2.30263900	-1.59651500	0.67950600
	H	3.15971100	-1.67873500	1.12844200
	C	-3.06312600	-1.48650300	-0.02258100
	H	-4.07129700	-1.40417500	0.38358900
	H	-3.09916600	-1.84421800	-1.05657600
	H	-2.50210300	-2.23069900	0.55258100

5.2 Products of the CID experiments



IC_169	C	0.91118400	-0.45462200	-0.60549700
	C	-0.36076500	-1.24471000	-0.28481400
	C	-1.57722500	-0.58244700	-0.85806000
	C	1.20173900	0.90575700	0.06676000
	H	1.00282100	-0.37735500	-1.69161400
	H	-0.44274900	-1.37410500	0.79517600
	H	-0.19054200	-2.25656200	-0.68354900
	H	-1.55383300	-0.39795400	-1.93098500
	C	1.42564300	2.06401300	-0.87317700
	H	0.46774100	2.36920000	-1.29742400
	H	1.86402500	2.91422200	-0.34566800
	H	2.09295500	1.77873400	-1.68787700
	C	0.36676300	1.28192400	1.26370300
	H	0.81394500	2.13825600	1.77393900
	H	-0.64248200	1.53400100	0.93895000
	H	0.29899200	0.45676100	1.97087400
	C	-2.72711800	-0.17482700	-0.21572500
	C	2.24075100	-0.86027600	-0.00896800
	O	2.51324400	0.36090400	0.52671100
	O	-3.70665900	0.41003200	-0.76879800
	O	2.92810100	-1.83360600	0.05992200
	C	-2.91302800	-0.41707900	1.28679000
	H	-3.82111600	-1.00894900	1.42228900
	H	-2.08969800	-0.92672100	1.79072400
	H	-3.08522000	0.54542100	1.77641400
CX_99	C	1.70999700	0.11981700	0.89271600
	C	-1.70134500	0.71428000	-0.14612100
	C	-2.99880100	0.87284100	0.09613700
	C	2.83899600	-0.50813000	0.12164100
	H	1.35818700	0.03509200	1.90830400
	H	-1.27814900	-0.25816800	-0.36647800
	H	-0.97692400	1.52519800	-0.13400100
	H	-3.41507200	1.84775800	0.32737500
	C	4.23057400	-0.41699500	0.72846200
	H	4.31736900	-1.08962600	1.58757200
	H	5.00319700	-0.69164300	0.00212600
	H	4.41161600	0.60244400	1.06790400
	C	2.59608300	-1.87418800	-0.49976700
	H	3.37513500	-2.12742000	-1.22702400
	H	2.58584100	-2.64856200	0.27325300
	H	1.62921100	-1.87554500	-1.00207000
	C	-3.98836000	-0.21590200	0.08509600

	C	1.63963400	1.11460100	-0.06337500
	O	2.67179300	0.53393900	-0.89489200
	O	-5.16358500	0.00881700	0.31167600
	O	1.04742600	2.14645800	-0.36751500
	C	-3.52964400	-1.62577700	-0.21064300
	H	-4.38855300	-2.29098200	-0.15922600
	H	-3.07895700	-1.68233200	-1.20272700
	H	-2.77076400	-1.94321400	0.50597100
<hr/>				
P^o_70	C	1.92426400	0.17849900	-0.00018500
	C	0.87638900	-0.63128100	0.00029500
	H	1.81877600	1.25609900	-0.00070000
	H	2.93440800	-0.21067700	-0.00009800
	H	0.99772400	-1.70856400	0.00078100
	C	-0.53974600	-0.18798800	-0.00007100
	O	-1.41985300	-1.01938700	-0.00020100
	C	-0.85822300	1.28507300	0.00014400
	H	-1.93775600	1.40978100	0.00033700
	H	-0.43502400	1.77124100	0.88092400
	H	-0.43540000	1.77139700	-0.88073200
<hr/>				
IC_99	C	-0.53957400	-0.00012200	-0.81326000
	C	0.72445400	0.00000900	0.14288000
	H	-0.46860500	-0.00017600	-1.89520000
	C	1.54826200	-1.25702600	-0.25544500
	H	1.80491800	-1.29643600	-1.32263100
	H	2.47064400	-1.26057400	0.33202100
	H	0.97158300	-2.14566300	0.00557500
	C	1.54811400	1.25710300	-0.25557000
	H	2.47049500	1.26082400	0.33189900
	H	1.80476900	1.29643600	-1.32275900
	H	0.97132700	2.14569600	0.00535800
	C	-1.72973000	-0.00011400	-0.29502900
	O	0.38761800	0.00004800	1.42349400
	O	-2.80440400	0.00005200	0.16704200
<hr/>				
IC_125B	C	0.84785200	-0.35330100	0.40201800
	C	-0.13744500	0.50217600	0.90714600
	C	2.08600600	-0.07578200	-0.11704200
	H	0.59221300	-1.41606100	0.44630800
	H	0.01677700	1.57567400	0.91006600
	C	3.08960700	-1.15517300	-0.38270000
	H	3.56043400	-1.06429800	-1.37502400
	H	3.92831200	-1.16745100	0.33977000
	H	2.62266500	-2.14343100	-0.33531100
	C	2.57107200	1.33492300	-0.22463600

	H	2.98623900	1.73505400	0.72039500
	H	3.36410300	1.43266700	-0.97732100
	H	1.76030600	2.01563500	-0.50977900
	C	-2.24195000	-0.22582800	-0.08000400
	O	-2.53366800	-1.33545900	-0.49739900
	C	-2.53975500	0.98613200	-0.94323800
	H	-1.97906800	0.91539100	-1.87611300
	H	-3.60466900	0.97630500	-1.19226900
	H	-2.27475200	1.92087300	-0.45111200
	C	-1.52511800	0.00418000	1.22072900
	H	-1.52898900	-0.94404600	1.77026700
	H	-2.07584500	0.74339800	1.81567200

CX_125B	C	-1.52656200	0.22838400	-0.73896500
	C	1.37698000	1.68552300	0.25799300
	C	2.56401800	1.09439500	0.17092700
	C	-2.68933600	-0.02070400	-0.11871200
	H	-1.72093400	0.44937900	-1.80991000
	H	0.41977800	1.15610900	0.12518700
	H	1.32677600	2.76142200	0.40104700
	H	3.49357400	1.65464400	0.22617000
	C	-4.06939200	-0.00975800	-0.75661000
	H	-4.57448200	-0.98282500	-0.66171200
	H	-4.73745600	0.72366700	-0.28036500
	H	-4.00298500	0.23389300	-1.81836400
	C	-2.75281300	-0.35741700	1.35780500
	H	-3.36443300	0.36439100	1.91981800
	H	-3.20597900	-1.34398600	1.53693100
	H	-1.74890300	-0.35996700	1.78267400
	C	2.75278800	-0.35340100	-0.07092100
	O	3.86143800	-0.76973200	-0.36874400
	C	1.57528500	-1.26837800	0.07873700
	H	1.81438100	-2.23475500	-0.36318400
	H	1.37995800	-1.40664500	1.14654900
	H	0.64338600	-0.84932500	-0.33640300

IC_125C	C	-0.90564900	-0.07593300	-0.90452800
	C	0.16871700	-1.10180300	-0.81436900
	C	1.19765700	-0.96671800	0.36739800
	C	-1.96979400	-0.03204300	-0.01259800
	H	-0.89811400	0.60393200	-1.74946500
	H	0.74650500	-1.14582300	-1.74366000
	H	-0.26836900	-2.10318700	-0.67463400
	H	1.79006000	-1.88182400	0.43539900
	C	-3.04579500	0.99752100	-0.30487600
	H	-3.87271000	0.54459600	-0.86046600



	H	-3.45788300	1.41167400	0.61913000
	H	-2.65356100	1.82243000	-0.90484300
	C	-2.17610900	-0.83920300	1.09437800
	H	-3.06722300	-0.72505700	1.70034300
	H	-1.50893800	-1.65224800	1.35237800
	H	0.61804300	-0.83295100	1.28367700
	C	2.14145500	0.17702300	0.18346500
	O	3.27204800	0.02760800	-0.24833400
	C	1.60061800	1.53784800	0.51127400
	H	1.39905700	1.60316000	1.58361500
	H	2.30233800	2.31555100	0.21165500
	H	0.62781600	1.63872400	0.01267700
<hr/>				
P^O_69	C	0.85592800	-0.53275900	-0.27176500
	C	2.01113500	-0.09946300	0.21080500
	C	-0.45397700	0.11176700	-0.06523500
	H	0.84189000	-1.45592800	-0.84665600
	H	2.93630200	-0.62373600	0.00884700
	H	2.06818700	0.78646500	0.83185600
	C	-1.61039400	-0.82181700	0.15404100
	H	-1.44948300	-1.43989200	1.04076000
	H	-2.54554400	-0.27713400	0.27731200
	H	-1.72036100	-1.50443600	-0.69291400
	C	-0.60204200	1.43123400	-0.09352900
	H	-1.56757200	1.89218400	0.07446000
	H	0.23267800	2.08869600	-0.29957000
<hr/>				
TS_1	C	-1.72949000	1.20055800	-0.18635200
	C	-0.29789500	1.71574900	-0.42062100
	C	0.33046800	0.36217900	-0.79552300
	C	-1.35619100	-0.13100000	0.18879000
	H	-2.29421500	1.21108700	-1.12403700
	H	0.16962400	2.15342600	0.47146500
	H	-0.22040400	2.48674500	-1.20071500
	H	0.00565500	-0.00873900	-1.76595200
	C	-2.06874000	-1.34302100	-0.36183300
	H	-1.35445600	-2.16330400	-0.48081800
	H	-2.85366400	-1.67932400	0.32730900
	H	-2.52099400	-1.12892400	-1.33211100
	C	-0.82476400	-0.39195500	1.58450500
	H	-1.67902200	-0.59034400	2.24645400
	H	-0.15491400	-1.25743200	1.61095100
	H	-0.30182400	0.47674700	1.98324400
	C	1.55041000	-0.23331700	-0.36360800
	O	1.96629500	-1.32924400	-0.79371800
	C	2.35225800	0.40264900	0.76961000

	H	2.60597200	-0.36838900	1.50219100
	H	3.29112300	0.78389500	0.35512800
	H	1.84042800	1.22746400	1.26683500
<hr/>				
TS_2	C	-1.27697700	-0.14758100	-0.03688900
	C	1.06917100	1.52520900	-0.40738400
	C	2.11824200	0.79798200	-0.81104800
	C	-2.61449500	-0.16091200	-0.01620800
	H	-0.87565100	-1.00028000	-0.62110700
	H	0.63015500	1.44121900	0.57175800
	H	0.59613600	2.23911300	-1.07005300
	H	2.51733500	0.88448400	-1.81621800
	C	-3.50519900	-1.19780100	-0.68111100
	H	-4.14981800	-1.71158700	0.04716900
	H	-4.18376100	-0.74250600	-1.41760000
	H	-2.90668500	-1.95199900	-1.19405500
	C	-3.41611400	0.90279400	0.70465500
	H	-4.08829100	1.44385300	0.02235400
	H	-4.05768200	0.47304500	1.48809000
	H	-2.74268200	1.62306900	1.16889100
	C	2.75027200	-0.22442400	0.01725200
	O	3.73585400	-0.84081400	-0.37019800
	C	2.12138800	-0.52908200	1.35281500
	H	2.57691500	-1.42824100	1.76376800
	H	2.28375100	0.30262200	2.04326400
	H	1.03571600	-0.64337800	1.24282600
<hr/>				
TS_3	C	-1.19777000	-0.67018400	0.08896100
	C	0.12848600	-0.07626800	0.05528600
	C	1.32004000	-0.75445300	-0.15473900
	C	-2.41055300	-0.07145200	-0.28938500
	H	-1.18203100	-1.75845300	0.14692800
	H	-0.72943400	-0.34809700	1.30719200
	H	0.13905600	1.00557500	0.11503200
	H	1.29466300	-1.81672400	-0.37521400
	C	-3.66031000	-0.72033300	0.22781600
	H	-3.89461300	-0.43819800	1.27948300
	H	-4.54341000	-0.44839300	-0.36270500
	H	-3.58314400	-1.81225800	0.21150500
	C	-2.45840600	1.42211100	-0.32517600
	H	-3.41152300	1.78341600	-0.72477800
	H	-2.35087200	1.88082700	0.68719800
	H	-1.66294000	1.85515700	-0.94051500
	C	2.60972700	-0.17616200	-0.04536900
	O	3.66388700	-0.80424700	-0.23225800
	C	2.72500600	1.30170900	0.32131600

	H	3.77963600	1.57129500	0.31533200
	H	2.18768100	1.93615300	-0.38700100
	H	2.30852800	1.49387200	1.31334400
<hr/>				
TS_4	C	1.15456500	0.06181000	1.08283000
	C	-0.07527700	-0.75827600	1.37763300
	C	-0.99985000	-0.91940500	0.15813400
	C	1.82732600	-0.06278400	-0.08028900
	H	1.43605400	0.83982000	1.78772000
	H	-0.61003800	-0.31769300	2.22712000
	H	0.20102900	-1.77018400	1.70533500
	H	-1.44285800	-1.91039000	0.05745800
	C	2.88859600	0.93924200	-0.45888300
	H	3.86759900	0.46119300	-0.56644700
	H	2.65277000	1.39331100	-1.42725800
	H	2.97314300	1.74144600	0.27930800
	C	1.44608200	-1.07605500	-1.04591900
	H	1.91281600	-0.98868400	-2.02880300
	H	1.47111000	-2.10642500	-0.68692900
	H	-0.02654000	-0.95280900	-0.77778400
	C	-1.94401700	0.09203100	-0.20036100
	O	-2.98708700	-0.13245300	-0.83681900
	C	-1.61923000	1.54625800	0.10797500
	H	-1.01317000	1.95414700	-0.70561900
	H	-2.55226500	2.10868300	0.15882300
	H	-1.04212800	1.67028600	1.02491900
<hr/>				
TS_5	C	-1.45228500	-0.04566300	-0.89297500
	C	0.93313900	1.44598700	-0.30483700
	C	2.22794200	1.10728800	-0.20171800
	C	-2.52872800	-0.04565400	-0.10331700
	H	-1.64168900	-0.49694800	-1.88164900
	H	-0.17699200	0.66792200	-0.50556900
	H	0.77067900	2.51477400	-0.50069800
	H	3.05762000	1.81161500	-0.30381200
	C	-3.89149300	-0.59688500	-0.46671100
	H	-4.20437300	-1.39250500	0.22344500
	H	-4.66958000	0.17718800	-0.41281100
	H	-3.89028100	-1.00663300	-1.47811500
	C	-2.47631800	0.53304000	1.29387700
	H	-3.21030900	1.33958800	1.42636400
	H	-2.71177500	-0.22390100	2.05420900
	H	-1.48540700	0.93346700	1.50687100
	C	2.68666100	-0.26482000	0.04255400
	O	3.87730600	-0.55356300	0.02859200
	C	1.65621300	-1.32545000	0.34765300

	H	2.09124800	-2.30780800	0.16518500
	H	1.38872700	-1.25250000	1.40531800
	H	0.73289200	-1.18281900	-0.21462500
<hr/>				
TS_6	C	0.15733900	-0.82413500	-0.76570200
	C	1.77164900	0.03139000	0.19415000
	H	0.70081900	-1.72313500	-1.07903600
	C	1.18692400	1.20295500	0.94337800
	H	1.98587500	1.73862100	1.46943100
	H	0.69435600	1.90265700	0.27015100
	H	0.45916400	0.86938400	1.68379400
	C	2.59933800	0.42563000	-1.00637700
	H	2.89459300	-0.45674300	-1.57659500
	H	2.03609900	1.08377200	-1.66946000
	H	3.51381900	0.94009100	-0.68396400
	C	-2.13871200	-0.12456700	-0.03208900
	O	-3.23391600	-0.44701000	0.43574900
	C	-1.92230500	1.34224200	-0.36053000
	H	-1.02980100	1.49404800	-0.96212400
	H	-2.80685700	1.69750200	-0.89242700
	H	-1.84128600	1.91673100	0.56427600
	C	-1.11373000	-1.09314400	-0.34480100
	H	-1.48828000	-2.11445300	-0.23461100
	C	2.16998000	-1.06612300	0.91940700
	H	2.77881000	-1.84056700	0.46699100
	H	1.71112100	-1.29732000	1.87295300
<hr/>				
TS_7	C	-1.24510300	-0.04273400	-0.75923700
	C	1.64083800	1.85553600	0.36759200
	C	2.62106800	0.99851800	0.11457000
	C	-2.44214500	-0.05397800	-0.16588400
	H	-1.30922500	0.23113400	-1.82675700
	H	0.61539600	1.51953100	0.48380900
	H	1.82845000	2.92358200	0.40581400
	H	3.63351600	1.34083800	-0.08164100
	C	-3.76458000	0.26635300	-0.83710800
	H	-4.46369400	-0.58030600	-0.78388200
	H	-4.27339900	1.11198300	-0.35292900
	H	-3.61666400	0.51737100	-1.88850200
	C	-2.60663200	-0.40664700	1.29748900
	H	-3.05681400	0.41837700	1.86728400
	H	-3.27065600	-1.27135800	1.43506700
	H	-1.64232200	-0.64436000	1.74564900
	C	2.42440200	-0.47249000	-0.04831400
	O	3.24683000	-1.08164000	-0.73667300
	C	1.22311200	-1.05237600	0.52557800




	H	1.22538200	-2.13946500	0.45716700
	H	1.03333600	-0.70926600	1.54339800
	H	0.21630000	-0.61803600	-0.07921100
<hr/>				
TS_8	C	-0.97973300	-0.01688800	-0.88331400
	C	-0.02131400	-1.00450600	-0.93381900
	C	-2.12954600	-0.03615200	-0.02083100
	H	-0.82250700	0.88678200	-1.46462500
	H	0.73417200	-0.96643500	-1.70756400
	H	-0.28824200	-2.00165700	-0.60406700
	C	-3.13600700	1.06547000	-0.25664000
	H	-3.52986200	1.02166700	-1.27610200
	H	-3.97250100	1.00154700	0.44102900
	H	-2.66660700	2.04644200	-0.13859600
	C	-2.36662700	-0.93503900	0.95799900
	H	-3.28046600	-0.89853200	1.53912400
	H	-1.65720600	-1.71558900	1.20042500
	C	2.28965100	0.10435200	0.21297200
	O	3.21713100	0.12279900	-0.62215600
	C	1.77310800	1.42684000	0.75536100
	H	1.62634000	1.39590700	1.83721300
	H	2.46431000	2.22809300	0.49480400
	H	0.79342400	1.62641900	0.30281700
	C	1.56138200	-1.03849100	0.59205600
	H	1.97947800	-2.00512200	0.33371300
	H	0.93713000	-0.99542900	1.47637700
<hr/>				
TS_9	C	1.04978200	-0.39108900	-0.68162800
	C	-0.09854100	-1.38383000	-0.68246500
	C	-1.24306300	-0.42871100	-0.92580900
	C	0.53875100	0.83553000	0.04799700
	H	1.24707100	-0.10470300	-1.71912000
	H	-0.17697900	-1.88431000	0.28290800
	H	0.02619300	-2.16823300	-1.43605300
	H	-1.20012100	0.12319300	-1.86069900
	C	0.44732900	2.17674600	-0.59526000
	H	-0.60567900	2.45629000	-0.68721200
	H	0.94768900	2.92092700	0.02852700
	H	0.90430700	2.18244900	-1.58364400
	C	0.05925600	0.77691600	1.46533600
	H	0.73242500	1.37370700	2.08340500
	H	-0.94617600	1.19396600	1.54167600
	H	0.05275100	-0.23803700	1.85682100
	C	-2.41976500	-0.23881900	-0.19870200
	C	2.39903400	-0.47775000	0.00572700
	O	2.51981700	0.69205600	0.53908400

	O	-3.25713700	0.65852400	-0.45768100
	O	3.18189600	-1.41266500	0.02212700
	C	-2.73328700	-1.10738600	1.01475700
	H	-2.01501700	-1.90509800	1.20182800
	H	-2.80079000	-0.47302200	1.90203800
	H	-3.71925900	-1.55009300	0.86157000
<hr/>				
TS_10	C	0.94633200	0.39057300	0.60210500
	C	-0.96636600	1.19430300	-0.41413000
	C	-2.13274400	1.07805400	0.29761100
	C	1.72266600	-0.83219200	0.14311300
	H	0.56335400	0.56748500	1.59649600
	H	-0.79438600	0.58653800	-1.29099400
	H	-0.40984500	2.12038700	-0.39267400
	H	-2.35697400	1.79393100	1.08126200
	C	2.54054900	-1.54289300	1.20671600
	H	1.88204700	-2.09711000	1.88095400
	H	3.24446800	-2.25038200	0.75764000
	H	3.10198800	-0.81550300	1.79300700
	C	1.03850200	-1.81868900	-0.78130800
	H	1.76804500	-2.49620900	-1.23467300
	H	0.31360100	-2.41838800	-0.22601400
	H	0.51369000	-1.29233000	-1.57666100
	C	-3.08802900	0.02273700	0.15875000
	C	1.93033800	1.16982400	-0.06542200
	O	2.59274200	0.06105300	-0.64127200
	O	-4.11254500	-0.04874500	0.84477500
	O	2.22576200	2.32490900	-0.27584600
	C	-2.84467400	-1.06102000	-0.88140700
	H	-3.72258400	-1.70324000	-0.91978000
	H	-2.65919800	-0.63731500	-1.87009800
	H	-1.97132400	-1.65979200	-0.61589000
<hr/>				
TS_11	C	-0.27218600	-0.61350000	-0.88094500
	C	0.83914400	-0.08632100	-0.18463800
	H	-0.30826800	-1.65771200	-1.17379100
	C	1.86521200	-1.02086700	0.40381000
	H	1.90243900	-1.94542700	-0.17618800
	H	2.86979300	-0.59206200	0.47272200
	H	1.53383400	-1.27798100	1.41227200
	C	1.33943100	1.31934500	-0.39567300
	H	1.74992800	1.74739300	0.52322700
	H	2.14321600	1.28670500	-1.14466900
	H	0.54176500	1.95672000	-0.76813600
	C	-1.30816600	-0.06171100	-0.01449800
	O	-0.61786100	0.52231400	0.97237200

	O	-2.53380300	-0.11472900	-0.06159400
TS_12	C	0.47683900	0.00000000	-0.89937100
	C	-0.69581200	0.00000000	0.08642900
	H	0.46325200	0.00000000	-1.98596000
	C	-1.56992200	1.25263000	-0.16466300
	H	-1.97927600	1.30025000	-1.18291000
	H	-2.39904000	1.25019900	0.54870400
	H	-0.96430900	2.14192200	0.01673400
	C	-1.56992200	-1.25263000	-0.16466300
	H	-2.39904000	-1.25019800	0.54870400
	H	-1.97927500	-1.30025000	-1.18291000
	H	-0.96430900	-2.14192200	0.01673500
	C	1.63117900	0.00000000	-0.27503300
	O	-0.15027700	0.00000000	1.32693400
	O	2.72375500	0.00000000	0.13865500

5.3 Proton transfer (PR) reaction

CH₂Cl₂	C	0.00000000	0.00000000	0.76311300
	H	-0.89885900	0.00000000	1.37081900
	H	0.89885900	0.00000000	1.37081900
	Cl	0.00000000	1.47460800	-0.21530300
	Cl	0.00000000	-1.47460800	-0.21530300
CHCl₂	C	-0.02636900	0.95405500	0.00000000
	H	1.05476000	1.18343600	0.00000000
	Cl	-0.02636900	-0.20317000	1.50771100
	Cl	-0.02636900	-0.20317000	-1.50771100
CHCl₃	C	0.00000000	0.00000000	0.45285000
	H	0.00000000	0.00000000	1.53642700
	Cl	0.00000000	1.68170700	-0.08340200
	Cl	1.45640100	-0.84085300	-0.08340200
	Cl	-1.45640100	-0.84085300	-0.08340200
CCl₃	C	0.00000000	0.00000000	0.72425900
	Cl	0.00000000	1.70640500	-0.08520700
	Cl	1.47779000	-0.85320300	-0.08520700
	Cl	-1.47779000	-0.85320300	-0.08520700
CHBr₃	C	-0.00020600	-0.00002200	0.52270800
	H	-0.00021800	-0.00004800	1.60455900
	Br	0.43287100	1.79169500	-0.04514600
	Br	1.33543800	-1.27066100	-0.04514400
	Br	-1.76826800	-0.52102800	-0.04516200
CBr₃	C	0.00000000	0.00000000	0.81761900
	Br	0.00000000	1.87698300	-0.04672100
	Br	-1.62551500	-0.93849200	-0.04672100
	Br	1.62551500	-0.93849200	-0.04672100
CH₃SCN	C	-1.48350600	0.80496100	0.00000400
	H	-2.51383700	0.44797700	-0.00003800
	H	-1.29544800	1.38932400	-0.89813500
	H	-1.29551300	1.38926300	0.89819600
	S	-0.46277500	-0.69990700	-0.00001800
	C	1.07262400	0.00209800	-0.00018700
	N	2.13921200	0.44708400	0.00019400
CH₂SCN	C	-1.69524200	0.69300900	0.00004000
	H	-1.67518900	1.29592700	0.91025600
	H	-1.67581000	1.29530800	-0.91060500

	S	-0.55025900	-0.59283600	0.00004700
	C	1.13319900	-0.01565600	-0.00016800
	N	2.21820000	0.40428900	0.00005200
<hr/>				
	S	0.90023900	0.49001000	-0.49082300
	S	-0.90024600	0.49002000	0.49081600
	C	-1.84888700	-0.78922200	-0.37651800
	H	-2.84597000	-0.77622000	0.07064200
	H	-1.92460200	-0.55383000	-1.43711900
	H	-1.40732800	-1.77493600	-0.23300000
	C	1.84889700	-0.78920500	0.37652900
	H	1.40751300	-1.77495800	0.23276400
	H	2.84606700	-0.77599500	-0.07043000
	H	1.92436800	-0.55397400	1.43718300
<hr/>				
	S	0.97985200	-0.13747200	-0.00000100
	C	2.41222043	-0.79885926	-0.86913272
	H	2.47021033	-0.75823899	-1.98671794
	H	3.38215629	-0.35335769	-0.55106438
	H	2.62502582	-1.86894963	-0.64545271
	C	-0.78806600	0.74601200	0.00000500
	H	-0.59134407	1.68900827	0.50579855
	H	-1.39627571	0.07828002	0.60662141
	S	-1.58733886	1.04793285	-1.55770227