

Supplement to: Impact of improved representation of VOC emissions and production of NO_x reservoirs on modeled urban ozone production

Katherine R. Travis¹, Benjamin A. Nault^{2,3}, James H. Crawford¹, Kelvin H. Bates⁴, Donald R. Blake⁵, Ronald C. Cohen^{6,7}, Alan Fried⁸, Samuel R. Hall⁹, L. Gregory Huey¹⁰, Young Ro Lee¹¹, Simone Meinardi⁵, Kyung-Eun Min¹², Isobel J. Simpson⁵, Kirk Ullman⁹

¹NASA Langley Research Center, Hampton, VA, USA

²CACC, Aerodyne Research, Inc., Billerica, MA, USA

³Department of Environmental Health and Engineering, Johns Hopkins University, Baltimore, MD, USA

⁴NOAA Chemical Sciences Laboratory, Earth System Research Laboratories, and Cooperative Institute for Research in Environmental Sciences, University of Colorado, Boulder, CO 80305, USA

⁵Department of Chemistry, University of California, Irvine, Irvine CA USA 92697

⁶Department of Chemistry, University of California, Berkeley, CA, USA

⁷Department of Earth and Planetary Science, University of California, Berkeley, CA, USA

⁸INSTAAR, University of Colorado, Boulder, CO, USA

⁹Atmospheric Chemistry Observations & Modeling Laboratory, NCAR, Boulder, CO, USA

¹⁰School of Earth and Atmospheric Sciences, Georgia Institute of Technology, Atlanta, GA, USA

¹¹Division of Geological and Planetary Sciences, California Institute of Technology, Pasadena, CA, USA

¹²School of Environmental Sciences and Environmental Engineering, Gwangju Institute of Science and Technology, Gwangju, South Korea

Correspondence to: Katherine R. Travis (katherine.travis@nasa.gov)

Table S1. New species added to GEOS-Chem and their properties.

| GEOS-Chem Species | Formula/Name | Molecular weight | Properties ¹ |
|-------------------|--|------------------|--|
| C4H6 | C4H6/1,3-butadiene | 54.09 | Is_Gas: true (for all) Henry_CR: 4500.0 Henry_K0: 1.4e-2 Is_Advected: true |
| BUTO2 | C4H7O3 | 103.10 | Is_Gas: true |
| BUTN | C4H7NO4 | 133.1 | DD_F0: 1.0 DD_Hstar: 5.0e+5 Henry_CR: 0.0 Henry_K0: 1.0e+3 Is_Advected: true Is_DryDep: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| ACR | C3H4O/acrolein | 56.06 | DD_F0: 1.0 DD_Hstar: 7.3 Henry_CR: 5100.0 Henry_K0: 7.3 Is_Advected: true Is_DryDep: true Is_Photolysis: true |
| APAN | C3H3NO5/peroxyacrylic nitric anhydride | 133.06 | DD_F0: 1.0 DD_Hstar: 3.6 Henry_CR: 5700.0 Henry_K0: 2.94 Is_Advected: true Is_DryDep: true |

| GEOS-Chem Species | Formula/Name | Molecular weight | Properties ¹ |
|-------------------|--|------------------|--|
| | | | Is_Gas: true (for all) |
| | | | Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| ACO3 | C3H3O3 | 87.05 | N/A |
| ACRO2 | C3H5O4 | 105.07 | N/A |
| STYR | C8H8/ styrene | 104.15 | Is_Advected: true |
| EBZ | C8H10/ethylbenzene | 106.167 | Is_Advected: true |
| TMB | C8H10/Trimethylbenzenes | 106.167 | Is_Advected: true |
| ALK6 | C7H16/ ≥C6 alkanes | 100.20 | Is_Advected: true |
| R6O2 | C7H15O2/peroxy radical from ALK6 | 131.19 | N/A |
| R6N2 | C7H15NO3/lumped alkyl nitrate | 161.2 | DD_F0: 1.0 DD_Hstar: 1.7e+4 Henry_CR: 6700.0 Henry_K0: 0.77 Is_Advected: true Is_DryDep: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| R6N1 | C7H13O3 | 145.18 | |
| R6P | C7H16O2/peroxide from R4O2 | 132.2 | DD_F0: 1.0 DD_Hstar: 2.94e+2 Henry_CR: 5200.0 Henry_K0: 2.94e+2 Is_Advected: true Is_DryDep: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| PHAN | C2H3NO6/peroxyhydroxyacetic nitric anhydride | 137.0483 | DD_F0: 1.0 DD_Hstar: 3.6 Henry_CR: 5700.0 Henry_K0: 2.94 Is_Advected: true Is_DryDep: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| GCO3 | C2H3O4/peroxyacetyl radical for PHAN | 91.04 | N/A |
| HACTA | C2H4O3/hydroxyacetic acid/glycolic acid | 76.05 | DD_F0: 1.0 DD_Hstar: 2.83e+4 Henry_CR: 4000.0 Henry_K0: 2.83e+4 (Ka = 3.83) Is_Advected: true Is_DryDep: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| RNO3 | C7H9NO6/lumped aromatic alkyl nitrate | 203.15 | DD_F0: 1.0 DD_Hstar: 1.7e+4 Henry_CR: 5800.0 |

| GEOS-Chem Species | Formula/Name | Molecular weight | Properties ¹ |
|--|--|------------------|--|
| | | | Is_Gas: true (for all) Henry_K0: 1.0 Is_Advected: true Is_DryDep: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| TLFUONE | C5H6O2/ 5-Methyl-2(5H)-furanone | 98.1 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Is_Advected: true Is_DryDep: true Is_WetDep: true Henry_CR: 7500.0 Henry_K0: 2.0e+6 WD_RetFactor: 2.0e-2 |
| TLFO2 | C5H7O5 | 147.1 | N/A |
| AROMCHO | C5H6O4/ (ACCOMMECHO from MCMV3.3.1) | 130.1 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Formula: C5H6O2 FullName: C5 unsaturated dicarbonyl Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true MW_g: 98.10 Henry_CR: 7500.0 Henry_K0: 2.0e+6 |
| AROMPAN | C5H5NO8/ (ACCOMEPAN from MCMV3.3.1) | 207.1 | DD_F0: 1.0 DD_Hstar: 3.6 Henry_CR: 5700.0 Henry_K0: 2.94 Is_Advected: true Is_DryDep: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| AROMCO3 | C5H5O6 | 161.09 | N/A |
| MEKPN | C3H5NO6/hydroxypropanonyl peroxy nitrate (C3PAN1 from MCMV3.3.1) | 151.07 | DD_F0: 1.0 DD_Hstar: 3.6 Henry_CR: 5700.0 Henry_K0: 2.94 Is_Advected: true Is_DryDep: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| MEKCO3 | C3H5O4 | 105.07 | N/A |
| ZRO2 | C7H9O5 | 173.16 | N/A |
| RCOOH (currently in GEOS-Chem as a 'dead' species) | C3H6O2 > C2 organic acids | 74.08 | DD_F0: 1.0 DD_Hstar: 1.52e+3 Henry_CR: 6800.0 Henry_K0: 1.52e+3 Is_Advected: true Is_DryDep: true Is_WetDep: true |

| GEOS-Chem Species | Formula/Name | Molecular weight | Properties ¹ |
|-------------------|---|------------------|--|
| | | | Is_Gas: true (for all) WD_RetFactor: 2.0e-2 |
| APINP | C10H18O3/hydroperoxide from APIN | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+5 Henry_CR: 6039.0 Henry_K0: 1.0e+5 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| APINN | C10H17NO4/1st gen organic nitrate from APIN | 215.28 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| PINAL | C10H16O2/pinonaldehyde | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+3 Henry_CR: 6039.0 Henry_K0: 1.0e+3 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| PINONIC | C10H18O3/pinonic acid | 186.28 | DD_F0: 1.0 DD_Hstar: 3.14e+5 Henry_CR: 6039.0 Henry_K0: 3.14e+5 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| PINO3H | C10H18O4/pinonic peracid | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+5 Henry_CR: 6039.0 Henry_K0: 1.0e+5 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| C96O2H | C9H16O3/peroxide from APIN 2 nd gen | 186.28 | DD_F0: 1.0 DD_Hstar: 3.14e+5 Henry_CR: 6039.0 Henry_K0: 3.14e+5 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |

| GEOS-Chem Species | Formula/Name | Molecular weight | Properties ¹ Is_Gas: true (for all) |
|-------------------|--|------------------|--|
| C96N | C9H15NO4/saturated 2 nd gen monoterpene organic nitrate | 215.28 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| BPINO | C9H14O/ketone from BPIN | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+3 Henry_CR: 6039.0 Henry_K0: 1.0e+3 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| BPINN | C10H17NO4/saturated 1 st gen BPIN organic nitrate | 215.28 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| BPINP | C10H18O3/peroxide from BPIN | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+5 Henry_CR: 6039.0 Henry_K0: 1.0e+5 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| BPINOOH | C9H14O3/2 nd gen peroxide from BPIN | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+5 Henry_CR: 6039.0 Henry_K0: 1.0e+5 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| BIPINON | C9H13NO4/saturated 2 nd gen BPIN organic nitrate | 215.28 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |

| GEOS-Chem Species | Formula/Name | Molecular weight | Properties ¹ Is_Gas: true (for all) |
|-------------------|--|------------------|--|
| LIMAL | C10H16O2/aldehyde from limonene | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+3 Henry_CR: 6039.0 Henry_K0: 1.0e+3 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| LIMN | C10H17NO4/saturated 1 st gen limonene organic nitrate | 215.28 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| LIMKET | C10H16O2/ketone from limonene | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+3 Henry_CR: 6039.0 Henry_K0: 1.0e+3 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| LIMKB | C10H16O3/2 nd gen ketone from limonene | | DD_F0: 1.0 DD_Hstar: 1.0e+3 Henry_CR: 6039.0 Henry_K0: 1.0e+3 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true MW_g: 186.28 WD_RetFactor: 2.0e-2 |
| LIMNB | C10H15NO4/saturated 1 st gen LIMO organic nitrate | 215.28 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| LIMO2H | C10H18O3/acid from LIMO | 186.28 | DD_F0: 1.0 DD_Hstar: 3.14e+5 Henry_CR: 6039.0 Henry_K0: 3.14e+5 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |

| GEOS-Chem Species | Formula/Name | Molecular weight | Properties ¹ Is_Gas: true (for all) |
|-------------------|---|------------------|--|
| LIMO3H | C10H18O4/peracid from LIMO | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+5 Henry_CR: 6039.0 Henry_K0: 1.0e+5 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| MYRCO | C10H18O3/aldehyde or ketone from myrcene | 186.28 | DD_F0: 1.0 DD_Hstar: 1.0e+3 Henry_CR: 6039.0 Henry_K0: 1.0e+3 Is_Advected: true Is_DryDep: true Is_Gas: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| PIN | C10H17NO4/saturated 1 st gen monoterpene organic nitrate | 215.28 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |
| APINO2 | C10H17O3/peroxy radical from APIN | 185.27 | N/A |
| PINO3 | C10H17O3/acylperoxy radical from APIN | 185.27 | N/A |
| C96O2 | C10H17O3/2 nd gen peroxy radical from APIN | 185.27 | N/A |
| BPINO2 | C10H17O3/peroxy radical from BPIN | 185.27 | N/A |
| BPINOO2 | C10H17O3/2 nd gen peroxy radical from BPIN | 185.27 | N/A |
| LIMKO2 | C10H17O3/ 2 nd gen peroxy radical from | 185.27 | N/A |
| LIMO3 | C10H17O3/acylperoxy radical from LIMO | 185.27 | N/A |
| PINPAN | 215.28/ α -Pinonyl peroxy nitrate | C10H17NO4 | DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |

| GEOS-Chem Species | Formula/Name | Molecular weight | Properties ¹ |
|-------------------|------------------------------------|------------------|--|
| LIMPAN | C10H17NO4/Limononyl peroxy nitrate | 215.28 | Is_Gas: true (for all) DD_F0: 1.0 DD_Hstar: 2.0e+6 Henry_CR: 9200.0 Henry_K0: 1.7e+4 Is_Advected: true Is_DryDep: true Is_Gas: true Is_Photolysis: true Is_WetDep: true WD_RetFactor: 2.0e-2 |

¹DD_Hstar (M atm-1, T=298.15, pH=7).Henry_K0 = M atm-1, T=298.15, pH=4.5). Henry_K0 = DD_Hstar*(1+H⁺/K_a). Where possible, DD_Hstar from <http://www.henrys-law.org>, and adjusted for pH using K_a from <https://acp.copernicus.org/articles/21/13483/2021/>.

Table S2. New reactions added to GEOS-Chem.

| Reaction | Rate | Reference |
|--|------------------------|--|
| New Peroxynitrates (precursor) | | |
| PHAN (glycoaldehyde) | | |
| GLYC + OH = 0.200GLYX + 0.200HO2 + 0.800GCO3 | 1E-11 | MCMV3.3.1 |
| GLYC + NO3 = GCO3 + HNO3 | 1.44E-12*exp(-1862/T) | MCMV3.3.1 |
| GCO3 + NO2 {+M} = PHAN | Same as PAN | MCMV3.3.1 |
| GCO3 + NO = NO2 + HO2 + CH2O | 7.5E-12*exp(290/T) | MCMV3.3.1 |
| GCO3 + HO2 = 0.44HO2 + 0.44CH2O + 0.44OH + 0.560HACTA + 0.15O3 + 0.44CO2 | 5.2E-13*exp(980/T) | MCMV3.3.1 |
| GCO3 + NO3 = CH2O + HO2 + NO2 | 4E-12 | MCMV3.3.1 |
| HACTA + OH = CH2O + HO2 | 2.73E-12 | MCMV3.3.1 |
| PHAN = GCO3 + NO2 | Same as PAN | MCMV3.3.1 |
| PHAN + OH = CH2O + CO + NO2 | 1.12E-12 | MCMV3.3.1 |
| AROMP (aromatics) | | |
| TLFUONE + OH → TLFO2 | 6.9E-11 | MCMV3.3.1 |
| TLFO2 + NO = NO2 + HO2 + AROMCHO | 2.70E-12*exp(360/T) | MCMV3.3.1 |
| TLFO2 + HO2 = AROMCHO | 2.05E-13*exp(1300/T) | MCMV3.3.1 |
| AROMCHO + OH → AROMCO3 | 7.09E-11 | MCMV3.3.1 |
| AROMCHO + jv ^l → HO2 + CO + MCO3 + CH2O | Same as RCHO | MCMV3.3.1 |
| AROMCO3 + NO2 {+M} → AROMPN | same as BZPAN | MCMV3.3.1 |
| AROMCO3 + NO → NO2 + RCO3 + 2CO2 | 7.5E-12*EXP(290/T) | MCMV3.3.1 |
| AROMCO3 + HO2 = 0.15O3 + 0.15RCOOH + 0.44CO2 + 0.44OH + 0.44RCO3 + 0.41RP | 5.2e-13*exp(980/T) | MCMV3.3.1 for rate, estimated products |
| AROMP = AROMCO3 + NO2 | same as BZPAN | |
| AROMP + OH = 2CO + NO2 + MCO3 + HCHO | 1E-14 | MCMV3.3.1 for ACCOME PAN |
| MEKPN (MEK) | | |
| MEK + OH = KO2 | 1.30E-12*exp(-25.0/T) | currently in GEOS-Chem |
| KO2 + NO = 0.070R4N2 + 0.930 NO2 + 0.62ALD2 + 0.62MCO3 + 0.31MEKCO3 + 0.31CH2O | same rate as GEOS-Chem | branching for A vs. B from Cox et al, 1981 |
| MEKCO3 + NO2 {+M} → MEKPN | Same as PAN | C3PAN1 from MCMV3.3.1 |
| MEKCO3 + NO = NO2 + ETOO + CO2 | 7.5E-12*exp(290/T) | MCMV3.3.1 |

| | | |
|---|-----------------------|--|
| MEKCO ₃ + HO ₂ = 0.15O ₃ + 0.15RCOOH + 0.44CO ₂ + 0.44OH + 0.44ETOO + 0.41RP | 5.2e-13*exp(980/T) ; | MCMV3.3.1 for rate, estimated products |
| MEKPN = MEKCO ₃ + NO ₂ | Same as PAN | |
| MEKPN + OH = GLYC + CO + NO ₂ | 4.51E-12 | MCMV3.3.1 |
| APAN (1,3 butadiene) | | |
| C ₄ H ₆ + OH = BUTO ₂ | 1.48E-11*exp(448/T) | MCMV3.3.1 |
| C ₄ H ₆ + NO ₃ = ACR + HCHO + NO ₂ | 1.03E-13 | |
| C ₄ H ₆ + O ₃ = ACR + HCHO | 1.34E-14*exp(-2283/T) | |
| BUTO ₂ + HO ₂ = 0.659GLYC + 0.894RCHO | 1.82E-13*exp(1300/T) | MCMV3.3.1 |
| BUTO ₂ + NO = 0.058BUTN + 0.730ACR + 0.603CH ₂ O + 0.513HO ₂ + 0.942NO ₂ +0.326RCHO | 2.70E-12*exp(360/T) | MCMV3.3.1 – all pathways |
| BUTN + OH = GLYC + NO ₂ + CH ₂ O + HO ₂ + CO | 3.59E-11 | MCMV3.3.1 |
| ACR + OH = 0.680ACO ₃ + 0.255ACRO ₂ + 0.065CH ₂ O + 0.065GLYX + 0.425HO ₂ | 2.0E-11 | MCMV3.3.1 |
| ACRO ₂ + NO = GLYC + NO ₂ + HO ₂ + CO | 2.7E-12*exp(360/T) | MCMV3.3.1 |
| ACRO ₂ + HO ₂ = GLYC + HO ₂ + CO | 1.51E-13*exp(1300/T) | MCMV3.3.1 |
| ACO ₃ + HO ₂ = CO + CH ₂ O + 0.500GLYC + 0.250HO ₂ + 0.250OH | 5.2E-13*exp(980/T) | MCMV3.3.1 |
| ACO ₃ + NO = HO ₂ + CO + CH ₂ O + NO ₂ | 7.5E-12*exp(290/T) | MCMV3.3.1 |
| ACO ₃ + NO ₂ {+M} = APAN | Same as for PAN | MCMV3.3.1 |
| APAN = ACO ₃ + NO ₂ | Same as for PAN | MCMV3.3.1 |
| APAN + OH = GLYC + CO + NO ₃ | 1.47E-11 | MCMV3.3.1 |
| ACR + jv ^l = 0.3ACO ₃ + 0.4C ₂ H ₄ + 0.7CO + 0.3HCHO+ 0.3HO ₂ | Same as MACR | MCMV3.3.1 |
| APAN + jv ^l = ACO ₃ + NO ₂ | Same as for PAN | MCMV3.3.1 |
| New Alkyl nitrates | | |
| Aromatic Nitrates from TOLU, XYLE, EBZ, TMB | | |
| TOLU + OH = TRO ₂ + 0.19CSL + 0.19HO ₂ + 0.81AROMRO ₂ 0.75AROMRO ₂ + 0.06BALD 0.06ZRO ₂ + 0.12GLYX + 0.12MGLY + 0.27CO + 0.04MVK + 0.3AROMP5 0.18AROMP5 + 0.12TLFUONE + 0.68AROMP4 | 1.8E-12*exp(340/T) | Modified from Bates et al., 2021 |
| XYLE + OH = XRO ₂ + 0.15CSL + 0.15HO ₂ + 0.85AROMRO ₂ 0.79AROMRO ₂ + 0.06BALD 0.06ZRO ₂ + 0.1GLYX + 0.2MGLY + 0.3CO + 0.04MVK + 0.56AROMP50.39AROMP5 + 0.17TLFUONE + 0.28AROMP4 + 0.45RCOOH : | 1.7E-11 | Modified from Bates et al., 2021 |
| EBZ + OH = 0.820AROMRO ₂ 0.813AROMRO ₂ + 0.250CH ₂ O + 0.07BALD 0.07ZRO ₂ + 0.180CSL + 0.400ALD ₂ + 0.400AROMP5 + 0.800AROMP4 + 0.180HO ₂ | 7E-12 | Modified from Bates et al., 2021 |
| TMB + OH = 0.970AROMRO ₂ 0.930AROMRO ₂ + 0.120CH ₂ O + 0.05BALD 0.05ZRO ₂ + 0.030CSL + 0.750AROMP50.600AROMP5 + 0.15TLFUONE + 0.375AROMP4 + 0.250MGLY + 0.100GLYX + 0.500RCOOH + 0.120CO + 0.030HO ₂ | 3.92E-11 | Modified from Bates et al., 2021 |
| ZRO ₂ + NO = 0.11RNO ₃ + 0.89BALD + 0.89NO ₂ + HO ₂ | 2.7E-12*exp(360/T) | MCMV3.3.1 (from TLBIPERO ₂) making RNO |

| | | |
|---|--------------------------------|--|
| ZRO2 + HO2 = BALD + OH | 1.5E-13*exp(1310/T) | MCMV3.3.1 |
| RNO3 + OH = BALD + NO2 + HO2 | 7.16E-11 | MCMV3.3.1 |
| RNO3 + jv' = BALD + NO2 +HO2? | Same as R4N2 | |
| ALK6 mechanism | | |
| ALK6 + OH = R6O2 + H2O | 2.00E-11*exp(-359/T) | Lurmann et al., 1986 |
| R6O2 + NO = 0.750RCHO + 0.250R4O2 + 0.250MEK +0.750HO2 | GC_RO2NO_B2_aca(2.7E-12,350,7) | Lurmann et al., 1986 Adjust nitrate yield for weighted avg. of observed >C6 ANs |
| R6O2 + NO = R6N2 | GC_RO2NO_A2_aca(2.7E-12,350,7) | Lurmann et al., 1986 |
| ALK6 + NO3 = HNO3 + R6O2 | 6.0E-17 | Lurmann et al., 1986 |
| R6N2 + OH = R6N1 + H2O | 4.00E-12 | Lurmann et al., 1986 |
| R6N2 + jv' = NO2 + 0.348ALD2 + 1.558 RCHO + 0.326 MCO3 + 0.326 RCO3 + 0.326 HO2 | Same as R4N2 | Lurmann et al., 1986 |
| R6N1 + NO = 2.00NO2 + 1.240RCHO + 0.650ALD2 + 0.980CH2O | 4.20E-12*exp(180.0/T) | Lurmann et al., 1986 |
| R6O2 + HO2 = R6P | 3.00E-12 | Lurmann et al., 1986 |
| OH + R6P = 0.500R6O2 + 0.500RCHO + 0.500OH | 1.00E-11 | |
| R6N1 + HO2 = R6N2 | GCARR(7.4E-13, 700) | Lurmann et al., 1986 |
| Styrene (C8H8) mechanism | | |
| STYR + NO3 = AROMRO2 + NO2 + CH2O + BALD | 1.5E-12 | Bates et al., 2021 |
| STYR + OH = 0.7AROMRO2 +0.7 HO2 + CH2O + 0.7BALD+ 0.3ZRO2 | 5.8E-11 | Bates et al., 2021 |
| STYR+ O3 = 0.5SCI + 0.5CH2O + 0.62BALD + 0.1BENZ + 0.28BENZO2 + 0.18CO + 0.18OH + 0.1HO2 | 1.7E-17 | Bates et al., 2021 |
| Other new chemistry | | |
| RCOOH (>C2 organic acids) chemistry | | |
| RCOOH + OH = ETO2 + CO2 + H2O | 1.2E-12 | Propionic acid from MCMV3.3.1 |
| Monoterpene chemistry | | |
| LIMO + OH = LIMO2 | 4.20E-11*exp(401.0/T) | Modified from MCMV3.3.1 |
| LIMO + O3 = 0.865OH + 0.15CO + 0.15AROMRO2 + 0.27LIMAL + 0.715LIMO3 | 2.95E-15*exp(-783.0/T) | Modified from MCMV3.3.1 |
| MTPO + OH = 0.15APINO2 + 0.15BPINO2 + 0.2LIMO2 + 0.5PIO2 | 1.21E-11*exp(440.0/T) | Modified from MCMV3.3.1 |
| MTPO + O3 = 0.5ACET + 0.8OH + 0.1CH2O + 0.5MEK + 0.15MVK + 0.4MYRCO + 0.5AROMRO2 + 0.05HO2 + 0.3KO2 + 0.3RCHO | 2.7E-15*exp(-520.0/T) | Modified from MCMV3.3.1 |
| MTPA + OH = 0.075LIMO2 + 0.67APINO2 + 0.255BPINO2 | 1.34E-11*exp(410.0/T) | Modified from MCMV3.3.1 |
| MTPA + O3 = 0.65OH + 0.5APINO2 + 0.1BPINO2 + 0.2BPINO + 0.2PINAL + 0.1CH2OO + 0.1CO + 0.1CH2O | 8.22E-16*exp(-640.0/T) | Modified from MCMV3.3.1 |
| APINO2 + HO2 = APINP | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| APINO2 + NO = 0.25APINN + 0.75PINAL + 0.75NO2 + 0.75HO2 | 2.7E-12*exp(360.0/T) | Modified from MCMV3.3.1 |
| APINO2 + NO3 = PINAL + NO2 + HO2 | 2.3E-12 | Modified from MCMV3.3.1 |
| APINP + OH = 0.4PINO3 + 0.6APINO2 | 1.83E-11 | Modified from MCMV3.3.1 |

| | | |
|---|------------------------|-------------------------|
| APINN + OH = 0.5PINAL + 0.5NO2 + 0.5HO2 + 0.5C96N + 0.5CH2O + 0.5AROMRO2 | 5.50E-12 | Modified from MCMV3.3.1 |
| PINAL + NO3 = HNO3 + PINO3 | 2.0E-14 | Modified from MCMV3.3.1 |
| PINAL + OH = PINO3 | 5.2E-12*exp(600.0/T) | Modified from MCMV3.3.1 |
| PINO3 + HO2 = 0.44OH + 0.15O3 + 0.44C96O2 + 0.41PINO3H + 0.15PINONIC | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| PINO3 + NO3 = NO2 + CO2 + C96O2 | 2.3E-12 | Modified from MCMV3.3.1 |
| PINO3H + OH = PINO3 | 9.73E-12 | Modified from MCMV3.3.1 |
| PINONIC + OH = CO2 + C96O2 | 6.65E-12 | Modified from MCMV3.3.1 |
| C96O2 + HO2 = C96O2H | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| C96O2 + NO = 0.16C96N + 0.84NO2 + 0.84AROMRO2 + 0.84ACET + 0.84CH2O + 0.84RCO3 + 0.42MEK | 2.7E-12*exp(360.0/T) | Modified from MCMV3.3.1 |
| C96O2 + NO3 = NO2 + AROMRO2 + ACET + CH2O + RCO3 + 0.5MEK | 2.3E-12 | Modified from MCMV3.3.1 |
| C96O2 + MO2 = HO2 + 0.75CH2O + 0.25MOH + 0.25C96O2H + 0.75AROMRO2 + 0.75ACET + 0.75CH2O + 0.75RCO3 + 0.375MEK | 3.75E-13*exp(500.0/T) | Modified from MCMV3.3.1 |
| C96O2H + OH = 0.5C96O2 + 0.5AROMRO2 + 0.5ACET + 0.5CH2O + 0.5RCO3 + 0.25MEK | 2.6E-11 | Modified from MCMV3.3.1 |
| C96N + OH = 0.5NO2 + 0.5MONITS + 0.55AROMRO2 + 0.4ACET + 0.4CH2O + 0.4RCO3 + 0.3MEK | 2.88E-12 | Modified from MCMV3.3.1 |
| BPINO2 + HO2 = BPINP | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| BPINO2 + NO = 0.25BPINN + 0.75CH2O + 0.75NO2 + 0.75HO2 + 0.75BPINO | 2.7E-12*exp(360.0/T) | Modified from MCMV3.3.1 |
| BPINO2 + NO3 = CH2O + NO2 + HO2 + BPINO | 2.3E-12 | Modified from MCMV3.3.1 |
| BPINN + OH = 0.5BPINON + 0.5AROMRO2 + CH2O + 0.5NO2 + 0.5HO2 + 0.5BPINO | 4.7E-12 | Modified from MCMV3.3.1 |
| BPINP + OH = BPINO2 | 1.33E-11 | Modified from MCMV3.3.1 |
| BPINO + OH = BPINOO2 | 1.55E-11 | Modified from MCMV3.3.1 |
| BPINOO2 + HO2 = BPINOOH | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| BPINOO2 + NO = BPINON | 4.32E-13*exp(360.0/T) | Modified from MCMV3.3.1 |
| BPINOO2 + NO = NO2 + HO2 + 0.27LIMO3 + 0.6ACET + 0.6RCHO + 0.6R4O2 | 2.27E-12*exp(360.0/T) | Modified from MCMV3.3.1 |
| BPINOO2 + MO2 = HO2 + 0.23LIMO3 + 0.4ACET + 0.4RCHO + 0.4R4O2 + 0.75CH2O + 0.25MOH + 0.25BPINOOH | 3.75E-13*exp(500.0/T) | Modified from MCMV3.3.1 |
| BPINOO2 + NO3 = NO2 + HO2 + 0.27LIMO3 + 0.6ACET + 0.6RCHO + 0.6R4O2 | 2.3E-12 | Modified from MCMV3.3.1 |
| BPINOOH + OH = BPINOO2 | 8.59E-11 | Modified from MCMV3.3.1 |
| BPINON + OH = 0.5MONITS + 0.5NO2 + 0.085LIMO3 + 0.3ACET + 0.3RCHO + 0.3R4O2 | 3.24E-12 | Modified from MCMV3.3.1 |
| LIMO2 + HO2 = 0.37LIMKET + 0.63LIMAL | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| LIMO2 + NO = 0.25LIMN + 0.75NO2 + 0.75HO2 + 0.28LIMKET + 0.47LIMAL | 2.7E-12*exp(360.0/T) | Modified from MCMV3.3.1 |

| | | |
|---|-------------------------|-------------------------|
| LIMO2 + NO3 = NO2 + HO2 + 0.37LIMKET + 0.63LIMAL | 2.3E-12 | Modified from MCMV3.3.1 |
| LIMAL + OH = LIMO3 | 1.1E-10 | Modified from MCMV3.3.1 |
| LIMAL + O3 = 0.3LIMKB + 0.33CH2OO + 0.67CH2O + 0.6LIMO3 + 0.6OH | 8.3E-18 | Modified from MCMV3.3.1 |
| LIMAL + NO3 = AROMRO2 + LIMNB | 2.6E-13 | Modified from MCMV3.3.1 |
| LIMKET + OH = LIMKO2 | 9.97E-11 | Modified from MCMV3.3.1 |
| LIMKET + O3 = 0.27LIMKO2 + 0.865OH + 0.73LIMO3 | 1.5E-16 | Modified from MCMV3.3.1 |
| LIMKET + NO3 = LIMNB + AROMRO2 | 9.4E-12 | Modified from MCMV3.3.1 |
| LIMN + OH = 0.5LIMNB + 0.32LIMO3 + 0.18LIMKO2 + 0.5NO2 | 1.1E-10 | Modified from MCMV3.3.1 |
| LIMN + O3 = CH2O + 0.5NO2 + 0.4LIMO3 + 0.5LIMNB | 8.3E-18 | Modified from MCMV3.3.1 |
| LIMN + NO3 = NO2 + LIMNB + AROMRO2 | 2.6E-13 | Modified from MCMV3.3.1 |
| LIMKO2 + NO = 0.16LIMNB + 0.84NO2 + 0.84LIMKB + 0.84HO2 | 2.7E-12*exp(360.0/T) | Modified from MCMV3.3.1 |
| LIMKO2 + HO2 = LIMO3H | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| LIMKO2 + NO3 = NO2 + LIMKB + HO2 | 2.3E-12 | Modified from MCMV3.3.1 |
| LIMKO2 + MO2 = 0.75LIMKB + 0.25LIMO3H + 0.75CH2O + 0.25MOH + HO2 | 3.75E-13*exp(500.0/T) | Modified from MCMV3.3.1 |
| LIMKB + OH = LIMO3 | 3.6E-11 | Modified from MCMV3.3.1 |
| LIMKB + NO3 = NO2 + LIMO3 | 1.22E-11*exp(-1862.0/T) | Modified from MCMV3.3.1 |
| LIMNB + OH = 0.5MONITS + 0.5NO2 + 0.5LIMO3 | 6.3E-12 | Modified from MCMV3.3.1 |
| LIMO3 + HO2 = 0.44OH + 0.15O3 + 0.44CO2 + 0.44MCO3 + 0.44RCHO + 0.176CH2O + 0.352R4O2 + 0.41LIMO3H + 0.15LIMO2H | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| LIMO3 + NO = NO2 + CO2 + MCO3 + RCHO + 0.4CH2O + 0.8R4O2 | 2.7E-12*exp(360.0/T) | Modified from MCMV3.3.1 |
| LIMO3 + NO3 = NO2 + CO2 + MCO3 + RCHO + 0.4CH2O + 0.8R4O2 | 2.3E-12 | Modified from MCMV3.3.1 |
| LIMO3H + OH = LIMO3 | 9.73E-12 | Modified from MCMV3.3.1 |
| LIMO2H + OH = CO2 + MCO3 + RCHO + 0.4CH2O + 0.8R4O2 | 6.65E-12 | Modified from MCMV3.3.1 |
| PIO2 + HO2 = PIP | 2.66E-13*exp(1300.0/T) | Modified from MCMV3.3.1 |
| PIO2 + NO = PIN | 6.75E-13*exp(360.0/T) | Modified from MCMV3.3.1 |
| PIO2 + NO = NO2 + HO2 + 0.45MVK + 0.45ACET + 0.1CH2O + 0.675MYRCO | 2.03E-12*exp(360.0/T) | Modified from MCMV3.3.1 |
| PIO2 + NO3 = NO2 + HO2 + 0.45MVK + 0.45ACET + 0.1CH2O + 0.675MYRCO | 2.3E-12 | Modified from MCMV3.3.1 |
| PIP + OH = 0.3OH + 0.7AROMRO2 + 0.3MVK + 0.3ACET + 0.1CH2O + 0.78MYRCO | 6.05E-12*exp(440.0/T) | Modified from MCMV3.3.1 |
| PIP + O3 = 0.3OH + 0.7AROMRO2 + 0.3MVK + 0.3ACET + 0.1CH2O + 0.78MYRCO | 1.35E-15*exp(-520.0/T) | Modified from MCMV3.3.1 |
| PIP + NO3 = 0.5OLNN + 0.5NO2 + 0.15OH + 0.35AROMRO2 + 0.15MVK + 0.15ACET + 0.05CH2O + 0.39MYRCO | 1.06E-12*exp(490.0/T) | Modified from MCMV3.3.1 |

| | | |
|---|------------------------|-------------------------|
| PIN + OH = 0.7AROMRO2 + 0.7MONITU + 0.3NO2 + 0.3MYRCO | 6.05E-12*exp(440.0/T) | Modified from MCMV3.3.1 |
| PIN + O3 = 0.7AROMRO2 + 0.7MONITU + 0.3NO2 + 0.3MYRCO | 1.35E-15*exp(-520.0/T) | Modified from MCMV3.3.1 |
| PIN + NO3 = 0.5OLNN + 1.15NO2 + 0.35AROMRO2 + 0.35MONITU + 0.15MYRCO | 1.06E-12*exp(490.0/T) | Modified from MCMV3.3.1 |
| MYRCO + OH = HO2 + AROMRO2 + 1.5CH2O + MEK + 0.5ACET + 0.5MVK + 0.5GLYC | 6.05E-12*exp(440.0/T) | Modified from MCMV3.3.1 |
| MYRCO + O3 = OH + AROMRO2 + 1.5CH2O + MEK + 0.5ACET + 0.5MVK + 0.5GLYC | 1.35E-15*exp(-520.0/T) | Modified from MCMV3.3.1 |
| MYRCO + NO3 = 0.5OLNN + 0.5NO2 + 0.5HO2 + 0.5AROMRO2 + 0.75CH2O + 0.5MEK + 0.25ACET + 0.25MVK + 0.25GLYC | 1.06E-12*exp(490.0/T) | Modified from MCMV3.3.1 |
| APINO2 + MO2 = PINAL + 1.75HO2 + 0.25MOH + 0.75CH2O 3.75E-13, 500.0 APINO2 + MCO3 = PINAL + HO2 + 0.1ACTA + 0.9CO2 + 0.9MO2 | 1.87E-12*exp(500.0/T) | Modified from MCMV3.3.1 |
| BPINO2 + MO2 = 1.75HO2 + 0.25MOH + 1.75CH2O + BPINO 3.75E-13, 500.0 BPINO2 + MCO3 = BPINO + CH2O + HO2 + 0.1ACTA + 0.9CO2 + 0.9MO2 | 1.87E-12*exp(500.0/T) | Modified from MCMV3.3.1 |
| LIMO2 + MO2 = 0.37LIMKET + 0.63LIMAL + 1.75HO2 + 0.25MOH + 0.75CH2O | 3.75E-13*exp(500.0/T) | Modified from MCMV3.3.1 |
| LIMO2 + MCO3 = 0.37LIMKET + 0.63LIMAL + HO2 + 0.1ACTA + 0.9CO2 + 0.9MO2 | 1.87E-12*exp(500.0/T) | Modified from MCMV3.3.1 |
| PIO2 + MO2 = 0.45MVK + 0.45ACET + 0.675MYRCO + 1.75HO2 + 0.25MOH + 0.85CH2O | 3.75E-13*exp(500.0/T) | Modified from MCMV3.3.1 |
| PIO2 + MCO3 = 0.45MVK + 0.45ACET + 0.1CH2O + 0.675MYRCO + HO2 + 0.1ACTA + 0.9CO2 + 0.9MO2 | 1.87E-12*exp(500.0/T) | Modified from MCMV3.3.1 |
| PINO3 + MO2 = CH2O + 0.75HO2 + 0.25PINONIC + 0.75C96O2 + 0.75CO2 | 1.87E-12*exp(500.0/T) | Modified from MCMV3.3.1 |
| PINO3 + MCO3 = C96O2 + 2CO2 + MO2 | 3.75E-14*exp(500.0/T) | Modified from MCMV3.3.1 |
| LIMO3 + MO2 = 0.75HO2 + CH2O + 0.75CO2 + 0.75MCO3 + 0.75RCHO + 0.3CH2O + 0.6R4O2 + 0.25LIMO2H | 1.87E-12*exp(500.0/T) | Modified from MCMV3.3.1 |
| LIMO3 + MCO3 = CO2 + MO2 + MCO3 + RCHO + 0.4CH2O + 0.8R4O2 | 3.75E-14*exp(500.0/T) | Modified from MCMV3.3.1 |
| APINP + hv = PINAL + OH + HO2 | use the same as CH3OOH | Modified from MCMV3.3.1 |
| PINAL + hv = CO + HO2 + C96O2 | use the same as ActAld | Modified from MCMV3.3.1 |
| PINO3H + hv = OH + CO2 + C96O2 | use the same as CH3OOH | Modified from MCMV3.3.1 |
| PINONIC + hv = OH + CO2 + C96O2 | use the same as MGLYX | Modified from MCMV3.3.1 |
| C96O2H + hv = OH + AROMRO2 + ACET + CH2O + RCO3 + 0.5MEK | use the same as CH3OOH | Modified from MCMV3.3.1 |
| BPINP + hv = OH + CH2O + HO2 + BPINO | use the same as CH3OOH | Modified from MCMV3.3.1 |
| BPINO2H + hv = OH + HO2 + 0.27LIMO3 + | use the same as CH3OOH | Modified from MCMV3.3.1 |

| | | |
|--|------------------------|-------------------------|
| 0.6ACET + 0.6RCHO + 0.6R4O2 : | | |
| LIMO3H + hv = OH + CO2 + MCO3 + RCHO + 0.4CH2O + 0.8R4O2 | use the same as CH3OOH | Modified from MCMV3.3.1 |
| LIMO2H + hv = OH + CO2 + MCO3 + RCHO + 0.4CH2O + 0.8R4O2 | use the same as MGLYX | Modified from MCMV3.3.1 |
| PIP + hv = OH + HO2 + 0.450MVK + 0.45ACET + 0.100CH2O + 0.675MYRCO | use the same as H2O2 | Modified from MCMV3.3.1 |
| LIMAL + hv = CO + HO2 + 0.900LIMO3 | use the same as ActAld | Modified from MCMV3.3.1 |
| Monoterpene PNs | | |
| LIMO3 + NO2 = LIMPAN | Same as PAN | |
| LIMPAN = LIMO3 + NO2 | Same as PAN | |
| PINO3 + NO2 = PINPAN | Same as PAN | |
| PINPAN = PINO3 + NO2 | Same as PAN | |

¹j_v is model j-value (photolysis frequency, s⁻¹).




Figure S1 – Mean vertical profiles in the SMA (domain of Fig. 1) of the base model (red) and the model with scaled VOCs (blue) against observations (black) for all species individually increased to better match observations.




Figure S2 – Mean vertical profiles in the SMA for a) formaldehyde, b) acetaldehyde, c) ozone, d) NO/NO₂, e) estimated methylglyoxal, and f) PAN. Methylglyoxal is estimated as 67% of glyoxal observations based on the similar yield from toluene in GEOS-Chem but the 67% shorter lifetime. Model sensitivities are described in Sections 3 and 4 where “Reduce EOH” and “Reduce C7+” refer to the removal of scaled ethanol and C7+ aromatic emissions over South Korea, respectively.




Figure S3 – Mean vertical profiles in the SMA for a) NO, b) NO₂, and c) NO/NO₂. Model sensitivities are described in Section 4.




Figure S4 – Speciated mean vertical profiles of modeled ANs for the domain of Fig. 1 compared against observed ANs (solid black line) for a) observations and b) model with added PN chemistry.




Figure S4 – Global average surface concentrations at $2 \times 2.5^\circ$ from 5/1/16 to 6/10/16 for a) PHAN, b) PINPAN, c) LIMPAN, d) AROMPN, e) MEKPN, and f) APAN.




Figure S5 – Global average difference at $2 \times 2.5^\circ$ from 5/1/16 to 6/10/16 between the model with scaled VOCs and new PN chemistry and the base model for a) PAN, b) PPN, and c) MPAN.

Section S1. Exploring model biases with F0AM

We perform a box-modeling experiment to see whether the good agreement with observed HCHO (found by Nault et al. (2024) in their work simulating airborne observations with F0AM) would be degraded in a similar manner as GEOS-Chem which underestimated HCHO by approximately 50% in the base model (Section 4) when applying the model bias to the F0AM setup described in Nault et al. (2024). We first reduce the concentrations of the VOCs and CO input into F0AM by the model bias given in Table S3 for the lowest model layer (~0.2 km). As shown in Fig. S6, reduced VOCs and CO result in F0AM underestimating HCHO by 24%. Mean model OH increased by 11% from $4.6E6$ to $5.1E6$ molec cm^{-3} , which we attribute to the reduced sink from CO and VOCs. Average F0AM-calculated OH reactivity went down $2 s^{-1}$ from $9 s^{-1}$ to $7 s^{-1}$, and pO_3 went down 2 ppb hr^{-1} , from an average of 5 ppb hr^{-1} to 3 ppb hr^{-1} . However, as shown in Fig. S6, NO_2 was in good agreement with observations, as ozone is the main driver of conversion of NO to NO_2 . Constraining ozone in our F0AM model to observations was inconsistent in our attempts to understand the impact of the VOC and CO bias on model chemistry, as this bias reduced pO_3 by 20%. When we also considered the GEOS-Chem ozone bias of -25% as part of our model inputs, we found that the good agreement with observed NO_2 was degraded to a bias of -22% and the formaldehyde bias partially improved from -24% to -19% (Fig. S7). Mean model OH increased by only 5% as the reduced sink from VOCs was balanced by reduced loss of OH by $NO_2 + OH$ to produce HNO_3 . Therefore, we summarize the impacts of insufficient VOCs and CO in GEOS-Chem as 1) missing production of ozone from VOCs and CO through $HO_2/RO_2 + NO$, 2) underestimated loss of OH by reaction with VOCs and CO, 3) underestimated conversion of NO to NO_2 by ozone which results in underestimated loss of OH by reaction with NO_2 .

In GEOS-Chem, when we scaled up the species in Table S3 (except for ozone), we reduced the model HCHO bias from -47% to -32% (1 ppb). This is in contrast to F0AM where the constrained VOCs, CO, and methane were able to reproduce HCHO observations (Nault et al., 2024). We explain the remaining low bias in GEOS-Chem by the fact that 1) the model underestimates reactivity of intermediate species which provide additional HCHO production, and conversion of NO to NO_2 by HO_2 and RO_2 ; 2) we are not able to achieve perfect agreement with VOC observations, which is possible with F0AM; and 3) model ozone remains underestimated leading to insufficient NO_2 and thus insufficient loss of OH resulting in a HCHO lifetime against OH that is too short. This NO_2 underestimate is made worse by insufficient model resolution in addition to underestimated VOCs. As discussed in Section 4, underestimated model ozone could have additional factors such as insufficient production upwind where constraints on model VOCs and CO are minimal, or production from mechanisms such as photolysis of particulate nitrate.

Table S3. Scale factors for modeled VOCs

| Species | Base Model Bias ¹ |
|---------|------------------------------|
| ACET | -52% |
| ALK4 | -35% |
| BENZ | -50% |
| C2H2 | -43% |
| C3H8 | -71% |
| CO | -41% |
| EBZ | -51% |
| EOH | -96% |
| MEK | -85% |
| MOH | -92% |
| MTPA | -71% |
| TMB | +110% |
| TOLU | -27% |
| STYR | -68% |
| XYLE | -49% |
| O3 | -25% |

¹In the lowest model bin (0.2km) from Figure S1.




Figure S6 – F0AM results from the base model described in Nault et al. (2024) and after applying the model bias in Table S3 (“GEOS-Chem Bias”). The slope of the regression line is given inset and the dashed line shows the 1-1 line.




Figure S7 – Same as Fig. S6 but now showing the F0AM simulation including the model ozone bias (“GEOS-Chem Bias+O3”).