

[The Cryosphere]

Supporting Information for

An Assessment of Antarctic Sea-ice Thickness in CMIP6 Simulations with Comparison to the Satellite-based Observations and Reanalyses

Shreya Trivedi¹, Will Hobbs², and Marilyn Raphael¹

¹Department of Geography, University of California, Los Angeles

²Australian Antarctic Program Partnership, Institute for Marine and Antarctic Studies, University of Tasmania, nipaluna/Hobart, Australia.

Contents of this file

Figures S1 to S3

Tables S1 to S5

Introduction

The data files used in the supporting document are derived using Python. The format of the datasets was netcdf (.nc) format. The visualization generated is in the form of images (.png) format.

The spatial biases are calculated in Python by subtracting the reference dataset for respective months from the CMIP6 modeled data. (Fig. S1-S3)







Figure S1: Spatial Biases of SIT from 2002 to 2014 (September) from 39 CMIP6 models and Reanalyses from the reference dataset: ENVISAT-CS-2. Last figure shows the time averaged SIT for ENVISAT-CS-2.







Figure S2: Spatial Biases of SIT averaged over 2002 to 2014 (February) for 39 CMIP6 models from the reference dataset: GIOMAS. The last three plots show the time averaged SIT for the three sea-ice products. The red contours represent the sea-ice edge (15% SIC).






Figure S3: Spatial Biases of SIT from 2002 to 2014 (February) from 39 CMIP6 models and Reanalyses from the reference dataset: ENVISAT-CS-2. Last figure shows the time averaged SIT for ENVISAT-CS-2.

Tables

Source	Spatial Resolution	Temporal Resolution	Variable used	References
SATELLITE PRODUCTS: Envisat (<i>Radar Altimeter 2 (RA2)</i>) and CryoSat-2 (<i>Synthetic-Aperture Interferometric Radar Altimeter (SIRAL)</i>). Based on Ku-band frequencies.	50 km	2002-2012 (Envisat) Since 2010 (CryoSat-2)	Sea-ice Thickness	(Hendricks et al., 2018)
SEA-ICE ESTIMATES AND REANALYSES: Global Ice-Ocean Modeling and Assimilation System (<i>GIOMAS</i>)	0.8 degrees	2002-2014	Effective Sea-ice Thickness (“ <i>heff</i> ”)	(Zhang and Rothrock, 2003)
German contribution to the Estimating the Circulation and Climate of the Ocean project (GECCO3)	0.4 degrees	2002-2014	Effective Sea-ice Thickness (“ <i>heff</i> ”)	(Köhl, 2020)

Table S1: Table showing observation dataset details.

Model Name	Atmospheric Model	Ocean Model	Sea-Ice Model	References
ACCESS-CM2	MetUM-HadGEM3-GA7.1	ACCESS-OM2	CICE5.1.2	Dix et al., 2019
ACCESS-ESM1-5	HadGAM2 [250km]	ACCESS-OM2 (MOM5) [100km]	CICE4.1 [100km]	Ziehn et al., 2020
AWI-CM-1-1MR	ECHAM6.3.04p1	FESOM 1.4.	FESOM 1.4.	Semmler et al., 2018
CanESM5	CanAM5	NEMO3.4.1	LIM2	Swart et al., 2019
CanESM5-1	CanAM5	NEMO3.4.1	LIM2	Swart et al., 2019
CESM2	CAM6 [100km]	POP2 [100km]	CICE5.1 [100km]	Danabasoglu et al., 2020
CESM2-FV2	CAM6 [100km]	POP2 [100km]	CICE5.1 [100km]	Danabasoglu et al., 2020
CESM2-WACCM-FV2	WACCM6	MAM4	CICE5.1	Danabasoglu et al., 2020, Gettelman et al., 2019
CIesm	CIesm-AM	CIesm-OM	CICE4	Lin et al., 2020
CMCC-CM2-SR5	CAM5.3	NEMO3.6	CICE4.0	Lovato et al., 2020
CMCC-ESM2	CAM5.3	NEMO3.6	CICE4.0	Cherchi et al., 2019
CNRM-CM6-1-HR	Arpege 6.3 [100km]	Nemo 3.6 [25km]	Gelato 6.1 [25km]	Voldoire, 2019
CNRM-ESM2-1	Arpege 6.3 [250km]	Nemo 3.6 [100km]	Gelato 6.1 [100km]	Roland, 2018
CNRM-CM6-1	Arpege 6.3	Nemo 3.6	Gelato 6.1	Voldoire, 2018

E3SM-1-0	EAM	MPAS-Ocean	MPAS-Seaice	Bader et al., 2019
E3SM-2-0	EAMv2	MPAS-Ocean	MPAS-Seaice	Golaz et al., 2022
E3SM-2-0-NARRM	EAMv2	MPAS-Ocean	MPAS-Seaice	Tang et al., 2023
EC-Earth3	IFS cy36r4	NEMO3.6	LIM3	Massonnet et al., 2020
EC-Earth3-AerChem	IFS cy36r4	NEMO3.6	LIM3	van Noije et al., 2021
EC-Earth3-CC	IFS cy36r4	NEMO3.6	LIM3	Döscher et al., 2022
EC-Earth3-Veg	IFS cy36r4 [100km]	NEMO3.6 [100km]	LIM3 [100km]	Earth E.C., 2019
EC-Earth3-Veg-LR	IFS cy36r4	NEMO3.6	LIM3	Wyser et al., 2020
GFDL-CM4	GFDL-AM4.0.1	GFDL-OM4p25	GFDL-SIM4p25	Held et al., 2019
GFDL-ESM4	GFDL-AM4.1	GFDL-OM4p5	GFDL-SIM4p5	Krasting et al., 2018
IPSL-CM5A2-INCA	LMDZ	NEMO-OPA	NEMO-LIM3	Boucher et al., 2020
IPSL-CM6A-LR-INCA	LMDZ	NEMO-OPA	NEMO-LIM3	Boucher et al., 2021
IPSL-IPSL-CM6A-LR	LMDZ [250km]	NEMO-OPA [100km]	NEMO-LIM3 [100km]	Lurton et al., 2020
KIOST-ESM	GFDL-AM2.0	GFDL-AM2.0	GFDL-AM2.0	Kim et al., 2019
MIROC6	CCSR AGCM [250km]	COCO4.9 [100km]	COCO4.9 [100km]	Tatebe et al., 2019
MIROC6-ES2L	CCSR AGCM [500km]	COCO4.9 [100km]	COCO4.9 [100km]	Shiogama et al., 2019
MPI-ESM-1-2-HAM	ECHAM6.3	MPIOM1.63	UNNAMED (thermodynamic (Semtner zero-layer) dynamic (Hibler 79))	Mauritsen et al., 2019
MPI-ESM1-2-HR	Same as above	Same as above	Same as above	Gutjahr et al., 2019
MPI-ESM1-2-LR	Same as above	Same as above	Same as above	Mauritsen et al., 2019
MRI-ESM2-0	MRI-AGCM3.	MRI.COM4.4	MRI.COM4.4	Yukimoto et al., 2019
NorCPM1	CAM-OSLO4.1	MICOM1.1	CICE4	Counillon et al., 2016
NorESM2-LM	CAM-OSLO	MICOM	CICE	Seland et al., 2020
NorESM2-MM	CAM-OSLO	MICOM	CICE	Seland et al., 2020
SAM0-UNICON	CAM5.3 with UNICON	POP2	CICE4.0	Park et al., 2019
TaiESM1	TaiAM1	POP2	CICE4	Lee et al., 2020

Table S2: Details of the specifications of 39 CMIP6 models used in the study (for TaiESM1 we suspect that SIT values in ‘cm’ were erroneously stored as ‘m’; hence converted)

Models	February			September		
	STD	RMSD	Corr	STD	RMSD	Corr
ENV-CS2	1.021	0	1	1.269	0	1
ACCESS-CM2	0.777	0.326	0.903	0.534	0.642	0.847
NorCPM1	0.779	0.352	0.794	0.944	0.647	0.76
MPI-ESM-1-2-HAM	0.095	0.207	0.948	0.33	0.744	0.855
NorESM2-LM	1.507	0.498	0.789	1.267	0.769	0.613
MIROC6	0.135	0.193	0.982	0.34	0.652	0.777
MRI-ESM2-0	0.785	0.387	0.907	0.592	0.648	0.82
GFDL-ESM4	0.13	0.535	0.592	0.351	0.739	0.833
IPSL-CM5A2-INCA	0.323	0.502	0.471	0.503	0.725	0.702
EC-Earth3-CC	0.366	0.199	0.887	0.349	0.745	0.754
GFDL-CM4	0.117	0.544	0.517	0.379	0.716	0.862
NorESM2-MM	1.08	0.393	0.903	0.818	0.678	0.716
EC-Earth3-AerChem	0.626	0.217	0.81	0.489	0.709	0.792
CMCC-CM2-SR5	1.238	0.507	0.892	0.714	0.636	0.793
MPI-ESM1-2-HR	0.205	0.26	0.94	0.42	0.734	0.811
SAM0-UNICON	1.028	0.426	0.865	0.813	0.58	0.813
ACCESS-ESM1-5	1.012	0.39	0.896	0.704	0.655	0.758
CESM2-WACCM-FV2	1.281	0.57	0.693	0.966	0.707	0.677
EC-Earth3-Veg-LR	0.708	0.227	0.798	0.461	0.723	0.775
CESM2-FV2	1.417	0.655	0.655	1.134	0.779	0.607
EC-Earth3	0.634	0.226	0.823	0.446	0.725	0.777
CESM2	1.084	0.499	0.849	0.74	0.605	0.817
IPSL-CM6A-LR	1.603	0.395	0.809	0.914	0.59	0.8
MPI-ESM1-2-LR	0.185	0.262	0.93	0.362	0.755	0.834
CMCC-ESM2	1.233	0.494	0.891	0.679	0.626	0.811
CIESM	0.927	0.281	0.838	0.456	0.697	0.813
CNRM-ESM2-1	0.05	0.209	0.74	0.05	0.209	0.74
CNRM-CM6-1	0.066	0.219	0.748	0.066	0.219	0.748
EC-Earth3-Veg	0.184	0.101	0.808	0.184	0.101	0.808
MIROC-ES2L	0.127	0.049	0.978	0.127	0.049	0.978
CanESM5	0.264	0.155	0.846	0.264	0.155	0.846
E3SM-2-0-NARRM	0.14	0.221	0.674	0.342	0.327	0.863
CanESM5-1	0.313	0.159	0.808	0.382	0.302	0.858
E3SM-1-0	0.249	0.096	0.919	0.306	0.331	0.886
KIOST-ESM	1.885	0.955	0.271	1.771	0.744	0.322
E3SM-2-0	0.592	0.225	0.642	0.494	0.327	0.862
TaiESM1	0.296	0.146	0.644	0.613	0.515	0.788
GIOMAS	0.675	0.487	0.041	0.515	0.699	0.226
GECCO3	0.876	0.478	-0.033	0.46	0.702	0.32

Table S3: Table showing spatial correlations, RMSDs and Standard Deviations for Sea-ice Thickness.

Models	February			September		
	STD	RMSD	Corr	STD	RMSD	Corr
ENV-CS2	0.592	0.000	1	0.760	0.000	1
ACCESS-CM2	0.301	0.263	0.567	1.070	0.536	0.77
NorCPM1	1.532	0.788	0.793	2.203	1.431	0.809
MPI-ESM-1-2-HAM	0.227	0.113	0.791	0.953	0.432	0.73
NorESM2-LM	1.357	0.325	0.547	1.417	0.528	0.687
MIROC6	0.057	0.120	0.578	0.673	0.393	0.596
MRI-ESM2-0	0.890	0.302	0.84	1.168	0.543	0.842
GFDL-ESM4	0.032	0.328	0.492	0.144	0.485	0.813
IPSL-CM5A2-INCA	1.933	1.228	0.375	3.234	2.280	0.657
EC-Earth3-CC	0.105	0.110	0.881	0.449	0.397	0.699
GFDL-CM4	0.008	0.337	0.423	0.042	0.548	0.848
NorESM2-MM	0.696	0.282	0.628	1.041	0.533	0.708
EC-Earth3-AerChem	0.338	0.143	0.772	0.682	0.383	0.752
CMCC-CM2-SR5	0.484	0.309	0.445	0.949	0.444	0.782
MPI-ESM1-2-HR	0.099	0.166	0.686	0.287	0.441	0.765
SAM0-UNICON	1.211	0.431	0.793	2.000	1.288	0.812
ACCESS-ESM1-5	1.045	0.349	0.695	1.557	0.869	0.657
CESM2-WACCM-FV2	1.520	0.665	0.57	2.007	1.049	0.753
EC-Earth3-Veg-LR	0.367	0.141	0.693	0.663	0.392	0.732
CESM2-FV2	1.868	0.845	0.531	2.284	1.216	0.713
EC-Earth3	0.437	0.146	0.727	0.657	0.395	0.727
CESM2	0.922	0.315	0.688	1.722	0.867	0.82
IPSL-CM6A-LR	0.895	0.263	0.767	1.442	0.741	0.743
MPI-ESM1-2-LR	0.457	0.153	0.707	1.168	0.491	0.794
CMCC-ESM2	0.385	0.307	0.459	0.907	0.408	0.807
CIESM	0.147	0.274	0.291	1.107	0.535	0.782
CNRM-ESM2-1	0.032	0.129	0.553	0.287	0.172	0.848
CNRM-CM6-1	0.050	0.130	0.602	0.333	0.159	0.873
EC-Earth3-Veg	0.120	0.063	0.76	0.295	0.187	0.804
MIROC-ES2L	0.012	0.031	0.343	0.203	0.181	0.614
CanESM5	0.223	0.084	0.837	0.541	0.240	0.872
E3SM-2-0	1.32	0.201	0.576	1.648	0.935	0.869
E3SM-2-0-NARRM	0.356	0.218	0.613	1.374	0.932	0.865
CanESM5-1	0.322	0.117	0.818	0.585	0.288	0.866
E3SM-1-0	0.472	0.197	0.832	1.216	0.788	0.882
KIOST-ESM	1.350	0.634	0.287	1.640	1.479	0.394

TaiESM1	0.589	0.285	0.597	1.499	1.256	0.791
GIOMAS	0.432	0.287	0.102	0.334	0.418	0.301
GECCO3	0.566	0.292	-0.074	0.297	0.424	0.368

Table S4: Table showing spatial correlations, RMSDs and Standard Deviations for Sea-ice Volume. The STD and RMSD values are of scale 10^9m .

Models	February			September		
	STD	RMSD	Corr	STD	RMSD	Corr
NSIDC	0.200	0.000	1	0.288	0.000	1
ACCESS-CM2	0.130	0.121	0.488	1.031	0.742	0.787
NorCPM1	0.590	0.312	0.86	1.331	0.933	0.901
MPI-ESM-1-2-HAM	0.107	0.134	0.151	1.141	0.901	0.617
NorESM2-LM	0.171	0.116	0.551	0.676	0.458	0.742
MIROC6	0.015	0.126	0.05	0.555	0.461	0.39
MRI-ESM2-0	0.383	0.213	0.836	1.139	0.778	0.901
GFDL-ESM4	0.037	0.115	0.52	0.218	0.131	0.848
IPSL-CM5A2-INCA	0.608	0.480	0.464	3.415	2.705	0.797
EC-Earth3-CC	0.016	0.126	0.097	0.526	0.396	0.588
GFDL-CM4	0.009	0.125	0.466	0.061	0.195	0.866
NorESM2-MM	0.162	0.110	0.613	0.711	0.478	0.772
EC-Earth3-AerChem	0.076	0.124	0.287	0.687	0.483	0.717
CMCC-CM2-SR5	0.106	0.114	0.459	0.761	0.511	0.81
MPI-ESM1-2-HR	0.051	0.121	0.277	0.320	0.162	0.825
SAM0-UNICON	0.542	0.267	0.824	1.250	0.899	0.887
ACCESS-ESM1-5	0.339	0.195	0.684	1.047	0.758	0.779
CESM2-WACCM-FV2	0.387	0.237	0.723	1.175	0.866	0.864
EC-Earth3-Veg-LR	0.077	0.124	0.285	0.681	0.480	0.724
CESM2-FV2	0.394	0.235	0.719	1.195	0.862	0.874
EC-Earth3	0.085	0.125	0.302	0.661	0.470	0.691
CESM2	0.332	0.203	0.693	1.189	0.871	0.864
IPSL-CM6A-LR	0.186	0.108	0.713	0.953	0.629	0.786
MPI-ESM1-2-LR	0.211	0.174	0.293	1.510	1.156	0.748
CMCC-ESM2	0.097	0.114	0.454	0.769	0.517	0.811
CIESM	0.065	0.125	0.225	1.050	0.802	0.785
CNRM-ESM2-1	0.047	0.055	0.534	0.435	0.294	0.856
CNRM-CM6-1	0.068	0.055	0.59	0.483	0.322	0.879
EC-Earth3-Veg	0.044	0.058	0.389	0.336	0.222	0.805
MIROC-ES2L	0.002	0.061	0.045	0.227	0.184	0.48
E3SM-2-0	0.218	0.139	0.71	1.064	0.857	0.956
E3SM-2-0-NARRM	0.218	0.142	0.718	0.105	0.855	0.957

CanESM5-1	0.198	0.758	0.862	0.501	0.346	0.89
E3SM-1-0	0.164	0.143	0.7	0.828	0.756	0.899
KIOST-ESM	0.207	0.135	0.668	0.103	0.848	0.944
CanESM5	0.191	0.073	0.847	0.512	0.346	0.887
TaiESM1	0.436	0.225	0.768	1.195	0.855	0.874
GIOMAS	0.213	0.000	0.761	0.190	0.000	0.943
GECCO3	0.187	0.000	0.682	0.090	0.000	0.936

Table S5: Table showing spatial correlations, RMSDs and Standard Deviations for Sea-ice Area. The STD and RMSD values are of scale 10^9m .