

Supplement of Emission factors and organic aerosol source apportionment of shipping emissions in the coastal city of Toulon, France

Quentin Gunti^{1,2}, Benjamin Chazeau¹, Brice Temime-Roussel¹, Irène Xueref-Remy³, Alexandre Armengaud², Henri Wortham¹, and Barbara D’Anna¹

¹Aix Marseille Univ, CNRS, LCE, Marseille, France

²AtmoSud, Air Quality Regional Observatory in the South of France, Marseille, France

³Aix Marseille Univ., Avignon Université, CNRS, IRD, IMBE, Marseille, France

Correspondence: Quentin Gunti (quentin.gunti@univ-amu.fr) and Barbara D’Anna (barbara.danna@univ-amu.fr)

List of Figures

S1	Localization of the Massalya platform at the port of Toulon on the Mediterranean French coast.	3
S2	Localization of the main roads around the measurement site.	4
S3	Hourly distribution of arrivals and departures of ro-ro-ferries recorded by the harbor authority. .	5
S4	Diurnal distribution of CO, CO ₂ , CH ₄ , BC, PM and PN during the campaign.	5
S5	Mass spectra of the 9-factors PMF solution with sulfate ions added.	6
S6	Reference mass spectra used as constraints for PMF analysis.	7
S7	Scaled residuals distribution fitted by a Gaussian curve (a). Median scaled and interquartile range for the solution over m/z profile (a) and time (b).	8
S8	PMF error estimation for each factors, the center of the lognormal fit corresponds to the uncertainties of the factor.	9
S9	Spectral Relative Predominance of Shipping 3 factor with Shipping 1 factor.	10
S10	Non-parametric wind regression plot of PMF factors.	11
S11	Diurnal variation of the PMF factors.	12
S12	Spectral Relative Predominance of HOA factor with Shipping factors.	13
S13	Spectral Relative Predominance of MOOA factor with LOOA factor, and OxHOA with MOOA and HOA factors.	14
S14	Fraction of CO ₂ ⁺ vs. fraction of C ₂ H ₃ O ⁺ . Dashed lines represent the limits of Ng et al. (2010)’s triangle.	15
S15	Non-parametric wind regression plot of OxHOA factor (zoomed).	15

List of Tables

S1	Type and number of ships mooring in the port area of Toulon.	16
S2	Emission factors of identified ferry plumes. NO_x , NO and CO in g per kg of fuel consumed. SO ₂ , CH ₄ , SO ₄ , Org and PAHs expressed in in mg per kg of fuel consumed and PN in particle per kg of fuel consumed.	16
S3	Characteristics of most identified ferries, named A, B, C, D and E (from local port authority). .	16
S4	Ions in constrained factors.	17
S5	O:C, H:C and OM:OC ratio, for all ions and for ions with m/z inferior to 120.	23
S6	Correlation between Shipping 1 factor and top 5 (and oleic acid) correlated spectra from HR- AMS Database.	24
S7	Correlation between Shipping 2 factor and top 5 correlated spectra from HR-AMS Database. .	24
S8	Correlation between Shipping 3 factor and top 5 correlated spectra from HR-AMS Database. .	24
S9	Correlation between COA factor and top 5 correlated spectra from HR-AMS Database. . . .	24
S10	Correlation between HOA factor and top 5 correlated spectra from HR-AMS Database. . . .	25
S11	Correlation between OxHOA factor and top 5 correlated spectra from HR-AMS Database. . .	25
S12	Correlation between MOOA factor and top 5 correlated spectra from HR-AMS Database. . . .	25
S13	Correlation between LOOA factor and top 5 correlated spectra from HR-AMS Database. . . .	25
S14	Hourly R Pearson correlation between factors and instruments time series.	26
S15	Diurnal Pearson R correlation between PMF factors.	26
S16	Cosine similarities between PMF factors.	26

Figures



Figure S1. Localization of the Massalya platform at the port of Toulon on the Mediterranean French coast (top), localization of the ferry and cruise ship terminals (down), green lines represent major shipping lines. Map background data sources: Esri, HERE, Garmin, INCREMENT P, © OpenStreetMap contributors, and the GIS user community. Administrative boundaries: Communes of the Métropole TPM.



Figure S2. Localization of the main roads around the measurement site. Map background data sources: Esri, HERE, Garmin, INCREMENT P, © OpenStreetMap contributors, and the GIS user community. Administrative boundaries: Communes of the Métropole TPM.




Figure S3. Hourly distribution of arrivals and departures of ro-ro ferries recorded by the harbor authority.




Figure S4. Diurnal distribution of CO, CO₂, CH₄, BC, PM and PN during the campaign.




Figure S5. Mass spectra of the 9-factors PMF solution with sulfate ions added.




Figure S6. Reference mass spectra used as constraints for PMF analysis. Ions with m/z ratio superior to 150 have their relative intensity multiplied per 50 to enhance readability. X-axis represents m/z ratios.




Figure S7. Scaled residuals distribution fitted by a Gaussian curve (a). Median scaled and interquartile range for the solution over m/z profile (a) and time (b).




Figure S8. PMF error estimation for each factor, the center of the lognormal fit corresponds to the uncertainties of the factor.




Figure S9. Spectral Relative Predominance (SRP) of Shipping 1 factor (positives SRP) with Shipping 2 factor (negatives SRP). Ions whose intensity are below their median error are considered zero. Cross markers represents ions that are null intensity in the other factor. Ions are family-colored.




Figure S10. Non-parametric wind regression (NWR) plot of PMF factors, x-axis indicates wind intensity in m/s.




Figure S11. Diurnal variation of the PMF factors.




Figure S12. Spectral Relative Predominance (SRP) of HOA factor (positives SRP) with shipping factors 1 (a), 2 (b) and 3 (c) (negatives SRP). Ions whose intensity are below their median error are considered zero. Cross markers represents ions that are null intensity in the other factor. Ions are family-colored.




Figure S13. Spectral Relative Predominance (SRP) of MOOA factor (positives SRP) with LOOA factor (negatives SRP) (a)) and OxHOA factor (positives SRP) with MOOA (b)) and HOA factors (c))(negatives SRP). Ions whose intensity are below their median error are considered zero. Cross markers represents ions that are null intensity in the other factor. Ions are family-colored.




Figure S14. Fraction of CO_2^+ vs. fraction of $\text{C}_2\text{H}_3\text{O}^+$. Dashed lines represent the limits of Ng et al. (2010)'s triangle. Factors are subtracted from total contribution.




Figure S15. Non-parametric wind regression plot of OxHOA factor (zoomed), x-axis indicates wind intensity in m/s.

Tables

Table S1. Type and number of ships mooring in the port area of Toulon.

Type	Number	Proportion
Ferries	285	78.5%
Cruise ships	9	2.5%
Tankers	9	2.5%
Other	25	6.9%
Yachts	19	5.2%
Unspecified	16	4.4%

Table S2. Emission factors of identified ferry plumes. NO_x, NO and CO in g per kg of fuel consumed. SO₂, CH₄, SO₄, Org and PAHs expressed in in mg per kg of fuel consumed and PN in particle per kg of fuel consumed.

Ferries EFs	NO _x	NO	CO	SO ₂	CH ₄	SO ₄	Org	BC	PAHs	PN
Median	18.3	7.1	18.3	318	780	77	1122	261	8	3.08E+15
Mean	25.0	10.0	21.0	508	1006	106	1605	423	11	5.17E+15
Standard-deviation	18.9	8.5	11.9	596	998	108	1430	423	11	4.73E+15
1st quartile	9.8	2.6	13.4	97	273	32	534	156	3	1.44E+15
3rd quartile	35.2	15.9	25.4	611	1248	147	2450	638	15	8.21E+15
Number	34	34	39	41	33	36	41	32	41	40

Table S3. Characteristics of most identified ferries, named A, B, C, D and E (from local port authority).

Ferry	Tier	Main engine	Auxiliary Engine	Fuel Type	Tonnage (GT)	Scrubber
A	II	4×6,600 kW	4×2,045 kW	LSHFO / MGO	40,000	no
B	II	4×12,600 kW	3×2,460 kW	VLSFO / MGO	42,000	no
C	II	4×7,920 kW	3×1,680 kW	VLSFO / MGO	36,000	no
D	I	4×5,750 kW	3×2,045 kW	VLSFO / MDO ⁽¹⁾	24,000	no
E	II	4×11,700 kW	3×1,680 kW	LSHFO / MDO	37,000	no

⁽¹⁾Switch from MGO to MDO during the campaign.

Table S4. Ions in constrained factors.

m/z	Molecular formula	Family Species	Shipping	COA	HOA
12	C	Cx	YES	YES	YES
13.0078201	CH	CH	YES	YES	YES
15.0234699	CH3	CH	YES	YES	YES
15.9949198	O	Air	YES	YES	YES
17.0027409	HO	HO	YES	YES	YES
18.0105591	H2O	HO	YES	YES	YES
21.9949207	CO2plus2	CHOgt1	YES	YES	YES
24	C2	Cx	YES	YES	YES
25.0078297	C2H	CH	YES	YES	YES
26.0156498	C2H2	CH	YES	YES	YES
27.0234795	C2H3	CH	YES	YES	YES
27.9949207	CO	CHO1	YES	YES	YES
29.0027409	CHO	CHO1	YES	YES	X
29.0391293	C2H5	CH	YES	YES	YES
30.0105591	CH2O	CHO1	YES	YES	X
30.0469494	C2H6	CH	YES	YES	YES
31.0183907	CH3O	CHO1	YES	YES	YES
36	C3	Cx	YES	X	YES
37.0078201	C3H	CH	YES	YES	YES
38.0156517	C3H2	CH	YES	YES	YES
39.0234795	C3H3	CH	YES	YES	YES
40.0312996	C3H4	CH	YES	YES	YES
41.002739	C2HO	CHO1	YES	YES	YES
41.0391197	C3H5	CH	YES	YES	YES
42.0105591	C2H2O	CHO1	YES	YES	YES
42.0469513	C3H6	CH	YES	YES	YES
43.0183907	C2H3O	CHO1	YES	YES	YES
43.0547791	C3H7	CH	YES	YES	YES
43.98983	CO2	CHOgt1	YES	YES	YES
44.0625992	C3H8	CH	YES	YES	YES
44.9976502	CHO2	CHOgt1	YES	YES	YES
45.0340385	C2H5O	CHO1	YES	YES	YES
46.0418701	C2H6O	CHO1	YES	X	YES
46.9688492	CCl	Cx	YES	X	X
49.0078201	C4H	CH	YES	YES	YES
50.0156517	C4H2	CH	YES	YES	YES
51.0234795	C4H3	CH	YES	YES	YES
52.0312996	C4H4	CH	YES	YES	YES
53.002739	C3HO	CHO1	YES	YES	YES
53.0391197	C4H5	CH	YES	YES	YES
54.0469513	C4H6	CH	YES	YES	YES
55.0183907	C3H3O	CHO1	YES	YES	YES
55.0547791	C4H7	CH	YES	YES	YES
56.0262108	C3H4O	CHO1	YES	YES	YES
56.0625992	C4H8	CH	YES	YES	YES
57.0340385	C3H5O	CHO1	YES	YES	YES
57.0704308	C4H9	CH	YES	YES	YES
58.0418701	C3H6O	CHO1	YES	YES	YES

Continuation of Table S4

m/z	Molecular formula	Family Species	Shipping	COA	HOA
58.0782509	C4H10	CH	YES	YES	YES
59.0133095	C2H3O2	CHOgt1	YES	YES	YES
59.0496903	C3H7O	CHO1	YES	YES	YES
59.0860754	C4H11	CH	YES	X	X
60.0211296	C2H4O2	CHOgt1	YES	YES	YES
61.0078201	C5H	CH	YES	YES	YES
61.0289497	C2H5O2	CHOgt1	YES	YES	YES
62.0156517	C5H2	CH	YES	YES	YES
63.0234795	C5H3	CH	YES	YES	YES
64.0313034	C5H4	CH	YES	YES	YES
65.0391235	C5H5	CH	YES	YES	YES
66.0469513	C5H6	CH	YES	YES	YES
67.0547714	C5H7	CH	YES	YES	YES
68.0625992	C5H8	CH	YES	YES	YES
69.0704269	C5H9	CH	YES	YES	YES
70.0418625	C4H6O	CHO1	YES	YES	YES
70.0782471	C5H10	CH	YES	YES	YES
71.0496903	C4H7O	CHO1	YES	YES	YES
71.0860672	C5H11	CH	YES	YES	YES
72.0211334	C3H4O2	CHOgt1	YES	YES	YES
72.057518	C4H8O	CHO1	YES	YES	YES
72.0939026	C5H12	CH	YES	YES	YES
73.0078278	C6H	CH	YES	X	YES
73.0653381	C4H9O	CHO1	YES	YES	YES
74.0156479	C6H2	CH	YES	YES	YES
74.0367813	C3H6O2	CHOgt1	YES	YES	YES
75.0234833	C6H3	CH	YES	YES	YES
76.0313034	C6H4	CH	YES	YES	YES
77.0391235	C6H5	CH	YES	YES	YES
78.0469513	C6H6	CH	YES	YES	YES
79.0547714	C6H7	CH	YES	YES	YES
80.062599	C6H8	CH	YES	YES	YES
81.070427	C6H9	CH	YES	YES	YES
82.041862	C5H6O	CHO1	YES	YES	YES
82.078247	C6H10	CH	YES	YES	YES
83.04969	C5H7O	CHO1	YES	YES	YES
83.086067	C6H11	CH	YES	YES	YES
84.057518	C5H8O	CHO1	YES	YES	YES
84.093903	C6H12	CH	YES	YES	YES
85.065338	C5H9O	CHO1	YES	YES	YES
85.101723	C6H13	CH	YES	YES	YES
86.0242	C3H4NO2	CHOgt1N	YES	X	X
86.048012	C3H6N2O	CHO1N	YES	X	X
86.073174	C5H10O	CHO1	YES	YES	YES
86.10955	C6H14	CH	YES	YES	YES
87.023483	C7H3	CH	YES	X	YES
87.080994	C5H11O	CHO1	YES	YES	YES
88.031303	C7H4	CH	YES	YES	YES
88.052429	C4H8O2	CHOgt1	YES	YES	YES

Continuation of Table S4

m/z	Molecular formula	Family Species	Shipping	COA	HOA
88.088814	C5H12O	CHO1	YES	YES	YES
89.039124	C7H5	CH	YES	YES	YES
90.046951	C7H6	CH	YES	YES	YES
91.054771	C7H7	CH	YES	YES	YES
92.062599	C7H8	CH	YES	YES	YES
93.070427	C7H9	CH	YES	YES	YES
94.041862	C6H6O	CHO1	YES	YES	YES
94.078247	C7H10	CH	YES	YES	YES
95.04969	C6H7O	CHO1	YES	YES	YES
95.086067	C7H11	CH	YES	YES	YES
96.057518	C6H8O	CHO1	YES	YES	YES
96.093903	C7H12	CH	YES	YES	YES
97.065338	C6H9O	CHO1	YES	YES	YES
97.101723	C7H13	CH	YES	YES	YES
98.015648	C8H2	CH	YES	X	YES
98.073174	C6H10O	CHO1	YES	YES	YES
98.10955	C7H14	CH	YES	YES	YES
99.023483	C8H3	CH	YES	X	YES
99.044601	C5H7O2	CHOgt1	YES	YES	YES
99.080994	C6H11O	CHO1	YES	YES	YES
99.117378	C7H15	CH	YES	YES	YES
100.031303	C8H4	CH	YES	X	YES
100.088799	C6H12O	CHO1	YES	YES	YES
100.125198	C7H16	CH	YES	X	YES
101.039101	C8H5	CH	YES	X	YES
101.096603	C6H13O	CHO1	YES	YES	YES
101.133026	C7H17	CH	YES	X	X
102.046997	C8H6	CH	YES	YES	YES
103.054802	C8H7	CH	YES	YES	YES
104.062599	C8H8	CH	YES	YES	YES
105.070396	C8H9	CH	YES	YES	YES
106.078201	C8H10	CH	YES	YES	YES
107.086098	C8H11	CH	YES	YES	YES
108.057503	C7H8O	CHO1	YES	X	YES
108.093903	C8H12	CH	YES	YES	YES
109.1017	C8H13	CH	YES	YES	YES
110.015602	C9H2	CH	YES	X	YES
110.073196	C7H10O	CHO1	YES	YES	YES
110.109596	C8H14	CH	YES	YES	YES
111.023499	C9H3	CH	YES	X	YES
111.081001	C7H11O	CHO1	YES	YES	YES
111.117401	C8H15	CH	YES	YES	YES
112.031303	C9H4	CH	YES	X	YES
112.088799	C7H12O	CHO1	YES	YES	YES
112.125198	C8H16	CH	YES	YES	YES
113.039101	C9H5	CH	YES	X	YES
113.096603	C7H13O	CHO1	YES	YES	YES
113.133003	C8H17	CH	YES	X	YES
114.046997	C9H6	CH	YES	X	YES

Continuation of Table S4

m/z	Molecular formula	Family Species	Shipping	COA	HOA
114.1045	C7H14O	CHO1	YES	YES	YES
114.1409	C8H18	CH	YES	YES	YES
115.054802	C9H7	CH	YES	YES	YES
115.112297	C7H15O	CHO1	YES	YES	YES
116.062599	C9H8	CH	YES	X	YES
117.070396	C9H9	CH	YES	X	YES
118.078201	C9H10	CH	YES	X	YES
119.049698	C8H7O	CHO1	YES	X	YES
119.086098	C9H11	CH	YES	X	YES
120.057503	C8H8O	CHO1	YES	X	YES
120.093903	C9H12	CH	YES	X	YES
121.0653	C8H9O	CHO1	YES	X	YES
121.1017	C9H13	CH	YES	X	YES
122.073196	C8H10O	CHO1	YES	X	YES
122.109596	C9H14	CH	YES	X	YES
123.081001	C8H11O	CHO1	YES	X	YES
123.117401	C9H15	CH	YES	X	YES
124.088799	C8H12O	CHO1	YES	X	YES
124.125198	C9H16	CH	YES	X	YES
125.096603	C8H13O	CHO1	YES	X	YES
125.133003	C9H17	CH	YES	X	YES
126.046997	C10H6	CH	YES	X	YES
126.1045	C8H14O	CHO1	YES	X	YES
126.1409	C9H18	CH	YES	X	YES
127.054802	C10H7	UnSubPAH	YES	X	YES
127.112297	C8H15O	CHO1	YES	X	YES
127.148697	C9H19	CH	YES	X	YES
128.062607	C10H8	UnSubPAH	YES	X	YES
128.071198	C6H10NO2	CHOgt1N	YES	X	X
128.083694	C7H12O2	CHOgt1	YES	X	YES
129.033997	C9H5O	CHO1	YES	X	X
129.070404	C10H9	CH	YES	X	YES
130.041901	C9H6O	CHO1	YES	X	YES
130.078201	C10H10	CH	YES	X	YES
131.049698	C9H7O	OPAH	YES	X	YES
131.086105	C10H11	CH	YES	X	YES
132.057495	C9H8O	OPAH	YES	X	X
132.093903	C10H12	CH	YES	X	X
133.065308	C9H9O	CHO1	YES	X	X
133.1017	C10H13	CH	YES	X	X
134.073196	C9H10O	CHO1	YES	X	X
134.109497	C10H14	CH	YES	X	X
135.080994	C9H11O	CHO1	YES	X	YES
135.117401	C10H15	CH	YES	X	YES
136.088806	C9H12O	CHO1	YES	X	YES
136.125198	C10H16	CH	YES	X	YES
137.096603	C9H13O	CHO1	YES	X	YES
137.132996	C10H17	CH	YES	X	YES
138.046997	C11H6	CH	YES	X	YES

Continuation of Table S4

m/z	Molecular formula	Family Species	Shipping	COA	HOA
138.104507	C9H14O	CHO1	YES	X	YES
138.1409	C10H18	CH	YES	X	YES
139.054794	C11H7	CH	YES	X	X
139.112305	C9H15O	CHO1	YES	X	YES
139.148697	C10H19	CH	YES	X	YES
140.062607	C11H8	CH	YES	X	X
140.120102	C9H16O	CHO1	YES	X	YES
140.156494	C10H20	CH	YES	X	YES
141.070404	C11H9	MPAH	YES	X	YES
141.164307	C10H21	CH	YES	X	YES
142.078201	C11H10	MPAH	YES	X	YES
142.172104	C10H22	CH	YES	X	X
143.049698	C10H7O	CHO1	YES	X	YES
143.086105	C11H11	CH	YES	X	YES
144.057495	C10H8O	CHO1	YES	X	YES
144.093903	C11H12	CH	YES	X	YES
145.065308	C10H9O	CHO1	YES	X	YES
145.1017	C11H13	CH	YES	X	YES
146.073196	C10H10O	CHO1	YES	X	YES
146.109497	C11H14	CH	YES	X	YES
147.053207	C5H9NO4	CHOgt1N	YES	X	X
147.080994	C10H11O	CHO1	YES	X	YES
147.117401	C11H15	CH	YES	X	YES
148.037201	C5H8O5	CHOgt1	YES	X	X
148.125198	C11H16	CH	YES	X	YES
149.044998	C5H9O5	CHOgt1	YES	X	YES
149.096603	C10H13O	CHO1	YES	X	YES
149.12	C10H15N	CHN	YES	X	X
151.054794	C12H7	UnSubPAH	YES	X	X
152.062607	C12H8	UnSubPAH	YES	X	YES
153.070404	C12H9	UnSubPAH	YES	X	YES
154.078201	C12H10	UnSubPAH	YES	X	YES
155.04969	C11H7O	OPAH	YES	X	X
155.086105	C12H11	MPAH	YES	X	YES
156.057515	C11H8O	OPAH	YES	X	X
156.093903	C12H12	MPAH	YES	X	YES
157.028954	C10H5O2	OPAH	YES	X	X
158.036804	C10H6O2	OPAH	YES	X	YES
165.070404	C13H9	UnSubPAH	YES	X	YES
166.078201	C13H10	UnSubPAH	YES	X	YES
167.04969	C12H7O	OPAH	YES	X	X
167.086105	C13H11	MPAH	YES	X	X
168.057515	C12H8O	OPAH	YES	X	X
168.093903	C13H12	MPAH	YES	X	YES
175.054775	C14H7	UnSubPAH	YES	X	X
176.062607	C14H8	UnSubPAH	YES	X	X
177.070404	C14H9	UnSubPAH	YES	X	X
178.078201	C14H10	UnSubPAH	YES	X	YES
179.04969	C13H7O	OPAH	YES	X	X

Continuation of Table S4

m/z	Molecular formula	Family Species	Shipping	COA	HOA
179.086105	C14H11	MPAH	YES	X	YES
180.057515	C13H8O	OPAH	YES	X	X
180.093903	C14H12	MPAH	YES	X	YES
181.028954	C12H5O2	OPAH	YES	X	X
181.06534	C13H9O	OPAH	YES	X	X
182.036779	C12H6O2	OPAH	YES	X	X
183.044605	C12H7O2	OPAH	YES	X	X
189.070404	C15H9	UnSubPAH	YES	X	YES
190.078201	C15H10	UnSubPAH	YES	X	YES
191.086105	C15H11	MPAH	YES	X	YES
192.093903	C15H12	MPAH	YES	X	X
193.06534	C14H9O	OPAH	YES	X	X
194.073196	C14H10O	OPAH	YES	X	YES
194.109497	C15H14	MPAH	YES	X	YES
195.044605	C13H7O2	OPAH	YES	X	X
196.05243	C13H8O2	OPAH	YES	X	X
201.070425	C16H9	UnSubPAH	YES	X	X
202.078201	C16H10	UnSubPAH	YES	X	YES
203.04969	C15H7O	OPAH	YES	X	X
204.057515	C15H8O	OPAH	YES	X	X
205.101725	C16H13	MPAH	YES	X	X
206.109497	C16H14	MPAH	YES	X	X
207.044605	C14H7O2	OPAH	YES	X	X
208.05243	C14H8O2	OPAH	YES	X	X
215.086075	C17H11	UnSubPAH	YES	X	X
216.0939	C17H12	UnSubPAH	YES	X	X
219.117376	C17H15	MPAH	YES	X	X
220.125201	C17H16	MPAH	YES	X	X
225.070425	C18H9	UnSubPAH	YES	X	X
226.07825	C18H10	UnSubPAH	YES	X	X
227.086075	C18H11	UnSubPAH	YES	X	X
228.0939	C18H12	UnSubPAH	YES	X	X
231.044605	C16H7O2	OPAH	YES	X	X
232.05243	C16H8O2	OPAH	YES	X	X
233.133026	C18H17	MPAH	YES	X	X
234.140851	C18H18	MPAH	YES	X	X
241.101725	C19H13	MPAH	YES	X	X
249.070425	C20H9	UnSubPAH	YES	X	X
250.07825	C20H10	UnSubPAH	YES	X	X
251.086075	C20H11	UnSubPAH	YES	X	X
252.0939	C20H12	UnSubPAH	YES	X	X
253.06534	C19H9O	OPAH	YES	X	X
254.073165	C19H10O	OPAH	YES	X	X
255.117376	C20H15	MPAH	YES	X	X
256.125201	C20H16	MPAH	YES	X	X

Table S5. O:C, H:C and OM:OC ratio, calculated with APES Light code, based on the work of Aiken et al. (2007, 2008), for all ions and for ions with m/z inferior to 120.

	all m/z			m/z <120		
	O:C	H:C	OM:OC	O:C	H:C	OM:OC
Shipping 1	0.02	1.87	1.29	0.03	1.99	1.21
Shipping 2	0.05	1.81	1.31	0.09	1.91	1.28
Shipping 3	0.01	2.15	1.31	0.02	2.21	1.22
COA	0.12	1.81	1.36	0.13	1.86	1.33
HOA	0.12	1.63	1.35	0.21	1.77	1.43
OxxHOA	0.34	1.43	1.54	0.50	1.52	1.79
MOOA	0.52	1.28	1.69	0.72	1.28	2.08
LOOA	0.23	1.49	1.43	0.33	1.58	1.58

Table S6. Correlation between Shipping 1 factor and top 5 (and oleic acid) correlated spectra from HR-AMS Database.

rank	$\cos \theta$	θ	Type / Compound	Location	Date	Reference
1	0.97	0.22	HOA	Riverside, CA, USA	July 2005	Docherty et al. (2011)
2	0.96	0.27	HOA	Barcelona, Spain	March 2009	Mohr et al. (2012)
3	0.96	0.30	HOA	Oakland, CA, USA	Summer 2017	Shah et al. (2018)
4	0.94	0.36	HOA	Xian and Beijing, China	Dec 2013-Jan 2014	Elser et al. (2016)
5	0.93	0.39	HOA	Mexico City, Mexico	March 2009	Aiken et al. (2009)
7	0.88	0.49	Oleic Acid	Laboratory		Hu et al. (2018)

Table S7. Correlation between Shipping 2 factor and top 5 correlated spectra from HR-AMS Database.

rank	$\cos \theta$	θ	Type	Location	Date	Reference
1	0.97	0.22	HOA	Beijing, China	Aug-Sep 2011	Hu et al. (2016)
2	0.96	0.27	HOA	Mexico City, Mexico	March 2009	Aiken et al. (2009)
3	0.96	0.30	HOA	Xian and Beijing, China	Dec 2013-Jan 2014	Elser et al. (2016)
4	0.94	0.36	HOA	Riverside, CA, USA	July 2005	Docherty et al. (2011)
5	0.93	0.39	HOA	Paris, France	Summer 2009	Crippa et al. (2013)

Table S8. Correlation between Shipping 3 factor and top 5 correlated spectra from HR-AMS Database.

rank	$\cos \theta$	θ	Type / Compound	Location	Date	Reference
1	0.98	0.20	HOA	Oakland, CA, USA	Summer 2017	Shah et al. (2018)
2	0.96	0.27	HOA	Barcelona, Spain	March 2009	Mohr et al. (2012)
3	0.96	0.28	HOA	Riverside, CA, USA	July 2005	Docherty et al. (2011)
4	0.92	0.39	Diocetyl seocate	Chamber		Hu et al. (2018)
5	0.92	0.40	HOA	Xian and Beijing, China	Dec 2013-Jan 2014	Elser et al. (2016)

Table S9. Correlation between COA factor and top 5 correlated spectra from HR-AMS Database.

rank	$\cos \theta$	θ	Type / Compound	Location	Date	Reference
1	0.99	0.15	COA	Paris, France	Summer 2009	Crippa et al. (2013)
2	0.99	0.16	COA	Xian and Beijing, China	Dec 2013-Jan 2014	Elser et al. (2016)
3	0.98	0.22	COA	Oakland, CA, USA	Summer 2017	Shah et al. (2018)
4	0.96	0.27	Oleic Acid (C ₁₈ H ₃₄ O ₂)			Hu et al. (2018)
5	0.96	0.28	COA	Rome, Italy	June 2014	Struckmeier et al. (2016)

Table S10. Correlation between HOA factor and top 5 correlated spectra from HR-AMS Database.

rank	$\cos \theta$	θ	Type	Location	Date	Reference
1	0.97	0.26	HOA	Pasadena, CA, USA	2010	Hayes et al. (2013)
2	0.96	0.3	COA	Beijing, China	Aug-Sep, 2011	Hu et al. (2016)
3	0.94	0.35	Ambiant with strong Biomass Burning events and OA background removed	Changdao Island, China	March-April 2011	Hu et al. (2013)
4	0.94	0.36	HOA	Flight, South Korea	May 2006	Hu et al. (2018)
5	0.94	0.36	HOA	Station Po Valley, Italy	April 2008	Saarikoski et al. (2012)

Table S11. Correlation between OxHOA factor and top 5 correlated spectra from HR-AMS Database.

rank	$\cos \theta$	θ	Type	O:C ratio	Location	Date	Reference
1	0.98	0.22	MOOA	0.58	Beijing, China	Aug-Sep, 2011	Hu et al. (2016)
2	0.97	0.23	LOOA	0.42	Cool, CA, USA	June 2010	Setyan et al. (2012)
3	0.97	0.26	MOOA*	0.73	Paris, France	Summer 2009	Crippa et al. (2013)
4	0.97	0.26	OOAa**	0.74**	Station Po Valley, Italy	April 2008	Saarikoski et al. (2012)
5	0.97	0.26	OOAb**	0.74**	Station Po Valley, Italy	April 2008	Saarikoski et al. (2012)

*originally LV-OOA (Low-Volatility Oxygenated Organic Aerosol), corresponding to MOOA

** these OOA has been regroup as a single MOOA factor in Saarikoski et al. (2012), with a O/C ratio of 0.74

Table S12. Correlation between MOOA factor and top 5 correlated spectra from HR-AMS Database.

rank	$\cos \theta$	θ	Type	O:C ratio	Location	Date	Reference
1	0.99	0.12	OOAa	0.74	Station Po Valley, Italy	April 2008	Saarikoski et al. (2012)
2	0.99	0.13	MOOA		Centreville, AL, USA	June-July 2013	Hu et al. (2015)
3	0.99	0.14	MOOA*	0.72	Riverside, CA, USA	July 2005	Docherty et al. (2011)
4	0.99	0.15	MOOA	0.58	Beijing, China	Aug-Sep, 2011	Hu et al. (2016)
5	0.99	0.15	MOOA	1.12** 1.13***	Flight, South Korea	May 2006	Hu et al. (2018)

*originattely LV-OOA (Low-Volatility Oxygenated Organic Aerosol), corresponding to MOOA in this paper

** with standard vaporizer, *** with new capture vaporizer

Table S13. Correlation between LOOA factor and top 5 correlated spectra from HR-AMS Database.

rank	$\cos \theta$	θ	Type	O:C ratio	Location	Date	Reference
1	0.97	0.26	LOOA		Paris, France	Summer 2009	Crippa et al. (2013)
2	0.97	0.26	LOOA		Riverside, CA, USA	July 2005	Docherty et al. (2011)
3	0.96	0.28	LOOA		Flight, South Korea	May 2006	Hu et al. (2018)
4	0.96	0.29	LOOA	0.47	Beijing, China	Aug-Sep, 2011	Hu et al. (2016)
5	0.95	0.31	LOOA		Centreville, AL, USA	June-July 2013	Hu et al. (2015)

Table S14. Hourly R Pearson correlation between factors and instruments time series. Bold numbers represent noticeable correlations.

R Pearson	Shipping 1	Shipping 2	Shipping 3	COA	HOA	OxHOA	MOOA	LOOA
SO ₂	0.26	0.34	0.06	-0.18	-0.12	-0.08	-0.08	-0.17
BC	0.37	0.56	0.40	0.09	0.26	0.39	-0.06	0.18
CO	0.12	0.27	0.43	0.39	0.51	0.64	-0.04	0.32
CO ₂	0.07	0.09	0.20	0.24	0.31	0.48	-0.11	0.54
CH ₄	-0.10	-0.12	0.01	0.08	0.12	0.14	0.07	0.08
NO _x	0.54	0.73	0.52	0.11	0.28	0.37	-0.17	0.06
O ₃	-0.23	-0.32	-0.28	-0.25	-0.31	-0.56	0.48	-0.55
Wind dir	0.13	0.16	0.11	0.00	0.00	0.07	-0.12	0.03
Wind vel	0.35	0.34	0.05	-0.34	-0.34	-0.46	-0.12	-0.39
N _{15nm–30nm}	0.59	0.69	0.11	0.01	0.07	0.08	-0.18	0.00
N _{30nm–50nm}	0.71	0.75	0.16	0.08	0.09	0.11	-0.17	0.02
N _{50nm–70nm}	0.77	0.78	0.20	0.13	0.15	0.16	-0.17	0.09
N _{70nm–100nm}	0.46	0.53	0.23	0.26	0.34	0.33	-0.10	0.31
N _{100nm–200nm}	0.16	0.22	0.30	0.35	0.45	0.50	0.22	0.43
N _{200nm–661nm}	0.05	0.04	0.12	0.11	0.17	0.32	0.24	0.10
Org	0.45	0.41	0.44	0.57	0.55	0.58	0.42	0.61
NO ₃ ⁻	-0.04	-0.05	0.17	0.55	0.57	0.7	0.34	0.79
SO ₄ ²⁻	-0.1	-0.17	0.03	0.14	0.05	0.43	0.51	0
NH ₄ ⁺	-0.13	-0.19	0.04	0.17	0.06	0.5	0.46	0.06

Table S15. Diurnal Pearson R correlation between PMF factors.

	Shipping 1	Shipping 2	Shipping 3	COA	HOA	OxHOA	MOOA	LOOA
Shipping 1	1.00	0.92	0.83	-0.35	0.15	0.19	-0.06	-0.54
Shipping 2	0.92	1.00	0.73	-0.18	0.24	0.19	-0.01	-0.60
Shipping 3	0.83	0.73	1.00	-0.30	0.35	0.45	-0.45	-0.15
COA	-0.35	-0.18	-0.30	1.00	0.72	0.59	-0.27	0.34
HOA	0.15	0.24	0.35	0.72	1.00	0.96	-0.74	0.41
OxHOA	0.19	0.19	0.45	0.59	0.96	1.00	-0.84	0.50
MOOA	-0.06	-0.01	-0.45	-0.27	-0.74	-0.84	1.00	-0.75
LOOA	-0.54	-0.60	-0.15	0.34	0.41	0.50	-0.75	1.00

Table S16. Cosine similarities between PMF factors.

	Shipping 1	Shipping 2	Shipping 3	COA	HOA	OxHOA	MOOA	LOOA
Shipping 1	1.00	0.96	0.93	0.79	0.79	0.31	0.18	0.37
Shipping 2	0.96	1.00	0.90	0.87	0.91	0.51	0.37	0.52
Shipping 3	0.93	0.90	1.00	0.67	0.69	0.24	0.13	0.25
COA	0.79	0.87	0.67	1.00	0.87	0.47	0.34	0.62
HOA	0.79	0.91	0.69	0.87	1.00	0.73	0.63	0.67
OxHOA	0.31	0.51	0.24	0.47	0.73	1.00	0.98	0.75
MOOA	0.18	0.37	0.13	0.34	0.63	0.98	1.00	0.70
LOOA	0.37	0.52	0.25	0.62	0.67	0.75	0.70	1.00

References

- Aiken, A. C., DeCarlo, P. F., and Jimenez, J. L.: Elemental Analysis of Organic Species with Electron Ionization High-Resolution Mass Spectrometry, *Analytical Chemistry*, 79, 8350–8358, <https://doi.org/10.1021/ac071150w>, pMID: 17914892, 2007.
- Aiken, A. C., DeCarlo, P. F., Kroll, J. H., Worsnop, D. R., Huffman, J. A., Docherty, K. S., Ulbrich, I. M., Mohr, C., Kimmel, J. R., Sueper, D., Sun, Y., Zhang, Q., Trimborn, A., Northway, M., Ziemann, P. J., Canagaratna, M. R., Onasch, T. B., Alfarra, M. R., Prevot, A. S. H., Dommen, J., Duplissy, J., Metzger, A., Baltensperger, U., and Jimenez, J. L.: O/C and OM/OC Ratios of Primary, Secondary, and Ambient Organic Aerosols with High-Resolution Time-of-Flight Aerosol Mass Spectrometry, *Environmental Science & Technology*, 42, 4478–4485, <https://doi.org/10.1021/es703009q>, pMID: 18605574, 2008.
- Aiken, A. C., Salcedo, D., Cubison, M. J., Huffman, J. A., DeCarlo, P. F., Ulbrich, I. M., Docherty, K. S., Sueper, D., Kimmel, J. R., Worsnop, D. R., Trimborn, A., Northway, M., Stone, E. A., Schauer, J. J., Volkamer, R. M., Fortner, E., de Foy, B., Wang, J., Laskin, A., Shutthanandan, V., Zheng, J., Zhang, R., Gaffney, J., Marley, N. A., Paredes-Miranda, G., Arnott, W. P., Molina, L. T., Sosa, G., and Jimenez, J. L.: Mexico City aerosol analysis during MILAGRO using high resolution aerosol mass spectrometry at the urban supersite (T0) – Part 1: Fine particle composition and organic source apportionment, *Atmospheric Chemistry and Physics*, 9, 6633–6653, <https://doi.org/10.5194/acp-9-6633-2009>, 2009.
- Crippa, M., El Haddad, I., Slowik, J. G., DeCarlo, P. F., Mohr, C., Heringa, M. F., Chirico, R., Marchand, N., Sciare, J., Baltensperger, U., and Prévôt, A. S. H.: Identification of marine and continental aerosol sources in Paris using high resolution aerosol mass spectrometry, *Journal of Geophysical Research: Atmospheres*, 118, 1950–1963, <https://doi.org/https://doi.org/10.1002/jgrd.50151>, 2013.
- Docherty, K. S., Aiken, A. C., Huffman, J. A., Ulbrich, I. M., DeCarlo, P. F., Sueper, D., Worsnop, D. R., Snyder, D. C., Peltier, R. E., Weber, R. J., Grover, B. D., Eatough, D. J., Williams, B. J., Goldstein, A. H., Ziemann, P. J., and Jimenez, J. L.: The 2005 Study of Organic Aerosols at Riverside (SOAR-1): instrumental intercomparisons and fine particle composition, *Atmospheric Chemistry and Physics*, 11, 12 387–12 420, <https://doi.org/10.5194/acp-11-12387-2011>, 2011.
- Elser, M., Bozzetti, C., El-Haddad, I., Maasikmets, M., Teinemaa, E., Richter, R., Wolf, R., Slowik, J. G., Baltensperger, U., and Prévôt, A. S. H.: Urban increments of gaseous and aerosol pollutants and their sources using mobile aerosol mass spectrometry measurements, *Atmospheric Chemistry and Physics*, 16, 7117–7134, <https://doi.org/10.5194/acp-16-7117-2016>, 2016.
- Hayes, P. L., Ortega, A. M., Cubison, M. J., Froyd, K. D., Zhao, Y., Cliff, S. S., Hu, W. W., Toohey, D. W., Flynn, J. H., Lefer, B. L., Grossberg, N., Alvarez, S., Rappenglück, B., Taylor, J. W., Allan, J. D., Holloway, J. S., Gilman, J. B., Kuster, W. C., de Gouw, J. A., Massoli, P., Zhang, X., Liu, J., Weber, R. J., Corrigan, A. L., Russell, L. M., Isaacman, G., Worton, D. R., Kreisberg, N. M., Goldstein, A. H., Thalman, R., Waxman, E. M., Volkamer, R., Lin, Y. H., Surratt, J. D., Kleindienst, T. E., Offenberg, J. H., Dusanter, S., Griffith, S., Stevens, P. S., Brioude, J., Angevine, W. M., and Jimenez, J. L.: Organic aerosol composition and sources in Pasadena, California, during the 2010 CalNex campaign, *Journal of Geophysical Research: Atmospheres*, 118, 9233–9257, <https://doi.org/10.1002/jgrd.50530>, 2013.
- Hu, W., Hu, M., Hu, W., Jimenez, J. L., Yuan, B., Chen, W., Wang, M., Wu, Y., Chen, C., Wang, Z., Peng, J., Zeng, L., and Shao, M.: Chemical composition, sources, and aging process of submicron aerosols in Beijing: Contrast between summer and winter, *Journal of Geophysical Research: Atmospheres*, 121, 1955–1977, <https://doi.org/https://doi.org/10.1002/2015JD024020>, 2016.
- Hu, W., Day, D. A., Campuzano-Jost, P., Nault, B. A., Park, T., Lee, T., Croteau, P., Canagaratna, M. R., Jayne, J. T., Worsnop, D. R., and Jimenez, J. L.: Evaluation of the new capture vaporizer for aerosol mass spectrometers: Characterization of organic aerosol mass spectra, *Aerosol Science and Technology*, 52, 725–739, <https://doi.org/10.1080/02786826.2018.1454584>, 2018.

- Hu, W. W., Hu, M., Yuan, B., Jimenez, J. L., Tang, Q., Peng, J. F., Hu, W., Shao, M., Wang, M., Zeng, L. M., Wu, Y. S., Gong, Z. H., Huang, X. F., and He, L. Y.: Insights on organic aerosol aging and the influence of coal combustion at a regional receptor site of central eastern China, *Atmospheric Chemistry and Physics*, 13, 10 095–10 112, <https://doi.org/10.5194/acp-13-10095-2013>, 2013.
- Hu, W. W., Campuzano-Jost, P., Palm, B. B., Day, D. A., Ortega, A. M., Hayes, P. L., Krechmer, J. E., Chen, Q., Kuwata, M., Liu, Y. J., de Sá, S. S., McKinney, K., Martin, S. T., Hu, M., Budisulistiorini, S. H., Riva, M., Surratt, J. D., St. Clair, J. M., Isaacman-Van Wertz, G., Yee, L. D., Goldstein, A. H., Carbone, S., Brito, J., Artaxo, P., de Gouw, J. A., Koss, A., Wisthaler, A., Mikoviny, T., Karl, T., Kaser, L., Jud, W., Hansel, A., Docherty, K. S., Alexander, M. L., Robinson, N. H., Coe, H., Allan, J. D., Canagaratna, M. R., Paulot, F., and Jimenez, J. L.: Characterization of a real-time tracer for isoprene epoxydiols-derived secondary organic aerosol (IEPOX-SOA) from aerosol mass spectrometer measurements, *Atmospheric Chemistry and Physics*, 15, 11 807–11 833, <https://doi.org/10.5194/acp-15-11807-2015>, 2015.
- Mohr, C., DeCarlo, P. F., Heringa, M. F., Chirico, R., Slowik, J. G., Richter, R., Reche, C., Alastuey, A., Querol, X., Seco, R., Peñuelas, J., Jiménez, J. L., Crippa, M., Zimmermann, R., Baltensperger, U., and Prévôt, A. S. H.: Identification and quantification of organic aerosol from cooking and other sources in Barcelona using aerosol mass spectrometer data, *Atmospheric Chemistry and Physics*, 12, 1649–1665, <https://doi.org/10.5194/acp-12-1649-2012>, 2012.
- Ng, N. L., Canagaratna, M. R., Zhang, Q., Jimenez, J. L., Tian, J., Ulbrich, I. M., Kroll, J. H., Docherty, K. S., Chhabra, P. S., Bahreini, R., Murphy, S. M., Seinfeld, J. H., Hildebrandt, L., Donahue, N. M., DeCarlo, P. F., Lanz, V. A., Prévôt, A. S. H., Dinar, E., Rudich, Y., and Worsnop, D. R.: Organic aerosol components observed in Northern Hemispheric datasets from Aerosol Mass Spectrometry, *Atmospheric Chemistry and Physics*, 10, 4625–4641, <https://doi.org/10.5194/acp-10-4625-2010>, 2010.
- Saarikoski, S., Carbone, S., Decesari, S., Giulianelli, L., Angelini, F., Canagaratna, M., Ng, N. L., Trimborn, A., Facchini, M. C., Fuzzi, S., Hillamo, R., and Worsnop, D.: Chemical characterization of springtime submicrometer aerosol in Po Valley, Italy, *Atmospheric Chemistry and Physics*, 12, 8401–8421, <https://doi.org/10.5194/acp-12-8401-2012>, 2012.
- Setyan, A., Zhang, Q., Merkel, M., Knighton, W. B., Sun, Y., Song, C., Shilling, J. E., Onasch, T. B., Herndon, S. C., Worsnop, D. R., Fast, J. D., Zaveri, R. A., Berg, L. K., Wiedensohler, A., Flowers, B. A., Dubey, M. K., and Subramanian, R.: Characterization of submicron particles influenced by mixed biogenic and anthropogenic emissions using high-resolution aerosol mass spectrometry: results from CARES, *Atmospheric Chemistry and Physics*, 12, 8131–8156, <https://doi.org/10.5194/acp-12-8131-2012>, 2012.
- Shah, R. U., Robinson, E. S., Gu, P., Robinson, A. L., Apte, J. S., and Presto, A. A.: High-spatial-resolution mapping and source apportionment of aerosol composition in Oakland, California, using mobile aerosol mass spectrometry, *Atmospheric Chemistry and Physics*, 18, 16 325–16 344, <https://doi.org/10.5194/acp-18-16325-2018>, 2018.
- Struckmeier, C., Drewnick, F., Fachinger, F., Gobbi, G. P., and Borrmann, S.: Atmospheric aerosols in Rome, Italy: sources, dynamics and spatial variations during two seasons, *Atmospheric Chemistry and Physics*, 16, 15 277–15 299, <https://doi.org/10.5194/acp-16-15277-2016>, 2016.