

Supplement of

5 **High resolution monthly precipitation isotope estimates across
Australia from machine learning**

Georgina Falster et al.

Correspondence to: Georgina M. Falster (georgina.falster@adelaide.edu.au)

10

15 This supplement contains the following materials:

Tables S1–S2

Figures S1–S18

References

20

25

30

Table S1: Details for each site contributing water isotope observations to this study. Sites are arranged by latitude, northernmost to southernmost. An entry of ‘some’ in the ‘Publicly available’ column indicates that some but not all of the data from that site was publicly available at the time of this manuscript’s publication. This includes GNIP sites where there is monthly data through to 2023, but only data
35 through to the end of 2014 is publicly available. An entry of ‘pers. comm.’ in the ‘Publicly available’ column indicates that currently unpublished data were provided directly to the first author. GNIP = Global Network of Isotopes in Precipitation; CSIRO = Commonwealth Scientific and Industrial Research Organisation.

Site name	Latitude	Longitude	Elevation (m)	Start year	End year	Total months	Total years	Original resolution	Source/s	Publicly available	Reference/s	Variables measured
Darwin	-12.4	130.9	30.4	1962	2023	408	55	Daily, Monthly	GNIP, CSIRO, pers. comm.	Some	Crosbie et al., 2012; Duvert et al., 2020; Hollins et al., 2018; Munksgaard et al., 2019; Zwart et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Willis Island	-16.3	150	9.3	2015	2023	86	9	Daily	Pers. comm.	Some	NA	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Cairns	-16.9	145.8	13.4	2014	2023	114	10	Daily	Pers. comm.	Some	Munksgaard et al., 2019, 2020	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Chillagoe	-17.2	144.5	368.9	2015	2023	64	9	Daily	Pers. comm.	No	NA	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Broome	-18	122.2	15	2007	2008	4	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Halls Creek	-18.2	127.7	408.1	2008	2010	15	3	Monthly	CSIRO	Yes	Crosbie et al., 2012	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Tennant Creek	-19.6	134.2	373.3	2007	2008	6	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Mount Isa	-20.7	139.5	340.3	2006	2023	111	18	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Exmouth	-21.9	114.1	11.8	2008	2009	2	2	Monthly	CSIRO	Yes	Crosbie et al., 2012	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Rockhampton	-23.4	150.5	2.8	2008	2010	17	3	Monthly	CSIRO	Yes	Crosbie et al., 2012	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Alice Springs	-23.8	133.9	546	1962	2023	273	39	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Giles	-25	128.3	587.7	2007	2008	9	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Barakula	-26.4	150.5	334	2007	2008	13	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$

Charleville	-26.4	146.3	301.6	2006	2023	124	18	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Meekatharra	-26.6	118.5	517	2006	2017	104	12	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Brisbane	-27.4	153.1	4	1962	2023	573	56	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Toowoomba	-27.6	152	589.9	2007	2010	20	4	Monthly	CSIRO, Geoscience Australia	Yes	Crosbie et al., 2012; Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Goondiwindi	-28.5	150.3	212.2	2007	2008	6	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Moree	-29.5	149.8	200.3	2007	2008	8	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Warialda	-29.5	150.6	335.5	2007	2008	5	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Narrabri	-30.3	149.8	211.5	2007	2008	4	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Macquarie Marshes	-30.9	147.5	146.6	2008	2014	72	7	Daily	Publication	Yes	Crawford et al., 2017	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Woomera	-31.2	136.8	166.6	2006	2021	80	15	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Cobar	-31.5	145.8	260	2006	2016	108	11	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Nyngan	-31.6	147.2	167.9	2007	2008	5	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Gilgandra	-31.7	148.7	274.5	2007	2008	5	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Perth	-31.9	115.9	15.4	1962	2023	449	47	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Dubbo	-32.2	148.6	270.8	2007	2008	5	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Wellington	-32.6	148.9	305.1	2011	2013	22	3	Monthly	Publication	Yes	Cuthbert et al., 2014	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Condobolin	-33.1	147.1	190	2007	2008	4	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Lithgow	-33.5	150.2	957.4	2005	2008	43	4	Monthly	Publication	Yes	Hughes and Crawford, 2013	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Cowra	-33.8	148.7	319.5	2007	2008	7	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$

Esperance	-33.9	121.9	7.3	2008	2010	19	3	Monthly	CSIRO	Yes	Crosbie et al., 2012	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Sydney	-33.9	151.2	6	2006	2023	191	18	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Calgardup Caves	-34	115	70	2005	2019	150	15	Daily	GNIP	Yes	Griffiths et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Lucas Heights	-34.1	151	99.3	2005	2020	149	15	Daily, Monthly	Publication	Some	Crawford et al., 2023; Hughes and Crawford, 2013	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Mount Werong	-34.1	149.9	1119.5	2005	2009	54	5	Monthly	Publication	Yes	Hughes and Crawford, 2013	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Taylorville	-34.1	139.9	15.6	2007	2007	3	1	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Mildura	-34.2	142.1	50	2006	2014	94	9	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Loxton	-34.5	140.6	28.8	2007	2007	3	1	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Big Hill	-34.6	150	656.8	2005	2008	35	4	Monthly	Publication	Yes	Hughes and Crawford, 2013	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Adelaide	-34.9	138.6	34.1	1962	2023	317	32	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Murray Bridge	-35.1	139.3	13.7	2007	2008	8	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Evatt	-35.2	149.1	598.5	2007	2008	12	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Wagga Wagga	-35.2	147.5	212	2006	2021	169	16	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Tarcutta	-35.3	147.7	226.5	2007	2008	7	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Braidwood	-35.4	149.8	644	2006	2008	21	3	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Googong	-35.4	149.2	721.9	2007	2008	12	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Tidbinbilla	-35.4	148.9	1121	2007	2008	14	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Wilkawatt	-35.4	140.4	93.3	2007	2008	2	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Deniliquin	-35.5	144.9	91.7	2007	2008	5	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$

Yarrangobilly	-35.7	148.5	1098.2	2007	2017	112	11	Monthly	Publication	No	NA (not currently available from publication)	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Kelly Hill	-36	136.9	28.7	2011	2013	24	3	Daily	Pers. comm.	No	NA	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Albury	-36.1	146.9	196.3	2007	2008	6	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Horsham	-36.7	142.2	127.2	2007	2008	11	2	Monthly	Geoscience Australia	Yes	Hawkins et al., 2022	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Learmonth	-37.4	143.7	434.3	2008	2010	9	3	Monthly	CSIRO	Yes	Crosbie et al., 2012	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Melbourne	-37.8	145	113	1962	2023	536	52	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Cape Grim	-40.7	144.7	94	1979	2023	433	42	Monthly	GNIP, CSIRO	Some	Crosbie et al., 2012; Hollins et al., 2018	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Hobart	-42.8	147.5	8.8	2019	2022	37	4	Daily	Unpublished (from the lead author)	No	NA	$\delta^2\text{H}$, $\delta^{18}\text{O}$
Margate	-43	147.3	120.9	1994	2000	18	7	Monthly	GNIP	Yes	Hollins et al., 2018	$\delta^{18}\text{O}$

Table S2: Details of predictor variables included in the random forest models. The first column shows the variable name as it appears in figures throughout the manuscript. Variables flagged as ‘direct’ are used without modification from the original source (e.g., ERA5) other than regridding. Where relevant, the ‘Source’ column entry is a reference containing the details of how the predictor variable was calculated from the raw meteorological data (not included if the variable required only a ratio and/or conversion from native units).

Variable name	Variable long name	Variable name/s in ERA5	Direct or derived	Source
<i>Meteorological variables</i>				
Temp	Air temperature at 2 metres	2t	Direct	NA
Evap	Evaporation	mer	Derived	NA
Snow_frac	Fraction of precipitation delivered as snow	sf,tp	Derived	NA
MSLP	Mean sea level pressure	msl	Direct	NA
Prec	Precipitation amount	tp	Derived	NA
Prec_int	Precipitation intensity	pr	Derived	NA
Prec_type	Ratio of convective to total precipitation	cp,tp	Derived	NA
RH	Relative humidity	2t,2d	Derived	Sonntag, 1990
Wind_dir	Wind direction at 10 metres	10u,10v	Derived	NA
Wind_speed	Wind speed at 10 metres	10si	Direct	NA
<i>Climate indices</i>				
ΔSLP	Trans-Pacific sea level pressure gradient	msl	Derived	Vecchi et al., 2006
DMI	Dipole Mode Index	sst	Derived	Saji et al., 1999
IOBM	Indian Ocean Basin Mode	sst	Derived	Yu et al., 2022
Niño 3.4	Niño 3.4	sst	Derived	See Section 2.3
SAM	Southern Annular Mode	msl	Derived	Velasquez-Jimenez and Abram, 2024
<i>Weather objects</i>				
Anticyclone	Anticyclone	NA	Derived	Jin et al., 2024
COL_trop	Cutoff low (troposphere)	NA	Derived	Jin et al., 2024
COL_strat	Cutoff low (stratosphere)	NA	Derived	Jin et al., 2024
Cyclone	Cyclone	NA	Derived	Jin et al., 2024
Front	Front	NA	Derived	Jin et al., 2024
PV_streamer	Potential vorticity streamer	NA	Derived	Jin et al., 2024
WCB_ascent	Warm conveyor belt (ascent)	NA	Derived	Jin et al., 2024
WCB_inflow	Warm conveyor belt (inflow)	NA	Derived	Jin et al., 2024
<i>Other</i>				
Month_s	Month (sine)	NA	Direct	NA
Month_c	Month (cosine)	NA	Direct	NA
Elev	Elevation	NA	Direct	NA




Figure S1: As per Fig. 1 but showing skill scores for out-of-sample spatial $\delta^2\text{H}_\text{P}$ variability.




Figure S2: As per Fig. 1 but showing skill scores for out-of-sample spatial dx_{sp} variability.




Figure S3: As per Fig. 2 but showing skill scores for out-of-sample spatial $\delta^2\text{H}_\text{p}$ variability.




Figure S4: As per Fig. 2 but showing skill scores for out-of-sample spatial dx_{sp} variability.

110

115

120

125




Figure S5: As per Fig. 3 but showing skill scores for out-of-sample temporal $\delta^2\text{H}_p$ variability.

130

135

140




Figure S6: As per Fig. 3 but showing skill scores for out-of-sample temporal dx_{sp} variability.

145

150

155




Figure S7: Proportion of predictor variables that are within range of the training dataset. Panel a) shows values for the longer models trained over 1962–2023, using the reduced set of predictor variables (without weather objects). Panel b) shows values for the models trained over 1980–2019, using the full set of predictor variables (including weather objects). Points show locations of sites contributing precipitation isotopic data to the random forest models.

160




Figure S8: As per Fig. 4 but comparing modelled and observed monthly $\delta^2\text{H}_p$ values.




Figure S9: As per Fig. 4 but comparing modelled and observed monthly dxs_P values.





Figure S10: As per Fig. 5 but for the seasonal cycle of $\delta^2\text{H}_p$.



170 **Figure S11:** As per Fig. 5 but for the seasonal cycle of dx_{SP} .




Figure S12: As per Fig. 6 but for the distribution of $\delta^2\text{H}_p$ values.




Figure S13: As per Fig. 6 but for the distribution of dxs_P values.




Figure S14: As per Fig. 9 but showing precipitation amount-weighted annual mean $\delta^2\text{H}_\text{P}$ values.




Figure S15: As per Fig. 9 but showing precipitation amount-weighted annual mean dxs_p values.

200

205

210

215

220




Figure S16: Anomalies in precipitation amount-weighted annual mean $\delta^2\text{H}_\text{P}$ (a–c), $\delta^{18}\text{O}_\text{P}$ (d–f) and dx_{sp} (g–i) in each of the three years of the Tinderbox Drought. Values are from the random forest models trained over 1962–2023, using the reduced set of predictor variables (without weather objects). Anomalies are relative to the entire 1962–2023 interval.




Figure S17: As per Fig. 11 but at each site showing the model's bias relative to observations in the long-term annual mean $\delta^2\text{H}_\text{P}$ (a–c), $\delta^{18}\text{O}_\text{P}$ (d–f) and dx_{SP} (g–i) at each site. Only showing sites with 5 or more years of monthly precipitation isotopic observations. The first column shows bias in the random forest models described in this paper (showing the mean of the 50 models created with unique random seeds); second column shows bias in ECHAM6-wiso nudged to ERA5; third column shows bias in the linear regression using geographical variables. Point size scales log-linearly with record length (in years).




Figure S18: As per Fig. S17 but showing model bias relative to long-term observed annual means only in years included in both models (i.e., allowing direct comparison of the bias magnitudes). Note that the colour scales differ from Fig. S17.

References

- 280 Crawford, J., Hollins, S. E., Meredith, K. T., and Hughes, C. E.: Precipitation stable isotope variability and subcloud evaporation processes in a semi-arid region, *Hydrol. Process.*, 31, 20–34, 2017.
- Crawford, J., Hughes, C. E., and Chambers, S. D.: Controls on the stable isotope composition of daily precipitation in Sydney Australia: 9 years of daily data, including Radon-222, *J. Hydrol. (Amst.)*, 617, 129123, 2023.
- 285 Crosbie, R., Morrow, D., Cresswell, R., Leaney, F., Lamontagne, S., and Lefournour, M.: New insights to the chemical and isotopic composition of rainfall across Australia, *Water for a Healthy Country Flagship*, CSIRO, Glen Osmond, <https://doi.org/10.5072/83/5849A0D6C685A>, 2012.
- Cuthbert, M. O., Baker, A., Jex, C. N., Graham, P. W., Treble, P. C., Andersen, M. S., and Ian Acworth, R.: Drip water
290 isotopes in semi-arid karst: Implications for speleothem paleoclimatology, *Earth Planet. Sci. Lett.*, 395, 194–204, 2014.
- Duvert, C., Hutley, L. B., Birkel, C., Rudge, M., Munksgaard, N. C., Wynn, J. G., Setterfield, S. A., Cendón, D. I., and Bird, M. I.: Seasonal shift from biogenic to geogenic fluvial carbon caused by changing water sources in the wet-dry tropics, *J. Geophys. Res. Biogeosci.*, 125, <https://doi.org/10.1029/2019jg005384>, 2020.
- 295 Griffiths, A. D., Treble, P. C., Hope, P., and Rudeva, I.: Rainfall stable water isotope variability in coastal southwestern western Australia and its relationship to climate on multiple timescales, *J. Geophys. Res.*, 127, <https://doi.org/10.1029/2021jd035433>, 2022.
- 300 Hawkins, S., Northey, J., Schroder, I., Lem, A., Sedgmen, A., and Peljo, M.: Hydrochemistry database (HYDROCHEM), <https://doi.org/10.26186/147298>, 2022.
- Hollins, S. E., Hughes, C. E., Crawford, J., Cendón, D. I., and Meredith, K. T.: Rainfall isotope variations over the Australian continent--implications for hydrology and isoscape applications, *Sci. Total Environ.*, 645, 630–645, 2018.
- 305 Hughes, C. E. and Crawford, J.: Spatial and temporal variation in precipitation isotopes in the Sydney Basin, Australia, *J. Hydrol.*, 489, 42–55, 2013.
- Jin, C., Reeder, M. J., Gallant, A. J. E., Parker, T., and Sprenger, M.: Changes in weather systems during anomalously wet and dry years in southeastern Australia, *J. Clim.*, 37, 1131–1153, 2024.

310

- Munksgaard, N. C., Kurita, N., Sánchez-Murillo, R., Ahmed, N., Araguas, L., Balachew, D. L., Bird, M. I., Chakraborty, S., Kien Chinh, N., Cobb, K. M., Ellis, S. A., Esquivel-Hernández, G., Ganyaglo, S. Y., Gao, J., Gastmans, D., Kaseke, K. F., Kebede, S., Morales, M. R., Mueller, M., Poh, S. C., Santos, V. D., Shaoneng, H., Wang, L., Yacobaccio, H., and Zwart, C.: Data Descriptor: Daily observations of stable isotope ratios of rainfall in the tropics, *Sci. Rep.*, 9, 14419, 2019.
- 315 Munksgaard, N. C., Zwart, C., Haig, J., Cernusak, L. A., and Bird, M. I.: Coupled rainfall and water vapour stable isotope time series reveal tropical atmospheric processes on multiple timescales, *Hydrol. Process.*, 34, 111–124, 2020.
- Saji, N. H., Goswami, B. N., Vinayachandran, P. N., and Yamagata, T.: A dipole mode in the tropical Indian Ocean, *Nature*, 320 401, 360–363, 1999.
- Sonntag, D.: Important new values of the physical constants of 1986, vapour pressure formulations based on ITS-90 and psychrometer formulae, *Zeitschrift fur Meteorologie*, 40, 340–344, 1990.
- 325 Vecchi, G. A., Soden, B. J., Wittenberg, A. T., Held, I. M., Leetmaa, A., and Harrison, M. J.: Weakening of tropical Pacific atmospheric circulation due to anthropogenic forcing, *Nature*, 441, 73–76, 2006.
- Velasquez-Jimenez, L. and Abram, N. J.: Technical note: An improved methodology for calculating the Southern Annular Mode index to aid consistency between climate studies, *Clim. Past*, 20, 1125–1139, 2024.
- 330 Yu, L., Zhong, S., Vihma, T., Sui, C., and Sun, B.: The impact of the Indian ocean basin mode on antarctic sea ice concentration in interannual time scales, *Geophys. Res. Lett.*, 49, <https://doi.org/10.1029/2022gl097745>, 2022.
- Zwart, C., Munksgaard, N. C., Protat, A., Kurita, N., Lambrinidis, D., and Bird, M. I.: The isotopic signature of monsoon 335 conditions, cloud modes, and rainfall type, *Hydrol. Process.*, 32, 2296–2303, 2018.