

Make the invisible visible: Reveal the Magnetic Field and Air Pollution to Foster Engagement in a Community-based Participatory Research Project

5 Melina Macouin¹, Sonia Rousse¹, Sandrine Suchon^{1,2}, Loïc Drigo¹, Laure Laffont¹, Laurence Delville^{1,3},
Eva Vedel⁴, Paul Antonio^{1,5}, Jean-François Léon³, Arua da Silva Leite¹, Eva Schreck¹, Fabrice
Gangneron¹

¹Géosciences Environnement Toulouse, Université de Toulouse, GET, CNES, CNRS, IRD, UPS, OMP, France, 31400,
Toulouse Cedex, France

10 ²CPIE-Terres Toulousaines, Zone Commerciale, Rue d'Arcachon, 31200 Toulouse

³Laboratoire d'Aérologie, Université de Toulouse, LAERO, OMP, CNRS, IRD, France

⁴UR ECOLAB - ESAD Orléans, Orléans, 45000, France

⁵ Géosciences Montpellier, Université de Montpellier, France

Correspondence to: Melina Macouin (melina.macouin@cnr.fr)

15

Abstract. Citizen science is increasingly recognized as essential for engaging the public in participatory sustainability research and for addressing the complex challenges of the Anthropocene. However, fostering meaningful dialogue between science and society remains difficult, often hindered by limited opportunities for interaction and varying levels of scientific understanding. Identifying outreach formats that foster citizen engagement and initiate productive exchanges between scientists and the public is therefore a key challenge.

20

Here, we present a hands-on science outreach workshop designed to promote participation in science and foster dialogue between citizen and researchers. The workshop demonstrates the use of tree bark as a biomonitor of urban air quality through magnetic methods. It was conducted in schools and science fairs between 2018 and 2023, reaching 850 participants across nine scientific outreach events and 195 children in three elementary schools. The workshop, originally developed to engage with residents and introduce our approach and underlying concepts prior to participation in the NanoEnvi participatory research project, prompted more than 150 people to participate in the NanoEnvi community-based participatory research project, which offered to host passive biosensors to monitor air quality in their homes or at school in the Toulouse city (France). The workshop included three hands-on demonstrations and experiences. It invited participants to (i) discover the magnetic phenomena, (ii) extract airborne magnetic particles from soils, and (iii) measure air pollution trapped on bark like a scientist. The workshop was also accompanied by lectures and an exhibition.

30

We observed that the workshop fostered two-way dialogue between researchers and a wide range of participants, creating opportunities for shared experimentation and knowledge co-production. We also found that the positive emotions raised by

hands-on exploration of magnetic phenomena during the workshop led to engagement in a participatory project on potential air pollution in urban surroundings. These results led us to identify four key lessons: protocol evolution, science-society dialogue, inter-science communication, and eco-anxiety mitigation, highlighting the potential of hands-on geoscience outreach activities to strengthen science–society interactions.

1 Introduction

Citizen science has emerged as a powerful tool to engage the public and bridge the gap between scientific research and society (OECD, 2020). By involving citizens in research projects related to pressing societal issues, they contribute to a better understanding of current challenges and foster inclusive knowledge production. One of the key aspects of this dynamic is the need to establish a constructive dialogue between science and society, especially to address anthropogenic problems such as air pollution (Carvallo et al., 2024; Mahajan et al., 2020; Rickenbacker et al., 2019) and climate change (Kitchen, 2023). However, this dialogue is often hindered by misunderstandings and different levels of awareness, which can lead to mistrust in science, and even defiance, particularly in relation to pollution or climate change (Oreskes, 2019).

Involving citizens, non-professional researchers, in the research process is increasingly recognized as a way to strengthen this connection (Clark and Cornes, 2023; Vohland et al., 2021). Their participation can enrich research with new perspectives, improve transparency, and support more inclusive scientific practices. But participation cannot be assumed; it must be actively encouraged (Rotman et al., 2012; Shirk et al., 2012). To promote citizen participation in geosciences, researchers need effective and accessible approaches (Loroño-Leturiondo et al., 2019). Among these, hands-on outreach activities may offer a promising way forward. How can such experiences foster citizen engagement and initiate a productive dialogue between science and society?

Here we present a hands-on science outreach workshop that introduced the use of tree bark as a biomonitor of urban air quality using environmental magnetism methods, with the aim of promoting participation in science and foster dialogue between citizen and researchers. The workshop was developed to promote citizen participation in the NanoEnvi community-based participatory research air monitoring project in Toulouse (France). It was conducted at schools and science fairs. We found that it fostered two-way dialogues between researchers and participants of all kinds. We found that experimenting with magnetic phenomena during the workshop elicited positive emotions, which helped reduced anxiety caused by the awareness of potential air pollution in urban surroundings.

2 Methods

60 2.1 Workshop design in the context of the NanoEnvi project: a community-based participative research project

We initially designed and proposed this workshop for the launch of the NanoEnvi participatory program in April 2018 in Toulouse (France). The workshop has also been implemented beyond the participatory project to share our approach and demonstrate the use of tree bark as a biomonitor for PM.

65 The NanoEnvi project was a community-based participatory research initiative (Leite et al., 2022; Macouin et al., 2023) aimed at assessing air quality by deploying passive biosensors. Residents and school classrooms hosted these sensors for 1 year between 2018 and 2019. The passive biosensors consisted of garlands composed of 5-6 squares (~4 cm² each) of *Platanus × acerifolia* bark, suspended from a nylon thread.

The project relied on tree bark as a biomonitoring medium and on environmental magnetism methods as a biomonitoring
70 method to assess particulate matter (PM) concentration. Tree bark is an efficient natural collector of airborne particles (Gu et al., 2025), capturing them on its surface through physical interception (Brignole et al., 2018; Li et al., 2025). It has therefore been used as a biomonitoring medium for atmospheric PM pollution, including potential toxic elements on pine bark (Kousehlar and Widom, 2019; Odabasi et al., 2016; Sut-Lohmann et al., 2020) and in other tree bark (Conkova and Kubiznakova, 2008; Li et al., 2025; Xu et al., 2018).

75 Environmental magnetism offers several advantages for biomonitoring, as it enables the detection of iron-rich magnetic particles that act as reliable proxies for PM pollution (Delville et al., 2025; Gonet and Maher, 2019; Leite et al., 2021). Magnetic measurements have been successfully applied to vegetation, including tree bark, to reflect PM accumulation (Brignole et al., 2018; Carvallo et al., 2024; Castañeda-Miranda et al., 2021; Chaparro et al., 2020; Dawai et al., 2021; Leite et al., 2022; Van Mensel et al., 2023; Vezzola et al., 2017). These approaches are cost-effective, rapid and non-destructive (Hofman et al., 2017),
80 making them particularly suitable for participatory monitoring (Carvallo et al., 2024; Leite et al., 2022).

To engage with residents and introduce both the method and its underlying principles, we developed a hands-on science workshop presented here.

Exchanges with teachers (see Leite et al., 2022) prior the workshops supported the implementations of school-based interventions by helping define appropriate timing and the duration of each activity, understand children's perceptions and
85 fears regarding environmental issues, and address the activities in practice. In addition to researchers, both undergraduate and graduate students participated in the events (Table 1).

2.2 Evaluation and Ethical Considerations

90 We did not collect any personal information during the workshops. To preserve interaction and engagement, we chose not to administer a survey to evaluate the workshops. In such interactive and time-constrained workshop settings, standardized surveys may introduce response and participation biases and offer limited quantitative reliability (Tourangeau et al., 2000), Groves et al., 2009). They may also alter interaction dynamics and potentially reduce participant engagement (Bryman, 2016).
95 Nevertheless, we attempted to administer a questionnaire once. However, this approach was not only challenging to implement, but also prone to introducing biases, and it was perceived as fostering implicit expectations of reciprocity, thereby shaping participants' responses. It was therefore discontinued after two administrations.

Two teachers who participated in the NanoEnvi project by hosting biosensors in their classrooms took part in semi-structured interviews reflecting on their experience and on the children's response to the activities (see Leite et al., 2022). In this study, we draw specifically on the sections referring to the workshop conducted in their classrooms. The teachers were informed
100 about the research project and the potential publication.

We assumed that participants' commitment, energy, and overall satisfaction were important aspects to consider. These elements are therefore discussed in the Results section. Particular attention was given to the type of audience reached, including schools in priority education zones and community centers in neighborhoods with predominantly immigrant populations, with the aim of engaging groups who do not typically attend science outreach events. Our goal was to promote encounters and get
105 our experiences out of the laboratory.

We also evaluated the impact of the workshop by considering the number of actual registrations in the NanoEnvi project, whenever appropriate. We evaluated the outreach events based on the total number of attendees rather than the ratio of attendees to registrations, as our objective was not to maximize participation but to share our scientific approach as broadly and inclusively as possible.

110 3 Hands-on workshop

3.1 General structure and implementation

We performed the workshop in several places (Table 1) from science festivals to small neighborhood events. We also carried it out in 3 schools in Toulouse (France) and in a social center (90 children) in Senegal. We capitalized on a series of NanoEnvi outreach projects to conduct the workshops. They were therefore sometimes accompanied by an exhibition consisting of 12
115 posters, a video, lectures, and a communication campaign. In some cases, we were invited to carry out this workshop outside the NanoEnvi project. We also deployed the workshop during a following community-based participative project in Senegal (see online scientific blog: <https://airgeo.hypotheses.org/792>).

Event name and date	Duration (h)	Type of public	Organizer	Number of participants	Number of scientists / students	Within or outside the NanoEnvi programme	Motivation of event visitors	Talk	Q&A	Draw
European Researchers' Night Oct. 2023	5	general	Toulouse Federal University	200	2 / 2	outside	visit a general scientific festival	N	N	Y
Art-Science-Citizen Residence in Senegal Jan. 2022	3	children	local NGO / Scientists	90	3 / 0	outside / other CBPR program	attend scientific workshop	N	N	Y
<i>Quai des savoirs: May 2019</i>	4	general	Museum / Toulouse	40	2 / 1	outside	visit a general scientific festival on sustainable development	N	Y	N
National Science Day – GET laboratory – Oct. 2018	3	general	Science laboratory	20	3 / 0	outside	visit a general scientific exhibition	N	N	N
ESOF 2018 - July 2018	15	general	EuroScience Open Forum	100	3 / 5	within	visit a general scientific festival	N	N	N
Empalot District Summer Event - June 2018	3	specific, district	Scientists / local NGO	20	1 / 1	within	Attend a neighborhood event with children, a children's dance show, and a summer dinner	N	Y	N
<i>Quai des savoirs: May, 2018</i>	7	general	Museum/ Toulouse	50	2 / 1	outside	visit a general scientific festival	N	Y	N
Forum CNRS - June 2018	3	general	CNRS	30	2 / 1	within	scientific celebration of the national research agency CNRS	Y	Y	N
Project launch: <i>Quai des savoirs: Apr. 2018</i>	12	general	Scientists / Museum	300	5 / 4	within / launch	participate in the NanoEnvi program	Y	Y	N
Schools										
March 2022, Elementary School, Ramonville, France	4h	elementary school / deaf and hearing-impaired children	Scientists / Teachers	20	3 + Teachers / Interpreters	outside	school	Y	Y	Y
Nov. 2018, Elementary School LL, Toulouse	1h30 par classroom	elementary school	Scientists / Teachers	3 Class. ≈ 75 pupils	2 / 0	within	school	Y	Y	Y
June and Nov. 2018, Elementary School JJ, Toulouse	5h	elementary school	Scientists / Teachers	4 class., ≈ 100 pupils	2 / 2	within	school	Y	Y	Y

120

Table 1: Synthesis of the workshop implementation. “Talk” is when a seminar is given by a researcher, “Q&A” means debate and open questions, “Draw” represents a proposition to draw. Y/N means Yes and No, respectively, “CBPR”: Community-based Participatory Research. All events were held in Toulouse, France, except one in Senegal.

125 We present here the workshop set-up that was designed for the launch of the NanoEnvi participatory program. It comprises 4 independent components described below. To conceive the set-up, one of us (M.M.) conducted a preliminary test during the “European researcher's night” in 2013 in Toulouse (France). The test involved bark measurements made by children using a portable susceptibility meter, which helped inform the development of Component 4. The four components of the workshop set-up were thought to explain the method and approach, make airborne particles visible, and let the magnetic phenomenon fascinate visitors (Table 2, Fig. 1).

130




Figure 1: Schematic of the workshop presenting the 4 components.

135 The workshop was implemented in two main settings: 1- a large group (in schools) divided into four sub-groups subgroups that rotate through the 4 experiments for a given period of time, and 2- informally, without registration, at science fair stands.

component	component name	question	reproducibility	interaction with public	number of attendants	easy engagement	possible context
1	Discover the magnetic phenomena	make visible the magnetic force	yes	moderate	1 to 20	high	Physics, Geosciences
2	Extract airborne magnetic particles from soil	make airborne magnetic particles visible	yes	high	1 to 8	moderate to high	General geosciences, Air pollution
3	Measure air pollution trapped on bark like a scientist	reveal the magnetic particles trapped on bark	need adaptation	high	1 to 8	moderate	Air quality / Environmental magnetism

140 Table 2: Characteristics of the NanoEnvi workshop components: *component name*, *Question*: the question it addresses, *Reproducibility*: how it is reproducible by academic or non-academic teams, *Interaction with public*: the degree of interaction it involves with participants, *Number of attendants*: the range of possible participants, *Easy engagement*: the degree to which it is easy for participants to engage, and *Possible context*: the scientific context in which the component might be used.

3.2 Discover the magnetic phenomena

To render the magnetic force visible, the first component mainly consisted of demonstrations of magnetic experiments. This part was meant to be carried out by a researcher (or more generally a science communicator), with only a few manipulations
145 by the public. First, demonstrations of attraction between magnets were presented, starting with toys containing magnets (a common wooden train, a familiar toy to most French children) and finishing with the presentation of strong neodymium or ferrite magnets used in the laboratory. Precautions were taken when displaying powerful magnets, which posed risks when handled: fingers or hands could be caught between magnets, there was a risk of ingestion, and magnets were kept away from individuals with pacemakers. The public did not handle them. Second, to render the magnetic fields visible, transparent plastic
150 bottles were filled with cooking oil (sunflower, rapeseed) and iron powders (Fig. 1-2). Two grain sizes of iron powder were used (coarse and fine). The demonstration consisted of shaking the bottle to disperse the iron particles and applying a magnet to the bottle's surface. The iron particles stuck to the magnet in specific shapes along the field lines, while more distant particles aligned themselves along the field lines (Fig. 2). This experiment offered an opportunity to discuss the geometry of the Earth's magnetic field. It illustrated the differences according to latitude, allowing us to discuss geomagnetism and paleomagnetism
155 with the public. It also provided a first sensory and poetic approach to magnetic phenomena through the appearance of shapes. It was possible to have the public manipulate neodymium magnets that were not too powerful. In certain configurations (concentration of iron particles and magnet strength), the magnet stuck to the bottle's surface.

Third, the animator introduced the magnetic paste slime (*@Intelligente*). In this experiment, the leader's creativity was expressed in the way they told a story by making the magnetic paste "dance" with a magnet. Often a snake was evoked because
160 of the elongated shape that the person had to form with the paste to make it work. The dynamics of the dough were fascinating and captivating.

These experiments were designed to build up amazement and wonder throughout the demonstrations. During events, presenters (researchers or students) were free to perform the demos in their own way with their sensibility.



165 **Figure 2: Demo during Component 1 of the workshop. The bottle is filled with oil and iron particles. Magnets attract iron particles, which align along magnetic field lines. Photo credit: ASEER association -Toulouse modified for the publication by the authors.**

3.3 Extract airborne magnetic particles from soil

To make airborne magnetic particles visible, we proposed an experiment consisting of extracting magnetic particles from soil.

170 The narrative was that some airborne magnetic particles could fall to the ground and contaminate it, and we were attempting to retrieve them. We also explained that this experiment corresponded to a manipulation we often carried out in our “environmental magnetism” laboratory.

Each visitor was given a vial (30 to 120 ml) filled with soil and water. Magnetic particles (commercial magnetite powder) were added to each vial prior to the experiment to facilitate the experience. Soils contain natural and anthropogenic magnetic particles that can be easily extracted with this protocol (as we do in our laboratory), but the number of extracted particles is insufficient to be easily visible to the naked eye. For this reason, a substantial input of magnetite was made here to enable a quick and easy experiment. In addition, visitors were given a magnet, a plastic pipette (2 ml), and a small scientific tube (*Eppendorf type*) (Fig. 3). Visitors first gained hands-on experience of pipetting, where they learned to aspirate and release liquids. Next, the experiment consisted of 7 steps:

- 180 1. shake the vial to disperse the soil in the water after making sure the vial is properly capped, open the vial,
2. apply the magnet to the surface of the vial slightly below the water line (with or without tape),
3. observe whether a black spot corresponding to the magnetic particles attracted by the magnet is present (if not, return to 1),
4. pipette the liquid containing the magnetic particles and simultaneously remove the magnet to allow the magnetic
- 185 particles to be collected,
5. release the liquid into the tube,
6. close the tube and check with the magnet if magnetic particles are present.
7. Enjoy! Stop or return to 1.

Some people needed help to pipette or remove the magnet and pipette at the same time. The latter required coordinated actions that could be difficult regardless of the person's age and education. For example, some of us found it difficult, whereas some 190 7-year-olds with learning difficulties grasped it easily. As a result, this experience facilitated researcher-citizen interaction. Children were offered the possibility to take the tube home.

3.4 Measure air pollution trapped on bark like a scientist

To reveal the magnetic particles trapped on bark, the third experiment provided participants with the opportunity to perform 195 hands-on measurements of magnetic susceptibility. Magnetic susceptibility was used to estimate the concentration of magnetic

minerals, such as magnetite, deposited at the surface of tree bark. These magnetic minerals were used as proxies for anthropogenic pollution sources, particularly traffic-related emissions, including exhaust and non-exhaust particles (Delville et al., 2025). This approach has been applied in a limited number of participatory and environmental studies, including citizen-based projects in Toulouse (Leite et al., 2022) and Paris (Carvalho et al., 2024), as well as in broader environmental assessments (Chaparro et al., 2023). In this third component of the workshop, we invited participants to acquire measurements from plane tree bark (*Platanus x acerifolia*) using a laboratory instrument (Bartington MS2 magnetic susceptibility system coupled with the MS2B sensor) adapted for field use (Fig. 4). First, we showed attendees how to perform magnetic susceptibility measurements with the magnetic susceptibility meter and explained what the measurements represented. A set of five tree bark samples placed in 40 ml plastic containers was provided. We also provided a map of the city of Toulouse showing the locations where the five bark samples were collected. The participants measured the 5 samples and wrote the data in a table (see SI. 1). Participants mapped the data using colored stickers, each corresponding to a defined range of magnetic susceptibility values displayed on the table (See SI. 2). Once the colored stickers representing the magnetic mineral concentration values had been placed, the animator helped with interpretation. With the location of the samples on the map, participants could follow a path along the canal through the city, from a quiet urban environment (Point 1, SI.1) to the dense road traffic in the city center (Point 5, SI. 1). In this way, participants could formulate the hypothesis that the magnetic particles present in the air and captured by the bark originated from road traffic, which intensified toward the center of the city, along with an increase in the concentration of magnetic and other airborne particles in the air we breathe. This encouraged an exchange between participants and researchers, allowing them to discuss the sources of ambient air particles in urban settings and the broader implications for air quality.

215



Figure 3: Child performing the extraction in Component 2. Photo credit: ASEER association -Toulouse modified for the publication by the authors.

While plane tree bark from the city could be measured directly with the instrument we proposed (as we sometimes do during our experiments in the field), we chose to enrich the samples with magnetic powder to obtain more easily measurable data, with a clear difference between samples. The experiment is feasible for children from 8 years of age or older.

220

3.5 Attend a scientific lecture and express yourself

Depending on the type of event, the first three components of the workshop were complemented by a lecture given by a
225 researcher, a debate, and/or a proposition to draw solutions or observations (Table 1).



Figure 4: Child performing measurements of bark samples in Component 3 with a susceptibility meter. Photo credit: Melina Macouin. Image reproduced with permission from the child's legal guardians.

230

This was the case for all interventions in the 3 elementary schools. First, a 20-minute talk was given by a researcher to explain the project, the scientific objectives of the project, and how the school and their class could participate. Debates (10 to 15 minutes) were proposed after the talk. In addition to the three previously described experiences (3.2, 3.3, 3.4), a fourth was proposed in which children could draw solutions for better air quality in the city or their observations about air pollution in
235 their day-to-day activity (Fig. 5).

The presence of a live sketching artist in one of the schools gave the children examples of artistic views of the workshop (Fig. 6). It also made it easier to report on what was happening in the classroom, where photography was prohibited by the school.

4 Evaluation

240 The effectiveness of the protocol in engaging visitors and pupils could be assessed from the stakeholders' perspectives: researchers and students, teachers, children and visitors, and citizen science participants.

4.1 Researchers and Students' perspectives

Overall, researchers and students expressed their satisfaction with the protocol. Almost no adjustments were required during the project. Satisfaction was expressed with the ease with which volunteers (students and researchers) were mobilized to run the workshops. These were mainly held outside working hours. One of the researchers (M.M.) reported that although she had accompanied the extraction experiment with over 200 children, she was still moved by the stars that appeared in the children's eyes when they managed to capture the magnetic particles in the tube. Another scientist (L.L.) said *“What really stood out for me was the children's motivation to catch the particles, the laughter and fun, and their pride in their success”*. Another researcher (J.F. L.) was surprised by adults: *“I was struck by the adults' determination to achieve a good result. We see coercive science education (“you have to get there and only the right result is possible”). ... No one questioned the experimental protocol...”*




Figure 5: Drawings made by children in school during Component 4.



Figure 6: Painting realized during a workshop in a hearing-impaired children's classroom by the live sketching artist, Frederic Malenfer. The artist illustrated the collective work of deciding and inventing sign-language gestures for “air pollution sensor”.

260 4.2 Teacher’s perspective

We collected the impressions of the three teachers most involved in the project. Although two of the teachers responded to a semi-structured interview, the interviews were about hosting the biosensors and managing air quality in the classroom. Yet, during the interview, one of the teachers expressed their appreciation for the protocol (Fig. 7). All teachers informally expressed their satisfaction and gratitude after the workshop. Two of them asked about the opportunity to continue the workshop in the following years.

"The idea was not simply to have "people come and explain something", but that there should be a bit of experimentation, a bit of manipulation, not just speeches and explanations. We have children from disadvantaged neighborhoods who need something concrete."

270 **Figure 7: Verbatim from a teacher in one of the participating elementary schools (children aged 9 to 12).**

Another type of evaluation can be given by the example of the school principal who authorized us to intervene in the school after informally observing the reaction of children during a workshop held in the neighborhood. During this workshop, three children, aged around 9, left the stand with magnets after having taken part in the workshop. Half an hour later, they came back very excited, having conducted their own experiments with the soil and leaves they had found around them. The school principal was impressed by the scientific enthusiasm generated, particularly in relation to a child facing learning difficulties.

4.3 Children and visitors' perspectives

Besides the satisfaction expressed by children and visitors during the workshops, three observations can be used for evaluation purposes. First, children and visitors usually completed the experiences. Children generally took home their map and their tubes. Some children told us in subsequent meetings that they were eager to show their families the magnetic particles in their tube using the fridge magnets. Secondly, during a recent visit by us to a school class (11-12-year-old children) specializing in learning difficulties, one student recalled the workshop we had conducted two years earlier in their elementary classroom. The student was eager to share the experience and could describe its objectives, much to the surprise of the current teachers. This probably illustrates the importance of hands-on experience in scientific learning as often reported (Vennix et al., 2018; Wieman, 2014). Thirdly, during the presentation of an active pumping experiment to collect air filters in the classroom, a child questioned the researcher about the pump's ecological impact (Fig. 8). This comment shows that the student understood and remembered the concept of passive biosensors that we had presented during our previous intervention when we conducted the workshop. This remark moved the researcher and changed his point of view about passive/active particle collection, leading to new discussions among researchers.

290

- child: *Did you make the pump and filter system yourself?*
- scientist: *Yes. I bought the equipment and made the system.*
- child: *You should stop making systems because it pollutes!*
- scientist: *I will think about it (feeling uncomfortable)*

295 **Figure 8: Verbatim of a dialogue between a child and a scientist in response to the presentation of an active pumping for air filters collection by a researcher, in one of the participating elementary schools (children aged 9 to 12).**

4.4 Citizen science participants

Evaluation of the workshop protocol also relied on the engagement of participants in our citizen science project NanoEnvi during workshops. The passive biosensors distribution and registration were, in some cases, part of the stand. We took particular care to ensure that there was no pressure to sign up for the project during the workshops. In any case, the large number of visitors to the stand prevented any such pressure, as well as the fact that we generally did not produce enough sensors to distribute. A researcher or a PhD student was in charge of explaining the project and registration, which generally took 10 to 20 minutes. This part of the stand privileged a direct dialogue between the researcher and the participant. The participant (or his/her family) generally attended the rest of the stand beforehand. Most of the participants (more than 150) registered during or after these events, denoting the active role of the outreach protocol.

305

5 Four lessons learned

One of the challenges of citizen science in geosciences is to promote citizen participation by finding effective ways to reach and engage citizens, including those who have not traditionally been encouraged to engage with science (Kirch et al., 2005; NSF, 2023). To support inclusive involvement in community-based geoscience research, we designed a hands-on workshop presented at various public events and schools. Central to the workshop was the discovery and experimentation with magnetic phenomena, which offered an alternative, tangible way to approach the issue of air quality. This interactive experience acted as a key driver of engagement: it encouraged curiosity, fostered interaction between scientists and citizens, and created space for dialogue—even for those who did not ultimately join the NanoEnvi research project.

5.1 Make the experimentation protocol evolve

The workshop was a success in every respect, but there were some adjustments and improvements that could be made to enhance its inclusivity and adaptability. For instance, the “extraction” experiment (3.3) could be adjusted to offer more autonomy to people who have difficulty with fine motor skills or the simultaneity of actions required by the experience. The current set-up has the advantage of using commonly available laboratory materials. However, a larger container with a wide base could be designed and coupled with a system for simply moving the magnet closer or further away.

Another limitation is that the workshop is really well suited for explaining an air monitoring project based on environmental magnetism methods. This type of project is not common outside our specific academic fields. It is, therefore, difficult for other academics or teachers to reproduce the workshop (Table 2). However, experiments demonstrating magnetic phenomena and the extraction of magnetic particles are easily reproducible and adaptable to different types of science educational projects, for instance, they could complement some Earth magnetic field workshops (van der Boon et al., 2022). Our team will be happy to advise on adjustments for different projects.

5.2 Foster dialogue between science and society

The workshop fostered science-society interaction through direct encounters between researchers and citizens. During a total of 9 science outreach events and workshops in 3 elementary schools, scientists interacted with 850 participants and 195 children who took part in the workshop through one or more experiments. This also led to the involvement of more than 150 citizens (not counting other people in the participating households) in the participatory science project. Engaging with participants has been identified as a key lesson for long-term citizen science projects (Lopez et al., 2024). The face-to-face encounters opened up opportunities for two-way dialogues, enabling the scientists to convey their motivations and ethics underlying the approach, while also addressing the need for researchers to clearly communicate (Riaux et al., 2023) and acknowledge (Dietz, 2013)

335 their value system. In particular, exchanges surrounding the environmental impact of using vegetal media instead of short-
lived, low-cost sensors highlighted these underlying values and methodological choices, even prior to the broader science-
society dialogue enabled by citizen science (Wagenknecht et al., 2021). At the same time, participants were able to contribute
their points of view, thus nurturing the evolution of the citizen science project. For example, participant feedback led to the
inclusion of new districts, the development of a project in a community garden, and the continued refinement of passive
340 biosensors.

5.3 Facilitate inter-sciences communication

The NanoEnvi citizen project involved researchers from physics, humanities, and geosciences. We were able to witness an
unexpected outcome in terms of facilitated dialogue and mutual understanding between radically different scientific fields.
The need to adapt the discourse to a non-academic audience helped identify a level of language that is understandable across
345 disciplines. Additionally, the shared time spent around the workshop experience and the interactions it generated led to new
collaborative ideas, some of which have since been implemented with researchers from the project and others encountered at
the same scientific fairs (Tastevin et al., 2026). This underscores the workshop's capacity not only to disseminate knowledge
but also to facilitate interdisciplinary innovation and the initiation of sustainability science projects. This aligns with Löhmus
et al. (2025), who emphasize the importance of explicitly sharing disciplinary knowledge to foster interdisciplinary
350 collaboration. In our case, this process was further reinforced by the presence of a non-academic audience, prompting a clearer
articulation of disciplinary knowledge across fields. Such outcomes are rarely described in the literature, which more often
reports the reverse dynamic (D'Este and Robinson-García, 2023; Norström et al., 2020).

5.4 Addressing the eco-anxiety associated with raising difficult issues such as air pollution

355 The design of the citizen science and of the workshop took into account the need to go beyond denouncing the worrisome,
anxiety-provoking problems of potentially degraded urban air quality without generating eco-anxiety (Terra Léger-Goodes et
al., 2022; Watts et al., 2015) and solastalgia (Albrecht et al., 2007). Indeed, exposure to air pollution is one of the main
environmental causes of premature death in Europe (European Environment Agency, 2021). The figure of 9 million premature
deaths worldwide, including 67,000 in France, announced by WHO, was circulating in the French media in 2019 at the time
360 of some of our interventions. The media's denunciation of the harmful health impacts of poor air quality generated negative
emotions. In this context, our approach dealt with air quality, but positive emotions were also generated by hands-on magnetic
experiences, by touching and discovering the wonder of a physical phenomenon. We believe that these stimulating experiences,
which reveal forms of art-like beauty, helped to provide possible outlets and reduce environmental anxiety. To illustrate this,
we can compare it with our first attempt to engage the public at a local open-air market, where we promoted the launch of the

365 project through leaflet distribution, without the hands-on workshop component. This approach proved unsuccessful: passersby
either ignored the issue altogether or reacted with high levels of anxiety when confronted with the topic of air pollution. In
contrast, the interactive nature of the workshop created a more constructive and emotionally accessible entry point into the
conversation. Participation and involvement in the rest of the project (Leite et al., 2022) could then be a means of empowering
citizens confronted with potentially poor air quality.

370

6 Conclusion

This work demonstrates how a hands-on outreach activity could serve as an effective strategy to promote citizen engagement
and initiate meaningful science-society interactions in the geosciences. We designed and conducted a hands-on science
workshop with three experiments on magnetism and environmental magnetism. The workshop was held in three schools and
375 at 9 science outreach events, promoting direct encounters between scientists and citizens for more than 1000 people.

Central to the workshop was the playful exploration of magnetic phenomena, offering a concrete and unconventional entry
point to the topic of air quality. This hands-on approach stimulated curiosity, lowered barriers to communication, and facilitated
meaningful exchanges between scientists and citizens.

Our findings show that this interactive approach encouraged dialogue, and opened participation even among those initially
380 unfamiliar or hesitant. A concrete outcome of this strategy was the involvement of over 150 households and two elementary
schools in the NanoEnvi participatory research project.

For researchers and students alike, the workshop offered a dynamic and impactful model of science outreach—one that not
only communicates knowledge, but also empowers. In the context of geosciences, where environmental issues like urban air
quality can provoke anxiety or disengagement, this type of hands-on mediation creates accessible and constructive entry points
385 into citizen science. Overall, our results highlight the potential of playful, discovery-based engagement with physical
phenomena as an effective lever to foster participation in citizen science initiatives.

Author contribution

MM and SR planned the campaign; all authors performed the workshops; MM analyzed the data; MM wrote the manuscript
390 draft; EV drew figure1, EV and MM designed figures, all authors reviewed and edited the manuscript.

Competing interests

The authors declare that they have no conflict of interest.

Ethical statement

395 The workshop was conducted in accordance with the ethical guidelines of the CNRS and Toulouse Museum departments, as well as general French national guidelines. We did not collect any personal information about participants during the workshop. Interventions in schools were carried out with the agreement of the Toulouse administrative department and after discussion with the teachers.

In all locations, we took into account the potential anxiety raised by the subject of air quality. We were careful to provide information that was appropriate, accessible, accurate, and balanced.

400 Acknowledgments

The authors sincerely thank the pedagogical teams and children of Jules Julien and Leo Lagrange schools of Toulouse, the participants of the NanoEnvi project. They also thank the children of Sebikotane (Senegal) and the Tadjabone center. The authors acknowledge the support of the city of Toulouse, Toulouse Metropole, and the “*Quai des Savoirs*”. The authors thank the communication team of the CNRS-délégation Occitanie Ouest for their help along this project.

405 Financial support

This study was funded by the French National Research Agency ANR-grant number ANR-19-CE04-0008 through the BREATHE project and ANR-grant ANR-21-SDG1-0009 through the AIRGEO project, and has received financial support from the CNRS through the MITI interdisciplinary programs - *Osez l'interdisciplinarité*-NanoEnvi. A.L. was supported by a scholarship of the French Government and Ministry of Education.

410

References

- Albrecht, G., Sartore, G.-M., Connor, L., Higginbotham, N., Freeman, S., Kelly, B., Stain, H., Tonna, A., and Pollard, G.: Solastalgia: the distress caused by environmental change., *Australasian Psychiatry*, 15, S95, <https://doi.org/10.1080/10398560701701288>, 2007.
- 415 van der Boon, A., Biggin, A. J., Paterson, G. A., and Kavanagh, J. L.: Magnetic to the Core – communicating palaeomagnetism with hands-on activities, *Geoscience Communication*, 5, 55–66, <https://doi.org/10.5194/gc-5-55-2022>, 2022.
- Brignole, D., Drava, G., Minganti, V., Giordani, P., Samson, R., Vieira, J., Pinho, P., and Branquinho, C.: Chemical and magnetic analyses on tree bark as an effective tool for biomonitoring: A case study in Lisbon (Portugal), *Chemosphere*, 195, 508–514, <https://doi.org/10.1016/j.chemosphere.2017.12.107>, 2018.

- 420 Bryman, A.: *Social Research Methods*, 5th edn., Oxford University Press, Oxford, 2016
- Carvalho, C., Isambert, A., Franke, C., Turcati, L., Sivry, Y., Coural, S., Macouin, M., Rouse, S., and Fluteau, F.: Ecorc’Air: A citizen science project for the biomonitoring of vehicular air pollution in Paris, France, *Community Science*, 3, e2024CSJ000084, 2024.
- 425 Castañeda-Miranda, A. G., Chaparro, M. A. E., Böhnelt, H. N., Chaparro, M. A. E., Castañeda-Miranda, R., Pacheco-Castro, A., Martínez-Fierro, M. L., Solís-Sánchez, L. O., and Ornelas-Vargas, G.: Bursera fagaroides bark as a bioindicator for air particle pollution using magnetic properties, *Journal of South American Earth Sciences*, 108, 103217, <https://doi.org/10.1016/j.jsames.2021.103217>, 2021.
- 430 Chaparro, M. A. E., Chaparro, M. A. E., Castañeda-Miranda, A. G., Marié, D. C., Gargiulo, J. D., Lavornia, J. M., Natal, M., and Böhnelt, H. N.: Fine air pollution particles trapped by street tree barks: In situ magnetic biomonitoring, *Environmental Pollution*, 266, 115229, <https://doi.org/10.1016/j.envpol.2020.115229>, 2020.
- Chaparro MAE, Buitrago Posada D, Molinari D, Chiavarino L, Alba B, Marié DC, Natal M, Böhnelt HN, and Vaira M: Urban and suburban’s airborne magnetic particles accumulated on Tillandsia capillaris., *The Science of the total environment*, 907, 167890–167890, <https://doi.org/10.1016/j.scitotenv.2023.167890>, 2023.
- 435 Clark, M. and Cornes, M.: Citizen Science as a Framework for Improving the Science-Society Interface in Long-Term Care Research, *Journal of Long Term Care*, 92–99, <https://doi.org/10.31389/jltc.142>, 2023.
- Conkova, M. and Kubiznakova, J.: Lead isotope ratios in tree bark pockets: An indicator of past air pollution in the Czech Republic, *Science of The Total Environment*, 404, 440–445, <https://doi.org/10.1016/j.scitotenv.2008.04.025>, 2008.
- 440 Dawai, D., Macouin, M., Rouse, S., Léon, J.-F., Gountié Dedzo, M., and Drigo, L.: Tracking Airborne Pollution with Environmental Magnetism in A Medium-Sized African City, *Atmosphere*, 12, 1281, <https://doi.org/10.3390/atmos12101281>, 2021.
- Delville, L., Léon, J.-F., Macouin, M., Tastevin, Y.-P., Demory, F., Proietti, A., da Silva Chibane, P. H., Dias Alves, M., Gueye, M., and Laffont, L.: Size-fractionated carbonaceous and iron-rich particulate matter in urban environments of France and Senegal, *Environmental Science and Pollution Research*, 32, 677–692, 2025.
- 445 D’Este, P. and Robinson-García, N.: Interdisciplinary research and the societal visibility of science: The advantages of spanning multiple and distant scientific fields, *Research Policy*, 52, 104609, <https://doi.org/10.1016/j.respol.2022.104609>, 2023.
- Dietz, T.: Bringing values and deliberation to science communication, *Proc. Natl. Acad. Sci. U.S.A.*, 110, 14081–14087, <https://doi.org/10.1073/pnas.1212740110>, 2013.
- 450 Gonet, T. and Maher, B. A.: Airborne, Vehicle-Derived Fe-Bearing Nanoparticles in the Urban Environment: A Review, *Environ. Sci. Technol.*, 53, 9970–9991, <https://doi.org/10.1021/acs.est.9b01505>, 2019.
- Groves, R. M., Fowler, F. J., Couper, M. P., Lepkowski, J. M., Singer, E., and Tourangeau, R.: *Survey Methodology*, 2nd edn., Wiley, Hoboken, NJ, 2009.
- 455 Jönsson, M., Kasperowski, D., Coulson, S. J., Nilsson, J., Bina, P., Kullenberg, C., Hagen, N., Van Der Wal, R., and Peterson, J.: Inequality persists in a large citizen science programme despite increased participation through ICT innovations, *Ambio*, 53, 126–137, <https://doi.org/10.1007/s13280-023-01917-1>, 2024.

- Kirch, S. A., Bargerhuff, M. E., Turner, H., and Wheatly, M.: Inclusive Science Education: Classroom Teacher and Science Educator Experiences in CLASS Workshops, *School Sci & Mathematics*, 105, 175–196, <https://doi.org/10.1111/j.1949-8594.2005.tb18157.x>, 2005.
- 460 Kitchen, D.: *Global climate change: Turning knowledge into action: Second edition*, 1 pp., <https://doi.org/10.4324/9781003146636>, 2023.
- Kousehlar, M. and Widom, E.: Sources of metals in atmospheric particulate matter in Tehran, Iran: Tree bark biomonitoring, *Applied Geochemistry*, 104, 71–82, <https://doi.org/10.1016/j.apgeochem.2019.03.018>, 2019.
- 465 Leite, A. D. S., Léon, J.-F., Macouin, M., Rouse, S., Trindade, R. I. F. D., Proietti, A., Drigo, L., Antonio, P. Y. J., Akpo, A. B., Yoboué, V., and Liousse, C.: PM_{2.5} Magnetic Properties in Relation to Urban Combustion Sources in Southern West Africa, *Atmosphere*, 12, 496, <https://doi.org/10.3390/atmos12040496>, 2021.
- Leite, A. d. S., Rouse, S., Léon, J.-F., Trindade, R. I. F., Haoues-Jouve, S., Carvallo, C., Dias-Alves, M., Proietti, A., Nardin, E., and Macouin, M.: Barking up the Right Tree: Using Tree Bark to Track Airborne Particles in School Environment and Link Science to Society, *GeoHealth*, 6, 1–18, <https://doi.org/10.1029/2022gh000633>, 2022.
- 470 Letaïef, S., Scotto-D'apollonia, L., Dosias-Perla, D., Pinero, C., Perier, R., Nicol, P., Camps, P., Benefits and Limitations of Environmental Magnetism for Completing Citizen Science on Air Quality: A Case Study in a Street Canyon, 2023.
- Li, Y., Wang, B., Zhang, X., Chen, X., Sun, X., and Jia, J.: Source apportionment of trace elements in urban atmospheric particulates using tree bark biomonitoring with receptor modeling: A case study from Hangzhou, China, *Environmental Pollution*, 385, 127114, <https://doi.org/10.1016/j.envpol.2025.127114>, 2025.
- 475 Lõhmus, A., Kiisel, M., and Lõhkivi, E.: Interdisciplinary collaboration for sustainability science: the training challenge, *Humanit Soc Sci Commun*, 12, 1936, <https://doi.org/10.1057/s41599-025-06221-9>, 2025.
- Lopez, L. S., Basu, A., Blaggrave, K., Bove, G., Stewart, K., Bazely, D., and Sharma, S.: Establishing a long-term citizen science project? Lessons learned from the Community Lake Ice Collaboration spanning over 30 yr and 1000 lakes, *Limnol Oceanogr Letters*, 9, 99–111, <https://doi.org/10.1002/lol2.10336>, 2024.
- 480 Loroño-Leturiondo, M., O'Hare, P., Cook, S. J., Hoon, S. R., and Illingworth, S.: Building bridges between experts and the public: a comparison of two-way communication formats for flooding and air pollution risk, *Geoscience Communication*, 2, 39–53, <https://doi.org/10.5194/gc-2-39-2019>, 2019.
- Macouin, M., Suchon, S., Gangneron, F., Haouès-Jouve, S., Rouse, S., Léon, J.-F., Leite, A., Schreck, E., and Respaud, M.: L'interdisciplinarité et la science participative pour relever le défi de la pollution de l'air urbain, in: *L'interdisciplinarité, Voyages au-delà des disciplines*, 162–166, 2023.
- 485 Mahajan, S., Kumar, P., Pinto, J. A., Riccetti, A., Schaaf, K., Camprodon, G., Smári, V., Passani, A., and Forino, G.: A citizen science approach for enhancing public understanding of air pollution, *Sustain. Cities Soc.*, 52, 101800, <https://doi.org/10.1016/j.scs.2019.101800>, 2020.
- 490 Norström, A. V., Cvitanovic, C., Löf, M. F., West, S., Wyborn, C., Balvanera, P., Bednarek, A. T., Bennett, E. M., Biggs, R., De Bremond, A., Campbell, B. M., Canadell, J. G., Carpenter, S. R., Folke, C., Fulton, E. A., Gaffney, O., Gelcich, S., Jouffray, J.-B., Leach, M., Le Tissier, M., Martín-López, B., Louder, E., Loutre, M.-F., Meadow, A. M., Nagendra, H., Payne, D., Peterson, G. D., Reyers, B., Scholes, R., Speranza, C. I., Spierenburg, M., Stafford-Smith, M., Tengö, M., Van Der Hel, S., Van Putten, I., and Österblom, H.: Principles for knowledge co-production in sustainability research, *Nat Sustain*, 3, 182–190, <https://doi.org/10.1038/s41893-019-0448-2>, 2020.

NSF: Diversity and STEM: Women, Minorities, and Persons with Disabilities, Alexandria, VA, 2023.

495 Odabasi, M., Tolunay, D., Kara, M., Ozgunerge Falay, E., Tuna, G., Altioek, H., Dumanoglu, Y., Bayram, A., and Elbir, T.: Investigation of spatial and historical variations of air pollution around an industrial region using trace and macro elements in tree components, *Science of The Total Environment*, 550, 1010–1021, <https://doi.org/10.1016/j.scitotenv.2016.01.197>, 2016.

OECD (2020), “Addressing societal challenges using transdisciplinary research”, OECD Science, Technology and Industry Policy Papers, No. 88, OECD Publishing, Paris, <https://doi.org/10.1787/0ca0ca45-en>.

500 ORESKES, N.: *Why Trust Science?*, Princeton University Press, <https://doi.org/10.2307/j.ctv17ppcp4>, 2019.

Riaux, J., Kuper, M., Massuel, S., and Mekki, I.: Riding the waves of discomforts: Reflecting on the dialogue of hydrologists with society, *Journal of Hydrology*, 626, 130189, <https://doi.org/10.1016/j.jhydrol.2023.130189>, 2023.

Rickenbacker, H., Brown, F., and Bilec, M.: Creating environmental consciousness in underserved communities: Implementation and outcomes of community-based environmental justice and air pollution research, *Sustain. Cities Soc.*, 47, 101473–101473, <https://doi.org/10.1016/j.scs.2019.101473>, 2019.

Rotman, D., Preece, J., Hammock, J., Procita, K., Hansen, D., Parr, C., Lewis, D., and Jacobs, D.: Dynamic changes in motivation in collaborative citizen-science projects, in: *Proceedings of the ACM 2012 conference on Computer Supported Cooperative Work, CSCW '12: Computer Supported Cooperative Work*, 217–226, <https://doi.org/10.1145/2145204.2145238>, 2012.

510 Shirk, J. L., Ballard, H. L., Wilderman, C. C., Phillips, T., Wiggins, A., Jordan, R., McCallie, E., Minarchek, M., Lewenstein, B. V., Krasny, M. E., and Bonney, R.: Public Participation in Scientific Research: a Framework for Deliberate Design, *E&S*, 17, art29, <https://doi.org/10.5751/ES-04705-170229>, 2012.

Sut-Lohmann, M., Jonczak, J., Parzych, A., Šimanský, V., Polláková, N., and Raab, T.: Accumulation of airborne potentially toxic elements in *Pinus sylvestris* L. bark collected in three Central European medium-sized cities, *Ecotoxicology and Environmental Safety*, 200, 110758, <https://doi.org/10.1016/j.ecoenv.2020.110758>, 2020.

Tastevin, Y. P., Macouin, M., Léon, J.-F., Delville, L., Laffont, L., Gueye, M., Sagna, M. B., Dutrait, C., Cabral, M., and Diaw, M.: Etude scientifique et participative sur la qualité du sol et de l'air et sur la perception des pollutions par les habitants dans la zone Sebikotane-Diamniadio, *Sénégal-Résultats du projet AirGeo (2021–2024)*, 2026.

520 Terra Léger-Goodes, Catherine Malboeuf-Hurtubise, Trinity Mastine, Mélissa Généreux, Pier-Olivier Paradis, and Chantal Camden: Eco-anxiety in children: A scoping review of the mental health impacts of the awareness of climate change, *Frontiers in Psychology*, 13, <https://doi.org/10.3389/fpsyg.2022.872544>, 2022.

Tourangeau, R., Rips, L. J., and Rasinski, K.: *The Psychology of Survey Response*, Cambridge University Press, Cambridge, <https://doi.org/10.1017/CBO9780511819322>, 2000.

525 Van Mensel, A., Wuyts, K., Pinho, P., Muyshondt, B., Aleixo, C., Orti, M. A., Casanelles-Abella, J., Chiron, F., Hallikma, T., Laanisto, L., Moretti, M., Niinemets, Ü., Tryjanowski, P., and Samson, R.: The magnetic signal from trunk bark of urban trees catches the variation in particulate matter exposure within and across six European cities, *Environmental Science and Pollution Research*, 30, 50883–50895, <https://doi.org/10.1007/s11356-023-25397-8>, 2023.

530 Vennix, J., Brok, P. den, and Taconis, R. R.: Do Outreach Activities in Secondary STEM Education Motivate Students and Improve Their Attitudes Towards STEM?, *International Journal of Science Education*, <https://doi.org/10.1080/09500693.2018.1473659>, 2018.

- Vezzola, L. C., Muttoni, G., Merlini, M., Rotiroti, N., Pagliardini, L., Hirt, A. M., and Pelfini, M.: Investigating distribution patterns of airborne magnetic grains trapped in tree barks in Milan, Italy: insights for pollution mitigation strategies, *Geophysical Journal International*, 210, 989–1000, <https://doi.org/10.1093/gji/ggx232>, 2017.
- 535 Vohland, K., Land-Zandstra, A., Ceccaroni, L., Lemmens, R., Perelló, J., Ponti, M., Samson, R., and Wagenknecht, K. (Eds.): *The Science of Citizen Science*, Springer International Publishing, Cham, <https://doi.org/10.1007/978-3-030-58278-4>, 2021.
- Wagenknecht, K., Woods, T., Nold, C., Rüfenacht, S., Voigt-Heucke, S., Caplan, A., Hecker, S., and Vohland, K.: A question of dialogue? Reflections on how citizen science can enhance communication between science and society, *JCOM*, 20, A13, <https://doi.org/10.22323/2.20030213>, 2021.
- 540 Watts, N., Adger, W. N., Agnolucci, P., Blackstock, J., Byass, P., Cai, W., Chaytor, S., Colbourn, T., Collins, M., Cooper, A., Cox, P. M., Depledge, J., Drummond, P., Ekins, P., Galaz, V., Grace, D., Graham, H., Grubb, M., Haines, A., Hamilton, I., Hunter, A., Jiang, X., Li, M., Kelman, I., Liang, L., Lott, M., Lowe, R., Luo, Y., Mace, G., Maslin, M., Nilsson, M., Oreszczyn, T., Pye, S., Quinn, T., Svendsdotter, M., Venevsky, S., Warner, K., Xu, B., Yang, J., Yin, Y., Yu, C., Zhang, Q., Gong, P., Montgomery, H., and Costello, A.: Health and climate change: policy responses to protect public health, *The Lancet*, 386, 1861–1914, [https://doi.org/10.1016/S0140-6736\(15\)60854-6](https://doi.org/10.1016/S0140-6736(15)60854-6), 2015.
- 545 Wieman, C.: Large-Scale Comparison of Science Teaching Methods Sends Clear Message, *Proceedings of the National Academy of Sciences*, <https://doi.org/10.1073/pnas.1407304111>, 2014.
- Xu, Y., Xiao, H., Guan, H., and Long, C.: Monitoring atmospheric nitrogen pollution in Guiyang (SW China) by contrasting use of *Cinnamomum Camphora* leaves, branch bark and bark as biomonitors, *Environmental Pollution*, 233, 1037–1048, <https://doi.org/10.1016/j.envpol.2017.10.005>, 2018.

550