

1 Signals Without Action: A Value Chain Analysis of 2 Luxembourg's 2021 Flood Disaster

3
4 Jeff Da Costa¹, Elizabeth Ebert³, David Hoffmann³, Hannah L. Cloke^{1,2}, Jessica Neumann¹

5
6 ¹Department Geography and Environmental Science, University of Reading, RG6 6AB, Reading, United Kingdom

7 ²Department of Meteorology, University of Reading, RG6 6ET, Reading, United Kingdom

8 ³Bureau of Meteorology, 3001, Melbourne, Victoria, Australia

9 *Correspondence to:* Jeff Da Costa (j.dacosta@pgr.reading.ac.uk)

10 **Abstract** Effective Early Warning Systems are essential for reducing disaster risk, particularly as climate change increases
11 the frequency of extreme events. The July 2021 floods were Luxembourg's most financially costly disaster to date. Although
12 strong early signals were available and forecast products were accessible, these were not consistently translated into timely
13 warnings or coordinated protective measures. While response actions were taken during the event, they occurred too late or
14 at insufficient scale to prevent major impacts. We use a value chain approach to examine how forecast information,
15 institutional responsibilities, and communication processes interacted during the event. Using a structured database
16 questionnaire alongside hydrometeorological data, official documentation, and public communications, the analysis
17 identifies points where early signals did not lead to anticipatory action. The findings show that warning performance was
18 shaped less by technical limitations than by procedural thresholds, institutional fragmentation and timing mismatches across
19 the chain. A new conceptual model, the Waterdrop Model, is introduced to show how forecast signals can be filtered or
20 delayed within systems not designed to process uncertainty collectively. The results demonstrate that forecasting capacity
21 alone is insufficient. Effective early warning depends on integrated procedures, shared interpretation, and governance
22 arrangements that support timely response under uncertainty.

23

24 1 Introduction

25 1.1 Early Warning Systems

26 Effective Early Warning Systems are essential for disaster risk reduction. They identify, assess, and monitor upcoming
27 hazards, allowing people to take action to safeguard communities and livelihoods before a hazard event occurs (Glantz and
28 Pierce, 2023; Kelman and Glantz, 2014; Tupper and Fearnley, 2023). Recognising their significance, the United Nations has
29 set an ambitious target through the Early Warnings for All (EW4All) initiative, to ensure that by 2027, everyone on Earth
30 should be covered by an Early Warning System (WMO, 2022).

31 As hydrometeorological hazards become more frequent and intense, global efforts to expand and improve early warning
32 capabilities have gained renewed urgency (Tupper and Fearnley, 2023; WMO, 2022). Early Warning Systems have therefore
33 become central to disaster risk management (UNDRR, 2015), yet their performance remains inconsistent, even in well-
34 resourced settings (Alfieri et al., 2012).

35 Early Warning Systems for hydrometeorological hazards consist of interconnected components, including weather and
36 hydrological forecasting, communication technologies and behavioural science (WMO, 2024a). Improving and
37 implementing effective Early Warning Systems requires a holistic, interdisciplinary perspective that recognises the complex
38 interactions between science, technology, and decision-making (Hermans et al., 2022; Oliver-Smith, 2018).

39 There is no universally agreed definition of an Early Warning System, as disciplinary and institutional perspectives vary
40 (Kelman and Glantz, 2014). The United Nations Office for Disaster Risk Reduction (UNDRR) defines Early Warning
41 Systems as integrated systems composed of four key elements: risk knowledge, monitoring and warning services,
42 dissemination and communication, and response capability. Such systems aim to enable individuals, communities, and
43 institutions to act in time to reduce disaster risk (UNDRR, 2015; WMO, 2022).

44 Evaluating the effectiveness of Early Warning Systems remains a recognised challenge (Basher, 2006; Coughlan de Perez et
45 al., 2022). While limitations such as institutional fragmentation, interpretive constraints, and procedural rigidity have been
46 widely documented, these issues are often overshadowed by discussions of forecast accuracy or alert delivery (Alcántara-
47 Ayala and Oliver-Smith, 2019; Mileti and Sorensen, 1990). While forecast accuracy and alert dissemination remain
48 important elements of early warning performance, recent work highlights the need to understand how institutional structures,
49 procedures and interpretation processes influence whether available information leads to timely action (Busker et al., 2025;
50 Coughlan de Perez et al., 2022; Diederichs et al., 2023). Each disaster unfolds within a specific context and understanding
51 these conditions is essential for analysing and evaluating Early Warning Systems on a case-by-case basis (Oliver-Smith,
52 2018).

53

54 **1.2 From Forecasts to Action: A Value Chain Approach**


55 We apply a value chain approach to examine how Early Warning Systems function in practice. The Value Chain Project
56 builds on the World Meteorological Organization (WMO) World Weather Research Programme (WWRP) High Impact
57 Weather (HIWeather) initiative by conceptualising Early Warning Systems as information value chains (Ebert et al., 2023;
58 Hoffmann et al., 2023; WMO, 2024b). The framework aims to improve decision-making by ensuring that each stage of the
59 chain adds value and supports consistent interpretation across institutional actors (WMO, 2024b).

60 The value chain approach shifts focus from technical accuracy alone to the entire process by which forecasts are interpreted,
61 communicated, and acted upon. This includes the institutional decisions that shape how warning information is transmitted,
62 prioritised or delayed across different actors. The concept of “valleys of death” separating peaks of disciplinary expertise
63 was introduced by Golding (2022) to highlight communication breakdowns across scientific domains. This framing was later
64 expanded by the Value Chain Project, particularly by Hoffmann et al. (2023), who developed a full value chain model that
65 incorporates feedback loops, iterative co-production and institutional decision pathways (Figure 1).

66

67 In Luxembourg, early warning and emergency management are organised within a centralised national governance system,
68 with no intermediate regional tier between national authorities and municipalities. Forecasting, warning issuance, emergency
69 planning and crisis coordination are assigned to distinct national authorities. The following sections introduce the national
70 and transboundary context of the July 2021 floods, while Section 3 provides a detailed description of institutional roles,
71 responsibilities and activation protocols.

72



73

74 **Figure 1** The warning chain as five “valleys of death” separating peaks of disciplinary expertise, showing the capabilities and outputs
 75 (mountains) and information exchanges (bridges) linking the capabilities and their associated communities (Tan et al., 2022). Before and
 76 during an actual severe event, the flow of information is predominantly downstream, while for post-event assessments, implementation of
 77 improvements, and creation of new services the chain becomes a feedback loop. Figure originally published in Hoffmann et al. (2023) and
 78 used here with co-author permission.

79 1.3 Transboundary Risk and Governance in Luxembourg

80 Luxembourg lies almost entirely within the Moselle sub-catchment of the Rhine basin (European Commission, 2021). Its
 81 eastern border follows the Moselle, Sauer, and Our rivers. As shown in Figure 2, most of the country lies within a broader
 82 transboundary catchment that connects Luxembourg with Germany, France, and Belgium. Along most of its eastern border,
 83 Luxembourg and Germany jointly administer sections of the Moselle and Sauer and Our rivers through condominium
 84 arrangements (see Box 1). These arrangements assign shared legal responsibility to both countries and do not establish a
 85 fixed national boundary along the rivers (Moselle Convention States, 1956; Our-Sauer-Moselle, 1984; Zaiotti, 2011).

86 Although these agreements apply only to specific river sections, they highlight a broader reality in which physical risk is
 87 shared across borders, but mandates for managing that risk remain nationally defined (European Commission, 2021).
 88 National authorities remain responsible for issuing forecasts, setting alert thresholds and activating emergency plans within
 89 their own jurisdictions. Cross-border coordination depends on established protocols, but operational decisions are still taken
 90 within national systems (Becker et al., 2018; Schanze, 2009).

91 Luxembourg is highly integrated with its neighbours. Roughly 47 percent of the workforce commutes daily from
 92 neighbouring countries and over 170 nationalities reside within its borders (STATEC, 2022). Public services operate in

93 multiple languages, including Luxembourgish, French, and German. While people, services, and information flow fluidly
94 across borders, responsibility for warning and emergency coordination remains limited to national authorities.




Figure 2 Luxembourg's position within the Rhine basin. The national border (thick black line) outlines Luxembourg, which lies almost entirely within the Moselle sub-catchment (blue), itself part of the larger Rhine basin (grey dashed). A small portion in the southwest lies within the Meuse basin (orange dashed). The eastern border follows the Moselle, Sauer, and Our rivers, parts of which are governed as international condominiums.

95 In July 2021, the meteorological conditions that led to flooding developed across the region. While neighbouring countries
96 experienced similar rainfall and catchment conditions, the warnings issued and decisions taken varied (Busker et al., 2025;
97 Grimaldi et al., 2023). Whether a hazard event leads to disaster depends not only on the physical event, but on how risk is
98 interpreted and managed within institutional and social systems. Disasters occur when hazards interact with conditions of
99 vulnerability, exposure, and governance. (Ball, 1975; Gould et al., 2016). Luxembourg provides a relevant case as its
100 location, demographic profile, and degree of cross-border integration make it an important setting to examine how nationally
101 organised warning and response systems operate in a transboundary context. It shows that institutional responsibilities
102 influence responses to shared risks. We examine how forecast information were interpreted and acted upon within this
103 transboundary environment and how institutional structures shaped the management of the 2021 flood event.

Box 1. River Condominiums Parts of the Moselle, Sauer and Our rivers form Luxembourg's eastern border with Germany. In these sections, the rivers are governed as condominiums, legal arrangements that grant joint sovereignty to both countries over the entire waterbody. This arrangement originates from Article 27 of the 1816 Treaty of Aachen, which established joint sovereignty over rivers forming the state boundary and later reaffirmed in bilateral treaties in 1984. While cooperation exists on navigation and infrastructure, emergency and warning responsibilities remain defined at the national level even in areas where physical geography is shared but operational governance is not (Moselle Convention States, 1956; Our-Sauer-Moselle, 1984; Treaty of Aachen, 1816; Zaiotti, 2011)

104

105

106 **1.4 The July 2021 European Flood Disaster**

107 In July 2021, extreme rainfall and widespread flooding tested early warning and emergency systems across western Europe.
108 Between 12-15 July, heavy rainfall, saturated soils, and a slow-moving low-pressure system triggered devastating floods in
109 Germany, Belgium, Luxembourg, France and the Netherlands (EUMETSAT, 2021). In Germany alone, the floods caused
110 over 180 fatalities and an estimated €32 billion in losses (Rhein and Kreibich, 2024; Zander et al., 2023). In Luxembourg,
111 the event was the costliest on record, with damages exceeding €145 million and more than 6,500 homes inundated (ACA,
112 2021). In Luxembourg, the July 2021 floods were formally declared a 'natural disaster', reflecting the scale of impacts
113 relative to national coping capacity rather than absolute losses. While the event was smaller in scale than the catastrophic
114 flooding experienced in parts of Germany, it exceeded available response and recovery capacities in Luxembourg and
115 constituted the most damaging flood event on record nationally.

116 Luxembourg's position within a dense river network contributes to recurrent flood exposure, particularly in low-lying
117 valleys and urbanised catchments. Historically, major floods occurred in winter, driven by snowmelt and seasonal rainfall,
118 with notable events in 1983, 1993, 1995, 2003, and 2011 (ACA, 2021; AGE, 2021b). These events, though limited in
119 number, have raised concern over a possible shift in seasonal flood patterns. Recent studies suggest that off-season flood risk
120 may be increasing in the region (Ludwig et al., 2023). On 14 July 2021, the Godbrange weather station recorded 105.8 l/m²
121 of rainfall in 24 hours, the highest national daily rainfall total on record.

122 Although forecasts were available, warnings did not reach higher colour-coded alert levels until shortly before impacts began
123 to unfold. Challenges in communication, including a warning notification via the mobile notification system (Gouvalert) that
124 was not delivered and delays in institutional coordination, contributed to ambiguity regarding responsibilities and the actions
125 expected of different actors.. These factors, combined with limited preparedness across agencies, revealed underlying
126 structural constraints in Luxembourg's Early Warning System (Szönyi et al., 2022).

127 Germany and Belgium have received substantial scholarly attention (Lietaer et al., 2024; Ludwig et al., 2023; Mohr et al.,
128 2023; Rhein and Kreibich, 2024; Thielen et al., 2023), but Luxembourg's experience remains comparatively
129 underexamined. Broader European studies have analysed forecast and warning performance, most notably (Busker et al.,
130 2025), who provide a synthesis across countries. In these accounts, Luxembourg is only briefly addressed.

131

132 **1.5 Learning from the 2021 Flood in Luxembourg**

133 Using a value chain approach, we reconstruct how forecasts and information was interpreted and shared across agencies and
134 institutional levels. The analysis traces communication and decision points across the Early Warning System to examine how
135 information moved and what institutional processes shaped the response (Busker et al., 2025; Hagenlocher et al., 2023). This
136 includes exchanges between national meteorological services, water management authorities, emergency coordination
137 bodies, and local responders.

138 To explore how institutional structures may have influenced the timing of action during the event, we present the Waterdrop
139 Model, a conceptual model that illustrates how forecast signals interact with organisational constraints and procedural
140 thresholds for decision-making. The model was developed during post-event reflection and synthesizes patterns observed in
141 the Luxembourg case and comparable events. It is revisited in section 6.

142 While the findings are specific to Luxembourg, they reflect broader challenges in countries where early warning depends on
143 multi-level institutional coordination. This analysis helps clarify how governance structures, communication dynamics and
144 procedural thresholds shape the performance of Early Warning Systems and their capacity to support timely, protective
145 action.

146

147 **2. Methods**

148 **2.1 The Value Chain Approach and Database Questionnaire**


149 A central element of the value chain approach is a database questionnaire designed to evaluate Early Warning Systems
150 performance. It builds on the WMO WWR HIWeather Value Chain Project, which conceptualise Early Warning Systems as
151 information chains that extend from forecast generation to community-level protective action, including measures taken by
152 individuals, communities, and institutions(Ebert et al., 2023; Hoffmann et al., 2023; WMO, 2024b). The questionnaire is
153 maintained by the University College London (UCL) Warning Research Centre (Ebert et al., 2024; UCL, 2025).

154 The database questionnaire combines quantitative and qualitative inputs to assess how weather information moves through
155 the warning chain, including bulletins, official statements and institutional actions. It is structured around a sequence of
156 value chain stages and was designed to capture technical, institutional and communication-related factors (Ebert et al., 2024;
157 Hoffmann et al., 2023). The approach differs from traditional forecast evaluation methods by focusing on how warnings are
158 understood, interpreted and translated into action by different actors across the chain.

159 We completed the standard version of the database questionnaire retrospectively using available public records, institutional
160 documentation and supplementary datasets. The completed questionnaire will be archived with the [UCL Warning Database](https://www.ucl.ac.uk/sts/warning-research-centre/ucl-warning-database)¹
161 and made available upon publication. Figure 3 provides a schematic overview of this methodological structure.

¹ UCL. (2025). UCL Warning Database. Warning Research Centre, University College London.

<https://www.ucl.ac.uk/sts/warning-research-centre/ucl-warning-database>



162

163 **Figure 3 Schematic representation of the methodological structure used.** The structure of the database questionnaire (Part 1: Essential
 164 Information; Part 2: Supplementary Information on the Warning Chain) is adapted from Hoffmann et al. (2023). The original questionnaire
 165 also includes Part 3, a subjective effectiveness rating, which was not used in this study. These inputs also informed the Waterdrop Model
 166 presented in Section 6.

167 **2.2 Applying the Value Chain Approach to the 2021 Flood in Luxembourg**

168 We applied the database questionnaire to the July 2021 floods in Luxembourg to reconstruct how forecasts were generated,
 169 interpreted and communicated, and how decisions were made within national institutions. The analysis focuses on what
 170 information was available, how it was interpreted and how it shaped the activation of protective measures and emergency
 171 plans. In addition to the questionnaire, we drew on multiple forensic analysis frameworks to examine how decisions were
 172 made, including Forensic Investigations of Disasters (FORIN) (Alcántara-Ayala and Oliver-Smith, 2016) and the Post-Event
 173 Review Capability (PERC) (Szönyi et al., 2022). These frameworks aim to identify underlying risk drivers and institutional
 174 barriers to effective action.

175 We used a structured timeline-based approach to organise institutional messages, colour-coded alert levels and decision
 176 points. This included bulletin releases, agency communications and reported emergency actions. Forecast and reanalysis data
 177 were sourced from the ECMWF Severe Weather Catalogue (Magnusson, 2019), ERA5 reanalysis (Hersbach et al., 2020),
 178 and the European Severe Storms Laboratory (ESSL) (www.essl.org).

179 Operational mapping from the Copernicus Emergency Management Service (CEMS) (<https://emergency.copernicus.eu>) and
 180 event reporting from the international disaster database (EM-DAT) (www.emdat.be) supplemented the analysis. We also
 181 used grey literature, press releases, social media and institutional archives to reconstruct public messaging, institutional
 182 coordination and informal communication dynamics. Information was reviewed in three working languages

183 (Luxembourgish, French, German), and findings were triangulated across sources. Where available, supplementary data
184 were accessed through institutional partnerships or publicly released repositories.

185

186 **3. Institutional and Legal Framework for Disaster Management in Luxembourg**

187

188 **3.1 Institutional Roles and Responsibilities**

189 The institutional framework for weather and flood forecasting and emergency response in Luxembourg is centralised at the
190 national level but implemented through coordination between ministries, public agencies and municipalities.

191 The Ministry of Home Affairs is responsible for emergency planning and collaborates with the High Commissioner for
192 National Protection (*Haut-Commissariat à la Protection Nationale*, HCPN), the central crisis coordination body. The HCPN,
193 established in 2016 under the HCPN Law, leads preparedness and interministerial coordination under the Prime Minister
194 (HCPN Law, 2016).

195 The Ministry of the Environment, Climate and Sustainable Development manages water resources and oversees flood
196 preparedness through the Water Management Administration (*Administration de la Gestion de l'Eau*, AGE). AGE conducts
197 hydrological monitoring, issues flood forecasts and warnings, and maintains the national Flood Forecasting Service (*Service
de Prévision des Crues*, SPC) (HCPN Law, 2016).

199 The Grand Ducal Fire and Rescue Corps (*Corps Grand-Ducal d'Incendie et de Secours*, CGDIS) is Luxembourg's unified
200 emergency service agency. Created by the *loi du 27 mars 2018 portant organisation de la sécurité civile* (Law of 27 March
201 2018 on the Organisation of Civil Security), it merged local fire brigades, emergency medical services, and civil protection
202 units into a single national structure. CGDIS operates within a multi-hazard civil protection framework, with responsibility
203 for operational response to meteorological, hydrological and other civil protection emergencies in Luxembourg. (CGDIS
204 Law, 2018). Article 69 of this law also mandates a *Plan National d'Organisation des Secours* (National Organisation of
205 Emergency Services Plan, PNOS), which sets national coverage objectives, defines the operational organisation of rescue
206 services and establishes performance evaluation mechanisms. The PNOS was approved and signed in October 2021 and had
207 not yet been implemented during the July 2021 flood event. In July 2021, operational response to floods and severe weather
208 was carried out under the structures established by the CGDIS law and the applicable *Plans d'intervention d'urgence*
209 (*Emergency Intervention Plans*), including the *PIU Inondations* (Flood Emergency Intervention Plan) and the *PIU
210 Intempéries* (Severe Weather Emergency Intervention Plan).

211 MeteoLux is the sole national authority for issuing meteorological warnings and forecasts. It operates under the Ministry of
212 Mobility and Public Works and is part of the Air Navigation Administration (*Administration de la navigation aérienne*),
213 based at Luxembourg-Findel Airport. All national warning thresholds are based on data from its single official observation
214 station at Findel. MeteoLux uses a four-colour coded alert level scale (Table 2). While it issues public forecasts and
215 warnings, it cannot independently activate emergency plans or emergency alert systems. Meteorological forecasts and

216 warnings issued by MeteoLux are recognised as the official basis for decision-making, while Crisis Unit activation are
 217 determined by the HCPN and the Prime Minister (HCPN Law, 2016; Ministry of State et al., 2015).
 218 AGE monitors river levels through a network of over 30 hydrometric stations and issues flood forecasts and warnings via
 219 www.inondations.lu. Flood warnings are also displayed on www.meteolux.lu alongside meteorological warnings. The Flood
 220 Forecasting Service (*Service de prévision des crues*, SPC), chaired by AGE, applies a three-level vigilance scale (Table 3)
 221 linked to defined update frequencies and bulletin issuance. Under the Flood Emergency Intervention Plan, SPC also advises
 222 the HCPN when procedural hydrological thresholds for institutional activation are reached.
 223 The Technical Agricultural Services Administration (*Administration des services techniques de l'agriculture*, ASTA)
 224 operates a network of more than 35 meteorological stations used for agricultural and environmental monitoring
 225 (www.agrimeteo.lu/Agrarmeteorologie). These stations are not integrated into the official Early Warning System and their
 226 data are excluded from formal alert protocols. National decisions rely exclusively on MeteoLux forecasts (Ministry of State
 227 et al., 2015)
 228 The HCPN manages infocrise.lu , Luxembourg's national crisis information portal, which provides official emergency plans,
 229 institutional updates, and public guidance. Official alerts are disseminated via GouvAlert, the national mobile notification
 230 system in place during 2021, following activation by the competent authorities.²
 231 *Table 2* presents an overview of the institutions responsible for issuing, interpreting, and implementing warnings in
 232 Luxembourg's disaster risk system.

| Actor | Role | Key Responsibilities |
|---|------------------------------|---|
| Ministry of Home Affairs | National oversight | Leads disaster risk strategy, supervises HCPN, and coordinates inter-agency emergency response. Reports to parliament. |
| Ministry for the Environment | Sectoral coordination | Oversees water resource management and municipal flood preparedness; chairs AGE. |
| High Commissioner for National Protection (HCPN) | National crisis coordination | Maintains emergency plans, oversees crisis evaluation, requests Crisis Unit activation. Manages www.infocrise.lu |
| Prime Minister | Executive leadership | Authorises Crisis Unit activation and leads national-level coordination during major crises. |
| MeteoLux | Meteorological authority | Issues weather warnings via a four-colour scale via www.meteolux.lu . Uses a single official station (Findel) |

² GouvAlert was replaced by LU-Alert (<https://lu-alert.lu/en>) in 2024, Luxembourg's current national Early Warning System. All analysis here refers to the alerting framework in place during the July 2021 flood event.

| | | |
|---|--------------------------------------|--|
| | | for national alert thresholds. Cannot activate crisis measures independently. |
| AGE (Administration de la gestion de l'eau) | Flood forecasting | Manages flood forecasts and river monitoring. Chairs the SPC. Publishes flood warnings on inondations.lu (also displayed on meteolux.lu) and advises HCPN under the Flood Emergency Intervention plan. |
| CGDIS (Grand-Ducal Fire and Rescue Corps) | Emergency services | Leads operational response, evacuation, and public safety during extreme weather and floods. |
| ASTA (Administration des Services Techniques de l'Agriculture) | Agrometeorological monitoring | Operates more than 35 weather stations for agriculture. Not integrated into official warning protocols; issues alerts via www.agrimeteo.lu |
| Municipalities | Local responders | Implement local flood protection measures and coordinate community-level actions. |
| Crisis Unit | Multi-agency coordination | Activated by the Prime Minister. Coordinates strategic response involving HCPN, MeteoLux, AGE, CGDIS, and other bodies. |
| www.inondations.lu | Public flood alert platform | Disseminates flood alerts, bulletins, and hydrological information to the public. |
| www.infocrise.lu | Government crisis information portal | Provides background on emergency protocols and institutional roles. Not used for real-time alerts. |
| www.meteolux.lu | Public weather alert platform | Disseminates official weather warnings issued by MeteoLux and displays flood warnings mirrored from inondations.lu. |

233

234 **Table 1 Roles and responsibilities of national and local actors in Luxembourg's disaster management system.**

235

236 **3.2 Emergency Planning and Activation Protocols**

237 Luxembourg's emergency coordination system for severe weather and floods is defined by emergency intervention plans,
 238 adopted by decree in 2015 (severe weather) and 2019 (floods). These plans set out colour-coded alert levels, institutional
 239 roles and activation procedures (HCPN, 2019; Ministry of State et al., 2015). Both plans use a four-phase colour-coded
 240 warning structure as summarised in *Table 3*.

241 **3.2.1 Severe Weather Emergency Intervention Plan**

242 MeteoLux determines warning levels based on procedural rainfall thresholds and duration-intensity curves (HCPN, 2015). It
243 issues public warnings, but these do not automatically trigger activation of emergency plans. Once a red alert level is issued,
244 an inter-institutional evaluation unit, chaired by MeteoLux, assesses the situation. The HCPN is informed and determines
245 whether the Crisis Unit should be activated. That decision rests with the Prime Minister and is based on institutional review
246 rather than forecast level alone (HCPN, 2019).

247 **3.2.2 Flood Emergency Intervention Plan**

248 Flood alerts are issued by the SPC, chaired by AGE, based on procedural hydrological thresholds and real-time river data.
249 Warnings are published through [inondations.lu](#) and mirrored on [meteolux.lu](#) (AGE, 2021d). These bulletins are shared with
250 CGDIS, municipalities and the HCPN through institutional channels.

251 In the red alert phase, AGE must notify the HCPN, which evaluates whether national coordination is needed. As with the
252 meteorological plan, activation of the Crisis Unit is not automatic. It is authorised only when the Prime Minister concludes
253 that multi-agency coordination is required, typically for complex or cross-border events (HCPN, 2019). Once activated, the
254 Crisis Unit coordinates national emergency response actions, including evacuation, emergency logistics, and communication.
255 It includes representatives from HCPN, MeteoLux, AGE, CGDIS, Police, the Army, and other ministries depending on the
256 scenario (Ministère de l'Intérieur and HCPN, 2021a).

257

258 **Table 2 Alert thresholds for rainfall and flood events** (adapted from HPCN, 2019; Ministère d'État et al., 2015; Ministry of Home
259 Affairs, 2021). Official documentation does not explicitly specify whether thresholds are defined using forecasted or observed data. In
260 practice during July 2021, rainfall alerts issued by MeteoLux were forecast-based, while flood alerts issued by AGE relied on observed
261 river levels. Terminology reflects the institutional configuration and official wording in use during July 2021. Subsequent changes
262 introduced after 2024 are outside the scope of this analysis.

| Emergency Intervention Plan | Alerts | Description | Thresholds set by Emergency intervention plans. |
|---|--------|--|---|
| Severe Weather Emergency Plan (for rainfall only) | Green | No danger | NA |
| | Yellow | Potential Danger | NA |
| | Orange | Danger | 31-45 mm in 6 hours or 51-80 mm in 24 hours |
| | Red | Extreme Danger | More than 45 mm in 6 hours or 80 mm in 24 hours |
| Flood Emergency Plan (Excluding Flash Floods) | Green | No flood risk (normal phase) | NA |
| | Yellow | Potential flood risk (vigilance phase) | Triggered by meteorological conditions, whether observed or forecasted, indicating a potential rise in water levels |
| | Orange | Minor flood risk (pre-alert phase) | Initiated when river levels approach pre-alert levels within 24 hours. |
| | Red | Major flood risk (Alert phase) | Triggered when river levels reach or exceed alert levels. |

263



264 **4. Reconstruction of the Flood in Luxembourg**

265 **4.1 Antecedent Conditions and Rainfall Evolution**

266 In the months preceding July 2021, Luxembourg experienced frequent precipitation, leading to saturated soils and an
267 elevated risk of surface runoff across much of the country's river basins (EUMETSAT, 2021; Ludwig et al., 2023;
268 Tradowsky et al., 2023). At the same time, sea surface temperatures over the Baltic Sea were more than 8°C above average,
269 increasing atmospheric moisture availability (Lang and Poschlod, 2024). This warm and humid air mass contributed to
270 greater atmospheric instability in the region and conditions became increasingly favourable for extreme precipitation (Mohr
271 et al., 2023).

Figure 4 ECMWF ensemble forecasts and observed/proxy rainfall for 14–15 July 2021. Forecasts are shown for total precipitation in

Precipitation in the 1 degree box centred on 49.75N, 6E
14 July 00UTC – 15 July 00UTC



272 The critical rainfall event was associated with low-pressure system Bernd, which became quasi-stationary over western
273 Europe due to a blocking anticyclone positioned to the northeast (Mohr et al., 2023). Between 13 and 15 July, regional totals
274 ranged from 100 to 200 mm. On 14 July, the Godbrange station in central Luxembourg (approximately 12 km east-northeast
275 of the Findel station) recorded 105.8 mm in 24 h, the highest national daily total on record (MeteoLux, 2021).

276 The volume and persistence of rainfall triggered widespread surface runoff and fluvial flooding. Ensemble forecasts began
277 signalling the potential for high rainfall from 7 July onwards, with observed and proxy totals later confirming extreme
278 precipitation across Luxembourg (Figure 4).

279

280 **4.2 Flood Onset and Impacts**

281 Flood onset began late on 13 July, with sustained rainfall intensifying overnight into 14 July (Mohr et al., 2023). Water
282 levels rose across the country (Douinot et al., 2022). The SPC issued a yellow vigilance alert at 14:30 on 13 July, upgraded
283 to orange by midday on 14 July and to red at 17:15 the same day (AGE, 2021a). At the time of the yellow level alert on 13
284 July, river levels were already increasing across several catchments. Flooding began during the early hours of 14 July as
285 rainfall intensified and runoff accumulated. By the time the red level alert was issued in the late afternoon of 14 July,
286 flooding was already affecting multiple river systems, with water levels continuing to rise and peak conditions extending into
287 15 July. Rainfall accumulations in some basins approached or exceeded 100-year return periods, and procedural thresholds
288 for red-alert activation were surpassed at multiple sites (AGE, 2021a; Mohr et al., 2023).

289 Hydrologically, the event was marked by multi-day discharge exceedances with prolonged peaks in several catchments. In
290 Ettelbruck, water levels remained above warning thresholds for over 30 hours. Most catchments in central and northern
291 Luxembourg experienced prolonged peaks, while the Moselle showed more modest response due to its engineered channel
292 structure (Douinot et al., 2022). Despite occurring in midsummer, the event's discharge profile resembled winter flooding,
293 with high antecedent flow, prolonged flood persistence, and strong basin connectivity (Ludwig et al., 2023).

294 River levels began receding on 15 July. Emergency damage assessments were initiated the same day by CGDIS and AGE,
295 in coordination with municipal authorities. Clean-up and infrastructure recovery efforts extended through the weekend of 17-
296 18 July (CGDIS, 2022) Nationwide, more than 6,500 households were affected, and insured damages exceeded €145 million
297 (ACA, 2021).

298

299 **4.3 Forecast Indicators and Access**


300 Multiple forecast products were available to national authorities in the lead-up to the July 2021 flood. Forecast outputs
301 signalled a strong likelihood of a high-impact rainfall event several days before the onset of flooding. From 8 July, ECMWF
302 ensemble precipitation forecasts showed increasing spread and by 12 July, the ensemble mean exceeded the 99th percentile
303 (Magnusson et al., 2021). The Extreme Forecast Index (EFI) for Luxembourg surpassed 0.5 by 9 July and reached 0.8 by 11
304 July, indicating a very strong signal for extreme rainfall relative to model climatology. This signal remained consistent
305 across successive model cycles. Building on Mohr et al. (2023), who calculated EFI for a larger region mostly covering
306 Germany, we produced values for a $1^\circ \times 1^\circ$ grid box centred on Luxembourg, supporting their findings and adding new
307 insight into Luxembourg-specific EFI evolution. EFI values were derived from ECMWF ensemble forecasts archived in the
308 Severe Event Catalogue (Magnusson, 2019) using ECMWF's operational method, which compares the forecast ensemble
309 distribution to a reforecast-based climatology. Figure 5 shows the daily progression of EFI values, with a steady increase in
310 signal strength over the preceding week.


311 Deterministic forecasts from ECMWF and MeteoLux did not exceed Luxembourg's national red alert level precipitation
312 thresholds (MeteoLux, 2021). Forecast totals for the Findel reference station remained within the orange level alert range
313 (Table 3). National alert protocols at the time were based on procedural deterministic forecast thresholds and did not include
314 public facing ensemble-derived indicators such as EFI (Busker et al., 2025).

315 Forecast access and operational capacity during July 2021 are documented in national user reports and institutional guidance.
 316 MeteoLux and AGE had operational access to ECMWF's IFS/ENS, ICON-D2, ICON-EU, Météo-France ARÔME and
 317 ARPÈGE, and radar composites including RADOLAN (AGE, 2021c; Kobs, 2018). Figure 6 summarises these products,
 318 grouped by type and indicative lead time in 2021. AGE also operated the Large Area Runoff Simulation Model
 319 (*Landesweiter Flächenhaushalts-Simulationsmodell*, LARSIM), which ingested ensemble and radar-based inputs. Forecasts
 320 were updated every three hours under routine operation and hourly during heightened alert phases. AGE is Luxembourg's
 321 EFAS (European Flood Awareness System) contact point and had access to EFAS outputs during the flood period
 322 (Dieschbourg and Bofferding, 2021; Grimaldi et al., 2023). No formal EFAS alert was issued, an informal notification for
 323 the Sauer basin was issued at 11:31 on 14 July, less than six hours before peak impacts (Grimaldi et al., 2023; Luxembourg
 324 Government, 2021b). EFAS had issued alerts for the Rhine, Ourthe, Rur, and Moselle from 10 July, but not for Luxembourg
 325 due to dissemination criteria requiring $\geq 2\ 000\ km^2$ upstream area and persistence across ensemble runs. The internal report
 326 on the flood event stated: « *il reste à préciser que les notifications de l'EFAS sont limitées aux grands fleuves (Moselle, Sûre
 327 et Alzette). En aucun cas, les notifications de l'EFAS ne renseignent sur un danger potentiel* » (“it should be noted that
 328 EFAS notifications are limited to the major rivers Moselle, Sûre, and Alzette. In no case do EFAS notifications provide
 329 information on a potential danger”) (Luxembourg Government, 2021b).

330

331 **Figure 5 Progression of ECMWF Extreme Forecast Index (EFI) for 14 July 2021.** Each blue dot shows the EFI value from a different
 332 forecast initialisation between 7 and 13 July. The horizontal dashed lines indicate thresholds of 0.5 (moderate signal) and 0.8 (very strong
 333 signal). EFI values steadily increased over time, indicating high confidence in an extreme rainfall event.





334

335 **Figure 6 Forecasting products and data sources available to Luxembourg's national meteorological and hydrological authorities**
336 (**MeteoLux and AGE**) during the July 2021 flood event. The table distinguishes between weather and flood-related operational use,
337 grouped by function. Forecast horizons are indicative of standard availability during 2021. This table was compiled from institutional
338 documentation and peer-reviewed literature (AGE, 2021c; Busker et al., 2025; CEMS, 2022; Kobs, 2018; Mohr et al., 2023; Schanze,
339 2009)

340 4.4 Warning Dissemination Timeline




Figure 7: Official weather and flood alert chronology for Luxembourg, 13–15 July 2021.

This figure presents the empirical timeline of available forecasts and officially issued alerts during the event. Alerts are shown for MeteoLux (weather) and AGE (flood) with triangle markers indicating forecast issuance time and colored bars representing alert validity periods. Observed impacts and response actions are not represented in this figure. This chronology is based on official bulletins and institutional records (AGE, 2021a; MeteoLux, 2021a; Gouvernement du Grand-Duché de Luxembourg, 2023).

341

342 The warning timeline during the July 2021 flood is based primarily on the Luxembourg Government's internal post-event
343 review (Luxembourg Government, 2021b), supplemented by official bulletins from MeteoLux, AGE, and CGDIS, as well as
344 recorded communications and selected media reports. The official warning sequence began on 13 July. At 07:00, MeteoLux
345 issued a yellow alert level rainfall warning, valid from 14 July at 11:00 to 24:00. An orange alert followed at 07:00 on 14
346 July, valid from 12:00 to 04:00 on 15 July (Luxembourg Government, 2021b). Dissemination occurred via meteolux.lu,
347 inondations.lu email subscriptions and media platforms such as national television broadcaster RTL (www rtl lu).

348 At 14:30 on 13 July, AGE initiated yellowalert level hydrological monitoring for the Sûre, Alzette, Chiers, and Syre basins.
349 On 14 July at 12:00, an orange level flood alert was issued for the southern region, followed by a red alert at 17:20,
350 applicable nationally and valid until 12:00 on 15 July (AGE, 2021a; Luxembourg Government, 2021b; MeteoLux, 2021).

351 At 14:23 on 14 July, CGDIS sent an informal text message (SMS) to municipal decision-makers, warning of threshold
352 exceedances and encouraging preparatory measures during the orange flood alert. No follow-up text message was issued
353 when the red level flood alert was activated later that day. Behavioural advice was also published on the CGDIS Twitter and
354 Facebook accounts the same afternoon (Biancalana, 2021; CHD, 2021a; Luxembourg Government, 2021b).

355 Real-time river level updates and flood bulletins were maintained via the website www inondations lu. An informal EFAS
356 notification for the Sauer sub-basin was received at 11:31 on 14 July. No formal EFAS alert followed, as ensemble
357 thresholds for basin area and persistence were not met (Dieschbourg and Bofferding, 2021; Grimaldi et al., 2023). No mass
358 notification was issued through the GouvAlert platform.

359 A national press briefing was held on the afternoon of 15 July and livestreamed through the government portal (Luxembourg
360 Government, 2021a). The Crisis Unit was activated at midnight on 15 July under the Severe Weather Emergency
361 Intervention Plan. According to the government's internal post-event review, this was in accordance with a clause in the
362 Flood Emergency Intervention Plan that assigns flash-flood-type events to the Severe Weather Emergency Intervention
363 Plan. As a result, the activation occurred despite the severe weather alert level remaining at orange, while the flood alert had
364 already reached red earlier that evening. Coordination meetings continued through the night. When the Crisis Unit convened,
365 field-level interventions were already underway. Between 14 and 16 July, CGDIS registered over 8,000 emergency calls to
366 112 and conducted at least 1,385 recorded interventions. More than 1,600 firefighters, 270 soldiers, and 230 police officers
367 were deployed nationally. The CGDIS coordinated field operations through local fire and rescue stations (*centres d'incendie*
368 *et de secours*, CIS), focusing on evacuation, public safety, and critical infrastructure protection (CGDIS, 2022; Luxembourg
369 Government, 2021a).

370

371 **4.5 Institutional Coordination and Crisis Response**

372 Coordination at the national level followed the procedures defined in Luxembourg's national emergency intervention
373 framework. The Crisis Unit may be convened following the issuance of a red alert, if conditions meet predefined thresholds
374 concerning urgency, cross-agency coordination and anticipated impact (AGE, 2021a; Luxembourg Government, 2021b). In

375 accordance with this framework, the Crisis Unit was activated by the Prime Minister on the night of 14 July and its first
376 formal meeting was held at midnight on 15 July, more than six hours after AGE issued a red flood alert at 17:20 (AGE,
377 2021a; Benoy, 2021; Luxembourg Government, 2021b).

378 Once active, the Crisis Unit included representatives from MeteoLux, AGE, CGDIS, the Army, the HCPN, the police, and
379 the Ministry of Home Affairs. Coordination focused on public safety, logistical resourcing, and continuity of operations.
380 CGDIS and local municipal actors continued to lead evacuation and field logistics. Emergency shelter was provided in
381 multiple municipalities, and over 560 people were relocated by joint civil-military teams (CGDIS, 2022). Communication
382 during the peak impact period included updates from multiple agencies via social media, national press and municipal
383 platforms. A consolidated national bulletin was issued following the activation of the Crisis Unit (Benoy, 2021; CGDIS,
384 2022; Luxembourg Government, 2021a).

385

386 **5. Evaluating Forecast and Early Warning System Performance**

387 **5.1 Comparative Post-Event Evaluation Processes**

388 Following the July 2021 floods, several European countries conducted formal reviews to assess the performance of forecast
389 and Early Warning Systems. These evaluations varied in scope and method, but shared an emphasis on institutional
390 transparency and learning. Table 5 summarises the type of reviews conducted, levels of institutional access and key outputs
391 across five countries. In Germany, technical audits were complemented by parliamentary inquiries in North Rhine-
392 Westphalia and Rhineland-Palatinate. These revealed major deficiencies in the warning chain, with more than one-third of
393 surveyed residents reporting that they had not received an alert (BMI and BMF, 2022; Mohr et al., 2023; Thielen et al.,
394 2023). Cross-country references are included to document procedural arrangements and post-event review mechanisms, not
395 overall warning system performance.

396 Belgium's Walloon region initiated an expert-led governance review, resulting in a 146-page report published in
397 collaboration with the United Nations University Institute on Comparative Regional Integration Studies (UNU-CRIS). A
398 parliamentary inquiry was proposed but not adopted by the regional government (Lietaer et al., 2024).

399 In the Netherlands, the Dutch Court of Audit conducted a national review, concluding that warning and evacuation systems
400 functioned effectively but highlighting the need for improved preparedness and inter-agency coordination. A separate
401 technical audit by Deltares confirmed the efficacy of warnings in supporting evacuations and recommended more robust
402 stress testing. Both reviews were complemented by peer-reviewed research outputs (Deltares, 2023; Endendijk et al., 2023;
403 Netherlands Court of Audit, 2024; Pot et al., 2024).

404 In France, legally mandated post-event reviews (*retours d'expérience*) on the July 2021 floods were conducted at national
405 and local levels by the French government. These multi-agency reviews assessed domestic impacts and included analysis of
406 effects in Belgium, the Netherlands, and Germany. They examined crisis governance, operational coordination, forecasting

407 and warning, and cross-border cooperation, with findings shared through national channels and via European platforms such
 408 as the EU Civil Protection Mechanism (Diederichs et al., 2023).
 409 Unlike neighbouring countries, Luxembourg did not commission an independent or external review of the July 2021 floods.
 410 An internal government-led assessment was carried out, but it was not part of any comparative or regional evaluation
 411 process. The French government's post-event review notes that requests for information from Luxembourg were either
 412 declined or left unanswered (Diederichs et al., 2023; Lietaer et al., 2024). No contributions were made to EU platforms or
 413 scientific networks, creating a gap in regional learning.

414 **Table 3 Comparative post-event evaluation processes following the July 2021 floods.** Review types, parliamentary inquiries,
 415 institutional access (as reported in the French government's post-event review unless otherwise noted), key documented outcomes, and
 416 publication platforms across five countries (BMI and BMF, 2022; Deltares, 2023; Diederichs et al., 2023; Endendijk et al., 2023; Lietaer et
 417 al., 2024; Luxembourg Government, 2021b; Pot et al., 2024)

| Country | Independent Review | Parliamentary Inquiry | Institutional Access to cross-border analysis ³ | Key Review Outcome | Publication Platform(s) |
|-------------|-------------------------------------|----------------------------------|--|--|--|
| Belgium | Yes Wallonia expert panel | No Inquiry proposed, not adopted | Access granted | 146-page stakeholder-led review; formal inquiry blocked by regional executive | UNU-CRIS (open-access); Regional government portal |
| Germany | Yes Technical + stakeholder reviews | Yes NRW and RP state inquiries | Access and cooperation | Surveys: >30% lacked alerts; ~€7 bn in insured losses; two inquiries convened at state level | NHESS journal; State parliament archives; ISF publication (BIH and BF, 2022) |
| Netherlands | Yes Deltares technical audit | No | Access granted | Audit confirmed warning efficacy; €455 m in damages; stress testing proposed | Deltares.nl; TU Delft study; PreventionWeb |
| France | Yes, post-event review | No | Access granted | Multi-agency learning; findings contributed to EU DRR knowledge-sharing | Ministère de l'Économie portal; EU Civil Protection Forum |
| Luxembourg | No, internal review only | No | Access declined, no response | No independent or parliamentary review commissioned | None (no formal publication or participation) |

418
 419 A standing review mechanism could help address this gap. Such a process could be hosted under the Ministry of Home
 420 Affairs and include representatives from MeteoLux, AGE, CGDIS, ASTA, and independent experts. Reviews should be
 421 initiated automatically when threshold-impact events occur and examine timelines, institutional coordination, and
 422 communication processes. Without a formal structure for review, lessons remain anecdotal and preparedness does not
 423 evolve.

³ Refers to the degree of cooperation and information-sharing with the French government's legally mandated post-event review (*retour d'expérience*), which included cross-border analysis of the July 2021 floods in Belgium, the Netherlands, Germany, and Luxembourg.

424 **5.2 Why Forecasts Did Not Lead to Action**

425 Forecast guidance in the days leading up to the July 2021 flood presented clear signals of extreme rainfall and pointed to a
426 statistically rare and potentially high-impact rainfall event (Mohr et al., 2023; Thompson et al., 2025). However,
427 Luxembourg's national alert level did not move beyond yellow until the morning of 14 July. In the days immediately
428 preceding the flooding, institutional interpretation was based primarily on deterministic rainfall totals at the Luxembourg-
429 Findel reference station, where forecast and observed precipitation remained below the national red alert level procedural
430 threshold (MeteoLux, 2021; Ministry of State et al., 2015). Observations from other stations, in central and northern
431 Luxembourg exceeded these red alertlevel criteria, but these sites were not included in the formal decision-making protocol
432 (AGE, 2021c; HCPN, 2019; Szönyi et al., 2022). Ensemble indicators, while reviewed internally, had no procedural role in
433 alert level decisions (Busker et al., 2025).

434 Forecast skill was not the limiting factor. Forecast products from ECMWF, ICON-EU, and Météo-France consistently
435 showed elevated rainfall potential across the wider region (Mohr et al., 2023; Thompson et al., 2025). Several ensemble
436 members projected accumulations well above the return periods typically used in warning calibration. At the time, however,
437 there was no mechanism in national procedures to translate these probabilistic signals into operational triggers for alert
438 escalation or plan activation. The protocol relied on thresholds applied to a single reference station, with no formal post-
439 processing of ensemble outputs.

440 Hydrological forecasts showed a similar pattern (Busker et al., 2025; Montanari et al., 2024). Although AGE used ensemble
441 and radar-based inputs within the LARSIM model, public bulletins were deterministic, and probabilistic information was not
442 formally linked to warning alert level changes (Busker et al., 2025).

443 Public communication during this period reflected the same deterministic framing (Zander et al., 2023). On the evening of
444 13 July, RTL's national news broadcast quoted MeteoLux:

445 *“From Wednesday morning until Thursday, larger amounts of rainfall could reach us, so we need to be a bit cautious.”*

446 The presenter added:

447 *“Foreign weather services are talking about 100 litres per square metre, but for Luxembourg, the warning levels are still
448 only at yellow.”* (RTL, 2021a)

449 This comparison emphasised that while neighbouring services, including in directly connected catchments, were warning of
450 extreme totals across the border, Luxembourg's own alerts remained in the yellow range (below 31 mm in six hours or 51
451 mm in 24 hours). No reference was made to EFI values or to the consistent ensemble signals emerging across multiple
452 models. The first orange level rainfall warning was issued on the morning of 14 July and took effect at 12:00, after heavy
453 rain had already begun in parts of the country (AGE, 2021a)

454 The Prime Minister's public statement after the event reinforced the framing of the flood as unexpected.

455 *“No one could have predicted the extent of the flooding as it unfolded in mid-July, and it was nothing short of a miracle
456 that no one had been seriously harmed by the catastrophe.”* (RTL, 2021b)

457 While precise local impacts could not have been forecast with certainty, the broader signal of an extreme rainfall event had
458 been evident in ensemble guidance for several days. The challenge was the absence of institutional mechanisms to interpret
459 and act on probabilistic signals under uncertainty.

460 One recommendation would be to formally integrate probabilistic forecast tools such as the Extreme Forecast Index (EFI)
461 within national warning protocols when converging probabilistic signals indicate the potential for severe impacts (Busker et
462 al., 2025; Cloke and Pappenberger, 2009; Mohr et al., 2023). Ensemble outputs should be post-processed into operational
463 scenarios and supported by targeted training. Observational data from ASTA and municipal networks should also be
464 integrated when they exceed warning criteria (Lanfranconi et al., 2024; Szönyi et al., 2022). These measures would support
465 earlier action when risk is emerging, rather than only after it is confirmed by deterministic indicators.

466

467 **5.3 How Thresholds Delayed the Response**

468 Luxembourg's warning protocols were structured around fixed procedural rainfall thresholds measured at a single reference
469 station. Under the Severe Weather Emergency Intervention Plan, a red level weather warning may be issued if rainfall
470 exceeds 80 mm in 24 hours or 45 mm in 6 hours at the Luxembourg-Findel station (HCPN Law, 2016). On 14 July, Findel
471 recorded 74.2 mm over 12 hours, breaking its all-time daily record for any month since observations began in 1947, yet no
472 red alert level warning was issued (MeteoLux, 2021)

473 Other stations from the ASTA network also recorded totals above red-colour-coded alert level criteria on 14-15 July (AGE,
474 2021a). These observations were not included in the formal warning framework and therefore played no role in real-time
475 decision-making (HCPN, 2019). Excluding a large share of the available observational network from official warning
476 protocols is not unique to Luxembourg and has been identified in other regions that rely on narrowly defined deterministic
477 systems (Cosson et al., 2024; Trošelj et al., 2023).

478 This arrangement created a structural limitation. The agrometeorological network operated by ASTA includes over 35
479 weather stations across the country. However, institutions did not recognise their data within the official warning framework
480 (HCPN Law, 2016). Consequently, a significant share of Luxembourg's observational infrastructure was excluded from the
481 official process of warning generation.

482 Hydrological forecasting faced similar structural constraints. The use of probabilistic inputs was limited to internal
483 processing and no mechanisms were in place for using this information to support escalation to higher colour-coded alert
484 levels. (Busker et al., 2025; Haag et al., 2022).

485 Procedural thresholds defined when warnings could be issued and the basis on which decisions were deemed valid. In theory,
486 the presence of a single institutional threshold at Findel was meant to simplify decisions. In practice, it constrained them.
487 Even when that station recorded historically extreme rainfall, no warning level change followed. In neighbouring countries,
488 Early Warning Systems operated under different procedural criteria, allowing alert decisions to draw on exceedance across
489 regional observation networks and convergence within ensemble forecast products, leading to earlier issuance of red-level

490 alerts on 13 July. Their approaches allowed for distributed decision-making using broader spatial criteria, rather than relying
491 on one location to validate action (Lietaer et al., 2024; Mohr et al., 2023).

492 A key recommendation is to formally integrate Luxembourg's existing observational infrastructure such as ASTA stations
493 into the operational Early Warning System, allowing wider spatial validation of hazard signals. A parliamentary question in
494 July 2024 proposed merging Luxembourg's two public meteorological services to improve efficiency and integration. The
495 government confirmed that while discussions had been held since 2018, the proposal was not adopted. It stated that
496 cooperation between MeteoLux and ASTA had been sufficient and that the implementation of LU-Alert provided a direct
497 channel for transmitting official warnings to the public. On this basis, it argued that a merger was unnecessary and confirmed
498 that no such measure was foreseen in the 2023–2028 government programme (CHD, 2024). However, no evidence was
499 presented on how this arrangement addresses the structural limitations identified in the July 2021 event. In parallel, AGE
500 should implement probabilistic flood forecasting workflows that carry procedural weight. These steps would increase
501 situational awareness and reduce dependence on a single reference station (Ebert et al., 2023; Golding, 2022; WMO, 2024b).

502

503 **5.4 When Warnings Did Not Reach the Public**

504 During the July 2021 flood, Luxembourg's public alerting systems were not used in a way that enabled timely protective
505 action. The GouvAlert mobile application, designed to send real-time emergency notifications, did not transmit any message
506 on 14 July. A scheduled alert was not delivered due to an expired Secure Sockets Layer (SSL) certificate, and no warning
507 reached users during the hours when rainfall intensified and river levels began to rise (Tobias, 2021).

508 Institutional communication remained limited. At 14:23 on 14 July, CGDIS issued an SMS to local authorities referencing
509 orange-level conditions. The message did not contain the word “alert” and was not accompanied by a wider public advisory
510 (CHD, 2021b; Luxembourg Government, 2021b). No coordinated national message was issued through press channels or
511 social media before flood impacts were widely reported. Infocrise.lu, which serves as the government's official crisis
512 information portal, is not designed to function as a real-time alerting tool and was not used for that purpose during the
513 warning phase (HCPN Law, 2016). The communication environment during the flood evolved across multiple platforms,
514 with limited coordination prior to impact.

515 Multilingual accessibility may also have limited the reach of warning messages. Luxembourg's official languages are
516 Luxembourgish, French, and German, but alerts are often issued in one or two languages only. (STATEC, 2022) estimates
517 that only around 60 percent of the population speaks Luxembourgish fluently. Many residents rely on French or German for
518 official communication, and a significant proportion of the workforce consists of daily cross-border commuters. In this
519 context, the absence of standardised multilingual communication protocols can reduce the effectiveness of public alerts,
520 particularly in linguistically diverse populations (Hannes et al., 2024; IFRC, 2020; Kalogiannidis et al., 2025; UNDRR,
521 2022)

522 While these issues were not the primary cause of limited operational response during the flood, they revealed how dependent
523 the system had become on a small number of delivery channels. This became evident on 16 July, when the MeteoLux

524 website went offline due to a server failure and remained inaccessible until 19 July. During this period, CGDIS continued
525 referring the public to the offline site (Tobias, 2021), highlighting a lack of contingency planning for communication
526 continuity (Reichstein et al., 2025).

527 Following the flood, Luxembourg introduced LU-Alert, a multilingual cell broadcast system designed to deliver real-time
528 notifications to all mobile phones in a given area. While this improves technical capacity, it does not resolve the procedural
529 barriers that limited alert use in July 2021. Without clearly defined protocols for who authorises and triggers alerts, when,
530 and through which channels, even advanced systems may fail to support timely action (Oliver-Smith, 2018; WMO, 2022).

531 The 2024 DANA floods in Valencia illustrate how procedural communication choices, including alert timing and message
532 content, can limit the protective value of public warnings. Spain's ES-Alert system functioned technically, but alerts were
533 issued at a stage in the event when opportunities to influence public decision-making were already reduced. Post-event
534 reviews linked this to weak integration between forecast interpretation and operational decision-making (Aznar-Crespo et al.,
535 2024; Galvez-Hernandez et al., 2025; Martin-Moreno and Garcia-Lopez, 2025). Luxembourg faces similar risks if alert
536 systems remain detached from institutional procedures.

537 Effective public communication requires more than new infrastructure. A central protocol should define when alerts are
538 triggered, which institutions are responsible, how content is translated across platforms and languages, and how redundancy
539 is ensured. Without these structural measures, warnings may not reach the public in time to support protective action.

540 In the national system, warnings are intended to reach residents through official dissemination channels, including public
541 alerting systems, press communication, and institutional information platforms. This analysis focuses on the institutional
542 conditions that shape whether public warnings can be authorised, issued, and disseminated, rather than on how residents
543 interpret or respond to those warnings.

544

545 **5.5 Coordination Only Began After Impact**

546 Luxembourg's emergency coordination during the July 2021 flood was constrained by a procedural sequence that delayed
547 strategic activation. Although flood forecasts and operational responses were already active on 14 July, national-level
548 coordination through the Crisis Unit was only initiated at midnight, several hours after widespread flooding had begun. This
549 delay stemmed from a rigid stepwise process, a red alert had to be issued, followed by a ministerial evaluation, before cross-
550 agency coordination could be formally launched (CHD, 2021a; Luxembourg Government, 2021b).

551 Operational agencies, including CGDIS, MeteoLux, and AGE, responded to early signals. CGDIS alone handled over 1,200
552 calls and deployed more than 100 units throughout the day (CGDIS, 2022). However, without formal activation of the Crisis
553 Unit, no unified public messaging or strategic coordination was possible. Communication remained decentralised and limited
554 to agency-specific channels.

555 This misalignment occurred despite the existence of both capacity and legal authority. It reflected procedural inflexibility
556 that prevented early convergence of information and action. As highlighted by (Hegger et al., 2016), effective flood risk

557 governance requires both anticipatory mechanisms and coordination structures that can adapt in real time. In fast-onset
558 crises, procedural thresholds may delay the shift from proactive intervention to reactive response (Lietaer et al., 2024).
559 To improve future alignment, Luxembourg could revise procedural thresholds to enable early coordination based on
560 consistent forecast indicators, such as rising hydrometric levels and multi-agency consensus. A shared operational platform
561 involving AGE, MeteoLux, CGDIS, and crisis managers could allow joint interpretation of dynamic risks, enabling earlier
562 activation even before red alert level thresholds are formally crossed (Amarnath et al., 2023; Dasgupta et al., 2025; Šakić
563 Troglić and Van Den Homberg, 2022). This would help ensure that national-level coordination begins in response to
564 emerging risk, rather than observed impacts.

565

566 **5.6 Reading Forecasts as Policy Signals**

567 Forecasts ahead of the July 2021 flood contained multiple early indicators of an emerging regional hazard. EFI values
568 exceeded 0.8 by 11 July, and EFAS issued alerts for nearby river basins from 10 July onward. These signals, documented in
569 post-event evaluations in Germany and Belgium, were also available in Luxembourg, but they did not inform operational
570 decision-making (Lietaer et al., 2024; Mohr et al., 2023).

571 Although EFAS and EFI were monitored internally by AGE and MeteoLux, no procedural framework existed in
572 Luxembourg for using these products to inform warning level decisions and public communication. In Germany and
573 Belgium, post-event analyses describe procedural arrangements that allowed ensemble-based and regional information to be
574 considered within warning processes, without implying more effective outcomes. In Luxembourg, the absence of an
575 equivalent framework meant that these forecasts remained outside formal decision pathways and no institutional review has
576 clarified how such inputs could be interpreted or integrated. EFAS alerts, while designed for larger river systems, still provide
577 contextually valuable information, especially when interpreted alongside local data. Treating them as irrelevant, rather than
578 evaluating their limitations constructively, limits the system's ability to recognise transboundary risk (Busker et al., 2025;
579 Mohr et al., 2023).

580 The problem is not the forecasts, but the absence of structures to interpret and act on them collectively. Luxembourg's
581 warning framework remains tied to deterministic procedural thresholds without a mechanism for incorporating probabilistic
582 guidance. EFI and EFAS are treated as reference data rather than operational tools and their signals hold no procedural
583 weight.

584 It is recommended that Luxembourg establish a formal joint interpretation mechanism involving MeteoLux, AGE, CGDIS,
585 and other relevant actors, to review ensemble guidance and translate it into operational scenarios. This process would allow
586 for expert judgement to be exercised under uncertainty and would increase the policy relevance of probabilistic signals
587 (Hoffmann et al., 2023; WMO, 2024b). Forecasts can support anticipatory action, but only if the system is configured to read
588 them as policy-relevant signals, not technical background.

589

590 6 Risk Interpretation and System Structure

591 Early Warning Systems are widely recognised as central to disaster risk reduction (Kelman and Glantz, 2014; Šakić Trogrlić
592 and Van Den Homberg, 2022; UNDRR, 2015; WMO, 2024b). They are typically embedded in frameworks that
593 conceptualise disasters into sequential phases of preparedness, response, recovery, and risk reduction. These phases are often
594 assumed to unfold in a linear progression, with decisions and responsibilities evolving predictably over time (Berke et al.,
595 1993; McEntire, 2021). However, critical perspectives challenge this view, emphasising that disasters emerge within
596 complex, uncertain, and structurally constrained systems (McDermott et al., 2022; Wilkinson, 2012).
597 The analysis builds on those insights by examining how institutional structures shape the interpretation of risk. It introduces
598 the Waterdrop Model and applies it to the July 2021 floods in Luxembourg.
599


600 6.1 The Waterdrop Model

601 The Waterdrop Model is a structural model for analysing how Early Warning Systems filter risk signals (Figure 8). The
602 model was developed as a diagnostic extension of the reconstructed value chain and is intended to examine how institutional
603 design conditions the use of forecast information and is not intended as a prescriptive or deterministic framework. Developed
604 through reflection on the Luxembourg 2021 flood, the model builds on the value chain approach by clarifying how
605 institutional configuration not just communication or technical capacity determines whether forecast information can lead to
606 anticipatory action (Cloke and Pappenberger, 2009; Hermans et al., 2022; Golding, 2022). Rather than assuming that signals
607 automatically translate into action, the model helps identify how value is conditioned by the system into which information
608 enters. The Waterdrop Model explains how mandates and responsibilities shape whether forecast information can lead to
609 action.


610 Figures 7 and 8 are intended to be read together, with Figure 7 documenting the empirical sequence of forecasts and alerts
611 during the event and Figure 8 providing a conceptual framework for interpreting how the warning system processed that
612 information.

613 At the centre of the model is a triangle representing the architecture of a national Early Warning System. Each corner of the
614 triangle corresponds to authorised data sources, predefined procedural thresholds and designated institutional mandates that
615 define responsibility and the timing of warning authorisation and dissemination. Only when a signal passes through all three
616 originating from a recognised source, exceeding a defined procedural threshold, and falling within the responsibility of an
617 authorised actor can it initiate protective measures (Alfieri et al., 2012; Antwi-Agyakwa et al., 2023). These thresholds
618 function as institutional decision rules that intersect with governance arrangements by defining when responsibility shifts
619 from monitoring to authorisation and action. If any of these conditions are not met, the signal may circulate informally but
620 cannot trigger official warning. The triangle defines the system's operational boundaries for action. Within this structure,
621 procedural bottlenecks can delay escalation and dissemination even when risk information is available and technically
622 credible.

623 Surrounding this core are institutional actors, forecast and data products, observational networks that may hold operational
624 relevance but lack formal standing within the warning protocol. These include probabilistic forecast products, transboundary
625 alerts, local data sources, and expert assessments from actors without decision authority. The model distinguishes between
626 signals that are visible and those that are usable within institutional procedure (De Coning et al., 2015; Jaime et al., 2022).
627 Information may be available, but it only becomes actionable when it meets the system's internally defined criteria.



A



B

Figure 8 The Waterdrop Model: How Structural Design Filters Risk Information in Early Warning Systems. This figure provides a conceptual representation of how warning systems process and filter forecast information.

Panel A presents the conceptual model. Forecast signals enter from the left and are filtered through a triangular warning core defined by three structural components: authorised data sources (left corner), procedural thresholds and policy rules (top), and institutional mandates (bottom). Only signals meeting all three criteria progress to warnings and response. Dashed arrows represent excluded signals. Concentric ellipses represent the narrowing opportunity for anticipatory action, aligned with the timeline at the base.

Panel B applies the model to Luxembourg's 2021 flood. Forecast inputs from ECMWF, EFI, EFAS, ASTA, and cross-border sources were available but remained outside national procedures. Only deterministic inputs from authorised actors (MeteoLux, AGE) passed through the system's triangle via PIUs and LARSIM. Signals lacking procedural status were filtered out. On the right, warnings connect to coordination actors (CGDIS, municipalities, Crisis Unit), with post-warning actions and impacts shown. The national system boundary illustrates how institutional design limited the use of probabilistic and transboundary signals

629 time passes and certainty increases, more signals may enter the triangle, but the decision space for anticipatory action
630 narrows, increasing the risk that warnings are issued once impacts are already unfolding. The model is intentionally
631 diagnostic. It does not propose an ideal structure, but instead clarifies how institutional design choices govern the use of
632 information. It supports critical analysis of how systems configured around deterministic certainty and linear authority may
633 fail to act on probabilistic or emerging risk, even when warnings are technically available (Arnal et al., 2020; Bourtier and
634 Marchal, 2024). In Luxembourg, this structural filtering was reinforced by reliance on a single reference station at Findel,
635 which concentrated procedural authority in one location and increased vulnerability to delayed threshold exceedance

636

637 **6.2 Application to the Luxembourg 2021 Flood Disaster**

638 The Waterdrop Model helps explain why Luxembourg's national Early Warning System did not activate early action in
639 response to multiple early indicators of flood risk in July 2021. Ensemble forecasts from ECMWF, EFI values exceeding 0.8,
640 and EFAS alerts for neighbouring basins all pointed to a high-impact rainfall event. No warning level increase occurred until
641 deterministic thresholds were breached, and national coordination began only after widespread impacts were already
642 underway (Busker et al., 2025; Haag et al., 2022). This outcome was not due to a lack of forecast capacity, but to the
643 system's structural configuration.

644 Under Luxembourg's operational rules, meteorological warnings could only be issued by MeteoLux on the basis of
645 deterministic forecasts from the Findel reference station, while hydrological alerts from AGE depended on observed
646 exceedance at designated gauging stations. Forecasts from ensemble systems, Extreme Forecast Index values, EFAS alerts,
647 and observations from other networks such as ASTA's agrometeorological stations were available but held no formal status
648 within the Weather and Flood Emergency Plans (Section 3). These products could inform internal situational awareness, but
649 they were not recognised as valid inputs for official activation or public warning.

650 Although AGE had access to probabilistic flood forecasts and ensemble precipitation inputs through models such as
651 LARSIM, these were not operationalised in the alerting process. As noted in (Busker et al., 2025), probabilistic outputs are
652 used internally but have no procedural consequence. The national Early Warning System was designed to act on
653 deterministic exceedance at specified locations, not on converging probabilistic evidence. Even when credible signals were
654 identified, there was no mechanism to translate those signals into formal decisions unless they matched the authorised
655 criteria embedded in national protocol (Jaime et al., 2022).

656 This design filtered out signals that were visible but procedurally unusable. Despite record precipitation at Findel and
657 extreme rainfall recorded at other stations, no procedural mechanism existed to escalate warnings based on broader
658 observational or probabilistic evidence. Godbrange recorded over 100 mm of rainfall in 24 hours, well above the red alert
659 level threshold but this observation played no role in national activation because it came from a station not designated in the
660 Emergency Plan. EFAS alerts issued for upstream river basins in Germany and Belgium were not extended to Luxembourg
661 due to dissemination criteria that required a minimum upstream catchment area of 2000 km² and persistence across multiple

662 ensemble cycles. An informal notification for the Sauer was received shortly before peak impacts but held no formal status.
663 Forecast interpretation remained tied to deterministic exceedance from nationally authorised sources.
664 Coordination followed the same logic. The emergency protocols allow for the convening of an inter-institutional Evaluation
665 Cell during orange or red alert phases. This unit, chaired by the responsible technical authority (Meteolux or AGE), assesses
666 conditions and advises the HCPN on whether national coordination is required. However, activation of the Crisis Unit
667 remains a political decision and must be authorised by the Prime Minister. In July 2021, this process delayed formal cross-
668 agency coordination until midnight on 15 July, by which time widespread impacts were already unfolding (Hagenlocher et
669 al., 2023). No procedural mechanism existed to initiate anticipatory coordination based on converging probabilistic signals.
670 The system remained in observation mode until deterministic procedural thresholds were exceeded.
671 The Waterdrop Model captures this disconnect. It shows how system structure rather than technical capacity determined
672 what information could lead to action. In Luxembourg, early signals were present, but action was delayed not necessarily
673 because they were missed, but because they were procedurally unusable. The model highlights how protocols that prioritise
674 deterministic certainty and formal authority may struggle to respond under uncertainty, even when forecasts provide advance
675 warning.
676

677 **6.3 Implications for Systemic Risk and Governance**

678 The 2021 flood disaster illustrates how Early Warning Systems can be technically capable but structurally restricted.
679 Convergent and credible risk information was available, but the system design prevented early action based on early
680 warning. The Waterdrop Model shows that these dynamics emerge not from isolated misjudgements, but from how
681 institutional arrangements define valid inputs and allocate authority to respond (Kelman and Glantz, 2014; Oliver-Smith,
682 2018).
683 Systems that rely heavily on fixed thresholds, sequential decision-making processes and limited incorporation of
684 probabilistic signals may systematically exclude useful early indicators. These systems are optimised for certainty, not for
685 emerging or partial information. As a result, action may only begin once impacts are visible, reducing forecast value and
686 shortening the response window (Šakić Trogrić and Van Den Homberg, 2022).
687 The absence of a formal post-event review in Luxembourg suggest how governance cultures shape system learning. While
688 several European countries initiated independent evaluations following the 2021 floods, Luxembourg did not. This suggests
689 a governance context where formal post-event review is not institutionalised as standard practice.
690 Technical upgrades alone cannot resolve these challenges. The launch of LU-Alert improved message delivery capacity, but
691 the limitations observed in 2021 were primarily structural.
692 How institutions handle uncertainty also shapes trust in warning systems. When uncertainty is communicated implicitly
693 through procedural delay or conservative escalation, it may weaken confidence among both officials and the public.
694 Repeated exposure to warnings that do not lead to visible action further raises communication and risk-education challenges,
695 for decision-makers tasked with interpreting evolving signals under uncertainty.

696 The Waterdrop Model highlights how systemic risk can emerge not only from external hazards, but from internal design
697 features of governance systems. This reflects a broader understanding of systemic risk as emerging from the structure and
698 configuration of Early Warning Systems themselves (Bosher et al., 2021; Golding, 2022; Šakić Troglić and Van Den
699 Homberg, 2022). These insights align with critical analyses of disaster governance that emphasise how institutional design
700 filters what counts as actionable information (Alcántara-Ayala and Oliver-Smith, 2016; McDermott et al., 2022; Wilkinson,
701 2012). It highlights how the operational value of information depends on whether systems are configured to use it. While
702 effective early warning depends on whether warnings are understood and acted upon by residents, this analysis focuses on
703 the institutional conditions that determine whether such warnings can be authorised, escalated, and disseminated in the first
704 place. The design, targeting, and evaluation of resident-facing messages are therefore recognised as essential, but lie beyond
705 the empirical scope of this study. A more detailed mapping of domain-specific processes and interpretive practices within
706 institutions would require data beyond those available for this analysis and represents a priority direction for future research.
707 Early Warning Systems are not only about detecting hazard signals. They are about whether institutional structures enable
708 interpretation and coordinated action in time. Without that capacity, even the most advanced forecast systems may struggle
709 to prevent disaster.

710

711 This analysis is based on publicly available records, institutional documentation, and reconstructed timelines, and is
712 therefore limited to formally documented procedures, mandates, and authorised communication channels within the national
713 warning system. Informal decision-making, undocumented interpretations, and internal deliberations are not captured. The
714 analysis further focuses on the warning system up to the point at which alerts are issued to the public. Public interpretation,
715 behavioural response, and message effectiveness are not examined, as these dimensions require different data and methods.
716 These limitations should be considered when interpreting the findings. They also highlight an important direction for future
717 research on people-centred early warning, in which institutional analysis is complemented by studies of public understanding
718 and response.

719

720 **7. Conclusion**

721 Early Warning Systems are widely recognized as essential tools for disaster risk reduction. As demonstrated by severe
722 floods of July 2021 in Luxembourg, having forecast information available does not guarantee that early action will follow.
723 While forecast signals were available several days in advance, procedural systems prioritised action based on confirmation
724 rather than forecast-based uncertainty. Using a value chain approach, we traced how forecast information moved through
725 Luxembourg's Early Warning System and identified points where timing, procedural thresholds, and divided responsibilities
726 limited anticipatory action. These constraints were not caused by inaccurate forecasts but by how risk information was
727 understood, prioritised, and translated into action within existing structures.

728 To support this analysis, the Waterdrop Model was introduced to show how forecast signals interact with institutional rules
729 and operational timelines. It clarifies why credible early indicators may not lead to timely decisions when systems depend on
730 predefined criteria or rigid procedural steps. The model also highlights how time pressure and fragmented responsibilities
731 can hinder collective interpretation, especially when institutions lack not only authority but also the resources and structures
732 needed to act on probabilistic guidance.

733 Luxembourg's experience reflects a broader challenge. An effective Early Warning System derives its value from the
734 capacity of institutions to interpret forecasts as actionable signals and to mobilise timely, coordinated responses under
735 uncertainty. The analysis returns to the central question of how forecast signals were translated into anticipatory action
736 during the July 2021 floods in Luxembourg. The findings show that institutional design largely determined whether early
737 information could be authorised, interpreted, and acted upon in time. The Value Chain approach and the Waterdrop Model
738 show how governance structures shape the operational value of forecasts in Early Warning Systems across different
739 institutional settings.

740 **Author Contributions**

741 JDC led the investigation, conducted the analysis, and wrote the manuscript as part of his PhD research. EE and DH
742 contributed to the development of the value chain framework and the design of the database questionnaire. HLC and JN
743 supervised the PhD project and provided conceptual guidance and feedback on the manuscript. All authors contributed to
744 discussions of the results and approved the final version of the paper.

745 **Acknowledgements**

746 This research was conducted as part of JDC's PhD at the University of Reading. The author thanks HLC and JN for
747 supervision and guidance throughout the project, and EE and DH for their collaboration, input, and support. The author also
748 acknowledges the foundational work of the WMO WWRP HIWeather Value Chain Project team, and the continuity of that
749 work supported by the UCL Warning Research Centre, which hosts the value chain questionnaire used in this study.
750 Additional thanks go to Linus Magnusson (ECMWF) and Thomas Schreiner (ESSL) for providing access to forecast and
751 severe weather data used in the analysis.

752

753 **References**

754 ACA: Inondations de juillet 2021: 6300 victimes indemnisées. Association des Compagnies d'Assurances et de
755 Réassurances du Grand-Duché de Luxembourg. Available at: <https://www.aca.lu/fr/inondations-de-juillet-2021-6300-victimes-indemnisees/>, 2021.
756
757 AGE: Hochwasserereignis Juli 2021, 2021a.

758 AGE: Hochwasserinformation: Lageberichte 13.-17. Juli 2021, Administration de la Gestion de l'Eau, Ministère de
759 l'Environnement, du Climat et du Développement durable, Luxembourg, 2021b.

760 AGE: Hochwasserrisiko-Managementplan 2021-2027, Flood Risk management Plan, 2021c.

761 Alcántara-Ayala, I. and Oliver-Smith, A.: Forensic Investigations of Disasters (FORIN): A Conceptual Framework and
762 Guide to Research, Integrated Research on Disaster Risk (IRDR), 2016.

763 Alcántara-Ayala, I. and Oliver-Smith, A.: Early Warning Systems: Lost in Translation or Late by Definition? A FORIN
764 Approach, International Journal of Disaster Risk Science, 10, 317–331, [https://doi.org/10.1007/S13753-019-00231-3/FIGURES/3](https://doi.org/10.1007/S13753-019-00231-3), 2019.

766 Alfieri, L., Salamon, P., Pappenberger, F., Wetterhall, F., and Thielen, J.: Operational early warning systems for water-
767 related hazards in Europe, Environmental Science & Policy, 21, 35–49, <https://doi.org/10.1016/j.envsci.2012.01.008>, 2012.

768 Amarnath, G., Alahcoon, N., Attoh, E., and Jampani, M.: The AWARE Platform – Promoting Early Warning of and
769 Effective Response to Climate Hazards, International Water Management Institute (IWMI), CGIAR, 2023.

770 Antwi-Agyakwa, K. T., Afenyo, M. K., and Angnuureng, D. B.: Know to predict, forecast to warn: A review of flood risk
771 prediction tools, Water, 15, 427, <https://doi.org/10.3390/w15030427>, 2023.

772 Arnal, L., Anspoks, L., and Manson, S.: Are we talking just a bit of water out of bank? Or is it Armageddon?, Geoscience
773 Communication, 3, 203–218, 2020.

774 Aznar-Crespo, P., Aledo, A., Ortiz, G., and Tur-Vives, J.: Cómo escribir mensajes de alerta frente a inundaciones, Agua y
775 Territorio, 2024.

776 Ball, N.: The myth of natural disasters, The Ecologist, 5, 368–369, 1975.

777 Basher, R.: Global early warning systems for natural hazards: systematic and people-centred, Philosophical Transactions of
778 the Royal Society A: Mathematical, Physical and Engineering Sciences, 364, 2167–2182,
779 <https://doi.org/10.1098/rsta.2006.1819>, 2006.

780 Becker, G., Evers, M., and Slootjes, N.: Transboundary flood risk management: The role of coordination and communication
781 in early warning and crisis response, International Journal of Disaster Risk Reduction, 31, 1054–1061,
782 <https://doi.org/10.1016/j.ijdrr.2018.01.034>, 2018.

783 Benoy, F.: Interpellation au sujet de la réduction des risques d'inondations N° 3638: Motion 1, 2021.

784 Berke, P. R., Kartez, J., and Wenger, D.: Recovery after disaster: Achieving sustainable development, mitigation and equity,
785 Disasters, 17, 93–109, <https://doi.org/10.1111/j.1467-7717.1993.tb01137.x>, 1993.

786 Biancalana, D.: Interpellation au sujet de la gestion de catastrophes naturelles N° 3635: Motion 2, 2021.

787 BMI and BMF: Bericht zur Hochwasserkatastrophe 2021: Katastrophenhilfe, Wiederaufbau und Evaluierungsprozesse,
788 Bericht zur Hochwasserkatastrophe 2021, 2022.

789 Bosher, L., Chmutina, K., and Van Niekerk, D.: Stop going around in circles: towards a reconceptualisation of disaster risk
790 management phases, DPM, 30, 525–537, <https://doi.org/10.1108/DPM-03-2021-0071>, 2021.

791 Bouttier, F. and Marchal, H.: Probabilistic short-range forecasts of high-precipitation events: optimal decision thresholds and
792 predictability limits, *Natural Hazards and Earth System Sciences*, 24, 2793–2810, 2024.

793 Busker, T., Castro, D. R., Vorogushyn, S., Kwadijk, J., Zoccatelli, D., Loureiro, R., Murdock, H. J., Pfister, L., Dewals, B.,
794 Slager, K., Thielen, A. H., Verkade, J., Willems, P., and Aerts, J. C. J. H.: Comparing Flood Forecasting and Early Warning
795 Systems in Transboundary River Basins, , <https://doi.org/10.5194/egusphere-2025-828>, 2025.

796 CEMS: EMSN139: Retrospective Flood Analysis in Luxembourg, July 2021, Copernicus Emergency Management Services,
797 2022.

798 CGDIS: Rapport d'activité 2021, Corps Grand-Ducal d'Incendie et de Secours, 2022.

799 CGDIS Law: Loi du 27 mars 2018 portant organisation de la sécurité civile et création d'un Corps grand-ducal d'incendie et
800 de secours, Law of 27 March 2018 on the organisation of civil security and the creation of the CGDIS, 2018.

801 CHD: Motion n°3634 concernant les inondations des 14 et 15 juillet 2021, déposée par Gilles Roth (CSV) et co-signée par
802 ADR, Déi Lénk et Piraten, Motion parlementaire, 2021a.

803 CHD: Procès-verbal de la réunion du 7 octobre 2021. P.V. AIEFH 24 / P.V. ECEAT 38, 2021b.

804 CHD: Réponse à la question parlementaire n° 984 sur la collaboration et la fusion éventuelle des services météorologiques
805 publics, 2024.

806 Cloke, H. L. and Pappenberger, F.: Ensemble flood forecasting: A review, *Journal of Hydrology*, 375, 613–626,
807 <https://doi.org/10.1016/j.jhydrol.2009.06.005>, 2009.

808 Cosson, C., Jordan, F., and Berne, A.: Ensemble approach for flash flood forecasting in alpine watersheds, Master's Thesis,
809 École Polytechnique Fédérale de Lausanne (EPFL), 2024.

810 Coughlan de Perez, E., Harrison, L., Berse, K., Easton-Calabria, E., Marunye, J., Marake, M., Murshed, S. B., Shampa, and
811 Zauisomue, E.-H.: Adapting to climate change through anticipatory action: The potential use of weather-based early
812 warnings, *Weather and Climate Extremes*, 38, 100508, <https://doi.org/10.1016/j.wace.2022.100508>, 2022.

813 Dasgupta, A., Arnal, L., Emerton, R., and others: Connecting Hydrological Modelling and Forecasting from Global to Local
814 Scales: Perspectives from an International Joint Virtual Workshop, *Journal of Flood Risk Management*,
815 <https://doi.org/10.1111/jfr3.12880>, 2025.

816 De Coning, E., Pegram, E., and Poolman, E.: Improvement of early preparedness and early warning systems for extreme
817 climatic events – flood warnings, Water Research Commission, 2015.

818 Deltaires: Audit of Flood Risk Communication and Warning Effectiveness: July 2021 Floods in the Netherlands, Deltaires,
819 2023.

820 Diederichs, O., Louviau, P., Catoire, S., and Torterotot, J.-P.: Retour d'expérience des inondations des 14 et 15 juillet 2021,
821 Inspection Générale de l'Administration (IGA), Conseil Général de l'Environnement et du Développement Durable
822 (CGEDD), Conseil Général de l'Économie (CGE), 2023.

823 Dieschbourg, C. and Bofferding, T.: Réponse à la question parlementaire n°4675 au sujet du système européen d'alerte pour
824 les inondations (EFAS), 2021.

825 Douinot, A., Iffly, J. F., Tailliez, C., Meisch, C., and others: Flood patterns in a catchment with mixed bedrock geology and a
826 hilly landscape: identification of flashy runoff contributions during storm events, *Hydrology and Earth System Sciences*, 26,
827 5185–5203, <https://doi.org/10.5194/hess-26-5185-2022>, 2022.

828 Ebert, E., Hoffmann, D., Da Costa, J., Liang, X., Mills, B., Mooney, C., Msemo, H., Pastor-Paz, J., Perrels, A., and Tupper,
829 A.: A framework and guide for using value chain approaches to understand, improve, measure, and design early warning
830 systems, *EMS2023*, <https://doi.org/10.5194/EMS2023-498>, 2023.

831 Ebert, E., Hoffmann, D., and Mooney, C.: Warning Value Chain Questionnaire and Guide,
832 <https://doi.org/10.5281/zenodo.10457434>, 2024.

833 Endendijk, T., Botzen, W., Moel, H. D., Aerst, J., Duijndam, S., Slager, K., Kolen, B., and Kok, M.: Experience From the
834 2021 Floods in the Netherlands, *Journal of Coastal and Riverine Flood Risk*, 2, <https://doi.org/10.59490/jcrfr.2023.0009>,
835 2023.

836 EUMETSAT: Case Study: Devastating floods in Western Europe, EUMETSAT, 2021.

837 European Commission: Implementation of the Water Framework Directive and the Floods Directive – Second River Basin
838 Management Plans, 2021.

839 Galvez-Hernandez, P., Dai, Y., and Muntaner, C.: The DANA disaster: Unraveling the political and economic determinants
840 for Valencia's floods devastation, *International Journal for Equity in Health*, 2025.

841 Glantz, M. H. and Pierce, G.: For the Record: Second Thoughts on Early Warning, Early Action (EWEA), EW4All, or
842 EWEA4All?, *Atmosphere*, 14, 1631, <https://doi.org/10.3390/atmos14111631>, 2023.

843 Golding, B.: Towards the “Perfect” Weather Warning, edited by: Golding, B., Springer International Publishing,
844 <https://doi.org/10.1007/978-3-030-98989-7>, 2022.

845 Gould, K., Jacob Remes, and Garcia, M.: Beyond “natural-disasters-are-not-natural”: the work of state and nature after the
846 2010 earthquake in Chile, *Journal of Political Ecology*, 23, <https://doi.org/10.2458/v23i1.20181>, 2016.

847 Grimaldi, S., Thiemig, V., Pechlivanidis, I., Sprokkereef, E., Harrigan, S., Mazzetti, C., Prudhomme, C., Ziese, M.,
848 Schirmeister, Z., Salvo, I. C., Arroyo, M. M., and Salamon, P.: The European Flood Awareness System - A technical
849 assessment of the EFAS performance during the Meuse and Rhine floods in July 2021, Technical report, European
850 Commission, 2023.

851 Haag, I., Krumm, J., Aigner, D., Steinbrich, A., and Weiler, M.: Simulation von Hochwasserereignissen in Folge lokaler
852 Starkregen mit dem Wasserhaushaltsmodell LARSIM, *Hydrologie & Wasserbewirtschaftung*, 66, 6–27, 2022.

853 Hagenlocher, M., Okamoto, S., Nagabhatla, N., Dietrich, S., Hassel, J., Heijden, S. van der, Kreft, S., Lombaerde, P. D.,
854 Nick, F., Oakes, R., and others: Building climate resilience: lessons from the 2021 floods in western Europe, *Lessons from*
855 *the 2021 floods in western Europe*, 2023.

856 Hannes, K., Thyssen, P., Bengough, T., Dawson, S., Paque, K., Talboom, S., Tuand, K., Vandendriessche, T., Van De
857 Veerdonk, W., Wopereis, D., and Vandamme, A.-M.: Inclusive Crisis Communication in a Pandemic Context: A Rapid
858 Review, *IJERPH*, 21, 1216, <https://doi.org/10.3390/ijerph21091216>, 2024.

859 HCPN: Plan d'intervention d'urgence en cas d'inondations (PIU inondations), Haut-Commissariat à la Protection nationale
860 (HCPN), 2019.

861 HCPN Law: Loi du 23 juillet 2016 portant création d'un Haut-Commissariat à la Protection nationale. Journal officiel du
862 Grand-Duché de Luxembourg. Available at: <https://legilux.public.lu/eli/etat/leg/loi/2016/07/23/n1/consolide/20220703>,
863 2016.

864 Hegger, D. L. T., Driessen, P. P. J., Wiering, M., Van Rijswick, H. F. M. W., Kundzewicz, Z. W., Matczak, P., Crabbé, A.,
865 Raadgever, G. T., Bakker, M. H. N., Priest, S. J., Larrue, C., and Ek, K.: Toward more flood resilience: Is a diversification of
866 flood risk management strategies the way forward?, *E&S*, 21, art52, <https://doi.org/10.5751/ES-08854-210452>, 2016.

867 Hermans, T. D. G., Troglić, R. Š., Homberg, M. J. C. van den, Bailon, H., Sarku, R., and Mosurska, A.: Exploring the
868 integration of local and scientific knowledge in early warning systems for disaster risk reduction: a review, *Natural Hazards*,
869 114, 1125–1152, <https://doi.org/10.1007/s11069-022-05468-8>, 2022.

870 Hersbach, H., Bell, B., Berrisford, P., Hirahara, S., Horányi, A., Muñoz-Sabater, J., Nicolas, J., Peubey, C., Radu, R.,
871 Schepers, D., Simmons, A., Soci, C., Abdalla, S., Abellan, X., Balsamo, G., Bechtold, P., Biavati, G., Bidlot, J., Bonavita,
872 M., Chiara, G. D., Dahlgren, P., Dee, D., Diamantakis, M., Dragani, R., Flemming, J., Forbes, R., Fuentes, M., Geer, A.,
873 Haimberger, L., Healy, S., Hogan, R. J., Hólm, E., Janisková, M., Keeley, S., Laloyaux, P., Lopez, P., Lupu, C., Radnoti, G.,
874 Rosnay, P. de, Rozum, I., Vamborg, F., Villaume, S., and Thépaut, J. N.: The ERA5 global reanalysis, *Quarterly Journal of*
875 *the Royal Meteorological Society*, 146, 1999–2049, <https://doi.org/10.1002/qj.3803>, 2020.

876 Hoffmann, D., Ebert, E. E., Mooney, C., Golding, B., and Potter, S.: Using value chain approaches to evaluate the end-to-
877 end warning chain, *Advances in Science and Research*, 20, 73–79, <https://doi.org/10.5194/ASR-20-73-2023>, 2023.

878 IFRC: Handbook on Risk Communication and Community Engagement, 2020.

879 Jaime, C., de Perez, E. C., van Aalst, M., and Raju, E.: What was known: Weather forecast availability and communication
880 in conflict-affected countries, *International Journal of Disaster Risk Reduction*, <https://doi.org/10.1016/j.ijdrr.2022.103182>,
881 2022.

882 Kalogiannidis, S., Kalfas, D., Kontzas, S., Papaevangelou, O., and Chatzitheodoridis, F.: Evaluating the Effectiveness of
883 Early Warning Systems in Reducing Loss of Life in Natural Disasters: A case study of Greece, *JRACR*, 15, 33,
884 <https://doi.org/10.54560/jracr.v15i1.547>, 2025.

885 Kelman, I. and Glantz, M. H.: Early Warning Systems Defined, in: *Reducing Disaster: Early Warning Systems For Climate*
886 *Change*, Springer Netherlands, 89–108, https://doi.org/10.1007/978-94-017-8598-3_5, 2014.

887 Kobs, D.: Application and verification of ECMWF products 2018 - Luxembourg, in: *Green Book 2018*, ECMWF, 2018.

888 Lanfranconi, C., Maio, F. V. D., and Stefano, R. D.: Multi-hazard and risk informed system for enhanced disaster risk
889 management, *MEDIATE Project*, 2024.

890 Lang, A. and Poschlod, B.: Updating catastrophe models to today's climate – An application of a large ensemble approach to
891 extreme rainfall, *Climate Risk Management*, 44, 100594, <https://doi.org/10.1016/j.crm.2024.100594>, 2024.

892 Lietaer, S., Nagabhatla, N., Scheerens, C., Mycroft, M., and Lombaerde, P. D.: Blind Spots in Belgian Flood Risk
893 Governance: The Case of the Summer 2021 Floods in Wallonia, UNU-CRIS Research Report, 2, 2024,
894 <https://doi.org/10.13140/RG.2.2.28192.39688>, 2024.

895 Ludwig, P., Ehmele, F., Franca, M. J., Mohr, S., Caldas-Alvarez, A., Daniell, J. E., Ehret, U., Feldmann, H., Hundhausen,
896 M., Knippertz, P., Küpfer, K., Kunz, M., Mühr, B., Pinto, J. G., Quinting, J., Schäfer, A. M., Seidel, F., and Wisotzky, C.: A
897 multi-disciplinary analysis of the exceptional flood event of July 2021 in central Europe – Part 2: Historical context and
898 relation to climate change, *Natural Hazards and Earth System Sciences*, 23, 1287–1311, <https://doi.org/10.5194/nhess-23-1287-2023>, 2023.

900 Luxembourg Government: Briefing de presse: Conseil de gouvernement extraordinaire suite aux intempéries (15 juillet
901 2021), 2021a.

902 Luxembourg Government: Rapport relatif à la gestion de crise dans le cadre des intempéries des 14 et 15 juillet 2021 depuis
903 la phase de préalerte, Gouvernement du Grand-Duché de Luxembourg, 2021b.

904 Magnusson, L.: ECMWF Severe Event Catalogue for Evaluation of Multi-scale Prediction of Extreme Weather, ECMWF
905 Technical Memoranda, <https://doi.org/10.21957/i2pb6pe>, 2019.

906 Magnusson, L., Simmons, A., Harrigan, S., and Pappenberger, F.: Extreme rain in Germany and Belgium in July 2021,
907 ECMWF Newsletter, 2021.

908 Martin-Moreno, J. M. and Garcia-Lopez, E.: Devastating “DANA” Floods in Valencia: Insights on Resilience, Challenges,
909 and Strategies Addressing Future Disasters, *Public Health Review*, 2025.

910 McDermott, R., Fraser, A., Ensor, J., and Seddighi, H.: The role of forensic investigation in systemic risk enquiry:
911 Reflections from case studies of disasters in Istanbul, Kathmandu, Nairobi and Quito, *Progress in Disaster Science*, 2022.

912 McEntire, D. A.: *Disaster Response and Recovery: Strategies and Tactics for Resilience*, CRC Press, 2021.

913 MeteoLux: Retour sur les pluies diluviales du 14 et 15 juillet 2021, Administration de la Navigation Aérienne, 2021.

914 Miletic, D. S. and Sorensen, J. H.: Communication of emergency public warnings: A social science perspective and state-of-
915 the-art assessment, Oak Ridge National Laboratory (ORNL), <https://doi.org/10.2172/6137387>, 1990.

916 Ministry of State, Infrastructures, M. du D. durable et des, and l’Intérieur, M. de: Plan d’intervention d’urgence (PIU) en cas
917 d’intempéries « Plan Intempéries », Severe Weather Emergency Intervention Plan, 2015.

918 Mohr, S., Ehret, U., Kunz, M., Ludwig, P., Caldas-Alvarez, A., Daniell, J. E., Ehmele, F., Feldmann, H., Franca, M. J.,
919 Gattke, C., Hundhausen, M., Knippertz, P., Küpfer, K., Mühr, B., Pinto, J. G., Quinting, J., Schäfer, A. M., Scheibel, M.,
920 Seidel, F., and Wisotzky, C.: A multi-disciplinary analysis of the exceptional flood event of July 2021 in central Europe –
921 Part 1: Event description and analysis, *Natural Hazards and Earth System Sciences*, 23, 525–551,
922 <https://doi.org/10.5194/nhess-23-525-2023>, 2023.

923 Montanari, A., Merz, B., and Blöschl, G.: HESS Opinions: The sword of Damocles of the impossible flood, *Hydrology and*
924 *Earth System Sciences*, 28, 2603–2610, 2024.

925 Moselle Convention States: Convention on the Canalisation of the Moselle, Convention on the Canalisation of the Moselle,
926 1956.

927 Netherlands Court of Audit: Beyond the Dyke: Flood protection, spatial adaptation and crisis management, Netherlands
928 Court of Audit, 2024.

929 Oliver-Smith, A.: Disasters and Large-Scale Population Dislocations: International and National Responses, in: Oxford
930 Research Encyclopedia of Natural Hazard Science, Oxford University Press,
931 <https://doi.org/10.1093/acrefore/9780199389407.013.224>, 2018.

932 Our-Sauer-Moselle: Treaty between the Federal Republic of Germany and the Grand Duchy of Luxembourg on the
933 demarcation of the border between the two States, Treaty between the Federal Republic of Germany and the Grand Duchy of
934 Luxembourg on the demarcation of the border between the two States, 2735, 1984.

935 Pot, W., Ridder, Y. de, and Dewulf, A.: Avoiding future surprises after acute shocks: long-term flood risk lessons catalysed
936 by the 2021 summer flood in the Netherlands, Environmental Sciences Europe, 36, 138, <https://doi.org/10.1186/s12302-024-00960-3>, 2024.

938 Reichstein, M., Benson, V., Blunk, J., Camps-Valls, G., Creutzig, F., Fearnley, C. J., Han, B., Kornhuber, K., Rahaman, N.,
939 Schölkopf, B., Tárraga, J. M., Vinuesa, R., Dall, K., Denzler, J., Frank, D., Martini, G., Nganga, N., Maddix, D. C., and
940 Woldemariam, K.: Early warning of complex climate risk with integrated artificial intelligence, Nat Commun, 16, 2564,
941 <https://doi.org/10.1038/s41467-025-57640-w>, 2025.

942 Rhein, B. and Kreibich, H.: Causes of the exceptionally high number of fatalities in the Ahr valley, Germany, during the
943 2021 flood, EGUsphere, 2024, 1–12, <https://doi.org/10.5194/egusphere-2024-2066>, 2024.

944 RTL: De Journal vum 13. Juli 2021, RTL.lu, 2021a.

945 RTL: Xavier Bettel: Situatioun ass offiziell als Naturkatastroph agestuuft ginn, RTL.lu, 2021b.

946 Šakić Trogrlić, R. and Van Den Homberg, M.: Early Warning Systems and Their Role in Disaster Risk Reduction, in:
947 Forecasting and Early Warning Systems in Disaster Risk Reduction, Springer, 2022.

948 Schanze, J.: Flood Risk Management: Basic Understanding and Integrated Methodologies, in: Methodologies for Integrated
949 Flood Risk Management: Research Advances at European Pilot Sites, edited by: Schanze, J., Bakonyi, P., Borga, M.,
950 Marchand, M., Jimenez, J. A., and Kaiser, G., FLOODsite Report T21-09-08, 3–13, 2009.

951 STATEC: Luxembourg en chiffres 2022, Institut national de la statistique et des études économiques du Grand-Duché de
952 Luxembourg (STATEC), 2022.

953 Szönyi, M., Roezer, V., Deubelli, T., Ulrich, J., MacClune, K., Laurien, F., and Norton, R.: PERC floods following “Bernd,”
954 Zurich Insurance Company, 2022.

955 Tan, M. L., Hoffmann, D., Ebert, E., Cui, A., and Johnston, D.: Exploring the potential role of citizen science in the warning
956 value chain for high impact weather, Frontiers in Communication, 7, <https://doi.org/10.3389/fcomm.2022.949949>, 2022.

957 Thieken, A. H., Bubeck, P., Heidenreich, A., Keyserlingk, J. von, Dillenardt, L., and Otto, A.: Performance of the flood
958 warning system in Germany in July 2021 – insights from affected residents, *Natural Hazards and Earth System Sciences*, 23,
959 973–990, <https://doi.org/10.5194/nhess-23-973-2023>, 2023.

960 Thompson, V., Coumou, D., Beyerle, U., and Ommer, J.: Alternative rainfall storylines for the Western European July 2021
961 floods from ensemble boosting, *Communications Earth & Environment*, 2025.

962 Tobias, S.: Wetterwarnungen in Luxemburg Nach Serverpanne Meteolux erwägt Wechsel zu staatlichem Server, *Tageblatt*,
963 2021.

964 Tradowsky, J. S., Philip, S. Y., Kreienkamp, F., Kew, S. F., Lorenz, P., Arrighi, J., Bettmann, T., Caluwaerts, S., Chan, S.
965 C., Cruz, L. D., Vries, H. de, Demuth, N., Ferrone, A., Fischer, E. M., Fowler, H. J., Goergen, K., Heinrich, D., Henrichs, Y.,
966 Kaspar, F., Lenderink, G., Nilson, E., Otto, F. E. L., Ragone, F., Seneviratne, S. I., Singh, R. K., Skålevåg, A., Termonia, P.,
967 Thalheimer, L., Aalst, M. van, Bergh, J. V. den, Vyver, H. V. de, Vannitsem, S., Oldenborgh, G. J. van, Schaeybroeck, B.
968 V., Vautard, R., Vonk, D., and Wanders, N.: Attribution of the heavy rainfall events leading to severe flooding in Western
969 Europe during July 2021, *Climatic Change*, 176, 90, <https://doi.org/10.1007/s10584-023-03502-7>, 2023.

970 Trošelj, J., Lee, H. S., and Hobohm, L.: A real-time flash flood predictive accuracy approach for the development of early
971 warning systems: hydrological ensemble hindcasts and parameterizations, *Sustainability*, 15, 13897, 2023.

972 Tupper, A. C. and Fearnley, C. J.: Disaster early-warning systems can succeed—but collective action is needed, *Nature*, 623,
973 478–482, <https://doi.org/10.1038/d41586-023-03510-8>, 2023.

974 UCL: The UCL Warning Database, 2025.

975 UNDRR: Sendai Framework for Disaster Risk Reduction 2015–2030, *Sendai Framework for Disaster Risk Reduction 2015–*
976 2030

977 UNDRR: Global Status Report on Disaster Risk Reduction and Early Warning Systems, 2022.

978 Wilkinson, E.: Transforming Disaster Risk Management: A Political Economy Approach, 2012.

979 WMO: Early Warnings for All: The UN Global Early Warning Initiative for the Implementation of Climate Adaptation -
980 Executive Action Plan 2023–2027, *Executive Action Plan 2023–2027*, 56, 2022.

981 WMO: Hydromet Gap Report 2024: Closing the Early Warning Gap by 2027, *Hydromet Gap Report 2024*, 2024a.

982 WMO: Value Chain Approaches to Describe, Improve, Value and Co-Design Early Warning Systems, *World*
983 *Meteorological Organization*, 2024b.

984 Zaiotti, R.: *Cultures of border control: Schengen and the evolution of Europe's frontiers*, University of Chicago Press, 2011.

985 Zander, K. K., Nguyen, D., Mirbabaie, M., and Garnett, S. T.: Aware but not prepared: understanding situational awareness
986 during the century flood in Germany in 2021, *International Journal of Disaster Risk Reduction*, 96, 103936,
987 <https://doi.org/10.1016/j.ijdrr.2023.103936>, 2023.

988

989

990