

# Brief communication: ‘Multi-hazard-to-health-outcome’ (MH<sub>2</sub>O) pathways: the known, the unknown, and ten most urgent priorities.

5 Harriet Moore<sup>1</sup>, Qihua Liang<sup>2</sup>, Lee Bosher<sup>3</sup>, John Atanbori<sup>4</sup>, Mark Gussy<sup>1</sup>, Amogh Mudbhatkal<sup>1</sup>,  
Joe Swift<sup>5</sup>, Jaspreet Phull<sup>6</sup>, Kirsten Guy<sup>6</sup>, Lynsey Collinson<sup>7</sup>, Andy Penny<sup>7</sup>, Maria Athanassiadou<sup>8</sup>, Kaja  
Milczewska<sup>9</sup>, Ebenezer Amankwaa<sup>10</sup>, Lucy Kennedy<sup>11</sup>, Edward Hanna<sup>12</sup>, Gregory Sutton<sup>12</sup>,  
Bartholomew Hill<sup>12</sup>, Colin Hopkirk<sup>13</sup>

<sup>1</sup>Lincoln Institute for Rural and Coastal Health, University of Lincoln, Lincoln, LN6 7TS, UK

<sup>2</sup>School of Architecture, Building and Civil Engineering, Loughborough University, Loughborough, LE11 3TT, UK

<sup>3</sup>College of Business, University of Leicester, Leicester, LE1 7RH, UK, UK

10 <sup>4</sup>School of Engineering and Physical Sciences, University of Lincoln, Lincoln, LN6 7TS, UK

<sup>5</sup>Public Health Team, Environment Agency, Bristol, BS1 5AH, UK

<sup>6</sup>Lincolnshire Integrated Care Board, Sleaford, NG34 8GG, UK

<sup>7</sup>developmentPlus, Lincoln, LN5 8EW, UK

<sup>8</sup>Met Office, Exeter, EX1 3PB, UK

15 <sup>9</sup>Environmental Hazards and Emergencies, UK Health Security Agency, London, SE1 8UG, UK

<sup>10</sup>Department of Geography and Resource Development, University of Ghana, Accra, G4-489-4642, Ghana

<sup>11</sup>Spottitt Ltd, Harwell, OX11 0QR, UK

<sup>12</sup>School of Natural Sciences, University of Lincoln, Lincoln, LN6 7TS, UK

<sup>13</sup>Every-One, Lincoln, LN5 OHU, UK

20

*Correspondence to:* Harriet E Moore (HaMoore@lincoln.ac.uk)

**Abstract.** Climate-driven hazards like heat and flooding have complex impacts on human health. Most research considers the impact of individual hazards (e.g., heatwaves) on discrete health outcomes (e.g., heatstroke). However, climate-driven hazards often precipitate additional hazards with cumulative health impacts, such as the compound effect of drought and heatwaves on the physical and mental health of farming communities. Little is known about ‘multi-hazard-to-health-outcome’ (MH<sub>2</sub>O) pathways. We engaged multi-sectorial and international stakeholders through the newly established MH<sub>2</sub>O Working Group and report our co-developed ten most urgent priorities for guiding research, policy and practice towards preparing our global One Community for future uncertainty.

## 1 Introduction

30 Natural hazards including unusually high and low temperatures, flooding and extreme storms, impact human health across multiple temporal and geospatial scales, and via direct and indirect mechanistic pathways (Romanello et al., 2024). Direct pathways include heatwaves causing heatstroke, while indirect pathways often involve impacts on capital and economic productivity, such as high rates of male suicide in agricultural areas exposed to prolonged drought and economic decline (Austin & Kiem, 2025). The impact of natural hazards, including climate-driven hazards, on human health has been of interest  
35 to the research community and policy makers for more than 50 years, with substantial leaps forward following globally

significant environmental crises (Nohrstedt & Parker, 2024), including floods (Nohrstedt, 2011), droughts (Gbegbelegbe et al., 2024), and wildfires (Bryant et al., 2014). Traditionally, the study of natural hazards has been aligned with, or ‘siloed’ within (AghaKouchak et al., 2020)) specialist research fields; geoscientists examine landslide impacts while environmental scientists consider flooding and drought. However, climate change predictions indicate that altered meteorological conditions will precipitate increasingly extreme weather events involving complex, inter-related and co-occurring ‘multi-hazards’ (Boult et al., 2022; Ridder et al., 2020) with consequences for human health. Thus, understanding transitions between single and multiple hazards, the multi-risks resulting from compound and consecutive or cascading multi-hazards (Classen et al., 2023), and specifically ‘multi-hazard-to-health-outcomes’ (MH<sub>2</sub>O) is central to climate adaptation.

The importance of quantifying multi-hazard impacts, as opposed to singular hazard-impact pathways, is not a novel observation. More than 30 years ago, Lewis (1984) considered the cumulative impact of natural multi-hazards on societies and evaluated the effectiveness of colonial era administration for responding to earthquakes, droughts, and hurricanes impacting the island country of Antigua. Lewis (1984) observed that, “To isolate for study each of these as they occur, would be to oversimplify the inter-relationships between the after-effects of one and the occurrence and the effects of the next.” (Lewis, 1984, p.190). Arguably, this reflection is even more relevant today than >30 years ago, particularly in the context of human induced climate change and co-occurring climate-driven hazards. Rural and urban areas of countries including Australia (Chapman et al., 2025) are routinely exposed to high temperatures, drought conditions, and extreme flooding in rapid succession, precipitated by inter-related meteorological conditions (Guerreiro et al., 2018). Coastal and rural communities in the UK regularly experience ground, surface, and coastal flooding resulting from tidal surges, pluvial, and fluvial processes simultaneously (Hendry et al., 2019). The complexity of these inter-relationships will intensify as a result of climate change. Despite the early origins of multi-hazard research, most innovations in the field have occurred relatively recently.

*A preliminary scoping search on Web of Science identified more than 120,000 studies about environmental or natural hazards published from 1970 onward. Of these, 4,096 referred to ‘multi-hazards’, or ‘cascading hazards’ with the majority (85%) published in the last decade.* Studies published in the 1990s mostly consider engineering challenges associated with the compound effect of natural hazards like earthquakes and storms on infrastructure (e.g., Chiu & Chock, 1998). More recent publications tend to focus on vulnerability and impact mapping (e.g., Yiran et al., 2017), and adaptation (Mulyani et al., 2015).

*Only 674 studies were identified related to ‘multi-hazards’, or ‘cascading hazards’ and ‘health’, with the earliest specific mention of ‘multi-hazards and health’ (Spencer et al., 2005) examining the impacts of volcanic eruptions, and notably appearing in this journal. More than 80% of studies on multi-hazards and health were published between 2016 and 2025; 15% of the studies addressed challenges associated with climate change, and most considered impacts on physical health with a focus on contagious disease, while only eight of the studies explored ‘multi-hazard-to-health pathways’ for psychiatric and psychological health.* Given the paucity of research investigating ‘multi-hazards-to-health-outcomes’ (MH<sub>2</sub>O)s, this emerging frontier represents a significant gap in our global knowledge about the likely consequences of climate change on societies.

In February 2025, we launched the Multi-Hazard-to-Health-Outcomes (MH<sub>2</sub>O) Working Group, an international, multi-sectorial, and interdisciplinary community of academic researchers, policy-makers, community advocates, health service providers, funding organisations, environmental agencies, lived experience experts, and clinical practitioners. A summary of the event, including attendees and presentations is documented on our [website](#).<sup>1</sup> Following our inaugural meeting, we synthesized the most urgent priorities co-developed by our MH<sub>2</sub>O community. Here, we report our ten recommendations for rapidly progressing evidence generation in the field of multi-hazard-to-health-outcomes.

## 2 Multi-Hazards-to-Health-Outcomes (MH<sub>2</sub>O) Working Group

The MH<sub>2</sub>O Working Group aims to synthesise existing evidence and generate new evidence about the impact that multi-hazards have on health outcomes. Our first mission is to bring together the MH<sub>2</sub>O community to identify what is known, what is not known, and to address most urgent priorities for immediate action towards supporting most vulnerable groups and regions to prepare for increasingly extreme climatic conditions through rapidly advancing research, policy, and practice.

The initial interest, and indeed request for a collaborative space to better understand the impacts of multi-hazards on health outcomes was identified during the delivery of stakeholder engagement through a multi-region (UK, Ghana) research project about the role of methane in severe respiratory and mental health outcomes (Wellcome Trust 228267/Z/23/Z). Core members (HM, JA, EA, EH, MG) of the Methane Early-Warning Network (ME-NET) research team facilitated Innovation Labs with interdisciplinary and international stakeholder groups, including representatives of climate and health institutes, communities, and government agencies. The ME-NET research aims and methods are reported elsewhere (Moore et al., 2024).

The opportunity to form the MH<sub>2</sub>O Working Group arose through consultation with climate and health stakeholders about the complex inter-relationships between meteorological conditions (e.g., temperature, wind speed, wind direction), atmospheric pollutants (e.g., greenhouse gases), secondary pollutants (e.g., ground-level ozone), and the escalation of underlying health conditions (e.g., asthma, depression) to acute situations requiring emergency medical attention. In the UK, there are good examples of collaboration between government bodies to produce and delivery public health alerts relating to heatwaves and air pollution, such as those issued jointly by the Met Office and the UK Health Security Agency (UKHSA), which are further disseminated through local authorities to the public. For example, the annual Adverse Weather and Health Plan (AWHP) is a product of cross-government collaboration to deliver evidence-based guidance and weather and health alerts. However, there is much more that could be done to further increase collaborative working on multiple hazards both within and between sectors including executive government agencies, academia, and policy. The ‘siloeing’ of policy-making about individual hazards has

---

<sup>1</sup> <https://me-net.blogs.lincoln.ac.uk/our-events/>

been recognized elsewhere (e.g., Leiren & Jacobsen, 2018) and is not surprising; planning for compound and co-occurring hazards is an emerging frontier compared to traditional disaster risk management (Ishiwatari & Hirai, 2024).

100 The overwhelming support for breaking down traditional ‘silos’ in the UK is evidenced in the breadth of attendees for the inaugural Working Group meeting, details of which are recorded elsewhere. Here, we are concerned with the co-created outcomes of the meeting; ten urgent priorities for research, policy and practice, and most importantly, the co-production of an international community with shared vision and purpose towards understanding MH<sub>2</sub>O pathways.

### **3 Iterative co-production:**

105 Paradigms of participation (Chambers, 1994), engagement, inclusion, and co-production (Jasanoff, 2004; Norström et al., 2020) have emerged in response to the increasing complexity of phenomena defining human history, including the impact of natural hazards on the health and wellbeing of societies, decolonial (Lenette, 2022) and social-ecological justice narratives (Forsythe, 2008). While these approaches have shaped research methodology (e.g., stakeholder engagement), the paradigm of co-production also recognizes that creating new knowledge in response to challenges at the nexus of environmental and social  
110 processes, involves establishing new institutions with global credibility, scientific legitimacy (Miller, 2004), and representation beyond academia, including diverse communities of practice. Seen in this light, forming the MH<sub>2</sub>O Working Group, arranging and conducting our inaugural meeting, was an exercise in co-creating an interdisciplinary global community with representation from agencies and institutes in 11 countries across the UK, Europe, Asia and Africa as much as it was a process of co-producing a mission, purpose and most urgent priorities.

115 The inaugural meeting involved an introduction to the state of knowledge about MH<sub>2</sub>O, invited presentations, and co-creative problem-solving activities. In the months preceding the event, the Working Group coordinator (redacted) facilitated virtual collaborative engagements with invited presenters and panellists to co-produce the event agenda and the wider narrative connecting the perspectives, lived experiences, and most urgent challenges at the frontier of preparing for, and responding to MH<sub>2</sub>O. Presenters included not-for-profit advocacy groups (e.g., developmentPlus), NHS Trusts (e.g., the Lincolnshire  
120 Integrated Care Board NHS Trust), national agencies (e.g., Environment Agency, UKHSA, Met Office), international higher education institutes (e.g., University of Ghana) and representatives of the European private remote sensing sector (e.g., EARSC, SPOTTITT). Presentations involved sharing expert knowledge and experiences about MH<sub>2</sub>O pathways, with an agreed aim to highlight impacts on most vulnerable communities, those groups, regions and areas with the greatest multi-hazard exposures and least capacity to engage with health protection options, including poor social and physical service access  
125 and low socio-economic mobility, resulting in constrained agency. Presenters were asked to consult their wider agencies and communities about most urgent priorities for dissemination during their presentations. Following the event, the core MH<sub>2</sub>O research team (redacted) synthesised the shared mission, purpose and most urgent priorities presented and discussed during the in-person event, and captured through virtual tools (e.g., polls) for on-line attendees. Of 86 attendees, 33 responded to a

130 follow-up survey inviting Working Group members to vote on the ten most urgent priorities for MH<sub>2</sub>O research, policy and practice. Thus, co-production informed the purpose and scope for the MH<sub>2</sub>O Working Group, as well as the future focus of our global community towards climate and health adaptation.

#### 4 Mission, purpose and ten most urgent priorities:

135 The MH<sub>2</sub>O Working Group aims to synthesise existing evidence and generate new evidence about the impact that multi-hazards have on health outcomes. Our first mission is to bring together the MH<sub>2</sub>O community to identify what is known, what is not known, and to address most urgent priorities for immediate action towards supporting most vulnerable groups and regions to prepare for increasingly extreme climatic conditions through rapidly advancing research, policy, and practice. Based on the feedback of Working Group members, our most urgent priorities are presented in Table 1 in order of importance.

**Table 1.** Top ten most urgent priorities (P) for MH<sub>2</sub>O research, policy and practice.

<b>P1</b>	Conducting research mapping MH <sub>2</sub> O in under-prepared and most vulnerable communities and regions, including rural and coastal areas.
<b>P2</b>	Identifying adaptation interventions to reduce the impact of climate-driven MH <sub>2</sub> O on health and mental health, including guidelines, housing infrastructure, and environmental modelling.
<b>P3</b>	Translating MH <sub>2</sub> O knowledge to accessible, trustworthy, transparent, and equitable communication, education and preparation.
<b>P4</b>	Forming multi-inter-and-transdisciplinary networks and collaborations, including between and within sectors.
<b>P5</b>	Researching the compound effects of multi-hazards such as heat and air quality on mental health, including seasonal, short-term and long-term pathways.
<b>P6</b>	Establishing multi-datasets, assimilation methods and analysis protocols, including understanding uncertainties.
<b>P7</b>	Harnessing existing, novel and emerging approaches (e.g., machine learning, high-performance computing, and big data analytics) for understanding MH <sub>2</sub> O where possible, and developing new approaches where necessary.
<b>P8</b>	Centring MH <sub>2</sub> O efforts on climate change for understanding future as well as current MH <sub>2</sub> O characteristics, including currently unknown 'black swan' and possible or known 'grey swan' extreme events.
<b>P9</b>	Disaggregating MH <sub>2</sub> O pathways, drivers and impacts between and within regions, areas, communities and individuals to make visible disparities of exposure and vulnerability, including for infectious disease and mental health, towards achieving environmental justice.
<b>P10</b>	Establishing outdoor-indoor pathways and compound effects for heat and air quality, including across scales and the role of classic and secondary pollutants.

140 These focal points represent research frontiers, some of which relate to methodological processes (e.g., P6, P7) like the appropriate and responsible use of machine learning (Ferrario et al., 2025), and others reflecting substantial research gaps about specific MH<sub>2</sub>O pathways (e.g., P5, P10) and most vulnerable groups, regions, and geographic areas (e.g., P1, P9). In our view, developing climate and health multi-datasets and analytical protocols (P6) underlies most other MH<sub>2</sub>O priority research areas. To date, progress in this area has been constrained by data scarcity of important variables (e.g., Kolstad & Johansson, 2011), and challenges with synthesising complex data across varying geospatial and temporal scales (Massazza et al., 2022).

145 Overcoming multi-data complexities will require multi-inter-and-transdisciplinary collaboration (P4) (Kappes et al., 2012) to ensure the meaningful integration of climate and health datasets and vulnerability metrics (Gallina et al., 2016).

All priorities are symbiotic with international agreements (e.g., Paris Agreement), frameworks (e.g., the Sendai Framework), and goals, including goals and targets supported by the 2030 Agenda for Sustainable Development (United Nations, 2015) about reducing deaths and illnesses from hazards such as air pollution (3.9), reducing communicable (3.3) and non-communicable disease and improving mental health and wellbeing (3.4), and strengthening capacity for early warning and risk reduction related to national and global health (3.d). The coordinated generation of novel evidence, multi-datasets, and methodologies is central to achieving these targets and supporting global efforts towards climate resilience and disaster risk reduction.

### 5 Closing remarks:

155 Over the past three decades, research about natural hazards and societies has evolved from a focus on singular hazard-society pathways, to the cumulative effect of inter-related, co-occurring, and cascading hazards on infrastructure in built environments, and most recently the impact of multi-hazards on health outcomes. Currently, little is understood about the cumulative, compounding and cascading impacts of multi-hazards on physical and mental health, and even less about impacts on most vulnerable groups, regions and individuals. It is likely that MH<sub>2</sub>O pathways will vary over shorter and longer timeframes, across heterogeneous urban, rural and coastal landscapes, and between as well as within diverse communities with critical environment and health knowledges. Beyond traditional scientific evidence generation, MH<sub>2</sub>O pathway development must engage lived experience, including local and indigenous understandings of place-and-space-based resilience, positioning community and decolonial forms of knowledge production alongside formal institutional systems. Unpacking these geospatial and temporal nuances will require sophisticated methods and frameworks, and novel collaborations between physical scientists with different specialisations (e.g., meteorology, hydrology and geomorphology), physical and social scientists across broad ranging specialisations, and between researchers, policy-makers, and the diverse communities we strive to support .

165 Importantly, the voices and lived experiences of those most vulnerable to multi-hazard exposures, and least able to embrace adaptation measures should be positioned centrally to the co-production process, from defining problems to delivering and evaluating solutions. It is probable that current siloing obscures the true vulnerability of regions and people exposed to complex co-occurring hazards. Lived experience may shed light on vulnerability ‘blindspots’, enabling more effective disaster risk reduction.

170

Writing of the multiple natural hazards impacting Antigua, Lewis’ (1984) concludes, “It is a simple matter to abstract these observations but it is the inter-relationships of issues which is of predominant importance – and which a separation of studies would obscure.” (p.196). We echo this contention and advocate for the urgent prioritisation of multi-sectorial, interdisciplinary,

175 and international collaborations to rapidly advance the field of ‘multi-hazard-to-health-outcomes’ towards preparing our global  
community for an uncertain future.

#### **Author Contribution:**

HM contributed to conceptualisation, data curation, formal analysis, funding acquisition, methodology, project management,  
writing, drafting, review and editing. QL, LB, MA, KM, EH, JP, LC, CH and KG contributed to conceptualisation, drafting,  
180 reviewing and editing. JA, MG, AM, JS, GS and BH contributed to conceptualisation and project management.

#### **Competing Interest:**

The authors declare that they have no conflict of interest.

#### **Acknowledgements:**

Research England (E3) funding supported the research, enabling the Lincoln Institute of Rural and Coastal Health to host the  
185 Inaugural Multi-Hazards-to-Health-Outcomes (MH<sub>2</sub>O) Working Group meeting. Preliminary steps towards forming the  
Working Group, and follow-up investigations after the inaugural meeting were supported by Wellcome Trust funding through  
the Ideathon Climate and Health Award (228267/Z/23/Z), in conjunction with the delivery of the Methane Early Warning  
Network (ME-NET) project. Contributors to the vision described in this manuscript comprise the members of the Working  
Group who attended the inaugural meeting, including representatives from the University of Lincoln, East Midlands  
190 Ambulance Service NHS Trust (EMAS), Every-One (Lincolnshire), Kenyatta University (Kenya), Science and Education  
Development Institute (Nigeria), and Dennis Osadebay University (Nigeria). Co-creation of the ten most urgent MH<sub>2</sub>O  
priorities reported here was undertaken by Working Group members who completed the follow-up survey. The views  
expressed are those of the author(s) and not necessarily those of the UK Health Security Agency or the Department of Health  
and Social Care.

#### **195 References**

AghaKouchak, A., Chiang, F., Huning, L.S., Love, C.A., Mallakpour, I., Mazdiyarni, O., Moftakhari, H., Papalexioiu, S.M.,  
Ragno, E. and Sadegh, M., 2020. Climate extremes and compound hazards in a warming world. *Annual review of earth and  
planetary sciences*, 48(1), pp.519-548.  
Austin, E.K. and Kiem, A.S.: A review of the relationship between mental health, wellbeing and drought resilience in rural,  
200 regional and remote communities. *Psychiatry J*, 16, p.1528573, 10.3389/fpsy.2025.1528573/full, 2025

- Boult, V.L., Black, E., Abdillahi, H.S., Bailey, M., Harris, C., Kilavi, M., Kniveton, D., MacLeod, D., Mwangi, E., Otieno, G. and Rees, E.: Towards drought impact-based forecasting in a multi-hazard context. *Clim Risk Manage* 35, 100402, [10.1016/j.crm.2022.100402](https://doi.org/10.1016/j.crm.2022.100402), 2022.
- 205 Bryant, R.A., Waters, E., Gibbs, L., Gallagher, H.C., Pattison, P., Lusher, D., MacDougall, C., Harms, L., Block, K., Snowdon, E. and Sinnott, V.: Psychological outcomes following the Victorian Black Saturday bushfires. *Aust NZ J Psychiatry*, 48(7), 634-643, [10.1177/0004867414534476](https://doi.org/10.1177/0004867414534476), 2014.
- Chambers, R.: *Paradigm shifts and the Practice of Participatory Research and Development*. Institute of Development Studies Working Paper 2, 1994.
- Chapman, S., Trancoso, R., Syktus, J., Eccles, R. and Toombs, N.: Impacts on compound drought heatwave events in Australia per global warming level. *Environ Res Lett*, 20(5), 054070, [10.1088/1748-9326/adc8bd](https://doi.org/10.1088/1748-9326/adc8bd), 2025.
- 210 Chiu, G.L. and Chock, G.Y.: Multihazard performance based objective design for managing natural hazards damage. *IFAC Proc Vol*, 31(28), 159-164, [10.1016/S1474-6670\(17\)38490-2](https://doi.org/10.1016/S1474-6670(17)38490-2), 1998.
- Claassen, J.N., Ward, P.J., Daniell, J., Koks, E.E., Tiggeloven, T. and de Ruiter, M.C., 2023. A new method to compile global multi-hazard event sets. *Scientific Reports*, 13(1), p.13808.
- 215 Ferrario, D.M., Sanò, M., Maraschini, M., Critto, A. and Torresan, S.: Harnessing Machine Learning methods for climate multi-hazard and multi-risk assessment. *NHESS*, 1-72, [10.5194/egusphere-2025-670](https://doi.org/10.5194/egusphere-2025-670), 2025.
- Forsyth, T., 2008. Political ecology and the epistemology of social justice. *Geoforum*, 39(2), pp.756-764.
- Gallina, V., Torresan, S., Critto, A., Sperotto, A., Glade, T. and Marcomini, A.: A review of multi-risk methodologies for natural hazards: Consequences and challenges for a climate change impact assessment. *J Environ Man*, 168, 123-132, [10.1016/j.jenvman.2015.12.067](https://doi.org/10.1016/j.jenvman.2015.12.067), 2016
- 220 Gbегbelegbe, S., Chikoye, D., Alene, A., Kyei-Boahen, S., and Chigeza, G.: Strategic Foresight analysis of droughts in southern Africa and implications for food security, *Front. Sustain. Food Syst.*, 7, 1159901, [doi:10.3389/fsufs.2023.1159901](https://doi.org/10.3389/fsufs.2023.1159901), 2024.
- Guerreiro, S. B., Dawson, R. J., Kilsby, C., Lewis, E., and Ford, A.: Future heat-waves, droughts and floods in 571 European cities, *Environ. Res. Lett.*, 13, 034009, [doi:10.1088/1748-9326/aaaad3](https://doi.org/10.1088/1748-9326/aaaad3), 2018.
- 225 Hendry, A., Haigh, I. D., Nicholls, R. J., Winter, H., Neal, R., Wahl, T., Joly-Laugel, A., and Darby, S. E.: Assessing the characteristics and drivers of compound flooding events around the UK coast, *Hydrol. Earth Syst. Sci.*, 23, 3117–3139, [doi:10.5194/hess-23-3117-2019](https://doi.org/10.5194/hess-23-3117-2019), 2019.
- Ishiwatari, M. and Hirai, H.: Challenges in Promoting All-Hazard Approach in Japan: Institutional Arrangements for Managing Cascading Effects, in: *All-Hazards Approach: Towards Resilience Building*, edited by: Izumi, T., pp. 191-205, Springer Nature Singapore, Singapore, [doi:10.1007/978-981-97-1860-3\\_13](https://doi.org/10.1007/978-981-97-1860-3_13), 2024.
- 230 Jasanoff, S.: The idiom of co-production, in: *States of Knowledge*, edited by: Jasanoff, S., pp. 1-12, Routledge, London, [doi:10.4324/9780203413845](https://doi.org/10.4324/9780203413845), 2004.

- 235 Kappes, M.S., Keiler, M., von Elverfeldt, K. and Glade, T., 2012. Challenges of analyzing multi-hazard risk: a review. *Natural Hazards*, 64(2), pp.1925-1958.
- Leiren, M. D. and Jacobsen, J. K. S.: Silos as barriers to public sector climate adaptation and preparedness: insights from road closures in Norway, *Local Gov. Stud.*, 44, 492–511, doi:10.1080/03003930.2018.1465933, 2018.
- Lenette, C., 2022. *Participatory action research: Ethics and decolonization*. Oxford University Press.
- 240 Massazza, A., Teyton, A., Charlson, F., Benmarhnia, T., and Augustinavicius, J. L.: Quantitative methods for climate change and mental health research: Current trends and future directions, *Lancet Planet. Health*, 6, e613–e627, doi:10.1016/S2542-5196(22)00120-6, 2022.
- Miller, C. A.: Climate science and the making of a global political order, in: *States of Knowledge*, edited by: Jasanoff, S., pp. 46-66, Routledge, London, doi:10.4324/9780203413845, 2004.
- 245 Moore, H.E., Atanbori, J., Amankwaa, E.F., Gussy, M., Siriwardena, A.N. and Hanna, E.: Interdisciplinary methods for researching climate-mental health links through the Methane Early Warning Network (ME-NET): improving ‘visibility’ and integrating complex multi-datasets. *Research Directions: Depression*, 1, p.e24, doi.org/10.1017/dep.2024.4, 2024.
- Mulyani, R., Ahmadi, R., Pilakoutas, K., and Hajirasouliha, I.: A multi-hazard risk assessment of buildings in Padang city, *Procedia Eng.*, 125, 1094–1100, doi:10.1016/j.proeng.2015.11.093, 2015.
- 250 Nohrstedt, D. and Parker, C. F.: Revisiting the role of disasters in climate policy-making, *Clim. Policy*, 24, 428–439, doi:10.1080/14693062.2024.2301781, 2024.
- Norström, A. V., Cvitanovic, C., Löf, M. F., West, S., Wyborn, C., Balvanera, P., Bednarek, A. T., Bennett, E. M., Biggs, R., de Bremond, A., and Campbell, B. M.: Principles for knowledge co-production in sustainability research, *Nat. Sustain.*, 3, 182–190, doi:10.1038/s41893-019-0448-2, 2020.
- 255 Ridder, N.N., Pitman, A.J., Westra, S., Ukkola, A., Do, H.X., Bador, M., Hirsch, A.L., Evans, J.P., Di Luca, A. and Zscheischler, J., 2020. Global hotspots for the occurrence of compound events. *Nature communications*, 11(1), p.5956.
- Romanello, M., Walawender, M., Hsu, S. C., Moskeland, A., Palmeiro-Silva, Y., Scamman, D., Ali, Z., Ameli, N., Angelova, D., Ayeb-Karlsson, S., and Basart, S.: The 2024 report of the Lancet Countdown on health and climate change: facing record-breaking threats from delayed action, *Lancet*, 404, 1847–1896, doi:10.1016/S0140-6736(24)01726-1, 2024.
- 260 Šakić Trogrlić, R., Donovan, A., and Malamud, B. D.: Invited perspectives: Views of 350 natural hazard community members on key challenges in natural hazards research and the Sustainable Development Goals, *Nat. Hazards Earth Syst. Sci.*, 22, 2771–2790, doi:10.5194/nhess-22-2771-2022, 2022.
- United Nations: Transforming our world: the 2030 agenda for sustainable development, A/RES/70/1, p. 35, <https://documents-dds-ny.un.org/doc/UNDOC/GEN/N15/291/89/PDF/N1529189.pdf?OpenElement>, 2015.
- 265 Yiran, G. A., Stringer, L. C., Attua, E. M., Evans, A. J., Challinor, A. J., and Gyasi, E. A.: Mapping vulnerability to multiple hazards in the savannah Ecosystem in Ghana, *Reg. Environ. Change*, 17, 665–676, doi:10.1007/s10113-016-1070-5, 2017.

**Code/Data Availability:** No code was involved in the production of this manuscript. Data includes social survey responses of the MH<sub>2</sub>O Working Group about top ten priorities. Summary data is included in the manuscript. No additional data was involved in the preparation of this manuscript.

**Author Contributions:**

Harriet Moore: Conceptualisation, data curation, formal analysis, investigation, methodology, project administration, writing (original draft preparation, review and editing).

Qihua Liang: Conceptualisation, methodology, writing (original draft preparation).

Lee Boshier: Conceptualisation, methodology, supervision, writing (original draft preparation, review and editing).

John Atanbori: Conceptualisation, methodology, investigation, writing (original draft preparation).

Mark Gussy: Conceptualisation, methodology, supervision.

Amogh Mudbhatkal: Conceptualisation, methodology, writing (original draft preparation).

Joe Swift: Conceptualisation, methodology, investigation, writing (original draft preparation).

Jaspreet Phull: Conceptualisation, methodology, investigation, writing (original draft preparation).

Kirsten Guy: Conceptualisation, methodology, investigation, writing (original draft preparation).

Lynsey Collinson: Conceptualisation, methodology, investigation, writing (original draft preparation).

Andy Penny: Conceptualisation, methodology, investigation, writing (original draft preparation).

Maria Athanassiadou: Conceptualisation, methodology, investigation, writing (original draft preparation).

Kaja Milczewska: Conceptualisation, methodology, investigation, writing (original draft preparation).

Ebenezer Amankwaa: Conceptualisation, methodology, investigation, writing (original draft preparation).

Lucy Kennedy: Conceptualisation, methodology, investigation, writing (original draft preparation).

Edward Hanna: Conceptualisation, methodology, investigation.

Gregory Sutton: Conceptualisation, methodology, investigation, writing (original draft preparation).

Bartholomew Hill: Conceptualisation, methodology, investigation, writing (original draft preparation, review and editing).

Colin Hopkirk: Conceptualisation, methodology, investigation, writing (original draft preparation).

**Competing Interests:** There are no competing interests.