

Why a mechanistic theory of soils is crucially important: Another line of supportive arguments exists, seldom invoked in soil science

Philippe C. Baveye¹

¹ Saint Loup Research Institute, 7 rue des chênes, La Grande Romelière, 79600 Saint Loup Lamairé, France.

Correspondence to: Philippe C. Baveye (Philippe.Baveye@Saint-Loup-Institute.org)

Abstract. In the last few decades, the sizable effort that has been devoted to the mechanistic, quantitative description of soil processes has been justified on the grounds that theories and models help us understand how soils function, and also predict how, e.g., they are likely to adjust in the future to environmental change. The argument, familiar to physicists, that theories uniquely determine what should be measured has rarely if ever been invoked in the soil science literature. On the contrary, to enable the classification and mapping of soil, enormous amounts of “theory-free” data have been and continue to be amassed by soil scientists. In this general context, the key objective of the present Forum article is to argue that the accumulation of more “theory-free” data, in particular to allow the application of artificial intelligence methods, does not make practical sense at this stage, and that the development of improved theories of soil processes is crucial to provide guidance about the type of measurements that should be performed. Hopefully, this Forum article will stimulate a debate on this issue, and will lead to a much needed intensification of theoretical research and modelling in soil science.

1 Introduction

Over the last few decades, a very significant research effort has been devoted to the development of mechanistic theories describing some of the physical, (bio)chemical, and biological processes taking place in soils (see review, e.g., in Vereecken et al., 2016). These theories have led to the emergence of an impressive array of computer codes, using a variety of numerical approaches. Several authors, in recent years, have called for an intensification of the research in this area, toward the development of a “theory of soils” (e.g., Neal, 2021; Neal et al., 2021). In their justification of the need for theory and model development, researchers in soil science have traditionally relied on one of two lines of arguments. The first is that by trying to encapsulate into a mechanistic theory what we know about a given process and by comparing computer model outputs with experimental data, it is possible to assess whether our knowledge appears to be satisfactory or is missing some important component of reality. From this perspective, theory building assists the discovery process. Another argument is that theories, and especially the computer models they lead to, help us predict how soil processes are likely to evolve in the future, in the context of climate change (e.g., Chalhoub et al., 2025) or as we try to determine which soil management practices are beneficial to address mounting demands on soils (e.g., Ray et al., 1996).

Deleted: is

Deleted: sensible

Deleted: ,

Deleted:)

An additional line of arguments, commonly adopted in other disciplines, appears to have rarely made any noticeable foray into the soil science literature. It considers that mechanistic theories are absolutely necessary to determine what needs to be measured. This perspective is frequently embraced in physics, among other fields of knowledge. Decades ago, Einstein (quoted in Salam, 1990) opined that theory “decides what can be observed”, and by extension, what cannot. For instance, Heisenberg’s indeterminacy principle states that one cannot measure both the position and momentum of a particle, such as a photon or electron, with perfect accuracy; one has to choose one or the other. In addition to spelling out clearly what can and cannot be measured, a theory also points out the parameters it makes sense to measure, and, by default, those that are irrelevant. For example, because the theory we rely on to accurately describe the thermal expansion of metals under usual environmental conditions involves ambient temperature but not the CO₂ concentration of the air, we know that measurements of the former are crucial to predict in practice by how much above-ground electrical cables are likely to elongate in the Summer, whereas measurements of the latter are not useful at all.

In this general context, the primary objective of this Forum article is to stimulate a debate on the perspective that mechanistic theories are crucially important in soil science as well, to determine what characteristics of soils we need to measure in order to manage soils properly and to design appropriate experiments to test specific hypotheses. To put the narrative in a proper framing, I first try to understand why, in soil science, this line of arguments in support of theory development appears to have so rarely been alluded to.

Deleted: if ever

2 Historical reliance on “theory-free” data in much of soil science

When, in mid-19th century, scientists started paying serious attention to soils, they were immediately confronted with their enormous spatial heterogeneity, requiring ways to classify and map them. To that end, given the sizeable task at hand, measurement methods were needed that at the same time were rapid, could be implemented directly in soil pits or in a rudimentary field laboratory without requiring sophisticated equipment, and dealt with static properties of soils, which did not change appreciably over time. The granulometry of soils, the depth, color, and apparent organic matter content of horizons, or the average size of “aggregates” identified after dismantling soils, were among these easily measured parameters and have constituted the basis on which soils have been mapped for over a century and a half. Their measurements do not require any underlying mechanistic theory of soil processes, either to design the data-acquisition methodology or to interpret what the data imply. For a long time, there was very little theory of soil processes to speak of anyway, which could have been used to design measurement methods, except in relation to the movement and retention of water in soils, but the associated measurements were far too laborious and time-consuming to be used for soil mapping over large regions.

Commented [AV1]: dismantling and studying the soil matrix of soil samples?

When, after the 1960s, soil survey campaigns got completed in a number of countries, (or simply terminated in many others, like France, for lack of support), and interest among soil scientists tended to shift to the multitude of soil processes responsible for the multifunctionality of soils (Simonson, 1966; Heuting, 1970), it became rapidly evident that “theory-free” soil data gathered for the purpose of soil classification and mapping would no longer be adequate. A vivid example of that involves the

Deleted: ,

70 cation exchange capacity (CEC) of soils, which, for purposes of soil classification, had traditionally been measured via replacement of exchangeable cations with a saturating solution at a set pH of 7 or 8.2 (e.g., Sumner and Miller, 1996). This standard measurement technique produces results that do not make much sense when one attempts to describe soil processes, because under undisturbed conditions in soils, the pH often differs from those set values, and because, as shown experimentally by a number of researchers (see, e.g., Mokady and Bresler, 1968; Boast, 1973; Barton and Karathanasis, 1997), the actual CEC of a partly water-saturated soil differs from that obtained when the soil is fully water-saturated.

75 Nevertheless, the idea emerged in part of the soil science community that the mass of “theory-free” data that by then had been accumulated could still be useful to describe soil processes, provided one could establish sufficiently strong statistical correlations between these data and the various “difficult to measure” dynamical parameters needed in that context. In spite of the many questions this idea raises, since it is well known in statistics that correlation and causation are two very different things, and that the former does not imply the latter, a sustained effort was initiated by some researchers to develop a number of such statistical correlations, termed “pedotransfer functions” (see, e.g., Bouma, 1989; Bouma et al., 1996, 2022; Weijnants et al., 2009; Vereecken et al., 2010). This effort has arguably legitimated the continued acquisition of “theory-free” data as well as the recent strong push to digitize soil maps globally, to make them more accessible to users, and fueled the motivation of some soil researchers to advocate that research on soils could be “data-driven”, e.g., using data-mining, machine-learning, or Artificial Intelligence (AI) techniques (Bui et al., 2009; Bui, 2016; Chen et al., 2019; Wadoux et al., 2021; Wadoux, 2025; Minasny and McBratney, 2025; Teodosio et al., 2025).

More fundamentally, one could argue that, over the years, the focus of many researchers in soil science on “theory-free” data and on potentially groundless statistical correlations, rather than on trying to understand and describe quantitatively the basic mechanisms involved in soil processes, has allowed the proliferation of what one of the reviewers of the present article refers to as “myths”. Examples abound and include, to name only a few, the alleged positive impacts of biochars on soil structure and crop yields, of soil biodiversity and a number of other “indicators” on soil functions/services, or of some aspects of the metagenomic make-up of soils on the activity of microorganisms. For example, if researchers had from the onset tried to understand at a basic level by what mechanisms biochars might improve crop yields, they might very well have discovered that biochars by themselves do absolutely nothing, but that it is the various nutrients that biochars contain initially as a result of their pyrolysis that have an effect on crop yields, and only for a short period of time. In order to ascertain this, a full characterization of the physical and chemical properties of biochars (e.g., Baveye, 2014), clear testable hypotheses about mechanisms, and targeted experiments with proper controls would have been required. A recent analysis of the literature on the topic shows that, largely, this research has yet to be carried out and, because of that, no real conclusion can be drawn at present (Chaplot et al., 2025). The same applies to the extent to which the incorporation in soils of fresh organic matter, e.g., cover crops, really contributes to the long-term “sequestration” of carbon in soils (e.g., Chaplot and Smith, 2023, 2024; Baveye et al., 2023). At another level, one might also argue that the fact that many researchers are content with merely identifying correlations between parameters explains why “soil health” remains so poorly conceptualized at this point (e.g., Harris et al., 2022; Baveye et al., 2025).

Deleted: be

Deleted: reliable

Deleted: This idea led some researchers to develop so-called

Deleted: One could argue that the work on pedotransfer functions has...

Deleted: , and

Deleted: ,

Deleted: . The idea that theory-free data suffice for most practical purposes has also led

Recent discussions surrounding the use of machine learning and AI in soil science illustrate some of the drawbacks of these approaches and raise questions about their status of panacea at the moment. The very recent article of Uxa (2025) deals with a specific situation where “statistical learning violates physics”. He shows that the use of global soil temperature maps, generated using machine-learning at a 1-km² resolution for two depth levels of 0–5cm and 5–15cm, can lead to unacceptable outcomes, namely “reversed patterns between the two depth levels in terms of soil temperature physics, with more pronounced temperature amplitudes, minima, and maxima at the deeper level, which has no reasonable physical explanation.” Because a theory exists in this case, dealing with the propagation of diurnal temperature fluctuations in the subsurface, it is possible to determine that the maps machine learning and AI are producing are not sound. In the absence of an underlying theory, it is not as clear that errors would have been identified as easily.

Another very serious issue with machine learning and AI directly relates to their emphasis on correlations. The hope with these approaches, for whose “training” massive amounts of data are needed, was that they could present a significant potential to address and answer successfully some of the key questions about soils with which we are confronted. It is not clear at this stage whether these approaches still hold the same “potential for advancing knowledge and innovation” (Wadoux, 2025) they were claimed to have not very long ago. Indeed, they have clearly run into a serious snag. Starting with Fourcade et al. (2018), various authors have demonstrated that statistically stronger patterns can emerge from databases to which one has deliberately added entirely irrelevant information, for example, a painting or the photograph of a colleague (Behrens and Viscarra Rossel, 2020; Wadoux et al., 2020; Rentschler and Scholten, 2025). Clearly, machine-learning and AI techniques are not able at all in this case either to discriminate on their own between what is meaningful information and what is not. This is hardly surprising since these methods rely heavily on correlations, not causation. Rentschler and Scholten (2025) recently concluded from it that users have the responsibility to make sure that parameters they consider when implementing these techniques are “in line with existing scientific theory of mechanistic and process understanding” (emphasis added). In other words, after decades of trying with a variety of statistical and, lately, AI approaches to rely on masses of “theory-free” data to describe soil processes and functions instead of spending time developing dedicated theories or computer models, it appears necessary to backpedal, and to address head-on the fundamental question of what data we actually need, i.e., which ones are directly relevant to what we want to do.

3 A theory is needed to determine which measurements are relevant

Perhaps the most persuasive plea for the crucial importance of theory in that context comes from the literary world. In her 1923 novel “Murder on the links”, which I think should be recommended reading for all soil science students, Agatha Christie contrasts the modi operandi of two detectives. A French detective runs around feverishly, painstakingly amassing all kinds of information, whereas the famous Belgian detective Hercule Poirot (who, of course, ends up solving the case) mostly sits in an armchair, trying to elaborate a theory of the murder. Poirot’s philosophy is that, past a certain point in a murder investigation,

Deleted: in this context was that

Deleted: ¶

Deleted: .:

Deleted: which we know are intrinsically

Deleted: informative at all about

Deleted: conclude

Commented [AV2]: What is meant by this?

Deleted: ”.

Formatted: Font: Italic

one does not know whether a given bit of information is a clue or, even more basically, where to look to gather additional information in a time-efficient way, unless one has a guiding theory.

The early history of soil physics provides a vivid example of the soundness of this perspective. Buckingham (1907), starting from first principles in physics, developed a theory of water movement in unsaturated soils that led him for the first time to identify the soil water matric potential, the soil water retention curve, and the unsaturated hydraulic conductivity as essential properties of soils in that context (e.g., Nimmo and Landa, 2005; Narasimhan, 2007). At the time, equipment was entirely lacking for their measurement in the field. The first tensiometer, enabling the measurement of the soil water matric potential, was developed a year later, in 1908 (e.g., Or, 2001). Had it not been for Buckingham's (1907) theoretical work, soil physicists might have continued for a long time to try to cope with the description of water movement using easy-to-measure, "theory-free" properties, like soil texture or aggregate size, which his research showed clearly to be irrelevant to the description of soil water movement.

This example could serve as a blueprint for how to proceed in other areas of soil science. For instance, there is a lot of interest at the moment in the effect that bacteriophages could have on various soil processes, like the mineralization of soil organic matter (SOM) and the resulting emission of greenhouse gases by soils (e.g., Pratama and Van Elsas, 2018). Estimates are that there are 10 times as many bacteriophages as bacterial cells in soils, so their so far largely unknown overall effect could be significant. Should we account for it explicitly when we try to predict the fate of SOM? To answer this question, the traditional approach in soil science would have us measure everything we can about bacteriophage abundance and diversity in soils, after which we would try to determine statistically if these data are correlated significantly to processes of interest. This would require an enormous amount of work, likely spanning many years and forcing us to spend a lot of time and money measuring

a large number of parameters that might turn out eventually not to matter. By contrast, a theoretical approach would consist of developing a model of bacteriophage action in soils, based, e.g., on what is known about the behavior of viruses in other systems, and about the dispersion in soils of nanoparticles similar in size to phages. The hypotheses embodied in this model could be tested in simple targeted experiments involving one or two bacteria-bacteriophage pairs, either in actual, sterilized soil samples, or in 2D micromodels. This model, once tested, could then be incorporated with the description of other aspects of soils (see Figure 1) to obtain a comprehensive theory. In many ways, the same approach should be adopted with respect to taking soil fauna explicitly into account in the description of soil processes (Briones, 2014, 2018; Cayuela et al., 2020).

Realistically, the development of this comprehensive theory is not going to be straightforward. Many questions still remain unanswered at the moment about the proper framework for this work. Ecosystem-scale models have assumed for a long time that SOM could be apportioned into separate pools with distinct turnover times, and that its mineralization kinetics could be described by simple first-order reactions, without explicitly accounting for the presence or activity of microorganisms. Efforts have been made in the last two decades to introduce features in the models that deal explicitly with microbial action, carbon use efficiency, and priming, but proponents of this approach admit that they are still largely struggling with it (e.g., Schimel, 2023). A very different, "bottom-up" approach, stimulated by the commercialization of table-top X-ray scanners twenty years ago as well as progress with a number of spectroscopic and pore-scale modelling techniques, consists, as in Figure 1, of

Deleted: measur

Deleted: e

Deleted: waste

developing a model of soil carbon dynamics on the basis of observations of soil processes at the microscale, commensurate with the scale at which microorganisms operate (e.g., Baveye et al., 2018; Pot et al., 2021, 2022a,b). A serious challenge in this context is the need to upscale the description of processes from the micro- to the macroscale, although this still largely unresolved upscaling hurdle occurs no matter which approach, top-down or bottom-up, is adopted (Baveye, 2023). Another challenge is that some of the parameters that the microscale modelling indicates should be measured, like the average spatial separation between microorganisms and SOM (e.g., Mbé et al., 2022), cannot be measured directly at the moment, so that alternative routes to these parameters need to be found.

One of the reviewers of this article, referring to past examples in physics and astronomy, suggested that a good way to proceed toward the development of a mechanistic theory of soils would be to first list the various “myths” currently being circulated in our discipline, to get an idea of what the theory should look like and what it should be able to explain. Even though listing all, or even a good portion, of the numerous “myths” about soils would be a dauntingly time-consuming endeavour, focusing on some of them might indeed be a good way forward. In essence, one might consider that this is precisely what motivated the work on the microscale description of soil processes over the last two decades (e.g., review in Baveye et al., 2018). Realization that, contrary to prior belief, traditional kinetic equations involving macroscopic measurements of SOM content and soil biomass could not help us predict how much actual mineralization of SOM would take place in the few years following the addition of organic residues to soils, prompted a number of us to try to quantify the microscale spatial distributions of SOM and microorganisms, respectively. A particular difficulty with this type of research is caused by the fact that, in soils at the microscale, physical, mineralogical, (bio)chemical, and biological processes interact intimately, and cannot be meaningfully studied independently.

To make progress in understanding these interactions, research therefore needs to be interdisciplinary and requires a break with the very much mono-disciplinary focus that continues to dominate soil science (e.g., Baveye and Wander, 2019; Baveye et al., 2024). We need to train soil scientists who are equipped to engage in this type of research. One could argue that this is still not the case, even though the topic has been discussed for decades (e.g., Wagenet et al., 1992). In addition, the development of a comprehensive theory of soils will require soil scientists to be far more quantitatively literate than they tend to be at the moment, except for mathematically-minded soil physicists. Perhaps one of the reasons there has been so much emphasis on mere statistical correlations in soil science up to now is that, to a large extent, they correspond to the level of mathematical complexity that most soil scientists can handle. As pointed out by the other reviewer of this article, Professor Göran Ågren, and as illustrated clearly in Bosatta and Ågren (1991, 2003) and Ågren (2021), “to get from the many conventional discrete pool models of soil organic matter transformations to models based on process understanding raises the level of mathematical knowledge considerably”. One possible solution to the problem might be to involve soil physicists closely in any future research effort on soils requiring some form of quantitative description. However, I would contend, based on my experience over the last four decades, that interdisciplinary research yields valuable results only if all participants share a common language. It would not do in this context if at the point of describing things quantitatively, participants just turned to soil physicists and told them “OK, now you do your magic, and it’s a wrap...” In that respect, there is a clear need to rethink the

Moved down [1]: requires a break with the very much mono-disciplinary focus that continues to dominate soil science (e.g., Baveye and Wander, 2019; Baveye et al., 2024).

Deleted: To resolve some of the pending issues, we need a concerted research effort over the next few years. This effort, by definition, needs to be interdisciplinary and therefore

Moved (insertion) [1]

230 training of the next generation of soil scientists, to make it more genuinely interdisciplinary from the start, for example by
using a “problem-based” approach. Some of us have been writing that consistently for the last 30 years (e.g., Wagenet et al.,
1992; Baveye et al., 2006, 2014, 2024).

4 Take-home message

235 In this forum piece, I have argued that soil scientists should discontinue the long-standing practice of accumulating masses of
“theory-free” data and of attempting to merely correlate them to processes of interest. Numerous examples in physics, including
in soil physics with the work of Buckingham (1907), show that we need theories to determine which parameters have to be
measured in order to describe dynamical soil processes quantitatively, and ultimately manage them properly. We have some
theories already for specific situations, and significant progress has been achieved in recent years toward the development of
a comprehensive theory of physical, (bio)chemical, and microbiological processes in soils, but a lot more work remains to be
done in the area, in particular to better take into account a number of aspects that have been neglected in that context so far,
like plant-soil relationships, and the effect of soil fauna or bacteriophages. The hope at this stage is that, like in ecology a
240 decade ago following a call by some researchers for more theoretical grounding of the discipline (e.g., Niemelä, 1999; Scheiner
and Willig, 2008; Marquet et al., 2014), the sustained debate this article is trying to stimulate on the need to develop new
theories will help determine which theoretical framework is most suitable for this work, and will convince soil scientists that
a significant interdisciplinary effort is in order rapidly.

245

Deleted: The hope at this stage is that




Figure 1: Schematic representation of a possible sequence of steps in the development of a model of soil carbon dynamics applicable to large (macroscopic) spatial scales, starting on the left from a characterization of the static (light brown boxes) and dynamic (light blue boxes) components of different properties of soils at the microscale. The green boxes correspond to initial (left), intermediate (center), and final (right) modelling efforts. Following path 1, the integration of different perspectives results in the development of a microscale model of soils, which can be run multiple times, under a variety of scenarios. Along path 2, controlled experiments are carried out to obtain macroscopic data against which microscale measurements on soil samples can be contrasted. These data, in parallel with the outcomes of scenario modelling, feed into the upscaling step, whose goal is to identify easily measurable macroscopic parameters associated with an up-scaled model (Baveye, 2023).

References

Ågren, G.I.: Investigating soil carbon diversity by combining the MAXimum ENTropy principle with the Q model, *Biogeochemistry*, 153(1), 85-94, 2021.

Barton, C.D. and Karathanasis, A.D.: Measuring cation exchange capacity and total exchangeable bases in batch and flow experiments, *Soil Technology* 11, 153–162. doi:10.1016/S0933-3630(97)00002-0, 1997.

Baveye, P.C.: The characterization of pyrolysed biomass added to soils needs to encompass its physical and mechanical properties, *Soil Science Society of America Journal* 78(6), 2112-2113.

Baveye, P. C.: Ecosystem-scale modelling of soil carbon dynamics: Time for a radical shift of perspective?, *Soil Biology and Biochemistry*, 184, 109112, 2023.

Baveye, P.C., Berthelin, J., Tessier, D. and Lemaire, G.: Storage of soil carbon is not sequestration: Straightforward graphical visualization of their basic differences, *European Journal of Soil Science* 74(3), e13380. 2023.

Baveye, P., Jacobson, A.R., Allaire, S.E., Tandarich, J.P. and Bryant, R.B.: Whither goes soil science in the United States and Canada?, *Soil Science* 171(7), 501-518, 2006.

Baveye, P. C., Otten, W., Kravchenko, A., Balseiro-Romero, M., Beckers, É., Chalhoub, M., ... and Vogel, H. J.: Emergent properties of microbial activity in heterogeneous soil microenvironments: Different research approaches are slowly converging, yet major challenges remain. *Frontiers in microbiology*, 9, 1929, 2018.

Baveye, P. C., Otten, W., and Young, I.: ‘Shifting gears ain't easy’: Disciplinary resistances to perspective shifts in soil science and how to move forward, *European Journal of Soil Science*, 75(6), e70010, 2024.

Baveye, P.C., Palfreyman, J. and Otten, W.: Research efforts involving several disciplines: adherence to a clear nomenclature is needed, *Water, Air, & Soil Pollution* 225(6), 1997, 2014.

Baveye, P. C., and Wander, M.: The (bio) chemistry of soil humus and humic substances: Why is the “new view” still considered novel after more than 80 years?. *Frontiers in Environmental Science*, 7, 27, 2019.

Behrens, T., and Viscarra Rossel, R. A.: On the interpretability of predictors in spatial data science: The information horizon, *Scientific Reports*, 10(1), 16737, 2020.

Boast, C.W.: Modeling the movement of chemicals in soils by water, *Soil Science* 115(3), 224–230. doi:10.1097/00010694-197303000000008, 1973.

285 [Bosatta, E. and Ågren, G.I.: Dynamics of carbon and nitrogen in the organic matter of the soil: A generic theory, *The American Naturalist* 138\(1\), 227-245, 1991.](#)
[Bosatta, E. and Ågren, G.I.: Exact solutions to the continuous-quality equation for soil organic matter turnover, *Journal of Theoretical Biology*, 224\(1\), 97-105, 2003.](#)
 Bouma, J.: Using soil survey data for quantitative land evaluation. *Advances in Soil Science: Volume 9*, 177-213, 1989.
 Bouma, J., Bonfante, A., Basile, A., van Tol, J., Hack-ten Broeke, M. J. D., Mulder, M., ... and Hirmas, D. R.: How can pedology and soil classification contribute towards sustainable development as a data source and information carrier?, *Geoderma*, 424, 115988, 2022.
 290 Bouma, J., Bootink, H. W. G., and Finke, P. A.: Use of soil survey data for modeling solute transport in the vadose zone, *Journal of environmental quality*, 25(3), 519-526, 1996.
 Briones, M. J. I.: Soil fauna and soil functions: a jigsaw puzzle. *Frontiers in Environmental Science*, 2, 7. doi: 10.3389/fenvs.2014.00007, 2014.
 Briones, M. J.: The serendipitous value of soil fauna in ecosystem functioning: the unexplained explained. *Frontiers in Environmental Science*, 6, 149, 2018.
 295 Buckingham, E.: Studies on the movement of soil moisture. U.S. Dep. Agric. Bur. Soils Bull. 38, 1907.
 Bui, E. N.: Data-driven Critical Zone science: A new paradigm, *Science of the Total Environment*, 568, 587-593, 2016.
 Bui, E., Henderson, B., and Viergever, K.: Using knowledge discovery with data mining from the Australian Soil Resource Information System database to inform soil carbon mapping in Australia, *Global biogeochemical cycles*, 23(4), 2009.
 300 Cayuela, M. L., Clause, J., Frouz, J., and Baveye, P. C.: Interactive feedbacks between soil fauna and soil processes, *Frontiers in Environmental Science*, 8, 14, 2020.
 Chalhoub, M., Garnier, P., Coquet, Y., Montagne, D., and Baveye, P. C.: Assessment of future soil ecosystem services of a drained soil under different climate change scenarios, *European Journal of Soil Science*, 76(3), e70144, 2025.
 305 [Chaplot, V. and Smith, P.: Cover crops do not increase soil organic carbon stocks as much as has been claimed: What is the way forward?, *Global Change Biology* 29\(22\), 6163-6169, 2023.](#)
[Chaplot, V. and Smith, P.: Cover crop studies: The need for more reliable data, *Global Change Biology*, 30\(1\), #17129, <https://doi.org/10.1111/gcb.17129>, 2024.](#)
 Chen, S., Arrouays, D., Angers, D. A., Chenu, C., Barré, P., Martin, M. P., ... and Walter, C.: National estimation of soil organic carbon storage potential for arable soils: A data-driven approach coupled with carbon-landscape zones, *Science of the Total Environment*, 666, 355-367, 2019.
 310 Fourcade, Y., Besnard, A. G., and Secondi, J.: Paintings predict the distribution of species, or the challenge of selecting environmental predictors and evaluation statistics, *Global Ecology and Biogeography*, 27(2), 245-256, 2018.
[Harris, J.A., Evans, D.L. and Mooney, S.J.: A new theory for soil health, *European Journal of Soil Science*, 73\(4\), e13292, 2022.](#)
 315 Hueting, R.: Wat is de natuur ons waard? Een econoom over milieuerslechtering. Amsterdam: Het wereldvenster/barn, 1970.

Deleted: Natuur
 Deleted: Waard
 Deleted: Econoom Over Milieuerslechtering

Marquet, P. A., Allen, A. P., Brown, J. H., Dunne, J. A., Enquist, B. J., Gillooly, J. F., ... & West, G. B.: On theory in ecology, *BioScience*, 64(8), 701-710, 2014.

Mbé, B., Monga, O., Pot, V., Otten, W., Hecht, F., Raynaud, X., ... and Garnier, P.: Scenario modelling of carbon mineralization in 3D soil architecture at the microscale: Toward an accessibility coefficient of organic matter for bacteria, *European Journal of Soil Science*, 73(1), e13144, 2022.

Minasny, B., and McBratney, A. B.: Machine learning and artificial intelligence applications in soil science. *European Journal of Soil Science*, 76(2), e70093, 2025.

Mokady, R.S., and Bresler, E.: Reduced sodium exchange capacity in unsaturated flow, *Soil Science Society of America Journal*, 32(4), 463–467. doi:10.2136/sssaj1968.03615995003200040015x, 1968.

Neal, A.: The theory of soil. AWE International. [URL: <https://www.awe.international/article/1841384/theory-soil>], 2021.

Neal, A. L., Bacq-Labreuil, A., Zhang, X., Clark, I. M., Coleman, K., Mooney, S. J., ... and Crawford, J. W.: Soil as an extended composite phenotype of the microbial metagenome, *Scientific Reports*, 10(1), 10649, 2020.

Narasimhan, T. N.: Central ideas of Buckingham (1907): A century later, *Vadose Zone Journal*, 6(4), 687-693, 2007.

Niemelä, J.: Is there a need for a theory of urban ecology?, *Urban Ecosystems* 3(1), 57-65, 1999.

Nimmo, J. R., and Landa, E. R.: The soil physics contributions of Edgar Buckingham, *Soil Science Society of America Journal*, 69(2), 328-342, 2005.

Or, D.: Who invented the tensiometer?, *Soil Science Society of America Journal*, 65(1), 1-3, 2001.

Pot, V., Gerke, K. M., Ebrahimi, A., Garnier, P., and Baveye, P. C.: Microscale modelling of soil processes: Recent advances, challenges, and the path ahead, *Frontiers in Environmental Science*, 9, 818038, 2021.

Pot, V., Portell, X., Otten, W., Garnier, P., Monga, O., and Baveye, P. C.: Accounting for soil architecture and microbial dynamics in microscale models: Current practices in soil science and the path ahead, *European Journal of Soil Science*, 73(1), e13142, 2022a.

Pot, V., Portell, X., Otten, W., Garnier, P., Monga, O., and Baveye, P. C.: Understanding the joint impacts of soil architecture and microbial dynamics on soil functions: Insights derived from microscale models, *European Journal of Soil Science*, 73(3), e13256, 2022b.

Pratama, A. A., and Van Elsas, J. D.: The ‘neglected’ soil virome: Potential role and impact, *Trends in Microbiology*, 26(8), 649-662, 2018.

Rentschler, T., and Scholten, T.: A note on spurious correlations and explainable machine learning in digital soil mapping, *European Journal of Soil Science*, 76(4), e70172, 2025.

Salam, A.: Unification of Fundamental Forces. Cambridge University Press, Cambridge, United Kingdom, 1990.

Schimel, J.: Modeling ecosystem-scale carbon dynamics in soil: the microbial dimension, *Soil Biology and Biochemistry*, 178, 108948, 2023.

Scheiner, S.M. and Willig, M.R.: A general theory of ecology, *Theoretical ecology*, 1(1), 21-28, 2008.

Simonson, R. W.: Shifts in the usefulness of soil resources in the USA, *Agriculture* 23, 11–15, 1966.

Sumner, M. E., and Miller, W. P.: Cation exchange capacity and exchange coefficients. Methods of soil analysis: Part 3 Chemical methods, 5, 1201-1229, 1996.

355 Teodosio, B., Wasantha, P. L. P., Yaghoubi, E., Guerrieri, M., van Staden, R., and Fragomeni, S.: Application of artificial intelligence in reactive soil research: A scientometric analysis, Geotechnical and Geological Engineering, 43(4), 145, 2025.

[Uxa, T.: When statistical learning violates physics: An extensive mismatch in soil temperature–depth relationships in global maps of soil temperature, Global Change Biology 31, e70754, 2025.](#)

Vereecken, H., Weynants, M., Javaux, M., Pachepsky, Y., Schaap, M. G., and Genuchten, M. T. V.: Using pedotransfer functions to estimate the van Genuchten–Mualem soil hydraulic properties: A review, Vadose Zone Journal, 9(4), 795-820, 2010.

360 Vereecken, H., Schnepf, A., Hopmans, J. W., Javaux, M., Or, D., Roose, T., ... and Young, I. M.: Modeling soil processes: Review, key challenges, and new perspectives, Vadose zone journal, 15(5), vzj2015-09, 2016.

Wadoux, A. M. C.: Artificial intelligence in soil science, European Journal of Soil Science, 76(2), e70080, 2025.

365 Wadoux, A. M. C., Román-Dobarco, M., and McBratney, A. B.: Perspectives on data-driven soil research, European Journal of Soil Science, 72(4), 1675-1689, 2021.

Wadoux, A. M. C., Samuel-Rosa, A., Poggio, L., and Mulder, V. L.: A note on knowledge discovery and machine learning in digital soil mapping, European Journal of Soil Science, 71(2), 133-136, 2020.

[Wagenet, R.J., Baveye, P. and Stewart, B.A.: Interacting processes in soil science, CRC Press, Boca Raton, Florida, U.S.A., 1992.](#)

370 [Wang, D., Fonte, S.J., Parikh, S.J., Six, J. and Scow, K.M.: Biochar additions can enhance soil structure and the physical stabilization of C in aggregates, Geoderma 303, 110-117, 2017.](#)

Weynants, M., Vereecken, H., and Javaux, M.: Revisiting Vereecken pedotransfer functions: Introducing a closed-form hydraulic model, Vadose Zone Journal, 8(1), 86-95, 2009.

375

Deleted: ,