

Exposure of Settlements to Wildfires in a Transboundary Wildland-Urban-Interface Region in Central Europe

Evripidis Avouris¹, Christopher Marrs¹, Kristina Beetz^{1,*}, Lucie Kudláčková², [Johanna Kranz](#)¹, Markéta Poděbradská², Miroslav Trnka², Matthias Forkel¹

¹TUD Dresden University of Technology, Faculty of Environmental Sciences, Environmental Remote Sensing Group, Dresden, Germany

²Global Change Research Institute of the Czech Academy of Sciences, Brno, Czech Republic

* Now at ICEYE, Finland

Correspondence to: Matthias Forkel, TUD Dresden University of Technology, Faculty of Environmental Sciences, Technische Universität Dresden, Helmholtzstr. 10, 01062 Dresden, Germany, E-mail: matthias.forkel@tu-dresden.de

Abstract. Climate change has been causing a noticeable rise in disastrous wildfires in Mediterranean and temperate forests. Although forest fires were of smaller size and less concern in Central Europe than for example in the Mediterranean, the region has recently experienced large wildfires. For example, a wildfire burned significant parts of two National Parks at the border between Germany and the Czech Republic in 2022. This event demonstrated the need for local stakeholders and the scientific community to adapt fire risk assessment and management to this new reality. Here we aim to create [an interactive](#) wildfire exposure map for the trans-boundary National Park region Saxon-Bohemian Switzerland between Germany and the Czech Republic. We use several Earth observation products, historical fire occurrence points, medium to very high fire danger weather and wind scenarios, and three different fire duration scenarios (1, 2, 3 days) to simulate fire behaviour and burn probability, and to finally assess the potential exposure of settlements to wildfires. Observations from the wildfire in 2022 were used to validate the modelling framework. The interactive wildfire exposure map was tested with the general audience and local stakeholders for its usability and usefulness. [Based on 50 questionnaire responses, participants generally rated the map as easy to use and were able to interpret the bivariate legend correctly in most cases, while also providing suggestions for improvements to support potential applications in monitoring and management of the national parks.](#) We generally found higher [flame lengths](#) in Czech [municipalities](#), whereas elevated burn probabilities occurred on both sides of the border. As our results and the experiences from the past fire have shown, wildfires cross borders, demonstrating the need for coordinated trans-border wildfire management.

1 Introduction

[In recent years, destructive wildfires have expanded far beyond the regions where they have traditionally occurred, becoming a global and escalating phenomenon linked to climate change](#) (Abatzoglou et al., 2025; Bowman et al., 2017; Jones et al., 2022, 2024). At the same time, the rapid expansion of the wildland–urban interface (WUI), where human settlements are

Field Code Changed

Deleted: a

Deleted: burn probability and potential

Deleted: length at settlements

Deleted: Republic.

Deleted: In recent years, the number of destructive wildfires extends far beyond the regions where they have traditionally occurred; it is a global and escalating phenomenon related to climate change (Abatzoglou et al., 2025; Jones et al., 2022, 2024). In addition, urban growth and/or abandonment of previously agriculturally or silviculturally used lands, causes wildfires to increase and intensify in the wildland–urban (WUI) and wildland-rural interface, where human settlements are intermixed with natural vegetation (Bowman et al., 2017; Ursino and Romano, 2014). The expansion of WUIs, together with the worsening effects of climate change (e.g. Trnka et al., 2020), render WUI wildfires even more potentially disastrous (Oliveira et al., 2020). Wildfires in the WUIs can have a significant impact on both natural and human environments, and they pose unique challenges to traditional firefighting approaches due to their complexity and the interface between different land uses (Caballero and Beltrán, 2003).¶

intermixed with natural vegetation, has increased the exposure of human settlements to wildfire risk (Guo et al., 2024; Radeloff et al., 2018). In addition, land-use change and the abandonment of agricultural and silvicultural practices contribute to fuel accumulation and increased wildfire activity in many regions (Ursino and Romano, 2014). The expansion of the WUI, combined with the worsening effects of climate change, render WUI wildfires even more potentially disastrous (Oliveira et al., 2020; Trnka et al., 2020). Wildfires in the WUIs can have a significant impact on both natural and human environments, and they pose unique challenges to traditional firefighting approaches due to their complexity and the interface between different land uses (Caballero and Beltrán, 2003).

Even temperate countries like those in Central Europe, which have historically been spared from destructive wildfires in the WUI (Heisig et al., 2022), have recently experienced wildfires with direct impacts on the built environment. In 2022, three houses burned down in Mezná, Czech Republic (Almeida et al., 2024) while in Falkenberg/Elster, Germany, a fire spread to built structures and burned part of a piglet-breeding facility; nearby single-family houses were also seriously threatened (Ministerium des Innern und für Kommunales des Landes Brandenburg, 2023). These events are consistent with the reported significant increase in fire-conducive conditions in the Czech Republic since the 1960s (Trnka et al., 2021). Wildfire behaviour in the WUI in Central Europe is recently changing because of changes in land use and forest structure. Since 2017, Central Europe has experienced a prevalence of bark beetle infestations. Bark beetles (in this region these are predominantly *Ips typographus*) cause widespread mortality of the regionally extensive spruce forests (mainly *Picea abies*) (Müller et al., 2008). The Czech Republic, in particular, has been heavily affected, with a drought-fuelled bark beetle dynamic in 2017–2019 (Brázdil et al., 2022) impacting vast regions simultaneously—an event of unprecedented magnitude in the region (Hlásny et al., 2021). This outbreak has played a substantial role in the observed twofold increase in canopy mortality across Central Europe (Seidl et al., 2014; Senf et al., 2018). The prevalence of dead and weakened trees, combined with regenerating young vegetation, has significantly altered fuel structures, increasing the likelihood and severity of wildfires.

Disturbed forests in Central Europe can experience perilous wildfires comparable to the most serious fires of Southern Europe (Berčák et al., 2023). Particularly, Beetz et al. (2024) showed that disturbed forest stands in the Bohemian-Saxon Switzerland region exhibited extreme fire behaviour during the 2022 wildfire, including high flame lengths and radiative power, which were driven by high loads of dead wood and dense regenerating vegetation following bark beetle infestation. These conditions underscore the evolving fire risk in the region and highlight the urgent need for further research on wildfire dynamics in Central European WUIs, as also emphasised by Kudláčková et al. (2024), who demonstrated the applicability of advanced fire behaviour modelling to simulate and analyse the unprecedented 2022 wildfire.

Although professional and voluntary fire services have a long tradition and are widespread in Central European countries, the societal awareness about wildfires in the WUI and the capacities to fight wildfires are at an early stage of development making wildfires in such places potentially much more difficult to handle (Heisig et al., 2022). This situation creates the need to inform the public of the potential exposure of their homes and properties to wildfires. Moreover, the stakeholders responsible for dealing with wildfires in Central Europe, such as firefighters, emergency management services, National Park administrations

Deleted: (Heisig et al., 2022)

Deleted: that destroyed buildings such as in Mezná, Czech Republic, or in Falkenberg, Germany, both in 2022.

Formatted: German

Deleted: (Müller et al., 2008)

Deleted: (Brázdil et al., 2022)

Deleted: (Seidl et al., 2014; Senf et al., 2018)

Deleted: (Berčák et al., 2023)

Deleted: (Heisig et al., 2022)

and relevant government agencies, should be aware of the potential danger that areas under their jurisdiction are increasingly in.

95 Wildfire exposure quantifies the risk posed by wildfires to human and environmental assets. Generally, exposure can be
described as the condition of human assets, such as people, infrastructure, housing, and production capabilities, being situated
in areas that are susceptible to hazards, such as wildfires (Safaie et al., 2017). Hence an assessment of wildfire exposure is the
evaluation of the assets that could be endangered in case of a wildfire (Johnston et al., 2020). Such spatially explicit approaches
have been increasingly applied in wildfire exposure assessments, particularly in wildland–urban interface contexts, where the
100 combination of fire likelihood, potential fire behaviour, and the location of assets is used to identify areas of elevated exposure
(Argañaraz et al., 2017; Haas et al., 2013; Scott et al., 2013). To quantify wildfire exposure, metrics of wildfire likelihood and
potential intensity are estimated before juxtaposing them with the location of assets (Abrahams et al., 2017). A common way
to derive such metrics is the use of landscape fire modelling. Fire modelling offers an analytical framework for the
characterisation and prediction of fire spread and behaviour in varied and intricate fire environments (Stephens, 1998; Van
105 Wagtendonk, 1996). This approach has been proven beneficial in the development of suitable wildfire management strategies,
in order to mitigate potential disasters and establish effective coping capacities (Alcasena et al., 2017; Moghaddas et al., 2010;
Oliveira et al., 2020; 2021; Sá et al., 2022). FlamMap is the tool chosen here for wildfire modelling.
FlamMap is a fire analysis application developed by the Missoula Fire Sciences Laboratory (FlamMap - Missoula Fire Sciences
Laboratory, 2026). FlamMap has the advantage of being able to visualise fire behaviour characteristics directly related to
110 hazard such as flame length and burn probability, in the form of geolocated rasters, which facilitates the derivation of
settlements' exposure (Peterson et al., 2007). It is commonly used to analyse fire behaviour in European settings. For example,
Salis et al. (2009, 2012) used FlamMap to assess wildfire severity in Italy, Mitsopoulos et al. (2016) used it for a Greek
landscape, Sá et al. (2022) used it in Portugal, and Alcasena et al. (2017, 2018) in Spain. For applications in Central Europe,
FlamMap has been used only recently (Kudláčková et al., 2024), which is however related to the rather limited wildfire research
115 in that region.
The objective of this study was to assess wildfire exposure for the Bohemian-Saxon Switzerland trans-boundary WUI region
in Central Europe, where ongoing changes in land use —such as declining forest management, increasing protection of natural
processes, and increasing attractiveness for tourism— have been reinforced by the founding of two National Parks (NP Saxon
Switzerland in Germany in 1990, NP Bohemian Switzerland in Czech Republic in 2000). Firstly, we aimed to produce an
120 interactive wildfire exposure map that includes two support capability indicators, namely, the locations of fire stations and ■
local transportation infrastructure. Secondly, we aimed to quantify wildfire exposure for different settlements in the region.
Thirdly, we performed a qualitative user study to assess the usability of the map for the general audience and its usefulness for
local stakeholders.

Deleted: Generally, exposure can be described as the condition of human assets, such as people, infrastructure, housing, and production capabilities, being situated in areas that are susceptible to hazards, such as wildfires (Safaie et al., 2017). Hence an assessment of wildfire exposure is the evaluation of the assets that could be endangered in case of a wildfire (Johnston et al., 2020). To quantify wildfire exposure, metrics of wildfire likelihood and potential intensity are estimated before juxtaposing them with the location of assets (Abrahams et al., 2017). A common way to derive such metrics is the use of landscape fire modelling. Fire modelling offers an analytical framework for the characterisation and prediction of fire spread and behaviour in varied and intricate fire environments (Stephens, 1998; Van Wagtendonk, 1996). This approach has been proven beneficial in the development of suitable wildfire management strategies, in order to mitigate potential disasters and establish effective coping capacities (Alcasena et al., 2017; Moghaddas et al., 2010; Oliveira et al., 2020; 2021; Sá et al., 2022).

Deleted: is

Deleted: aim

Moved down [1]: local transportation infrastructure.

Deleted: Secondly, we aim to provide a quantification of the wildfire exposure for different settlements in the region. Thirdly, we perform a qualitative user study to assess the usability of the map by the general audience and usefulness by local stakeholders.

Moved (insertion) [1]

Deleted: We first introduce the data sources and the methodology employed to create the exposure map in Sect. 2, then we present the components of the exposure map and assessment as well as the evaluation in Sect. 3 and discuss the results and directions for future research in Sect. 4.¶

2 Data and Methods

2.1 Study area

155 The study area extends across a transboundary area of 720 km² on both sides of the River Elbe in Germany (322 km²) and the
Czech Republic (398 km²). Specifically, the study area consists of the two National Parks Saxon Switzerland (Sächsische
Schweiz) and Bohemian Switzerland (České Švýcarsko) and the two surrounding conservation areas, the Conservation Area
of Saxon Switzerland (Landschaftsschutzgebiet Sächsische Schweiz) and the Conservation Area of the Elbe Sandstone
Mountains (Chráněná krajinná oblast Labské pískovce) (Nationalpark Sächsische Schweiz, 2023) (Figure 1). The area is
165 dominated by forests (69%) and grasslands (17%), with croplands also covering a substantial share (10%) - mainly on the
German side of the border (Copernicus Land Monitoring Service, 2025). Built-up areas account for 2% of the study area.
These are primarily located in the south (e.g., towns of Děčín, Jílové, and Česká Kamenice) and on the German side along the
Elbe River (e.g., towns of Stadt Wehlen, Königstein, and Bad Schandau; Figure 1). The study area is characterized by
prominent sandstone formations, rocky outcrops, and steep cliffs. Elevations range from approximately 200 (Elbe River valley)
165 to 723 m (Děčinský Sněžník), and this rugged topography poses substantial challenges for firefighting operations.
The study area is dotted by several settlements (small towns, villages, remote houses; only local towns are indicated in Figure
1). The study area also includes several settlements that are not part of the conservation area of Saxon Switzerland but are
surrounded by it. Altogether around 1 million inhabitants live in the respective wider administrative districts, i.e., 246,000 in
the Saxon Switzerland/Eastern Ore mountains district in Germany and 811,000 in the Ústecký kraj district in Czech Republic.
170 Based on the historical ignition datasets described in Sect. 2.3.1, wildfire occurrence in the study area is predominantly human-
caused. For the German (Saxon) part, the most frequently reported ignition category is open fires by other persons (41.7%),
followed by unknown or unclear causes (26.6% combined), while lightning accounts for 10% of cases. For the Czech part, the
dominant ignition categories are setting fires in the countryside/burning grass (44.2%) and smoking (37.4%), whereas lightning
represents 3.1% of cases (other natural causes <2%). Based on the available records used in this study, the Czech dataset
175 (2016–2020) includes 163 ignitions (32.6 per year), while the German dataset (2008–2020) includes 60 ignitions (~4.6 per
year). Seasonality differs between the two sides of the border: in Saxony, ignitions are strongly concentrated in late spring and
summer (April to August: 80% of cases; May to June alone: 50%), whereas in Czech Republic ignitions are more broadly
distributed across the year (April to August: 67.5%), with a secondary contribution in October and November (~16.6%). The
available records do not include burned-area information; therefore, fire size statistics could not be derived.
180 The selection of the study region was motivated by the occurrence of a wildfire which lasted from 24th July 2022 until it was
extinguished on 12th August 2022, and which burnt 113 ha in the Saxon Switzerland National Park and 1,060 ha in the
Bohemian Switzerland National Park (Požár v NP České Švýcarsko, 2024) (Figure 1). The fire, caused by an arson, started in
the Czech National Park and spread across the border into the German National Park (Beetz, 2023).

Deleted: approximately 700

Deleted: .

Deleted: The Conservation Area of Saxon Switzerland consists of several 'holes', i.e., villages and towns, which are not part of the Conservation Area but which are here considered part of the study area. ...

Deleted: Altogether around 1 Mio.

Deleted:

Deleted: The fire started in the Czech National Park, spread across the border into the German National Park, and destroyed several houses in the Czech village of Mezná, hence demonstrating the need for transboundary wildfire exposure assessment.




Figure 1: Study Area. The study area consists of two National Parks and two Conservation Areas at the border between the Czech Republic and Germany, and experienced a large wildfire in 2022. [Historical ignitions for the period 2008 – 2020 are also shown.](#)

[The forested parts of the study area are largely dominated by Norway spruce \(*Picea abies*\), although pines \(*Pinus sp.*\), larch \(*Larix sp.*\), European beech \(*Fagus sylvatica*\) and silver birch \(*Betula pendula*\) are also present \(Beetz et al., 2024\). Extreme drought conditions and high temperatures in Central Europe between 2018 and 2022 triggered massive bark beetle infestations in Czechia and Germany \(Knutzen et al., 2025\) leading to extensive spruce mortality and subsequent accumulation of deadwood in the study area \(European Commission, Joint Research Centre et al., 2024\). The effects of these forest changes on the behaviour of the 2022 forest fire were investigated previously by Beetz et al. \(2024\) using field and satellite observations, and by Kudláčková et al. \(2024\) using the FlamMap landscape fire model. Here we build on the first of these two studies by making use of the fuel model classifications that it developed \(Sect. 2.3.2\).](#)

Deleted: [1]

Deleted: The study area has been dominated by monocultures of Norway spruce (*Picea abies*). Extreme drought conditions and high temperatures in Central Europe between 2018 and 2022 triggered massive bark beetle infestations in Czechia and Germany (Knutzen et al., 2025) leading to extensive spruce mortality and subsequent accumulation of deadwood in the study area (European Commission, Joint Research Centre et al., 2024). The effects of these forest changes on the behaviour of the 2022 forest fire were investigated previously by Beetz et al. (2024) using field and satellite observations, and by Kudláčková et al. (2024) using the FlamMap landscape fire model. Here we build on the first of these two studies by making use of the fuel model classifications that it developed (Sect. 2.3.2).
2.2 Quantifying fire exposure using FlamMap
The fire modelling tool used in this study is FlamMap (FlamMap, 2023), which employs the widely used surface fire spread model by Rothelme (Keane, 2015).

2.2 Quantifying fire exposure using FlamMap

Wildfire exposure was quantified in terms of burn probability and potential flame length using FlamMap. It was first used in our study area by Kudláčková et al. (2024) to investigate drivers of the 2022 wildfire. FlamMap computes fire behaviour characteristics such as flame length, and burn probability in the form of geolocated rasters suitable for the prompt derivation of settlements' exposure (Peterson et al., 2007). FlamMap modelling was done at a spatial resolution of 30×30m, which is adequate to allow the detection of individual buildings on the resulting exposure rasters.

Burn probability (BP) is the likelihood that a location (a grid cell in the case of this study) will burn, taking into account the cumulative number of modelled fires (Sá et al., 2022). The Burn Probability (BP) of grid cell p is calculated as

$$BP_p = \left(\frac{F_p}{N_p} \right)$$

where F_p is the frequency of cell p burning, out of a number of N_p simulated ignitions (Sá et al., 2022, p. 3922). It is hence a proxy of wildfire likelihood. In FlamMap, BP is one of the outputs of the Minimum Travel Time (MTT) Algorithm. The calculation of fire growth in the MTT algorithm involves the exploration of pathways that exhibit the minimum spread time among cells within a two-dimensional gridded landscape, operating at a spatial resolution determined by the user (in this study, 30m × 30m) (Sá et al., 2022). Wildfire spread is forecasted by employing Rothermel's model (Rothermel, 1972) which calculates fire characteristics in the direction of the highest rate of spread.

Flame length (FL) is the average distance from the midpoint of the active flaming zone at the fuel surface to the flame tip (Rothermel and Deeming, 1980). This measurement is taken on a slant when the flames are tilted as a result of the influence of wind and slope. FL has long served as a proxy for measuring fire intensity (Byram, 1959): longer flames are indicative of a greater amount of fuel consumed and of energy released per unit of time (Finney et al., 2021). FL is one of the basic fire behaviour outputs of FlamMap. FL, along with Fireline Intensity and Heat per unit Area are generated for all cells of the fire modelling landscape by taking into account the constant wind and other environmental conditions such as fuel moisture (Finney, 2006).

2.3 Datasets

2.3.1 Input data for FlamMap

For simulations with FlamMap, a fire modelling landscape and weather conditions are necessary input datasets. A fire modelling landscape is a geospatial characterisation in raster-format that includes topography (aspect, slope and elevation), vegetation (stand height and canopy cover), and fuel (canopy bulk density, canopy base height and surface fuel model) (Scott, 2019). Hourly weather data is needed for the determination of dead fuel moisture and information about wind conditions to simulate fire spread. We here first describe the required input datasets, except for the fuel models, which are covered in the next section.

Deleted: This software is a widely used tool for wildfire exposure assessment (Jahdi et al., 2016). It was first applied to

Deleted: (Peterson et al., 2007)

Deleted: (Sá et al., 2022). The BP

Deleted: (Sá et al., 2022, p. 3922)

Deleted: (Sá et al., 2022)

Deleted: (Rothermel and Deeming, 1980)

Deleted: (Finney et al., 2021)

Deleted: (Finney, 2006)

Deleted: (Scott, 2019)

Deleted: To start fire spread simulations, ignition locations are either generated randomly or are based on historical data.

To start fire spread simulations, ignition locations are needed. For the ignition points we first considered historical fires, which reveal clear spatial patterns of fire occurrence and ignitions in the study area, mainly along the Elbe valley and forests north of the city of Děčín and along some common hiking trails and points of interests in both National Parks (Figure 1). Historical forest fire ignition data (60 ignitions, spanning 2008-2020) for the German part of the study area were provided by the Saxon State Authority for Forestry (Staatsbetrieb Sachsenforst, 2023). Additionally, we also included known locations in the National Park Saxon Switzerland considered particularly susceptible to future ignitions in the German part of the study area. These comprised parking areas, viewing points, legal fire pits, and legal and illegal rock shelters (“Boofen” in German), totalling 697 sites. At those sites, camp fires are often ignited but did not result in a forest fire so far. Ignition locations from the Czech part (163 ignitions, spanning 2016-2020) were acquired from the Fire Rescue Service of the Czech Republic (Hasičský záchranný sbor České republiky, 2023). Neither dataset is publicly available. The ignition location of the 2022 fire was manually added to the dataset as it had not yet been included in the respective dataset. The joint datasets encompassed the locations of 921 ignition points. To balance ignition density between the German and Czech parts of the study area (i.e., number of ignitions per km²), we used the lower density Czech side as the reference and randomly subsampled the German ignition locations so that the German ignition density matched the Czech one. The final number of ignition points was 363. These can be seen in Figure E1 of Appendix E. Weather data (wind speed and direction, temperature, relative humidity, precipitation, and cloud cover) was derived from the Climate Data Centre (CDC) of the German Weather Service (Deutscher Wetterdienst, 2025) for the Lichtenhain-Mittelndorf station (station id: 02985) located inside the borders of the study area (Figure 1).

Initial dead fuel moisture values were derived from the fuel moisture observations reported by Kranz et al. (2025), who established fuel moisture monitoring sites within the Saxon Switzerland National Park. To represent bark-beetle-affected forest conditions, data from the DE-SHW site, located in a disturbed spruce stand, were used. For non-disturbed forest conditions, data from the DE-BWB site, located in a beech stand, were used. Kranz et al. (2025) collected destructively sampled dead fuel moisture content (DFMC) measurements for 1-h, 10-h, and 100-h fuels from June to September 2023 and additionally operated automated 10-h fuel sticks at both sites, which have been recording fuel moisture at 30-minute intervals since January of 2023. Live fuel moisture content was set to 60% for herbaceous fuels and 90% for woody fuels. These values were adopted from Kudláčková et al. (2024), who used FlamMap to reconstruct the 2022 Bohemian Switzerland wildfire and selected the same values based on the fuel moisture scenarios of Scott and Burgan (2005) in consultation with experts from the Missoula Fire Sciences Laboratory.

Digital ground elevation (DGM) tiles covering the study area, were downloaded from the Saxony State Office for Basic Geographic Information (Landesamt für Geobasisinformation Sachsen, 2023) for Germany and the State Administration of Land Surveying and Cadastre for Czech Republic (ČÚZK: Geoportál, 2024). The merged elevation file was resampled to a 30×30m resolution and clipped to the borders of the study area. The slope and aspect layers were derived from the respective Slope and Aspect geoprocessing tools from ArcGIS Pro. Canopy Cover was derived from Copernicus’ Land Monitoring Service which provides 10×10m resolution rasters with canopy cover density; the latest dataset available dates from 2018 (Copernicus Land Monitoring Service, 2024).

Deleted: opted against random distribution, as we had access to data that revealed

Deleted: .

Deleted: , we calculated the target

Deleted: ignition points for each side—based on

Deleted: Czech

Deleted: —

Deleted: to match this target.

Deleted: Figure 1.†

Deleted: (Deutscher Wetterdienst, 2025)

Deleted: Information on fuel moisture was derived from 10-h fuel stick measurements from a site near Mezní Louka located inside the study area in a disturbed forest stand after bark beetle infestations (Kudláčková et al. 2024). The measurement of 10-h fuel moisture content ranged from 6 to 11% for the days 24th to 26th July 2022, the first three days of the 2022 fire. Therefore, initial dead fuel moisture content for areas affected by bark beetle were set to values of 6, 7 and 8% for 1-hr, 10-hr, and 100-hr dead fuels, respectively. Dead fuel moistures in non-beetle killed areas were set to 3, 4, and 5% for the 1-hr, 10-hr, and 100-hr dead fuels, respectively. This selection follows the input modelling parameters set by Kudláčková et al. (2024), who based their choice on observations of the Botanical Institute of the Academy of Sciences of the Czech Republic, which measured lower soil moisture in living standing forests compared to areas covered by areas affected by a bark beetle infestation. To ensure consistency in the fire behaviour modelling and to isolate the effect of fuel moisture differences between scenarios, the six weather variables recorded on the first day of the wildfire (24th July 2022) were used to model dead fuel moisture changes across all modelling scenarios.†

Live fuel moisture is assumed to remain constant throughout a modelling run by FlamMap and was set to 60% for the herbaceous vegetation and to 90% for live woody fuels. †

Deleted: using ArcGIS Pro’s

Deleted: (Copernicus Land Monitoring Service, 2024)

2.3.2 Fuel Model Maps

Fuel models are defined by a set of often complex characteristics of surface fuels such as heat content, mineral content and dead fuel moisture of extinction (Keane, 2015). Fuel models are a main input to fire behaviour models such as FlamMap. We here developed a fuel model map for the study area following the classification scheme of Scott and Burgan (2005). Fuel models are often derived from fuel types that are more generally defined vegetation types which have been grouped together because of their similar characteristics from a fire behaviour point of view (Aragoneses et al., 2022).

The fuel models for the study area are based on the fuel type map by Beetz et al. (2024), which offers high resolution (10 × 10m) for the entire study area. Beetz et al., (2024) created a fuel type classification system by combining the European fuel type classification of Aragoneses et al. (2022) and that of the Alaska Fuel Model Guide Task Group (Ed.) 2018. We first translated the fuel types to the fuel models as listed in Table B1 of Appendix B. Thereby, we also checked if the resulting fire behaviour simulations appear realistic which resulted in a first preliminary fuel model map. In a second step, we reclassified NB9 (bare ground) to SH3 (moderate load, humid climate shrub) where NDVI > 0.72, and GS3 (moderate load, humid climate grass-shrub –dynamic) areas to GR3 (low load, very coarse, humid climate grass – dynamic). We then conducted 83 field surveys on the German side of the study area during October of 2023 in order to check the plausibility of the fuel models. The field surveys were stratified with information about land use and biotope classifications from the Free State of Saxony (Natur und Biologische Vielfalt, 2024). This resulted in 47 unique combinations of fuel models and land use. Those combinations were used to reclassify the preliminary fuel model map to fuel models which were observed in the field. Cases for which in the same land cover polygons different fuel models where surveyed, were not changed. This resulted in an update of 18% of the total fuel models of the German part of the study area. The fuel model creation pipeline is shown in Figure B1.

The resulting fuel models map is shown Figure 2. Note the existence of significant areas that have been infested by bark beetle; these are noted in the fuel models map with the model ‘Slash-Blowdown 2’ (SB2), an assignment also employed by the Alaska Fuel Model Guide Task Group (Ed.) (2018) for bark beetle-infested forests.

Deleted: (Keane, 2015)

Deleted: Therefore, we

Deleted: Scott & Burgan (2005).

Deleted: (Aragoneses et al., 2022)

Deleted: (Aragoneses et al., 2022) and that of the Alaska Fuel Model Guide Task Group (2018). We first translated the fuel types to the fuel models as listed in Table A1 of Appendix A.

Formatted: English (UK)

Deleted: A1

Deleted: Alaska Fuel Model Guide Task Group (Ed.) (2018)




Figure 2: Fuel Models Map of Study Area

2.3.3 Ancillary datasets

For the assessment of wildfire exposure, we included local settlements and building infrastructure. In addition, fire stations and the local transportation network were included as contextual support-capability indicators to support user orientation and route planning in the interactive web map and to enable the task-based evaluation described in Sect. 2.7. These were not used as input variables in the exposure calculation. Settlements of the study area for both the Czech Republic and Germany were derived from Open Street Maps data (Geofabrik – Europe, 2023). Only towns (4) and villages (73) were considered and then labelled, in order to not overpopulate the map with hamlets, farms and localities, which although potentially equally exposed, are much smaller and underpopulated when compared to bigger settlements. Apart from settlements, a polygon layer of buildings was also included to allow the assessment of individual buildings' exposure in the interactive web map.

Formatted: English (UK)

Deleted: 2.3.3 Settlements, fire stations and transportation network

Deleted: and mapping

Deleted: local transportation

Deleted: exposure of

Deleted: buildings

For the location of fire stations and the local transportation infrastructure, a 30km circular buffer around the centroid of the study area was considered, primarily in order to take into account fire stations outside the main study area which are nevertheless nearby enough to provide rapid assistance in the case of a wildfire.

To derive data on the location of German fire stations three sources were utilised: First from OSM (Geofabrik – Europe, 2023). Secondly, fire station locations were provided upon personal request by the District Fire Brigade Association (Kreisfeuerwehrverband – Sächsische Schweiz-Osterzgebirge e.V., 2023) to reinforce the scarce OSM data. Thirdly, the Saxon State Office for Geographic Information (Geoportal Sachsenatlas, 2024) also provided fire station information.

For Czech Republic, fire station locations were likewise first derived from OSM (Geofabrik – Europe, 2023). Second, the web map of the Hasičovo community portal of Czech fire fighters provided the majority of fires stations’ location information (Hasičovo, 2023). All fire station datasets lack information on the equipment and on whether the fire stations were volunteer or professional ones, which affect the availability of personnel and resources in case of wildfires. Therefore, fire stations were summarised and visualised as one class.

Data on local transportation infrastructure was derived solely from OSM (Geofabrik – Europe, 2023). OSM data on transportation infrastructure comes into several classes, which needed to be grouped in order to not overburden the exposure map with superfluous information, and to focus on car roads that fire appliances can use. Groups were created based on the classification and explanation of classes found on OpenStreetMap wiki (OpenStreetMap, 2023). All roads classified as ‘unclassified’ were manually checked with Google Earth and then reclassified appropriately.

2.4 Model simulations and scenarios

Several factors need to be considered in simulations with FlamMap namely ignition location, fuel moisture, weather conditions and the duration of the fire. While ignition locations and live fuel moisture were held constant based on historical observations (Sect. 2.3.1), varying dead fuel moisture as well as different scenarios for fire duration and wind conditions were selected to give realistic outputs in terms of BP and FL. The different factors resulted in a total of 27 wildfire simulations, comprising combinations of three fire durations (1, 2, and 3 days) and nine winds (the three most frequent wind direction–wind speed combinations for each of the three wildfire danger levels).

2.4.1 Fire Duration

The duration of a simulation in FlamMap is controlled by the Maximum Simulation Time parameter which takes minutes as its unit (FlamMap Help, 2023). The duration of wildfire simulations varies among studies. For example, Mallinis et al. (2016) used a duration of 480 min based on the historical wildfire record of the region, Mallinis (2014) used 360 min, and Sá et al. (2022) considered several durations (300, 540, and 720 min).

Here, we decided to run simulations for 1,440 (1 day), 2,880 (2 days) and 4,320 minutes (3 days). This was done as a compromise between the many wildfires that often occur in the area and are usually detected and extinguished shortly and the 2022 wildfire that occurred in the study area over a period of 20 days, whereby the main spread of this fire occurred during

Formatted: English (UK)

Deleted: nine different

Deleted: scenarios, considering

Deleted: between

Deleted: weather conditions (winds occurring during periods of middle, high and very high risk of

Deleted: modelling run

Formatted: English (UK)

Formatted: English (UK)

Deleted: For example, Mallinis et al. (2016)

Deleted: Mallinis (2014)

Deleted: Sá et al. (2022)

the first three days (Kudláčková et al., 2024). In addition, the longer simulation times corresponded well with the lower wind speeds observed in the area, and this match was supported by the evaluation presented in Section 3.4. Unfortunately, no other data is available about the duration of historical fires in the region.

2.4.2 Wind and fire weather scenarios

Mesoscale wind conditions and local topography are the main drivers for wildfire behaviour. Therefore, different authors have used various wind scenarios. For example, Alcasena et al. (2017) considered five wind scenarios, considering the most frequent wind directions (frequency >5% in weather records) during the wildfire season and the respective 97th percentile wind speeds. Sá et al. (2022) derived different weather types after classifying 326 fire weather days based on the average values of temperature (T), relative humidity (RH), and wind speed. Each fire weather type (frequent/hotter, drier/windier and cooler/wetter) then had a representative wind based on the average wind speed and the most common out of eight wind directions.

Here we considered the mesoscale wind condition by developing different wind and fire weather scenarios and accounted for the microscale topography by making use of the WindNinja diagnostic model (Forthofer et al., 2009). This model takes the mesoscale input wind speed and direction and the slope of the fire modelling landscape to generate high resolution wind vectors. The chosen resolution for this study was 40×40m.

In order to generate typical mesoscale wind scenarios, we used the Forest Fire Danger Index (Waldbrandgefahrenindex, WBI) of the German Weather Service (DWD). WBI is based on the Canadian Fire Weather Index, while also adopting elements of the German Baumgartner and M68 indexes, and describes the meteorological potential for forest fire danger from 1 ‘very low risk of fire’ up to 5 ‘very high risk of fire’ (Wittich et al., 2014; Wittich and Bock, 2014). WBI values from DWD are provided for different municipalities through the Central German Information Service Agency (Waldbrandgefährdung, 2023). Daily WBI data for the municipality of Bad Schandau were chosen for the period 15th February 2009 to 12th August 2022. Bad Schandau is lying entirely in the study area, is close to the meteorological station of Lichtenhain-Mittelndorf and contains a high concentration of recorded ignition locations. Then the dates were categorised according to their WBI in medium danger (WBI = 3; 740 days), high danger (WBI = 4; 445 days) and very high danger (WBI = 5; 45 days).

Finally, the hourly wind data for the Lichtenhain-Mittelndorf station was filtered into three new datasets with hourly wind information for the three considered WBI values. Hourly values outside the 15.02.2009 – 12.08.2022 span were not used. Similarly to Sá et al. (2022), the frequency of each wind direction was analysed for each WBI value (Appendix C). The frequencies and mean speeds of all directional wind conditions for each WBI are shown in Table 1 and Table 2.

We then ran FlamMap using the three most frequent wind direction–wind speed combinations associated with each WBI level. Each combination was simulated for fire durations of one, two, and three days, resulting in a total of 27 model simulations (3 WBI levels × 3 wind scenarios × 3 fire durations). In each of these simulations, burn probability was computed using the same fire list containing the 363 ignition locations (Sect. 2.3.1). The 363 ignition locations were treated as independent single-ignition fires in MTT, and burn probability represents the fraction of these fires that burned each cell in each simulation.

Deleted: Alcasena et al. (2017)

Field Code Changed

Deleted: (Forthofer et al., 2009)

Deleted: close to

Deleted: where many ignitions have been recorded. ¶
We then...

Deleted: all dates

Moved down [2]: the hourly wind data for the Lichtenhain-Mittelndorf station was filtered into three new datasets with hourly wind information for the three considered WBI values. Hourly values outside the 15.02.2009 – 12.08.2022 span were not used.

Deleted: Then

Deleted: Similarly to Sá et al. (2022), the frequency of each wind direction was analysed for each WBI value (Appendix B). The frequencies and mean speeds of all directional wind conditions for each WBI are shown in Table 1 and Table 2.

Moved (insertion) [2]

Deleted: We then run FlamMap with the three most prominent wind directions and associated wind speeds for the three scenarios of fire duration resulting in twenty-seven model simulations. ¶

Page Break.....

480 **Table 1: Frequency of each wind direction for middle, high and very high fire danger conditions. The three most prominent wind directions for each WBI value are highlighted in bold.**

Fire danger (WBI)	Wind Direction (%)							
	N	NE	E	SE	S	SW	W	NW
Medium (3)	12.54	9.98	5.41	9.03	24.84	5.04	15.65	17.5
High (4)	14.17	15.14	9.18	8.5	19.16	2.98	13.26	17.61
Very high (5)	6.03	8.89	8.57	17.14	31.75	4.44	13.65	9.52

485 **Table 2: Mean speed of every wind direction for each of the three hourly winds' WBI datasets is shown here. The mean speeds of the three most prominent wind directions for each WBI value are highlighted.**

Fire danger (WBI)	Mean wind speed (km/h)							
	N	NE	E	SE	S	SW	W	NW
Medium (3)	13.0	16.01	12.6	7.02	16.65	12.28	14.85	14.93
High (4)	13.29	16.86	14.94	16.2	10.03	13.21	14.62	17.23
Very high (5)	12.64	12.42	12.09	17.4	17.21	11.08	13.59	17.62

2.4.3 Dead and live fuel moisture parameterisation

490 To ensure consistency between the fire-weather scenarios and fuel conditions, the destructively sampled DFMC observations were grouped according to the three WBI classes, and representative values were derived separately for bark-beetle-affected and non-affected forest stands. As no destructive DFMC measurements were available for days classified as WBI 5 within the timespan of the destructive measurement campaign, the corresponding WBI 5 fuel moisture values were estimated from the WBI 4 values using the relative difference observed between WBI 4 and WBI 5 fuel-stick measurements at the respective monitoring site. The resulting fuel moisture values are presented in Appendix A (Tables A1–A3). Unlike dead fuel moisture, live fuel moisture values were not varied between the WBI scenarios. Per the FlamMap modelling framework, live fuel moisture was treated as constant throughout the conditioning period of each simulation.

495 2.5 Development of the wildfire exposure map

The exposure map simultaneously represents both burn probability (BP) and flame length (FL). Therefore, the 27 model simulations were combined into nine wildfire scenarios by calculating weighted averages of the three wind simulations associated with each combination of wildfire danger level and fire duration. The FL and BP weighted mean rasters were calculated using wind prominence percentages as weights in order to assign greater importance to wind scenarios that occur more frequently under a given wildfire danger level.

Formatted: Justified, Line spacing: 1,5 lines

Deleted: ¶

Deleted: common conditions for

Deleted: .

Deleted: we calculated representative values

Deleted: BP and FL for

Deleted: fire

Deleted: scenario as weighted averages depending on wind conditions. For each, the

Deleted: are

Deleted: more

Deleted: often

Deleted: specific

Deleted: scenario: ¶

$$X_{i,j} = \frac{X_{(A,i,j)} \cdot p_A + X_{(B,i,j)} \cdot p_B + X_{(C,i,j)} \cdot p_C}{p_A + p_B + p_C}$$

515

Where X is either FL or BP of a grid cell at location i, j and p is the percentage frequency of the three most prominent wind directions A, B and C (Table 1).

520

Burn probability and flame length were each classified into five classes for the exposure map. The burn probability classification consisted of the intervals < 0.01, [0.01, 0.02), [0.02, 0.05), [0.05, 0.10), and ≥ 0.10. Flame length was likewise classified into five classes based on the distribution of modelled flame length values across the study area: < 0.5 m, [0.5, 1.0) m, [1.0, 1.5) m, [1.5, 2.0) m, and ≥ 2.0 m. These thresholds were selected to provide sufficient differentiation between areas with low and high potential fire intensity. To create the final exposure map, the two classifications of FL and BP were combined in a bivariate classification corresponding to 25 combinations of FL and BP. The simultaneous combination of fire intensity and probability measures to derive exposure has been applied in previous studies. For example, Sá et al. (2022) combined burn probability with fireline intensity, while Heisig et al. (2022) employed the integrated fire hazard classification scheme of the Interagency Fuels Treatment Decision Support System which gives a single fire hazard value based on both conditional flame length and conditional burn probability.

525

2.6 Assessment of the exposure of municipalities

Based on the wildfire exposure map, exposure was also assessed for municipalities and at the scale of individual homes. Therefore, the Home Ignition Zone (HIZ) of all residential buildings located inside the study area was calculated. The HIZ refers to the 60-metre buffer zone directly surrounding residential buildings, which plays a critical role in assessing the likelihood of structure ignition during severe wildfire incidents (Alcasena et al., 2017). To identify residential buildings, the buildings layer was filtered to retain only buildings classified as residential by the Czech State Administration of Surveying and Cadastre for the Czech side (ČÚZK: Geoportál, 2024) or by the Saxon State Office for Geoinformation (Landnutzung - Geobasisinformation, 2024) for the German side. We then computed 5 and 95%-iles of BP and FL for all grid cells located within the HIZ of the residential buildings for an extreme scenario (very high fire danger at WBI = 5 and a 3-day fire duration) and for a mild scenario (medium fire danger at WBI = 3 and a 1-day fire duration). We finally used the borders of the 28 Czech and 16 German municipalities situated inside the borders of the study area to evaluate wildfire exposure on a low administrative division level.

530

535

540

2.7 Interactive web map and questionnaire design

We developed an interactive web-based fire exposure map to allow users and stakeholders an easy access and evaluation of the wildfire exposure scenarios. The interactive map was first prototyped in ArcGIS Online and after receiving feedback from stakeholders, was implemented in the open-source software leaflet to enable a more widespread and provider-independent hosting of the tool. The web map allows for interactive data exploration such as zooming, panning, and view configuration.

Deleted: Burn probability and flame length were then each classified in five classes for the exposure map. The classification for FL was derived from Sá et al. (2022), which in turn is an adaptation of the classification suggested by Alexander & Cruz (2018). This classification classifies flame length according to the difficulty of fire suppression. Likewise, BP was classified in five classes from low to very high: > 0.01, [1, 0.02), [0.02, 0.05), [0.05, 0.1) or ≥ 0.1. To create the final exposure map, the two classifications of FL and BP were combined in a bivariate classification corresponding to 25 combinations of FL and BP. The simultaneous combination of fire intensity and probability measures to derive exposure has been applied in previous studies. For example, (Sá et al., 2022) combined burn probability with fireline intensity, while Heisig et al. (2022) employed the integrated fire hazard classification scheme of the Interagency Fuels Treatment Decision Support System which gives a single fire hazard value based on both conditional flame length and conditional burn probability.¶ We then...

Moved down [3]: developed an interactive web-based fire exposure map to allow users and stakeholders an easy access and evaluation of the wildfire exposure scenarios. The interactive map was first prototyped in ArcGIS Online and after receiving feedback from stakeholders, was implemented in the open-source software leaflet to enable a more widespread and provider-independent hosting of the tool. The web map allows for interactive data exploration such as zooming, panning, and view configuration. The map includes the nine wildfire exposure rasters, the residential Home Ignition Zone, the buildings, fire stations, transportation network, the historical fire ignition locations, the river network, the names of towns and villages located within the same 30km circular buffer as the fire stations, and the burned area from the 2022 wildfire

Moved down [4]: . Finally, the international border between Germany and the Czech Republic as well as the borders of the National Parks and Conservation Areas were included.¶

Deleted: (Copernicus Emergency Management Service, 2022)

Deleted: (Alcasena et al., 2017)

Deleted: subsetted

Deleted: include

Deleted: those

Deleted: defined

Moved (insertion) [3]

585 The map includes the nine wildfire exposure rasters, the residential Home Ignition Zone, the buildings, fire stations, transportation network, the historical fire ignition locations, the river network, the names of towns and villages located within the same 30km circular buffer as the fire stations, and the burned area from the 2022 wildfire (Copernicus Emergency Management Service, 2022). Finally, the international border between Germany and the Czech Republic as well as the borders of the National Parks and Conservation Areas were included.

590 To evaluate the usability of the interactive web map, a usability questionnaire was developed—an approach commonly used in similar contexts (e.g., Flink et al., 2011; Wang, 2014). The questionnaire included four parts: an introductory explanation of the map, participant profiling, a task-based activity, and follow-up usability questions. Participants were asked to identify a route from a specific settlement to its nearest fire station under a defined wildfire scenario and assess the settlement's exposure. They then rated the difficulty of this task on a 5-point Likert scale (1 = very easy, 5 = very difficult), followed by questions on the clarity of the map's bivariate legend and overall design. Two final open-ended questions gathered qualitative feedback.

595 A usefulness questionnaire was additionally developed to assess whether the interactive map could support wildfire protection stakeholders in the study area. Its first part mirrored the usability questionnaire, with a language selection option added on the initial screen. Full English and German versions were provided, while a partial Czech version included a translated introduction followed by English-language questions. The second part collected information on participants' professional background, their link to the study area, and general familiarity with maps. The third part replicated the activity section from the usability questionnaire. In the final part, participants rated each map layer's relevance to their work using a 5-point Likert scale (1 = not relevant, 5 = highly relevant), and described potential use cases. Aside from the scale ratings, the questionnaire relied mostly on open-ended responses. A bilingual user guide (German/English) was attached to each email to assist unfamiliar participants.

Moved (insertion) [4]

Moved (insertion) [5]

Moved (insertion) [6]

Moved (insertion) [7]

Moved (insertion) [8]

2.8 Methodology for the evaluation of wildfire modelling

605 To assess the plausibility of the wildfire modelling approach used in this study, we evaluated whether FlamMap could reproduce spatially consistent short-term fire spread patterns during the first three days of the 2022 wildfire, under daily mean fire-weather conditions. For this evaluation, the three first days of the 2022 wildfire were modelled with the utilisation of three simulations, each lasting one day; the first simulation used the 2022 wildfire ignition as its ignition location, as well as the mean daily wind and fuel moistures of the first day of the 2022 wildfire (24.07.2022). The second simulation used a point layer describing the perimeter of the first modelled fire as its multiple ignition locations, as well as the mean daily wind and fuel moistures of the second day of fire (25.07.2022). The third simulation used a point layer describing the perimeter of the second day modelled fire as its multiple ignition locations, as well as the mean daily wind and fuel moisture of the third day of fire (26.07.2022). The River Elbe was assumed to act as a natural fire barrier in all simulations, as in Kudláčková et al. (2024). The usage of three different simulations was done to counter the inaccuracies that might develop when using one sole wind to represent varying wind conditions that last multiple days, as was the case with the wind conditions of the 2022 wildfire. A time series of the mean daily wind velocities of the 2022 wildfire are displayed in Figure 3, along with the daily WBI values; notice the constantly changing wind direction:




Figure 3: Time series showing wind velocity (speed and direction), as well as daily WBI values throughout the duration of the 2022 study area wildfire.

The modelled daily fire perimeters were evaluated with the dates of first fire detection. As there are no ground-observed isochrones of fire spread available for this fire event, we combined active fire detections by the Moderate Resolution Imaging Spectroradiometer (MODIS, (NASA MODIS Science Data Support Team, 2021) and the Visible Infrared Imaging Radiometer Suite (VIIRS) aboard S-NPP and NOAA 20 (formerly known as JPSS-1) (NASA VIIRS Land Science Team, 2020) within the boundary of the final burned area perimeter. VIIRS and MODIS active fire data comes in 375 m and 1 km (at nadir) spatial resolutions, respectively. The final burned area perimeter is based on the map of the Copernicus emergency management service, which has been checked and revised by in situ mapping of the National Park administrations. The burned area map has been used before in Beetz et al. (2024). For the evaluation, the available satellite-detected active fires for the first three days of the 2022 wildfire (24.07.2022 – 26.07.2022), were merged and then classified into three daily layers. Each active fire point was then assigned a 500m buffer as a compromise between the spatial resolutions of the VIIRS and MODIS sensors. The resulting buffered daily active-fire detections were overlaid with the final burned-area perimeter to approximate which areas of the final burned area were burning on each day. These daily maps of fire detection were then compared with the fire perimeters derived from the three aforementioned FlamMap simulations, which were likewise produced for the first three days of the wildfire.

3 Results

3.1 Wildfire exposure at different weather and fire duration scenarios

The nine wildfire exposure scenarios are illustrated in Figure 4.




Figure 4: The nine wildfire hazard rasters for three different levels of forest fire danger (WBI) and three different fire durations. National borders and the River Elbe are also overimposed. Each scenario simultaneously represents the flame length (FL) and burn probability (BP) classes. The legend's colours were created using the HSB (Hue Saturation Brightness) Colour Model. Hue

Formatted: Caption

Moved (insertion) [9]

645 was varied to visualise FL ranging from yellow (low flames) to dark blue (high flames). Saturation was varied to represent BP from light colours (low burn probability) to dark colours (high burn probability).

It is evident that high BP is primarily influenced by the duration of the simulation. Across all fire danger levels, the 2-day simulations consistently yielded higher BP values than the 1-day ones, and similarly the 3-day simulations consistently yielded the highest BP values in total. In contrast, FL is more sensitive to wildfire danger conditions (WBI) than to simulation duration, remaining relatively stable across all scenarios, with only minor variation as WBI increases and virtually no sensitivity to the length of the simulation. This difference is likely due to the nature of the two metrics: FL represents an instantaneous fire behaviour measure and is therefore less affected by time, whereas BP accumulates over the entire simulation. Since the same set of weather conditions was used to model dead fuel moisture across all simulations, differences in FL are primarily driven by the variation in wind conditions. However, the impact of wind is somewhat muted, as the prevailing wind directions are similar across all three fire danger scenarios—particularly the dominance of southern winds (see Appendix C).

655 Despite these general trends, some spatial patterns remain consistent across all nine scenarios. Specific areas—especially on the North and Southwest of the study area—consistently show both high BP and high FL, indicating substantial wildfire hazard. The Southeast, shows constantly high BP, albeit with lower FL. There is a large, roughly triangular area on the German part, which is bounded by the Elbe and the international border, which consistently demonstrates low FL but is dominated with some red and purple patches of land. These are agricultural areas where few ignitions occur. Patterns of BP can be better understood by taking a look at the ignition locations used for the modelling in Figure E1 of the Appendix. It is evident that there are two main clusters, one centred around the city of Decín and the other located in the municipality of Bad Schandau, which make areas around them more probable to burn during modelling. Finally, a consistent pattern across the scenarios is that wildfires rarely cross the Elbe River. While high BP values can be observed along both banks, they often do not extend across the river. This can be assumed to be an outcome of the prevailing western winds and ignitions at the eastern bank as well as the lack of a spotting component in the modelling. Each of the modelling scenarios also resulted in intermediate BP and FL maps. These can be seen in Appendix D for the example scenario of WBI = 5 and duration = 3 days.

3.2 Interactive web map

A typical view of the interactive web map is shown in Figure 5. The map is available for download at <https://doi.org/10.25532/OPARA-954>. Upon first access, users are presented with a general overview of the study area, including the 30 km centroid buffer used for the support capability indicator layers. By selecting the appropriate checkboxes in the layer visibility menu, users can display these indicators, which highlight fire stations and the three types of paved routes. The wildfire exposure rasters are organised in a dedicated sub-section of the layer menu. Here, radio buttons allow users to view one scenario at a time. If the Home Ignition Zone (HIZ) layer is enabled, it is overlaid on the selected exposure raster, masking all non-residential areas. To examine individual building exposure, users can zoom into a specific settlement and activate the buildings layer. Comparing this with the 2022 wildfire boundary layer allows identification of structures that were within the fire perimeter—such as in the case of the village of Mezná. A dedicated legend button helps users interpret the

Deleted: modelling run.

Formatted: Don't keep with next

Deleted: how long

Deleted: runs

Deleted: B

Deleted: exposure

Deleted: Figure 1.

Deleted: ¶

Deleted: C

Deleted:

Deleted: ¶

... [2]

4440 exposure rasters. For example, in Mezná, several beige cells—assumed to represent non-burnable built-up areas—are interspersed with deep blue cells, indicating zones of highest exposure (i.e., highest FL and BP values). Additionally, a help button marked with a “?” opens a pop-up window that provides a more detailed explanation of the colour scheme and map functionality. A full description of the map’s interactive features is available in Appendix F.

Formatted: Font colour: Text 1

Deleted: E





Figure 5: A typical view of the interactive web map.



Deleted:

3.3 Wildfire exposure per municipality




Figure 6: Hazard values (BP, FL) for different municipalities based on their residential home ignition zone under the extreme weather scenario of WBI = 5 and duration = 3 days. The five municipalities with the highest BP and FL are highlighted in red.

Moved down [13]: 3.4 Evaluation of wildfire modelling

The results reveal substantial variation in exposure between municipalities and between the two hazard metrics. Sebnitz exhibits the highest median BP with 15%, followed closely by Mikulášovice, Hohnstein, Vilémov and Rathmannsdorf. In contrast, the top five municipalities in terms of median HIZ FL are all in Czechia, with values ranging from approximately 2.11 metres in Srbská Kamenice to 3.51 metres in Veselý.

Figure 7 extends the analysis by comparing the extreme scenario (WBI = 5, 3-day duration) to a milder scenario (WBI = 3, 1-day duration) for the same most-exposed municipalities. The BP values show substantial variation between scenarios, with much lower exposure under mild conditions. In contrast, FL remains relatively consistent across scenarios, reaffirming the earlier observation from Figure 4, that FL is less sensitive to fire duration and WBI levels than BP. A complete list of BP and FL for these two scenarios for all municipalities, as well as a map of the municipalities and Home Ignition Zones, area shown in Tables E1–E2 and in Figure E1 in the Appendix.




Figure 7: The five municipalities of the study area with the highest median burn probabilities and flame lengths, based on their residential home ignition zones, for two scenarios: an extreme scenario (WBI = 5, duration = 3 days; shown in red) and a mild scenario (WBI = 3, duration = 1 day; shown in grey). Each scenario is based on three FlamMap-MTT simulations (one per dominant wind direction) with 363 independent single-ignition fires per simulation (n = 1089 fires per scenario). Median values are indicated with points, and vertical lines show the 5th to 95th percentile range.

3.4 Evaluation of wildfire modelling

The comparison between the daily fire areas derived from VIIRS/MODIS active-fire detections and the fire perimeters produced by the three FlamMap simulations is shown in Figure 8. Table 3 presents the confusion-matrix results and validation metrics for the comparison between simulated fire spread and satellite-based active-fire detections. Metrics utilising True Negatives (TN), such as overall accuracy were not considered in the discussion, as they would give deceptively large values, due to the over-prominence of TN.

Moved (insertion) [11]

Moved (insertion) [12]

Moved (insertion) [13]

Deleted: To assess the performance of the wildfire modelling approach used in this study, we evaluated FlamMap's ability to simulate the spatial extent of the 2022 wildfire over its first three days. For this evaluation, the three first days of the 2022 wildfire were modelled with the utilisation of three modelling runs, each lasting one day: the first run used the 2022 wildfire ignition as its ignition location, as well as the mean daily wind and fuel moistures of the first day of the 2022 wildfire (24.07.2022). The second run used a point layer describing the perimeter of the first modelled fire as its multiple ignition locations, as well as the mean daily wind and fuel moistures of the second day of fire (25.07.2022). The third run used a point layer describing the perimeter of the second day modelled fire as its multiple ignition locations, as well as the mean daily wind and fuel moisture of the third day of fire (26.07.2022). The River Elbe was assumed to act as a natural fire barrier in all runs, as in Kudláčková et al. (2024). The usage of three different runs, was done to counter the inaccuracies that might develop when using one sole wind to represent varying wind conditions that last multiple days, as was the case with the wind conditions of the 2022 wildfire. A time series of the mean daily wind velocities of the 2022 wildfire are displayed in Figure 7, along with the daily WBI values; notice the constantly changing wind direction:




Figure 7: Time series showing wind velocity (speed and direction) and WBI values for the 2022 wildfire from 2022-07-24 to 2022-08-01.

Deleted: fire detection remote sensing products accessed from NASA's Fire Information for Resource Management System (FIRMS). FIRMS distributes Near Real-Time (NRT) active fire / thermal anomalies data from the Moderate Resolution Imaging Spectroradiometer (MODIS) aboard the **Deleted:**

Deleted: derived from

Deleted: aforementioned

Deleted: modelling runs, which were also done for the first three days of the 2022 wildfire: As can be seen

Deleted: , there is an adequately good overlap between modelled-burned areas and satellite-detected fires, particularly for the third day of the fire, and the modelling roughly follows the limits of the overall extent of the fire. More specifically,

Deleted: shows the proportion of true positive active fire detections accurately represented by the FlamMap modelling - i.e., VIIRS/MODIS hotspots that occurred within the

Deleted: perimeter for the corresponding day





Figure 8: Comparison of three daily FlamMap simulations with satellite-detected fires (TP true positive, FN false negative, FP false positive, TN true negative).

Table 3: Confusion-matrix percentages and derived validation metrics comparing simulated fire spread with VIIRS/MODIS-based active-fire detections for the first three days of the 2022 wildfire, based on a random sample of 50,000 raster cells for each day.

Day	True Positives [%]	False positives [%]	False negatives [%]	True negatives [%]	Omission error	Commission error	Jaccard (IoU)
Day 1	0.6	2.1	2.7	94.6	0.824	0.788	0.106
Day 2	6.5	6.6	5.3	81.6	0.448	0.501	0.355
Day 3	7.3	13.3	2.7	76.7	0.269	0.644	0.315

The simulated fire spread increasingly resembled the satellite-derived active-fire detections as the wildfire progressed (Figure 8). On Day 1, the overlap between simulated and observed fire areas was limited, with only 0.6% of sampled cells classified as true positives and a Jaccard similarity of 0.106 (Table 3). By Day 2, the correspondence improved substantially, reflected in higher true-positive values (6.5%) and a Jaccard similarity of 0.355. On Day 3, the simulated fire perimeter continued to capture a large proportion of the observed fire extent, although the increased number of false-positive cells resulted in a slightly lower Jaccard similarity (0.315) than on Day 2. Omission error decreased steadily from Day 1 (0.824) to Day 3 (0.269), whereas commission error was lowest on Day 2 (0.501) and increased again on Day 3 (0.644).



Deleted:

Deleted: runs

Deleted: .

Deleted: Percentage of VIIRS/MODIS - detected active fires located within the FlamMap-

Deleted: daily fire perimeters

Formatted: Justified, Keep with next

Deleted: ¶

% of detections within modelled perimeter

... [5]

3.5 Evaluation of usability and usefulness

Fifty completed usability questionnaires were collected, from both GIS/Cartography professionals and members of the general public. Profiling responses (Appendix G, Figure G1) showed that most participants had at least moderate map-reading skills: 84% and 86% reported moderate to expert knowledge of static and interactive maps, respectively. Task difficulty ratings differed by background. Among non-GIS users, responses centred around “3 – neutral” (median/mode = 3). GIS professionals, however, found the task easier: 61% rated it as either “1 – very easy” or “2 – easy,” with a median and mode of 2 (see Figure 9). This suggests a clear link between domain expertise and ease of use. Interpretation of the legend’s colours was generally successful. For two key questions—one about the meaning of blue areas (Q1), and one about the role of colour intensity (Q2)—78% and 70% of all participants answered correctly. GIS users scored higher, with 84% and 81% correct, respectively (Figure G2). Overall clarity of the bivariate legend was also rated positively (mean = 3.86, median/mode = 4 – “easy”; see Figure G3). Finally, participants identified both strengths and design challenges of the map. The five most common suggestions for improvement are summarised in Appendix G – Summary of User Feedback. These findings are further discussed in Sect. 4.




Figure 9: Responses showing difficulty of completion of interactive map activity. This consisted of identifying a route from a specific settlement to its nearest fire station under a defined wildfire scenario and assessing the settlement’s exposure.

Two stakeholders completed the usefulness questionnaire. Participant A is affiliated with the Bohemian Switzerland National Park Administration, and Participant B with Germany’s Virtual Operations Support Team (VOST) under the Federal Agency for Technical Relief (THW). Both had prior experience with interactive maps and completed all tasks. Both participants rated the buildings and settlement layers as very or highly relevant. Fire stations and transportation networks were also valued, though to varying degrees (ratings ranged from 3 to 5). Opinions differed on the relevance of rivers—

Moved up [5]: The questionnaire included four parts: an introductory explanation of the map, participant profiling, a task-based activity, and follow-up usability questions. Participants were asked to identify a route from a specific settlement to its nearest fire station under a defined wildfire scenario and assess the settlement’s exposure. They then rated the difficulty of this task on a 5-point Likert scale (1 = very easy, 5 = very difficult), followed by questions

Deleted: To evaluate the usability of the interactive map, a questionnaire was developed—an approach commonly used in similar contexts (e.g., Flink et al., 2011; Wang, 2014)

Deleted: responses

Deleted: covering


Deleted: F

Deleted: F1

Deleted: F2

Deleted: F3

Deleted: F



Deleted: Full English and German versions were provided, while a partial Czech version included a translated introduction followed by English-language questions.

Moved up [7]: The third part replicated the activity section from the usability questionnaire.

Moved up [8]: participants rated each map layer’s relevance to their work using a 5-point Likert scale (1 = not relevant, 5 = highly relevant), and described potential use cases. Aside from the scale

Deleted: A usefulness questionnaire was developed to assess whether the interactive map could support wildfire protection stakeholders in the study area. Its structure mirrored the usability questionnaire.

Deleted: The second part collected information on participants’ professional background, their link to the study area, and map familiarity

Deleted: In the final section

Participant A, familiar with the Elbe’s fire-containment potential, rated them highly, while Participant B rated them slightly relevant (2). Other layers, such as historical ignitions, 2022 burned area, and conservation boundaries, were considered less relevant. The wildfire exposure rasters were viewed positively, rated from moderately to very relevant. Participant A suggested adding terrain relief and slope layers to aid orientation and assess fire spread.

When asked about potential use cases, Participant A raised concerns about the exposure model’s accuracy and outdated or disconnected paths, suggesting limited applicability in their context. In contrast, Participant B identified future value: while the current map has limited relevance to VOST operations—due to its geographic scope and VOST’s infrequent missions in eastern Germany—it could become more useful if expanded to other regions. B suggested the development of printable or open-format (e.g., geopackage or raster) versions. This comment was one of the motivating factors when choosing to develop the map using open-source software.

4 Discussion

4.1 Methodological Contributions

This study presents a flexible workflow for wildfire exposure mapping in transboundary WUI regions, by using the FlamMap fire behaviour model, multisenario simulations, and open-access geospatial data. It resulted in one of the first interactive wildfire exposure maps for an area of Central Europe. Notably, this workflow integrates burn probability (BP) and flame length (FL) into a bivariate hazard classification, visualised through a custom colour scheme, and implemented in an interactive web-based map. This methodological approach is consistent with previous wildfire exposure studies that combine burn probability and fire behaviour metrics with the spatial distribution of exposed assets (e.g., Alcasena et al., 2017, 2021; Argañaraz et al., 2017; Haas et al., 2013), but its application to a transboundary Central European landscape remains comparatively rare.

An important methodological innovation was the use of WBI-based fire weather scenarios paired with varying fire durations to simulate realistic wildfire dynamics. The approach accounted for the most frequent wind directions associated with each WBI level, using WindNinja to model microscale topographic effects. While FlamMap’s design limits wildfire simulations to a single wind direction and speed per simulation, a workaround was implemented to capture daily variability in wind conditions during the 2022 wildfire, as part of the evaluation of the methodology. Though this technique was not used to generate the exposure map itself, it demonstrated the feasibility of adapting FlamMap for multi-day wildfires. Fuel modelling was improved through local expert validation and field surveys. Expert input led to the amendment of two fuel models, and 83 ground truth surveys enabled refinement of 18% of the fuel model classifications in the German portion of the study area. These efforts enhanced the reliability of the fuel input data, especially in a landscape undergoing significant ecological change due to bark beetle infestations. Finally, support capability indicators—namely the locations of fire stations and transportation infrastructure—were integrated into the exposure map using a 30 km buffer. This ensured that both local and nearby firefighting capacities were visually represented, acknowledging the crucial role of rapid response in WUI wildfire contexts.

Deleted: , leveraging

Deleted: exposure

Deleted: scenario

Deleted: run

4.2 Key Findings and Interpretations

The empirical results indicate substantial spatial variation in wildfire exposure across the study area. Analysis of BP and FL patterns across the nine scenarios revealed that BP was primarily influenced by fire duration, whereas FL was more sensitive to fire weather conditions. While FL values remained relatively stable across scenarios, BP increased markedly with longer durations. The River Elbe consistently acted as a natural firebreak, with simulated fires rarely crossing it. At the municipal scale, the highest BP values were observed in three German (Sebnitz, Hohnstein, Rathmannsdorf) and two Czech (Vilémov, Mikulášovice) municipalities, indicating that wildfire likelihood was not restricted to one side of the border. This pattern can be explained by the spatial relationship between HIZs, ignition clusters, and dominant fire-spread pathways. These municipalities are located close to the dense ignition cluster around Bad Schandau or along likely spread corridors extending from it. Sebnitz represents the clearest example: although it is far larger than the Czech municipalities with high BP and contains numerous HIZs distributed across a broad area, many of these HIZs lie east and northeast of the Bad Schandau ignition cluster and can therefore be reached by modelled fires under the dominant wind scenarios. Similarly, Rathmannsdorf and Hohnstein contain HIZs close to ignition locations on the German side, while Mikulášovice and Vilémov are positioned farther along the same cross-border corridor of simulated fire spread. Moreover, the variation in BP across HIZs is much greater for Sebnitz and Hohnstein than for the other municipalities with high BP. This likely reflects their administrative structure, with numerous villages of different sizes and WUI configurations belonging to the same municipality, resulting in a broader distribution of exposure values. These results suggest that high BP is mainly controlled by the proximity and orientation of residential HIZs relative to ignition clusters and prevailing wind directions, rather than by national location alone. Finally, neither Bad Schandau nor Děčín experience high BP. Although they host the two largest clusters of ignitions, their HIZs are often situated away from the paths taken by the fires and are large enough for the median BP values to remain low. The observed cross-border asymmetry in wildfire exposure may additionally reflect differences in forest structure and land-use management across the border. At the same time, ignition locations are not confined to one side; for example, the Bad Schandau ignition cluster in Germany was found to contribute to exposure in adjacent Czech municipalities. These findings underscore the need for international cooperation and data sharing between wildfire agencies across borders. The observed contrast between BP and FL is also in line with previous wildfire exposure studies, where burn probability is typically interpreted as a likelihood metric and flame length, or conditional flame length, as proxies for potential fire intensity and suppression difficulty (e.g., Alcasena et al., 2017; Sá et al., 2022). The observed relationship between BP and FL partly agrees with previous wildfire exposure studies, but also highlights differences related to the Central European setting of this study. Similarly to Alcasena et al. (2017), BP and FL did not necessarily peak in the same areas: in northern Spain, high BP was linked mainly to fast-spreading herbaceous fuels such as rangelands and cereal crops, whereas the highest Conditional Flame Length values occurred in shrublands and dense forests on slopes aligned with dominant winds. In our study, a comparable decoupling occurs, with some agricultural areas showing high potential FL but low BP due to their limited connection to ignition locations and therefore simulated fire pathways. However, unlike the Mediterranean case studies of Sá

Moved (insertion) [14]

Deleted: The home ignition zones of the

Formatted: Font: Not Bold

Deleted: were significantly more exposed than those of Germany in both BP and FL, particularly under extreme

Deleted: scenarios, with the notable exception of the

Deleted: observed in Sebnitz and its incorporated

Deleted: . Sebnitz stands out not only as the sole German

Deleted: with high BP values, but also for being far larger than any Czech municipality with similarly

Moved (insertion) [10]

Deleted: . It is interspersed with extensive home ignition zones. This ...

Deleted: likely reflects

Deleted: However, as previously discussed

Deleted: This finding underscores

Moved up [14]: Analysis of BP and FL patterns across the nine scenarios revealed that BP was primarily influenced by fire duration, whereas FL was more sensitive to fire weather conditions. While FL values remained relatively stable across scenarios, BP increased markedly with longer durations. The River Elbe consistently acted as a natural firebreak, with simulated fires rarely crossing it.

Deleted:

Formatted: Font: Not Bold

et al. (2022) and Alcasena et al. (2021), where shrublands, pine forests, and unmanaged protected areas were major contributors to high intensity or high exposure, high exposure in our study is more strongly shaped by the spatial distribution of ignition clusters, HIZs, wind direction, and cross-border forest structure. This suggests that, in this Central European WUI landscape, exposure depends on local ignition placement, fuel continuity, and the proximity of settlements to simulated fire paths.

The validation of the exposure map using satellite-detected active fires during the 2022 wildfire demonstrated that the modelling approach can approximate observed fire spread with reasonable accuracy. The overlap with actual burned areas was high, especially for the third day of the fire. On Day 1, the model shows very limited correspondence with the areas identified from VIIRS/MODIS detections, reflected in the high omission (0.824) and commission (0.788) errors. Consequently, the Jaccard similarity is low (0.106), indicating only minor spatial overlap between modelled and detection-based fire areas. This is likely caused by the frequently changing wind directions during this day as reported by local firefighters, which is however not represented in the wind data used here. On Day 2, the model reproduces the general spatial pattern of fire spread more successfully, with substantially higher Jaccard similarity (0.355). Both omission (0.448) and commission (0.501) errors remain moderate, suggesting that while the model captures a considerable portion of the observed burning, it still both misses and overpredicts parts of the burned area. On Day 3, omission error decreases further (0.269), indicating that most of the detection-based fire areas are captured by the simulation. However, commission error increases (0.644) and FP are much higher than Day 2, reflecting a tendency of the model to overestimate the spatial extent of fire spread, which might be related to the success of firefighting operations not represented by the model. Overall, these results suggest that the model captures the general progression of the wildfire during the later stages of the event, although notable discrepancies between simulated and observed fire extents remain. In terms of the area lying in Germany shown in Figure 8, it should be noted that the modelled fire spread beyond the limits of the actual 2022 wildfire, which could be attributed to the strong defence firefighters mounted on the German side of the border. This element, which could not be fully modelled in FlamMap, is available only in the FSim software as described recently by Finney et al. (2025).

The usability study involving 50 participants showed that the map was generally perceived as easy to use, particularly by GIS professionals. Participants appreciated features such as toggling layers and zooming, though some reported difficulties interpreting the bivariate colour legend, especially on mobile devices. Feedback also highlighted the need for improved contrast between certain layers and for better legend accessibility. The usefulness evaluation, while limited to two stakeholders, offered contrasting perspectives. Participant B, from Germany's VOST, identified potential future applications of the map, especially if its geographic scope were expanded. Participant A, from the Bohemian Switzerland National Park Administration, expressed scepticism regarding the accuracy of transportation data, which highlights the need for an updated mapping of forest roads and paths including their traversability for different classes of trucks and vehicles. Importantly, both participants rated the layers representing settlements and fire stations as highly relevant, supporting the inclusion of these elements in future operational tools.

Moved down [15]: The usability study involving 50 participants showed that the map was generally perceived as easy to use, particularly by GIS professionals. Participants appreciated features such as toggling layers and zooming, though some reported difficulties interpreting the bivariate colour legend, especially on mobile devices. Feedback also highlighted the need for improved contrast between certain layers and for better legend accessibility. The usefulness evaluation, while limited to two stakeholders, offered contrasting perspectives. Participant B, from Germany's VOST, identified potential future applications of the map, especially if its geographic scope were expanded. Participant A, from the Bohemian Switzerland National Park Administration, expressed scepticism regarding the accuracy of transportation data, which highlights the need for an updated mapping of forest roads and paths including their traversability for different classes of trucks and vehicles. Importantly, both participants rated the layers representing settlements and fire stations as highly relevant, supporting the inclusion of these elements in future operational tools.

Deleted: Additionally, the validation of the exposure map using satellite-detected active fires during the 2022 wildfire demonstrated that the modelling approach— particularly when paired with locally adapted fuel models—

Deleted: The overlap with actual burned areas was high, especially for the third day of the fire.

Moved (insertion) [15]

4.3 Limitations

Some limitations constrained the scope of this study’s results. Most notably, the lack of historical fire perimeter data for the study area limited the validation of the modelled scenarios. While the 2022 wildfire provided one opportunity for comparison, more cases would be needed to systematically assess model accuracy across varied conditions. We acknowledge that our evaluation approach can only approximate the assessment of actual fire spread because active fire products contain omission and commission errors, which are caused by the limited temporal overpass of the satellites, the under-detection of low intensity and small fires, and the coarse spatial resolution, respectively. Therefore, the evaluation should be interpreted as an informed consistency check rather than strict accuracy validation. The assumption of constant wind in the primary FlamMap simulations also introduces biases and uncertainty in scenarios, especially for longer-duration wildfires. Although a workaround was tested, it was not applied to the main exposure maps, potentially underestimating fire spread in complex wind scenarios. This is especially important in this study area, where energy emissions during fires together with the complex topography of small valleys and high rock cliffs likely cause strong local pyrogenetic circulation features. Accounting for such fire-atmosphere feedbacks requires the coupling of a fire spread model with an atmospheric large eddy simulator. As up-to-date data on canopy structure that is representative of bark-beetle-affected conditions were not available, crown fires and thus spotting were not modelled. Consequently, fire spread and intensity may be underestimated under extreme weather, especially where firebrand transport could enable rapid downwind growth or cross-barrier spread. The unavailability of detailed information on the status and equipment of fire stations also limited the representativeness of the support capability indicators. The evaluation of map usefulness was constrained by low response rates; only two contacted stakeholders responded. While their feedback was insightful, it cannot be considered representative of the broader emergency response community. Finally, data inconsistencies—such as outdated or misclassified roads—underscore the need for continuous stakeholder engagement throughout the data preparation process.

Deleted: The assumption of constant wind in the primary FlamMap runs...

Deleted: Canopy data were insufficient to support the modelling of crown fire dynamics. As such, the exposure model likely underrepresents the intensity and behaviour of fires in dense or structurally complex stands.

Formatted: Font: Not Bold

4.4 Future Directions

Future wildfire exposure assessments in Central Europe and comparable regions should prioritise the integration of dynamic vegetation and disturbance data, particularly in forest landscapes affected by forest disturbances such as bark beetle outbreaks or windthrow. Field validation and expert consultation should be embedded in the workflow from the outset, not only during post-processing stages. Developing modular workflows that can easily accommodate new data inputs—such as updated fuel models, canopy characteristics, or fire station capacities—would enhance the adaptability and operational relevance of the exposure mapping process, particularly across seasons when fuel types and weather conditions vary.

Improving crown fire modelling by incorporating additional canopy structure data (e.g., stand height, canopy base height, and crown bulk density) would allow for more accurate intensity estimation.

We used weather data from a meteorological station in the centre of the study region and assume that this station is representative for the entire area. However, given the complex topography and elevation differences, micro-climatic conditions

4840 [are quite different in the study region \(Wild et al., 2019\) which also affects fuel moisture \(Kranz et al., 2025\). In addition, heat](#)
[fluxes from the fire in conjunction with the small-scale complex topography cause local circulation patterns that require in](#)
[future coupled fire spread-atmosphere models to accurately represent fire dynamics in this region.](#)

Additionally, expanding the use of fire weather indices beyond WBI—for example, using the Canadian Fire Weather Index in other regions—would support broader applicability. Furthermore, future work could explore a more weighted bivariate metric
4845 for exposure. While the symbology developed in this study accounts for both variables, an integrated single exposure or hazard index—similar to that used by the US Department of the Interior and US Department of Agriculture in the Interagency Fuels Treatment Decision Support System (IFTDSS) - might provide additional insights. Such an approach could highlight areas that currently receive low exposure scores under the present scheme but still present considerable hazard potential, such as agricultural areas with high potential flame length yet few nearby ignitions. In such cases, these areas might warrant a higher
4850 exposure classification than, for example, locations with high burn probability but low flame length.

From a user perspective, enhancing accessibility is essential. Open-source and licence-free versions of the exposure map should be provided, including static maps or raster data downloads. This would support wider use across agencies that lack access to proprietary platforms. Stakeholder feedback suggests that open-source solutions improve uptake in decentralised emergency services.

4855 **5 Conclusions**

This study has followed the development of an interactive wildfire exposure map, in a transboundary area of Germany and the Czech Republic consisting of two National Parks and two Conservations Areas. Such mapping in that area is still at a relatively early stage, but it is an area where wildfires are expected to become an ever-increasing threat due to climate change. Wildfire scenarios were devised based on local historical weather and classified based on WBI values and wildfire duration. These
4860 scenarios were then converted to exposure rasters, showcasing which human settlements are most potentially exposed to wildfires in the study area. The modelling results were then integrated into a web-based interactive map, which was then evaluated both for its accuracy and its usability/usefulness. The results of the usability evaluation have shown that the design workflow of the interactive map is promising, and that the resulting product, though it presents complex information, shows it in an understandable way. The usefulness questionnaire revealed the need to include stakeholders in such research in different
4865 ways, and to generally include local stakeholders and experts early, and throughout the research process. Moreover, significant work remains to be done, in order for future research to have access to adequate historical wildfire data, indispensable for testing the accuracy of the resulting exposure maps. Finally, the produced map contributes to the preparation of accurate and effective disaster risk management strategies for this area of Central Europe.

Appendix A. [Dead Fuel Moisture](#)

Dead Fuel Type	WBI 3	WBI 4	WBI 5 (estimated)
1h	18	17	15
10h	29	16	15
100h	23	15	14

[Table A1: Dead fuel moisture values \(%\) used for non-bark-beetle-affected \(beech\) stands under WBI 3-5 conditions](#)

Dead Fuel Type	WBI 3	WBI 4	WBI 5 (estimated)
1h	14	15	13
10h	18	16	13
100h	29	19	16

[Table A2: Dead fuel moisture values \(%\) used for bark-beetle-affected stands \(spruce\) under WBI 3-5 conditions.](#)

Dead Fuel Type	WBI 3	WBI 4	WBI 5
10h (beech forest)	11	9	8
10h (bark-beetle affected forest)	13	11	9

[Table A3: Observed 10-h fuel-stick moisture \(%\) for beech and bark-beetle-affected stands under WBI 3-5 conditions. Data derived from Kranz et al. \(2025\)](#)

Deleted: Types to Fuel Models

Deleted: Table A1

Appendix B. Fuel Types to Fuel Models

Table B1: Translation table of fuel types to fuel models

Main Fuel Type	Leaf Type	Phenology	Cover %	Fuel Type	Fuel Model	Fuel Type	Fuel Model
1. Forest	11. Broadleaved	111. Deciduous	1111. Open (15 - <70%)	11111 Beech	TL2	11115 Black Locust	TL2
				11112 Birch	GR6	11116 Poplar	TL2
				11113 Oak	TL2	11117 Other Hardwood	TL2
				11114 Ash	TL2		
			1112. Closed (70 - 100%)	11121 Beech	TL6	11125 Black Locust	TL2
				11122 Birch	TL2	11126 Poplar	TL2
			1113. Scattered Trees <15%	11123 Oak	TL2	11127 Other Hardwood	TL2
				11124 Ash	TL2		
	12. Needle-leaved	121. Evergreen	1211. Open (15 - <70%)	11131 Beech	TL2	11134 Black Locust	TL2
				11132 Birch	GR5	11135 Poplar	TL2
			1212. Closed (70 - 100%)	11133 Oak	TL2	11136 Other Hardwood	TL2
			1213. Scattered Trees <15%	12111 Spruce	TL3	12113 Other coniferous wood	SH4
				12112 Pine	SH4		
				12121 Spruce	TU2	12113 Other coniferous wood	TU2
			12122 Pine	12122 Pine	SH3		
				12131 Spruce	TL3	12113 Other coniferous wood	SH4
				12132 Pine	SH4		
	13. Mixed	122. Deciduous	1221. Open (15 - <70%)	12211 Larch			GR6
			1222. Closed (70 - 100%)	12221 Larch			TL3
			1223. Scattered Trees <15%	12231 Larch			GR6
			1301. Open (15 - <70%)	13011 Larch	GR6	13017 Oak	TL2
				13012 Spruce	TL3	13018 Ash	TL2
				13013 Pine	SH4	13019 Black Locust	TL2
				13014 Other Hardwood	TL2	13020 Poplar	TL2
				13015 Beech	TL2		

Main Fuel Type	Leaf Type	Phenology	Cover %	Fuel Type	Fuel Model	Fuel Type	Fuel Model
1. Forest	13. Mixed		1301. Open (15 - <70%)	13016 Birch	TL2	13021 Lime	TL2
			1302. Closed (70 - 100%)	13031 Larch	TL3	13037 Oak	TL2
				13032 Spruce	TU2	13038 Ash	TL2
				13033 Pine	SH3	13039 Black	TL2
				13034 Other	TL2	Locust	
				Hardwood			
				13035 Beech	TL2	13040 Poplar	TL2
				13036 Birch	TL2	13041 Lime	TL2
			1303. Scattered Trees <15%	13051 Larch	GR6	13057 Oak	TL2
				13052 Spruce	TL3	13058 Ash	TL2
				13053 Pine	SH4	13059 Black	TL2
				13054 Other	TL2	Locust	
				Hardwood		13060 Poplar	TL2
				13055 Beech	TL2		
				13056 Birch	TL2	13061 Lime	TL2
2. Disturbed Land	Bark beetle-infested forest Wildfire, 1-2 years since burn			21. Bark beetle-infested forest 22. Little fine fuel		SB2 TL1	
3. Shrubland				31. Temperate shrub heathland 32. Temperate and mediterranean-montane scrub		SH6 SH3	
4. Grassland				41. Mesic grassland 42. Dry grassland		GR6 GR3	
5. Cropland				51. Arable land 52. Shrub plantation		GR3 SH3	
6. Wet and peat/semi-peat land				61. Riverine 62. Seasonally wet and wet grasslands 63. Peat land		SH8 GR6 GR5	
7. Urban				71. Continuous fabric 72. Discontinuous fabric		NB1 SH3	
8. Nonfuel				81. Open Water 82. Bare Ground		NB8 NB9	

4890




Figure [B1](#): Fuel types to fuel models processing steps

Formatted: English (UK)

Deleted: A1

Appendix C. Distribution of Wind Roses




Figure C1: Wind roses for winds that occurred on days with WBI = 3, 4 and 5 in Bad Schandau from 15.02.2009 until 12.08.2022.

Deleted: B

Formatted: English (UK)

Deleted: B1

Deleted:Page Break.....

Appendix C. ...

Appendix D. Example Burn Probability and Flame Length Rasters





Figure D1. Workflow for derivation of flame length raster for scenario WBI = 5 and duration = 3 days



Deleted:

Deleted: C1

Deleted: duarion





Figure D2. Workflow for derivation of burn probability raster for scenario WBI = 5 and duration = 3 days



Deleted:

Deleted: C2

Deleted: duarion

Appendix E. Municipality Exposure




Figure E1. Map of municipalities and Home Ignition Zone of residential areas in the study area.

Deleted: D

Formatted: English (UK)

Formatted: English (UK)

Deleted: D1

Table E1. Exposure of Czech residential areas per municipality. Burn probability metrics are in grey and flame length ones in yellow. Minimum, maximum and median values are presented for the modelling scenario of WBI = 5, duration = 3 days (“extreme”) and for WBI = 3, duration = 1 day (“mild”). All metrics are based on values between the 5th and 95th percentiles to reduce the influence of outliers.

Municipality	Burn Probability - mild scenario			Burn Probability - extreme scenario			Flame Length - mild scenario			Flame Length - extreme scenario		
	min	max	med	min	max	med	min	max	med	min	max	med
Arnoltice	0	0.02	0.02	0	0.09	0.08	0	2.51	0.5	0	2.58	0.52
Bynovec	0	0.02	0.01	0	0.09	0.08	0	2.55	0.5	0	2.64	0.52
Chribská	0	0	0	0	0.04	0.04	0	3.4	0.24	0	3.5	0.27
Dobrná	0	0	0	0	0	0	0	0	0	0	0	0
Doubice	0	0.02	0	0	0.05	0.04	0	3.57	0.92	0	3.59	0.88
Decín	0	0.04	0.01	0	0.12	0.05	0	2.46	0.48	0	2.6	0.5
Huntírov	0	0.02	0.02	0	0.06	0.05	0	2.96	1.47	0	3.12	1.52
Hrensko	0	0.01	0	0	0.09	0.05	0	2.69	0.52	0	2.81	0.54
Janov	0	0.01	0.01	0	0.09	0.08	0	2.71	0.51	0	2.79	0.53
Janská	0	0.02	0.02	0	0.05	0.05	0	2.42	1.3	0	2.45	1.32
Jetřichovice	0	0.01	0	0	0.05	0.04	0	2.74	1.96	0	2.83	1.95
Jilové	0	0.01	0.01	0	0.13	0.02	0	2.74	0.55	0	2.86	0.57
Krásná Lípa	0	0.02	0.02	0	0.05	0.04	0	3.57	2.52	0	3.7	2.59
Kunratice	0.0											
Kámen	1	0.02	0.02	0.04	0.04	0.04	0.51	3.84	0.73	0.5	3.84	0.75
Labská Strán	0	0.02	0.01	0	0.07	0.07	0	2.58	0.5	0	2.63	0.52
Libouchec	0	0	0	0	0.03	0.01	0	2.84	0.53	0	2.95	0.55
Ludvíkovice	0	0.02	0.01	0	0.08	0.07	0	2.85	0.54	0	2.97	0.55
Markvartice	0	0.02	0.02	0	0.04	0.04	0	3.34	0.72	0	3.47	0.75
Mikulášovice	0	0.02	0.02	0	0.16	0.14	0	3.69	0.69	0	3.78	0.73
Petrovice	0	0	0	0	0.04	0.03	0	3.84	0.7	0	3.87	0.69
Ružová	0	0.01	0.01	0	0.08	0.08	0	2.54	0.49	0	2.62	0.51
Srbská Kamenice	0	0.02	0.02	0	0.06	0.05	0	2.47	2.04	0	2.6	2.11
Staré Křecany	0	0.02	0.02	0	0.1	0.09	0	2.86	2.18	0	3	2.22
Tisá	0	0	0	0	0.04	0.02	0	3.77	0.64	0	3.99	0.66
Veselé	0	0.02	0.02	0	0.04	0.04	0	4.17	3.4	0	4.32	3.51
Vilémov	0	0.01	0.01	0	0.13	0.12	0	4.09	0.6	0	4.3	0.62

- Deleted: D1
- Deleted: 1
- Deleted: 1
- Deleted: 8.37
- Deleted: 1.69
- Deleted: 8.46
- Deleted: 1.69
- Formatted ... [7]
- Formatted ... [8]
- Formatted ... [9]
- Formatted ... [10]
- Formatted ... [11]
- Formatted ... [12]
- Formatted ... [13]
- Deleted: 1
- Deleted: 1
- Deleted: 8.52
- Deleted: 1.7
- Deleted: 8.65
- Formatted ... [14]
- Formatted ... [15]
- Formatted ... [16]
- Formatted ... [17]
- Formatted ... [18]
- Formatted ... [19]
- Deleted: 1.71
- Formatted ... [20]
- Deleted: 11.32
- Deleted: 81
- Deleted: 11.49
- Deleted: 87
- Formatted ... [21]
- Formatted ... [22]
- Formatted ... [23]
- Formatted ... [24]
- Formatted ... [25]
- Formatted ... [26]
- Deleted: 11.92
- Deleted: 3.05
- Formatted ... [27]
- Formatted ... [28]
- Formatted ... [29]
- Deleted: 11.78
- Formatted ... [30]
- Deleted: 2.87
- Formatted ... [31]
- Deleted: 05
- Deleted: 15
- Deleted: 06
- Deleted: 8.
- Deleted: 1.61
- Deleted: 8.52
- Deleted: 1.64

Ceská													
Kamenice	0	0.02	0.02	0	0.04	0.04	0	3.7	2.11	0	3.81	2.16	

- Deleted: 06
- Deleted: 06
- Deleted: 12.32
- Deleted: 7.03
- Deleted: 12.5
- Deleted: 7.09
- Formatted: Font: 11 pt
- Formatted: Font: 11 pt
- Formatted: Font: 11 pt
- Formatted: Font: 11 pt
- Formatted: Font: 11 pt
- Formatted: Font: 11 pt
- Formatted: Font: 11 pt

Table E2. Exposure of German residential areas per municipality. Burn probability metrics are in grey and flame length ones in yellow. Minimum, maximum and median values are presented for the modelling scenario of WBI = 5, duration = 3 days (“extreme”) and and for WBI = 3, duration = 1 day (“mild”). All metrics are based on values between the 5th and 95th percentiles to reduce the influence of outliers.

Municipality	Burn Probability - mild scenario			Burn Probability - extreme scenario			Flame Length - mild scenario			Flame Length - extreme scenario		
	min	max	med	min	max	med	min	max	med	min	max	med
Bad Gottleuba-Berggießhübel	0	0.01	0	0	0.03	0.02	0	3.25	0.51	0	3.32	0.53
Bad Schandau	0	0.01	0	0	0.1	0.04	0	2.47	0.4	0	2.55	0.41
Dürrröhrsdorf	0	0	0	0	0.04	0.03	0	2.72	0.25	0	2.78	0.26
Dittersbach	0	0	0	0	0.02	0.02	0	2.44	0.47	0	2.51	0.49
Gohrisch	0	0.03	0.01	0	0.21	0.12	0	2.7	0.51	0	2.79	0.53
Hohnstein	0	0	0	0	0.03	0.01	0	2.5	0.39	0	2.59	0.39
Königstein	0	0	0	0	0.04	0.03	0	2.51	0.49	0	2.59	0.51
Lohmen	0	0	0	0	0.02	0.01	0	2.72	0.47	0	2.75	0.47
Pirna	0	0	0	0	0.07	0.01	0	2.36	0.25	0	2.47	0.27
Rathen	0	0.01	0	0	0.14	0.1	0	2.64	0.47	0	2.72	0.48
Rathmannsdorf	0	0	0	0	0.02	0.02	0	2.47	0.47	0	2.54	0.49
Reinhardtsdorf-Schöna	0	0.01	0	0	0.06	0.02	0	2.46	0.47	0	2.53	0.49
Rosenthal-Bielatal	0	0.02	0.02	0	0.25	0.15	0	2.66	0.52	0	2.76	0.54
Sebnitz	0	0	0	0	0.13	0	0	0.42	0	0	0.43	0
Stolpen	0	0	0	0	0.02	0.02	0	2.58	0.48	0	2.65	0.5
Struppen	0	0	0	0	0.03	0.01	0	2.57	0.45	0	2.65	0.46
Stadt Wehlen	0	0	0	0	0.03	0.01	0	2.57	0.45	0	2.65	0.46

- Deleted: D2
- Deleted: 04
- Deleted: 01
- Deleted: 10.88
- Deleted: 1.76
- Deleted: 10.88
- Formatted ... [189]
- Formatted ... [190]
- Formatted ... [191]
- Formatted ... [192]
- Formatted ... [193]
- Formatted ... [194]
- Deleted: 1.74
- Formatted ... [195]
- Deleted: 02
- Deleted: 09
- Deleted: 03
- Deleted: 8.23
- Deleted: 1.35
- Formatted ... [196]
- Formatted ... [197]
- Formatted ... [198]
- Formatted ... [199]
- Formatted ... [200]
- Deleted: 8.37
- Deleted: 1.36
- Formatted ... [201]
- Formatted ... [202]
- Formatted ... [203]
- Deleted: 03
- Deleted: 02
- Deleted: 9.09
- Deleted: 86
- Deleted: 9.11
- Deleted: 85
- Formatted ... [204]
- Formatted ... [205]
- Formatted ... [206]
- Formatted ... [207]
- Formatted ... [208]
- Formatted ... [209]
- Formatted ... [210]
- Deleted: 03
- Deleted: 8.13
- Deleted: 1.6
- Formatted ... [211]
- Formatted ... [212]
- Formatted ... [213]
- Deleted: 8.25
- Deleted: 1.59
- Formatted ... [214]
- Formatted ... [215]
- Formatted ... [216]

Appendix F. Interactive web map

Figure F1 shows a typical map view. Initially, only certain layers are available. Here, apart from the basemap and an exposure raster, the fire stations, the historical fires' ignitions, the villages, rivers and the study area layers are also visible. The main window is marked with 'G'. The zoom buttons 'A' may be pressed to change the zoom level and the search bar 'B' can be used to search for locations in the study area but also outside of it. 'C' is the home button which when pressed brings the user to the initial zoom level. The question mark button 'D' brings up the bivariate legend explanation. 'E' shows the quick legend button, which brings up the legend shown in the bottom-left of the screen. This was created to assist viewer to quickly check the burn probability and flame lengths when needed. 'H' and 'I' indicate the two parts of the layer pane, namely the one for the exposure rasters and the one for the rest of them. This pane automatically opens upon hovering over its symbol, located in the top-right of the window. Finally, 'F' indicates the map's scale bar, which updates according to the current zoom level.




Figure F1. Interactive web map features

Deleted: E

Deleted: E1


Deleted:

Deleted:

Deleted: E1


What is your job title?

■ GIS / Cartography professional or student
■ Other




Do you use any geographic information system software in your work?

■ Yes
■ No



Rate your familiarity with interactive maps -e.g. Google Maps- on a scale of 1 (not familiar at all) to 5 (expert)



Rate your familiarity with static -e.g. printed on paper- maps on a scale of 1 (not familiar at all) to 5 (expert)





Figure G1. User profiles of usability questionnaire participants.

Deleted: F

Formatted: English (UK)

Deleted: F1

What do blue areas in the wildfire exposure raster signify?



What do the more intense colours in the wildfire exposure raster signify?





Figure G2: Answers to the questions regarding understanding of the map's colours.

What do blue areas in the wildfire exposure raster signify?



Deleted: F2

How easy was the legend to understand ?





Figure G3: Responses to the question concerning ease of understanding of the legend.

How easy was the legend to understand ?



Deleted:

Deleted: F3

Table G1: Most frequently mentioned user-friendly aspects and improvement suggestions for the online wildfire exposure map from the usability questionnaire.

Deleted: F1

Category	Feedback item	Mentions
User-friendly aspects	Ability to easily turn on and off layers on demand to focus on needed information as well as the ease of use of the taskbar	13
	Colour coding easy to understand and colours distinguishable	6
	Overall map design	4
	Ease of zooming and overall ease of navigation	3
	Ability to search for locations using the search bar	3
Suggestions for improvement	Change exposure raster's colour coding (fewer colours or change of existing colours)	8
	Make legend more accessible and easier to find (issue reported by mobile users)	5
	Increase contrast between routes and exposure rasters	5
	Change colour or size of fire station symbol	4
	Add transparency control for raster layers	2

Data Availability

The fuel model map, burn probability and flame length rasters, as well as the exposure rasters can be provided by the corresponding authors upon request. Additionally, all raw data, with the exception of the ignition data used, can also be provided. The online map can be found under <https://doi.org/10.25532/OPARA-954>.

Deleted: ,

Author Contribution

Writing – Original Draft, Software, Formal Analysis, Visualization, Investigation: EA
Conceptualisation, Methodology: EA, MF, CM
Validation: EA, MF, LK, [JK](#), CM, MT
Writing – Review, Editing: EA, CM, MF
Supervision: MF
Data Curation, Resources: EA, KB, [JK](#), CM, MP

Competing Interests

The authors declare that they have no conflict of interest.

Acknowledgements

The authors would like to thank Charles McHugh of the Missoula Fire Sciences Laboratory for his invaluable guidance and expertise in answering our questions about FlamMap, which greatly facilitated our understanding and use of this tool. We would also like to thank Louis Georgi of the Saxon National Park for providing ignition locations.
This work was co-funded by the European Union through the Horizon 2020 research and innovation programme (FirEURisk project) under the Grant Agreement no. 101003890.
CM, MF, MT, [JK](#) and LK acknowledge funding from the Interreg Central Europe (Wildfire CE project)
The contributions of MT and LK were possible through OP JAK project AdAgriF – Advanced methods of greenhouse gases emission reduction and sequestration in agriculture and forest landscape for climate change mitigation (CZ.02.01.01/00/22_008/0004635).

Deleted:

Deleted: also

5495 **References**

| [Abatzoglou, J. T., Kolden, C. A., Cullen, A. C., Sadegh, M., Williams, E. L., Turco, M., and Jones, M. W.: Climate change has increased the odds of extreme regional forest fire years globally, Nat Commun, 16, 6390, <https://doi.org/10.1038/s41467-025-61608-1>, 2025.](#)

5500 Abrahams, J., Anacia, A., Beavers, R., Gabriel Andrés, B., Caffrey, M., Omar Darío, C., Ciotti, M., Derrough, T., Douris, J., Espinosa, L., Fraser, G., G. Goldammer, J., Gudnason, T., Gyenes, Z., Hainsworth, A., Krausmann, E., Loughlin, S., Løvholt, F., Mallinis, G., Mitsopoulos, I., Nadim, F., Necci, A., Rudari, R., Severi, E., Sexton, J., Silva, V., Smallwood, C., Suk, J., Tsoleva, S., Vigh, J. L., Villegas, C., Wannous, C., Weatherill, G., Yepes-Estrada, C., and Woolf, M.: Words into Action guidelines: National disaster risk assessment, Parth Three: Hazard specific Risk Assessment, United Nations Office for Disaster Risk Reduction, 2017.

5505 Alaska Fuel Model Guide Task Group (Ed.): Fuel model guide to Alaska vegetation, Alaska Wildland Fire Coordinating Group, Fire Modeling and Analysis Committee, Fairbanks, AK, 2018.

Alcasena, F., Salis, M., Ager, A., Castell, R., and Vega-García, C.: Assessing Wildland Fire Risk Transmission to Communities in Northern Spain, Forests, 8, 30, <https://doi.org/10.3390/f8020030>, 2017.

5510 [Alcasena, F., Ager, A., Le Page, Y., Bessa, P., Loureiro, C., and Oliveira, T.: Assessing Wildfire Exposure to Communities and Protected Areas in Portugal, Fire, 4, 82, <https://doi.org/10.3390/fire4040082>, 2021.](#)

[Alcasena, F. J., Ager, A. A., Salis, M., Day, M. A., and Vega-Garcia, C.: Wildfire spread, hazard and exposure metric raster grids for central Catalonia, Data in Brief, 17, 1–5, <https://doi.org/10.1016/j.dib.2017.12.069>, 2018.](#)

5515 [Almeida, M., Soviev, M., San-Miguel, J., Durrant, T., Oom, D., Branco, A., Ferrari, D., Boca, R., Maianti, P., De, R. D., Suarez-Moreno, M., Roglia, E., Scionti, N., Broglia, M., Alves, D., Matos, C., Ribeiro, L. M., Viegas, D. X., Ribeiro, C., Rodrigues, T., Chuvieco, E., Oliva, P., Garcia, M., Velea, R., Laterza, R., De, L. M., Lorenzoni, P., Arca, B., Salis, M., Bacciu, V., Del, G. L., Pelizzaro, G., Duce, P., Marrs, C., Forkel, M., Beetz, K., Kosczor, E., Podebradska, M., Politi, N., Sfetsos, A., Vlachogiannis, D., Eftychidis, G., Stavrakoudis, D., Varela, V., Gitas, I. Z., Sjostrom, J., Petrila, M., Lorent, A., Drobinkova, N., Vasilev, V., Tsvetkova, N., Yanko, B., Gospodinov, I., Zibtsev, S., Goldammer, J., Myroniuk, V., Sydorenko, S., Soshenskyi, O., Bogomolov, V., and Borsuk, O.: Report on the large wildfires of 2022 in Europe, Joint Research Centre, <https://doi.org/10.2760/19760>, 2024.](#)

5520 [Aragoneses, E., García, M., Salis, M., Ribeiro, L. M., and Chuvieco, E.: Classification and mapping of European fuels using a hierarchical-multipurpose fuel classification system, ESSD – Land/Land Cover and Land Use, <https://doi.org/10.5194/essd-2022-184>, 2022.](#)

5525 [Argañaraz, J. P., Radeloff, V. C., Bar-Massada, A., Gavier-Pizarro, G. I., Scavuzzo, C. M., and Bellis, L. M.: Assessing wildfire exposure in the Wildland-Urban Interface area of the mountains of central Argentina, Journal of Environmental Management, 196, 499–510, <https://doi.org/10.1016/j.jenvman.2017.03.058>, 2017.](#)

[Beetz, K.: Forest fires in the Bohemian-Saxon Switzerland in 2022: Mapping and analysis of fuel types, fire dynamics and severity using remote sensing data \[Unpublished master's thesis\], TU Dresden, 2023.](#)

5530 [Beetz, K., Marrs, C., Busse, A., Poděbrádká, M., Kinalczyk, D., Kranz, J., and Forkel, M.: Effects of bark beetle disturbance and fuel types on fire radiative power and burn severity in the Bohemian-Saxon Switzerland, Forestry: An International Journal of Forest Research, cpae024, <https://doi.org/10.1093/forestry/cpae024>, 2024.](#)

Formatted: Font: Not Italic

Deleted: Alexander, M. E.

Deleted: Cruz, M. G.: Fireline Intensity, in: Encyclopedia of Wildfires

Deleted: Wildland-Urban Interface (WUI) Fires, edited by: Manzello, S. L., Springer International Publishing, Cham, 1–8

Deleted: 1007/978-3-319-51727-8_52-1

- 5540 Berčák, R., Holuša, J., Kaczmarowski, J., Tyburski, Ł., Szczygieł, R., Held, A., Vacík, H., Slivinský, J., and Chromek, I.: Fire Protection Principles and Recommendations in Disturbed Forest Areas in Central Europe: A Review, *Fire*, 6, 310, <https://doi.org/10.3390/fire6080310>, 2023.
- Bowman, D. M. J. S., Williamson, G. J., Abatzoglou, J. T., Kolden, C. A., Cochrane, M. A., and Smith, A. M. S.: Human exposure and sensitivity to globally extreme wildfire events, *Nat Ecol Evol*, 1, 0058, <https://doi.org/10.1038/s41559-016-0058>, 2017.
- 5545 Brázdil, R., Zahradník, P., Szabó, P., Chromá, K., Dobrovolný, P., Dolák, L., Trnka, M., Řehoř, J., and Suchánková, S.: Meteorological and climatological triggers of notable past and present bark beetle outbreaks in the Czech Republic, *Climate of the Past*, 18, 2155–2180, <https://doi.org/10.5194/cp-18-2155-2022>, 2022.
- Byram, G. M.: Combustion of Forest Fuels, in: *Forest Fire: Control and Use*, McGraw - Hill, 61–89, 1959.
- Caballero, D. and Beltrán, I.: Concepts and ideas of assessing settlement fire vulnerability in the W-UI zone, *International Workshop Forest Fires in the Wildland-Urban Interface and Rural Areas in Europe Athens, Greece 15-16 May 2003*, 2003.
- 5550 Copernicus Emergency Management Service: EMSR610: Wildfire in Saxony, Germany, 2022.
- Copernicus Land Monitoring Service: Tree Cover Density 2018 (raster 10 m, 100 m), Europe, yearly, <https://doi.org/https://doi.org/10.2909/e677441e-fb94-431c-b4f9-304f10e4dfd8>, 2024.
- <https://doi.org/https://doi.org/10.2909/602507B2-96C7-47BB-B79D-7BA25E97D0A9>, 2025.
- 5555 ČÚZK: Geoportál: <https://geoportal.cuzk.cz>, last access: 17 November 2024.
- Deutscher Wetterdienst: Climate Data Center (CDC) (CDC-v2.1.b22.09), 2025.
- 5560 European Commission, Joint Research Centre, Almeida, M., Soviev, M., San-Miguel, J., Durrant, T., Oom, D., Branco, A., Ferrari, D., Boca, R., Maianti, P., De Rigo, D., Suarez-Moreno, M., Roglia, E., Scionti, N., Broglia, M., Alves, D., Matos, C., Ribeiro, L.M., Viegas, D.X., Ribeiro, C., Rodrigues, T., Chuvieco, E., Oliva, P., Garcia, M., Velea, R., Laterza, R., De Lucia, M., Lorenzoni, P., Arca, B., Salis, M., Bacciu, V., Del Giudice, L., Pelizzaro, G., Duce, P., Marrs, C., Forkel, M., Beetz, K., Kosczor, E., Podebradska, M., Politi, N., Sfetsos, A., Vlachogiannis, D., Eftychidis, G., Stavrakoudis, D., Varela, V., Gitas, I.Z., Sjostrom, J., Petrila, M., Lorent, A., Drobinkova, N., Vasilev, V., Tsvetkova, N., Yanko, B., Gospodinov, I., Zibtsev, S., Goldammer, J., Myroniuk, V., Sydorenko, S., Soshenskiy, O., Bogomolov, V., and Borsuk, O.: Report on the large wildfires of 2022 in Europe, Publications Office of the European Union, Luxembourg, <https://doi.org/10.2760/19760>, 2024.
- 5565 Finney, M. A.: An Overview of FlamMap Fire Modeling Capabilities, In: Andrews, Patricia L.; Butler, Bret W., comps. 2006. *Fuels Management-How to Measure Success: Conference Proceedings. 28-30 March 2006; Portland, OR. Proceedings RMRS-P-41. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. p. 213-220, 041, 2006.*
- 5570 Finney, M. A., McAllister, S. S., Grumstrup, T. P., and Forthofer, J. M.: *Wildland fire behaviour: dynamics, principles and processes*, CSIRO publishing, 2021.
- Finney, M. A., Zimmer, S. N., Riley, K. L., and Grenfell, I. C.: A generalized wildfire containment algorithm, *Ecological Modelling*, 505, 111134, <https://doi.org/10.1016/j.ecolmodel.2025.111134>, 2025.
- FlamMap Help: <https://owfflammaphelp62.firenet.gov>, last access: 7 October 2023.

- 5575 Flink, H.-M., Oksanen, J., Pyysalo, U., Rönneberg, M., and Sarjakoski, L. T.: Usability Evaluation of a Map-Based Multi-Publishing Service, in: *Advances in Cartography and GIScience. Volume 1: Selection from ICC 2011*, Paris, edited by: Ruas, A., Springer, Berlin, Heidelberg, 239–257, https://doi.org/10.1007/978-3-642-19143-5_14, 2011.
- Forthofer, J., Shannon, K., and Butler, B.: Simulating diurnally driven slope winds with WindNinja, In: *Proceedings of 8th Eighth Symposium on Fire and Forest Meteorology*; 2009 October 13-15; Kalispell, MT. Boston, MA: American Meteorological Society. 13 p. Online: https://ams.confex.com/ams/8Fire/techprogram/paper_156275.htm, 2009.
- 5580 Geofabrik – Europe: <http://download.geofabrik.de/europe.html>, last access: 23 October 2023.
- Geoportal Sachsenatlas: <https://geoportal.sachsen.de/>, last access: 24 June 2024.
- Landnutzung - Geobasisinformation: <https://www.landesvermessung.sachsen.de/landnutzung-9558.html>, last access: 17 November 2024.
- 5585 [Guo, Y., Wang, J., Ge, Y., and Zhou, C.: Global expansion of wildland-urban interface intensifies human exposure to wildfire risk in the 21st century, *Science Advances*, 10, eado9587, <https://doi.org/10.1126/sciadv.ado9587>, 2024.](#)
- [Haas, J. R., Calkin, D. E., and Thompson, M. P.: A national approach for integrating wildfire simulation modeling into Wildland Urban Interface risk assessments within the United States, *Landscape and Urban Planning*. 119: 44-53., 44–53, <https://doi.org/10.1016/j.landurbplan.2013.06.011>, 2013.](#)
- Hasičovo: <https://www.hasicovo.cz>, last access: 31 October 2023.
- 5590 Hasičský záchranný sbor České republiky: <https://www.hzscr.cz>, last access: 24 October 2023.
- Heisig, J., Olson, E., and Pebesma, E.: Predicting Wildfire Fuels and Hazard in a Central European Temperate Forest Using Active and Passive Remote Sensing, *Fire*, 5, 29, <https://doi.org/10.3390/fire5010029>, 2022.
- Hlásny, T., Zimová, S., Merganičová, K., Štěpánek, P., Modlinger, R., and Turčáni, M.: Devastating outbreak of bark beetles in the Czech Republic: Drivers, impacts, and management implications, *Forest Ecology and Management*, 490, 1–13, <https://doi.org/10.1016/j.foreco.2021.119075>, 2021.
- 5595 [Johnston, L. M., Wang, X., Erni, S., Taylor, S. W., McFayden, C. B., Oliver, J. A., Stockdale, C., Christianson, A., Boulanger, Y., Gauthier, S., Arseneault, D., Wotton, B. M., Parisien, M.-A., and Flannigan, M. D.: Wildland fire risk research in Canada, *Environ. Rev.*, 28, 164–186, <https://doi.org/10.1139/er-2019-0046>, 2020.](#)
- 5600 Jones, M. W., Abatzoglou, J. T., Veraverbeke, S., Andela, N., Lasslop, G., Forkel, M., Smith, A. J. P., Burton, C., Betts, R. A., van der Werf, G. R., Sith, S., Canadell, J. G., Santin, C., Kolden, C., Doerr, S. H., and Le Quéré, C.: Global and Regional Trends and Drivers of Fire Under Climate Change, *Reviews of Geophysics*, 60, e2020RG000726, <https://doi.org/10.1029/2020RG000726>, 2022.
- 5605 Jones, M. W., Kelley, D. I., Burton, C. A., Di Giuseppe, F., Barbosa, M. L. F., Brambleby, E., Hartley, A. J., Lombardi, A., Mataveli, G., McNorton, J. R., Spuler, F. R., Wessel, J. B., Abatzoglou, J. T., Anderson, L. O., Andela, N., Archibald, S., Armenteras, D., Burke, E., Carmenta, R., Chuvieco, E., Clarke, H., Doerr, S. H., Fernandes, P. M., Giglio, L., Hamilton, D. S., Hantson, S., Harris, S., Jain, P., Kolden, C. A., Kurvits, T., Lampe, S., Meier, S., New, S., Parrington, M., Perron, M. M. G., Qu, Y., Ribeiro, N. S., Saharjo, B. H., San-Miguel-Ayán, J., Shuman, J. K., Tanpipat, V., van der Werf, G. R., Veraverbeke, S., and Xanthopoulos, G.: State of Wildfires 2023–2024, *Earth System Science Data*, 16, 3601–3685, <https://doi.org/10.5194/essd-16-3601-2024>, 2024.

Deleted: Jahdi, R., Salis, M., Darvishsefat, A. A., Alcasena, F., Mostafavi, M. A., Etemad, V., Lozano, O. M., and Spano, D.: Evaluating fire modelling systems in recent wildfires of the Golestan National Park, Iran, *Forestry: An International Journal of Forest Research*, 89, 136–149, <https://doi.org/10.1093/forestry/cpv045>, 2016.

Keane, R. E.: Wildland Fuel Fundamentals and Applications, 1st ed., Springer Cham, <https://doi.org/10.1007/978-3-319-09015-3>, 2015.

5620 Knutzen, F., Averbeck, P., Barrasso, C., Bouwer, L. M., Gardiner, B., Grünzweig, J. M., Hänel, S., Haustein, K., Johannessen, M. R., Kollet, S., Müller, M. M., Pietikäinen, J.-P., Pietras-Couffignal, K., Pinto, J. G., Rechid, D., Rousi, E., Russo, A., Suarez-Gutierrez, L., Veit, S., Wendler, J., Xoplaki, E., and Gliksmann, D.: Impacts on and damage to European forests from the 2018–2022 heat and drought events, *Natural Hazards and Earth System Sciences*, 25, 77–117, <https://doi.org/10.5194/nhess-25-77-2025>, 2025.

5625 [Kranz, J., Bauer, K., Pampanoni, V., Zhao, L., Marrs, C., Mauder, M., Poděbradská, M., van der Maaten-Theunissen, M., Yebra, M., and Forkel, M.: Assessing predictors for fuel moisture content in Central European forests, *Agricultural and Forest Meteorology*, 371, 110590, <https://doi.org/10.1016/j.agrformet.2025.110590>, 2025.](#)

Kreisfeuerwehrverband – Sächsische Schweiz-Osterzgebirge e.V.: <https://kfv-soe.de/>, last access: 31 October 2023.

5630 Kudláčková, L., Poděbradská, M., Bláhová, M., Cienciala, E., Beranová, J., McHugh, C., Finney, M., Novotný, J., Zahradníček, P., Štěpánek, P., Linda, R., Píkl, M., Věbová, D., Možný, M., Surový, P., Žalud, Z., and Trmka, M.: Using FlamMap to assess wildfire behavior in Bohemian Switzerland National Park, *Nat Hazards*, 120, 3943–3977, <https://doi.org/10.1007/s11069-023-06361-8>, 2024.

Landesamt für Geobasisinformation Sachsen: <https://www.landesvermessung.sachsen.de>, last access: 19 October 2023.

Mallinis, G.: STSM Report, University of Sassari, Department of Science for Nature and Environmental Resources, 2014.

5635 Mallinis, G., Mitsopoulos, I., Beltran, E., and Goldammer, J.: Assessing Wildfire Risk in Cultural Heritage Properties Using High Spatial and Temporal Resolution Satellite Imagery and Spatially Explicit Fire Simulations: The Case of Holy Mount Athos, Greece, *Forests*, 7, 46, <https://doi.org/10.3390/f7020046>, 2016.

[Ministerium des Innern und für Kommunales des Landes Brandenburg: Großwaldbrände im Land Brandenburg – Bericht zur Waldbrandsaison 2022, Landesschule und Technische Einrichtung für Brand- und Katastrophenschutz, Potsdam, 2023.](#)

5640 [Mitsopoulos, I., Mallinis, G., Karali, A., Giannakopoulos, C., and Arianoutsou, M.: Mapping fire behaviour under changing climate in a Mediterranean landscape in Greece, *Reg Environ Change*, 16, 1929–1940, <https://doi.org/10.1007/s10113-015-0884-0>, 2016.](#)

Moghaddas, J. J., Collins, B. M., Menning, K., Moghaddas, E. E. Y., and Stephens, S. L.: Fuel treatment effects on modeled landscape-level fire behavior in the northern Sierra Nevada, *Can. J. For. Res.*, 40, 1751–1765, <https://doi.org/10.1139/X10-118>, 2010.

5645 Müller, J., Bußler, H., Goßner, M., Rettelbach, T., and Duelli, P.: The European spruce bark beetle *Ips typographus* in a national park: from pest to keystone species, *Biodivers Conserv*, 17, 2979–3001, <https://doi.org/10.1007/s10531-008-9409-1>, 2008.

Požár v NP České Švýcarsko: <https://www.npcs.cz/pozar-v-np-ceske-svycarsko>, last access: 16 November 2024.

NASA MODIS Science Data Support Team: MODIS/Aqua Terra Thermal Anomalies/Fire locations 1km FIRMS NRT (Vector data), <https://doi.org/https://doi.org/10.5067/FIRMS/MODIS/MCD14DL.NRT.0061>, 2021.

5650 NASA VIIRS Land Science Team: VIIRS (S-NPP) I Band 375 m Active Fire Product NRT (Vector data), https://doi.org/https://doi.org/10.5067/FIRMS/VIIRS/VNP14IMGT_NRT.002, 2020.

Deleted: FlamMap: <https://www.firelab.org/project/flammapp>, last access: 17 April 2023.[¶]

- Nationalpark Sächsische Schweiz: <https://nationalpark-saechsische-schweiz.de>, last access: 14 April 2023.
- 5655 Natur und Biologische Vielfalt: <https://www.natur.sachsen.de>, last access: 13 November 2024.
- Oliveira, S., Gonçalves, A., Benali, A., Sá, A., Zêzere, J. L., and Pereira, J. M.: Assessing Risk and Prioritizing Safety Interventions in Human Settlements Affected by Large Wildfires, *Forests*, 11, 859, <https://doi.org/10.3390/f11080859>, 2020.
- Oliveira, S., Rocha, J., and Sá, A.: Wildfire risk modeling, *Current Opinion in Environmental Science & Health*, 23, 100274, <https://doi.org/10.1016/j.coesh.2021.100274>, 2021.
- 5660 OpenStreetMap: <https://wiki.openstreetmap.org/wiki>, last access: 31 October 2023.
- Peterson, D. L., Evers, L., Gravenmier, R. A., and Eberhardt, E.: A consumer guide: tools to manage vegetation and fuels., U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR, <https://doi.org/10.2737/PNW-GTR-690>, 2007.
- 5665 [Radeloff, V. C., Helmers, D. P., Kramer, H. A., Mockrin, M. H., Alexandre, P. M., Bar-Massada, A., Butsic, V., Hawbaker, T. J., Martinuzzi, S., Syphard, A. D., and Stewart, S. I.: Rapid growth of the US wildland-urban interface raises wildfire risk, *Proceedings of the National Academy of Sciences*, 115, 3314–3319, <https://doi.org/10.1073/pnas.1718850115>, 2018.](#)
- Rothermel, R. C.: A mathematical model for predicting fire spread in wildland fuels, Res. Pap. INT-115. Ogden, UT: U.S. Department of Agriculture, Intermountain Forest and Range Experiment Station. 40 p., 115, 1972.
- 5670 Rothermel, R. C. and Deeming, J. E.: Measuring and Interpreting Fire Behavior for Correlation with Fire Effects, USDA Forest Service, Ogden, Utah, 1980.
- Sá, A. C. L., Aparicio, B., Benali, A., Bruni, C., Salis, M., Silva, F., Marta-Almeida, M., Pereira, S., Rocha, A., and Pereira, J.: Coupling wildfire spread simulations and connectivity analysis for hazard assessment: a case study in Serra da Cabreira, Portugal, *Natural Hazards and Earth System Sciences*, 22, 3917–3938, <https://doi.org/10.5194/nhess-22-3917-2022>, 2022.
- 5675 Safaie, S., Stepanyan, M., Houdijk, R., and Onur, T.: Words into Action guidelines: National disaster risk assessment, Parth One: Main Body, United Nations Office for Disaster Risk Reduction, 2017.
- [Salis, M., Arca, B., Bacciu, V., Duce, P., and Spano, D.: Assessment of Fire Severity in a Mediterranean Area using FlamMap Simulator, 2009.](#)
- [Salis, M., Ager, A. A., Arca, B., Finney, M. A., Bacciu, V., Duce, P., and Spano, D.: Assessing exposure of human and ecological values to wildfire in Sardinia, Italy, *International Journal of Wildland Fire*. DOI: 10.1071/WF11060. 17 p., 2012.](#)
- 5680 Scott, J. H.: Glossary of wildfire hazard and risk, Pyrologix, 2019.
- Scott, J. H. and Burgan, R. E.: Standard fire behavior fuel models: a comprehensive set for use with Rothermel's surface fire spread model, U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Ft. Collins, CO, <https://doi.org/10.2737/RMRS-GTR-153>, 2005.
- 5685 [Scott, J. H., Thompson, M. P., and Calkin, D. E.: A wildfire risk assessment framework for land and resource management, *Gen. Tech. Rep. RMRS-GTR-315*. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 83 p., 315, <https://doi.org/10.2737/rmrs-gtr-315>, 2013.](#)

- Seidl, R., Schelhaas, M.-J., Rammer, W., and Verkerk, P. J.: Increasing forest disturbances in Europe and their impact on carbon storage, *Nature Clim Change*, 4, 806–810, <https://doi.org/10.1038/nclimate2318>, 2014.
- 5690 Senf, C., Pflugmacher, D., Zhiqiang, Y., Sebal, J., Knorn, J., Neumann, M., Hostert, P., and Seidl, R.: Canopy mortality has doubled in Europe's temperate forests over the last three decades, *Nat Commun*, 9, 4978, <https://doi.org/10.1038/s41467-018-07539-6>, 2018.
- Staatsbetrieb Sachsenforst: <https://www.sbs.sachsen.de>, last access: 24 October 2023.
- Stephens, S. L.: Evaluation of the effects of silvicultural and fuels treatments on potential fire behaviour in Sierra Nevada mixed-conifer forests, *Forest Ecology and Management*, 105, 21–35, [https://doi.org/10.1016/S0378-1127\(97\)00293-4](https://doi.org/10.1016/S0378-1127(97)00293-4), 1998.
- 5695 Trnka, M., Balek, J., Možný, M., Cienciala, E., Čermák, P., Semerádová, D., Jurecka, F., Hlavinka, P., Štěpánek, P., Farda, A., Skalák, P., Beranová, J., Chuchma, F., Zahradníček, P., Janouš, D., Žalud, Z., Dubrovsky, M., Kindlmann, P., Křenová, Z., Fischer, M., Hruška, J., and Brázdil, R.: Observed and expected changes in wildfire-conducive weather and fire events in peri-urban zones and key nature reserves of the Czech Republic, *Climate Research*, 82, 33–54, <https://doi.org/10.3354/cr01617>, 2020.
- 5700 Trnka, M., Možný, M., Jurečka, F., Balek, J., Semerádová, D., Hlavinka, P., Štěpánek, P., Farda, A., Skalák, P., Cienciala, E., Čermák, P., Chuchma, F., Zahradníček, P., Janouš, D., Fischer, M., Žalud, Z., and Brázdil, R.: Observed and estimated consequences of climate change for the fire weather regime in the moist-temperate climate of the Czech Republic, *Agricultural and Forest Meteorology*, 310, 108583, <https://doi.org/10.1016/j.agrformet.2021.108583>, 2021.
- 5705 Ursino, N. and Romano, N.: Wild forest fire regime following land abandonment in the Mediterranean region, *Geophysical Research Letters*, 41, 8359–8368, <https://doi.org/10.1002/2014GL061560>, 2014.
- [FlamMap - Missoula Fire Sciences Laboratory: https://research.fs.usda.gov/firelab/products/dataandtools/flammapp](https://research.fs.usda.gov/firelab/products/dataandtools/flammapp), last access: 20 April 2026.
- Van Wagtenonk, J. W.: Use of a deterministic fire growth model to test fuel treatments, University of California, Centers for Water and Wildland Resources, Davis, California, 1996.
- 5710 Waldbrandgefährdung: <https://www.mais.de/php/sachsenforst.php>, last access: 26 October 2023.
- Wang, C.: Usability Evaluation of Public Web Mapping Sites, *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XL-4, 285–289, <https://doi.org/10.5194/isprsarchives-XL-4-285-2014>, 2014.
- 5715 [Wild, J., Kopecký, M., Macek, M., Šanda, M., Jankovec, J., and Haase, T.: Climate at ecologically relevant scales: A new temperature and soil moisture logger for long-term microclimate measurement, *Agricultural and Forest Meteorology*, 268, 40–47, https://doi.org/10.1016/j.agrformet.2018.12.018, 2019.](https://doi.org/10.1016/j.agrformet.2018.12.018)
- Wittich, K.-P. and Bock, L.: Historie der Waldbrandgefahrenvorhersage in Deutschland, *AFZ-DerWald*, 69, 18–21, 2014.
- Wittich, K.-P., Bock, L., and Zimmermann, L.: Der WBI und dessen Anwendung auf bayerische Waldbrände, *AFZ-DerWald*, 69, 22–25, 2014.

Page 5: [1] Deleted	Avouris, Evripidis	27/06/2026 02:37:00
----------------------------	---------------------------	----------------------------

Page 17: [2] Deleted	Avouris, Evripidis	27/06/2026 02:37:00
-----------------------------	---------------------------	----------------------------

Page 19: [3] Deleted	Avouris, Evripidis	27/06/2026 02:37:00
-----------------------------	---------------------------	----------------------------

Page 19: [4] Deleted	Avouris, Evripidis	27/06/2026 02:37:00
-----------------------------	---------------------------	----------------------------

Page 20: [5] Deleted	Avouris, Evripidis	27/06/2026 02:37:00
-----------------------------	---------------------------	----------------------------

Page 21: [6] Deleted	Avouris, Evripidis	27/06/2026 02:37:00
-----------------------------	---------------------------	----------------------------

Page 35: [7] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
-------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [8] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
-------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [9] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
-------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [10] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [11] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [12] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [13] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [14] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [15] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [16] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [17] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [18] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [19] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [20] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [21] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [22] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [23] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [24] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [25] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [26] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [27] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [28] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [29] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [30] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [31] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [32] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [33] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [34] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [35] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [36] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [36] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [37] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [38] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [39] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [40] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [41] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [42] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [43] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [44] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [45] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [46] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [47] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [48] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [49] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [50] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [51] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [52] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [53] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [54] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [55] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [56] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [57] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [58] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [59] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [60] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [61] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [62] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [63] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [64] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [65] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [66] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [67] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [68] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [69] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [70] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [71] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [72] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [73] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [74] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [75] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [76] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [77] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [78] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [79] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [80] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [81] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [82] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [83] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [84] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [85] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [86] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [87] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [88] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [89] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [90] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [91] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [92] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [93] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [94] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [95] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [96] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [97] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [98] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [99] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
--------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [100] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [101] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [102] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [103] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [104] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [105] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [106] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [107] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [108] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [109] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [110] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [111] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [112] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [113] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [114] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [115] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [116] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [117] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [118] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [119] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [120] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [121] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [122] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [123] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [124] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [125] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [126] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [127] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [128] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [129] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [130] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [131] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [132] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [133] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [134] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [135] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [136] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [137] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [138] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [139] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [140] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [141] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [142] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [143] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [144] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [145] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [146] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [147] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [148] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [149] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [150] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [151] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [152] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [153] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [154] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [155] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [156] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [157] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [158] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [159] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [160] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [161] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [162] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [163] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [164] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [165] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [166] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [167] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [168] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [169] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [170] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [171] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [172] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [173] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [174] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [175] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [176] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [177] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [178] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [179] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [180] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [181] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [182] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [183] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [184] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [185] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [186] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [187] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 35: [188] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [189] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [190] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [191] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [192] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [193] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [194] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [195] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [196] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [197] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [198] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [199] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [200] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [201] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [202] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [203] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [204] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [205] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [206] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [207] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [208] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [209] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [210] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [211] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [212] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [213] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [214] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [215] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [216] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [217] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [218] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [219] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [220] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [221] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [222] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [223] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [224] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [225] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [226] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [227] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [228] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [229] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [230] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [231] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [232] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [233] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [234] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [235] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [236] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [237] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [238] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [239] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [240] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [241] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [242] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [243] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [244] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [245] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [246] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [247] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [248] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [249] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [250] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [251] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [252] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [253] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [254] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [255] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [256] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [257] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [258] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [259] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [260] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [261] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [262] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [263] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [264] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [265] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [266] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [267] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [268] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [269] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [270] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [271] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [272] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [273] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [274] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [275] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [276] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [277] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [278] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [279] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [280] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [281] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [282] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [283] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [284] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [285] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [286] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [287] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [288] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [289] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt

Page 37: [290] Formatted	Avouris, Evripidis	27/06/2026 02:37:00
---------------------------------	---------------------------	----------------------------

Font: 11 pt