

Table S1. Detailed physicochemical characteristics for seven field campaigns.

Tributary & Altitude	Time	T ² (°C)	pH	TSM ² (mg/L)	POC (mg m ⁻³)	$\delta^{13}\text{C}$ -POC (‰)	DIC (mM)	$\delta^{13}\text{C}$ -DIC (‰)	DOC (μM)	Chl a (mg m ⁻³)	TIN ³ (μM)	NH ₄ ⁺ (μM)	PO ₄ ²⁻ (μM)	SO ₄ ²⁻ (mM)	Cl ⁻ (mM)	Na ⁺ (mM)	Mg ²⁺	K ⁺	Ca ²⁺
MLL01 699 m	2020. Mar ¹	18.0	8.39	29.29	134	-27.6	2.25	-3.7	22.10	NA	3.8	0.9	0.09	2.98	0.01	0.17	0.67	0.04	3.37
	2020. May ¹	21.6	8.36	8.79	189	-27.5	1.58	-1.2	18.75	0.499	2.7	0.3	0.02	3.17	0.01	0.17	0.66	0.04	3.36
	2020. Jul	25.9	8.82	76.95	1111	-24.5	1.94	0.6	48.53	0.097	8.6	2.2	0.03	3.59	0.01	0.17	0.63	0.05	3.44
	2020. Aug-1	23.5	8.33	236.16	3753	-24.1	1.87	-1.2	25.65	0.002	13.5	2.1	0.11	NA	NA	0.15	0.65	0.06	3.46
	2020. Aug-2	24.6	8.35	NA	NA	NA	NA	-4.5	18.10	NA	7.8	NA	0.01	3.26	0.01	0.15	0.60	0.05	3.09
	2020. Oct	19.5	7.95	NA	NA	NA	1.96	-1.9	29.30	0.103	10.1	9.6	0.02	3.21	0.01	0.14	0.62	0.04	3.19
CWL01 375 m	2021. Jan ¹	12.3	7.44	6.98	133	-27.1	1.91	-3.3	21.03	0.390	13.9	0.5	0.04	2.92	0.01	0.17	0.65	0.04	3.51
	2020. Mar ¹	19.5	8.3	32.92	252	-26.1	2.59	-3.4	20.28	NA	4.7	2.5	0.06	1.65	0.06	0.77	0.46	0.04	2.16
	2020. May ¹	27.3	8.3	0.92	355	-26.3	1.88	0.1	26.67	2.052	1.7	2.0	0.05	1.57	0.05	0.75	0.43	0.04	2.05
	2020. Jul	NA	NA	NA	2454	-21.5	2.02	-4.3	55.11	0.841	5.0	3.3	0.03	1.57	0.04	0.47	0.32	0.03	1.81
	2020. Aug-1	27.4	7.88	50.05	500	-25.3	1.26	-2.0	22.79	0.146	6.5	4.3	0.06	NA	NA	0.51	0.36	0.05	2.05
	2020. Aug-2	27.5	7.88	4.17	213	-27.2	NA	-3.2	21.23	0.374	5.8	NA	0.12	1.51	0.04	0.49	0.33	0.04	1.89
DL 382 m	2020. Oct	23.3	7.78	NA	NA	NA	2.14	-1.5	25.78	0.958	6.8	7.0	0.04	1.52	0.04	0.52	0.38	0.04	2.03
	2021. Jan ¹	13.8	8.85	3.18	99	-28.0	2.06	-2.9	24.93	0.616	9.3	3.1	0.01	1.61	0.04	0.46	0.34	0.03	2.09
	2020. Mar ¹	21.2	8.29	31.35	194	-26.3	2.80	-2.1	17.71	NA	19.5	1.1	0.12	1.10	0.66	2.04	0.23	0.15	1.69
	2020. May ¹	29.5	8.41	1.95	198	-26.1	1.99	-1.3	24.13	0.809	14.5	0.3	0.12	1.26	0.71	1.93	0.22	0.14	1.44
	2020. Jul	25.5	8.4	2.17	273	-26.0	2.13	-2.6	65.30	1.743	12.1	3.0	0.16	1.12	0.46	1.23	0.18	0.10	1.42
	2020. Aug-1	27.6	8.05	6.70	308	-25.8	2.13	-1.3	26.60	0.700	21.7	3.6	0.11	NA	NA	1.05	0.20	0.09	1.51
LY04 238 m	2020. Aug-2	29.1	8.2	NA	NA	NA	NA	-2.8	25.35	NA	14.0	2.8	0.15	1.09	0.46	1.19	0.19	0.09	1.41
	2020. Oct	24.1	7.1	NA	NA	NA	2.21	-1.1	24.32	0.967	16.1	16.1	0.12	1.04	0.52	1.33	0.20	0.10	1.40
	2021. Jan ¹	14.9	8.63	1.26	86	-26.9	2.50	-2.4	18.95	0.475	20.0	2.9	0.23	1.03	0.45	1.18	0.20	0.09	1.53
	2020. Mar ¹	23.4	8.18	32.18	186	-28.0	1.97	-3.0	18.92	NA	5.9	1.6	0.07	1.35	0.06	0.67	0.82	0.08	2.14
	2020. May ¹	25.6	8.26	3.33	214	-27.4	2.24	-5.0	20.39	0.305	7.4	1.9	0.07	1.46	0.06	0.68	0.84	0.08	1.80
	2020. Jul	28.2	8.19	377.09	6280	-20.2	2.50	-4.0	17.66	0.001	3.1	4.8	0.07	1.96	0.05	0.48	0.94	0.08	1.74
BNE 7 m	2020. Aug-1	29.6	7.97	619.95	12443	-20.6	1.86	-1.2	23.93	0.003	13.1	5.9	0.08	NA	NA	0.48	0.90	0.09	1.83
	2020. Aug-2	27.6	8.16	NA	NA	NA	NA	-4.0	27.37	NA	11.6	NA	0.12	1.62	0.05	0.47	0.83	0.08	1.71
	2020. Oct	24.1	7.87	NA	NA	NA	2.54	-2.4	22.93	0.150	10.6	10.8	0.05	1.51	0.05	0.47	0.80	0.06	1.73
	2021. Jan ¹	14.3	8.81	8.32	121	-27.2	2.81	-3.6	12.95	0.432	11.4	3.1	0.06	1.44	0.05	0.50	0.80	0.06	1.85
	2020. Mar ¹	25.3	8.22	31.05	277	-26.1	2.35	-5.4	42.58	NA	40.9	1.9	0.31	1.39	0.28	0.74	0.66	0.08	2.19
	2020. May ¹	25.6	8.47	1.90	296	-27.0	1.87	-5.8	40.18	1.427	29.5	1.5	0.26	1.42	0.27	0.73	0.67	0.07	2.09
BNE 7 m	2020. Jul	28.8	7.64	13.07	360	-26.0	2.79	-6.3	76.94	0.293	14.0	3.4	0.08	2.06	0.28	0.74	0.74	0.09	2.20
	2020. Aug-1	30.4	7.94	198.18	4204	-24.0	2.06	-1.3	44.39	0.095	48.3	4.1	0.29	NA	NA	0.77	0.66	0.09	2.03
	2020. Aug-2	28.6	7.75	NA	NA	NA	NA	-6.8	26.43	NA	33.2	5.3	0.18	1.77	0.24	0.73	0.69	0.09	2.11
	2020. Oct	24.3	7.92	NA	NA	NA	2.88	-5.1	32.75	1.965	28.5	16.5	0.19	1.67	0.24	0.72	0.69	0.08	2.10
	2021. Jan ¹	13.7	8.49	2.80	161	-26.0	1.86	-5.7	24.09	2.039	19.9	1.7	0.17	1.57	0.22	0.72	0.65	0.07	2.20

^{*} Parameters shown in bold are significantly different between two seasons (Wilcoxon test, $p < 0.05$).

¹ Dry seasons.

² T: water temperature; TSM: total suspended matter.

³ TIN includes nitrate and nitrite (nitrite was below detection limit).

Table S2. Metabolic rates of autotrophy and heterotrophy measured in this study.

Site	Time	Autotrophy		Substrate	Heterotrophy		Ratio
		Light condition	Uptake Rate (mg-C m ⁻³ h ⁻¹)		Uptake Rate (mg-C m ⁻³ h ⁻¹)	Catabolic rate (mg-C m ⁻³ h ⁻¹)	
MLL01	Mar 2020	Light	0.12 ± 0.03				
		Dark	bdl				
	May 2020	Light	0.076 ± 0.01				
		Dark	0.001				
	Aug 2020	Light	0.60 ± 0.02	Gly	0.061 ± 0.01	6.50 ± 0.62	105.54
		Dark	0.69	Leu	0.004 ± 0.00	5.58 ± 1.66	1295.70
	Jan 2021	Light	0.03 ± 0.017	Gly	bdl	27.17 ± 9.10	inf
		Dark	bdl	Leu	bdl	22.75 ± 0.75	inf
CWL01	Mar 2020	Light	0.47 ± 0.04				
		Dark	0.05				
	May 2020	Light	0.18 ± 0.02				
		Dark	0.01				
	Aug 2020	Light	0.38 ± 0.08	Gly	0.02 ± 0.001	154.48 ± 25.38	7701.82
		Dark	0.02	Leu	0.005 ± 0.0006	62.00 ± 20.33	12431.40
	Jan 2021	Light	0.05 ± 0.01	Gly	0.001 ± 0.0006	25.79 ± 3.27	24883.41
		Dark	bdl	Leu	0.01 ± 0.004	20.49 ± 5.44	1688.73
DL	Mar 2020	Light	0.46 ± 0.09				
		Dark	bdl				
	May 2020	Light	0.29 ± 0.02				
		Dark	0.02				
	Aug 2020	Light	0.25 ± 0.01	Gly	0.048 ± 0.003	63.86 ± 30.78	1328.83
		Dark	bdl	Leu	0.009 ± 0.003	11.98 ± 1.01	1350.84
	Jan 2021	Light	bdl	Gly	bdl	4.57 ± 4.36	inf
		Dark	bdl	Leu	bdl	11.13 ± 10.44	inf
LY04	Mar 2020	Light	0.11 ± 0.01				
		Dark	bdl				
	May 2020	Light	0.13 ± 0.02				
		Dark	0.01				
	Aug 2020	Light	1.10 ± 0.05	Gly	0.08 ± 0.03	63.61 ± 43.70	737.09
		Dark	1.60	Leu	0.12 ± 0.10	16.43 ± 3.79	134.06
	Jan 2021	Light	0.09 ± 0.01	Gly	0.001 ± 0.001	7.39 ± 2.77	5136.36
		Dark	0.00	Leu	0.001 ± 0.001	12.84 ± 3.77	9137.88
BNE	Mar 2020	Light	1.04 ± 0.03				
		Dark	0.03				
	May 2020	Light	0.89 ± 0.19				
		Dark	bdl				
	Aug 2020	Light	1.98 ± 0.28	Gly	0.49 ± 0.079	67.31 ± 18.12	137.06
		Dark	0.19	Leu	0.07 ± 0.01	57.97 ± 27.61	777.27
	Jan 2021	Light	0.58 ± 0.03	Gly	0.01 ± 0.002	62.97 ± 25.66	4506.05
		Dark	0.003	Leu	0.004 ± 0.002	37.62 ± 10.13	9362.04

Table S3. Read numbers and alpha diversities for environmental samples.

Sample	Reads	Observed ASVs	Chao1	SE of Chao1 ¹	Shannon index
BNE_Mar_2020	12236	209	226.27	10.23	4.43
BNE_May_2020	13956	291	340.04	18.18	4.43
BNE_Jul_2020	29426	708	801.15	19.24	5.25
BNE_Aug_2020	14994	338	345.50	4.27	4.88
BNE_Jan_2021	47690	1072	1370.43	41.73	5.99
CWL01_Mar_2020	49887	1441	2037.99	62.61	6.10
CWL01_May_2020	37811	1299	1583.22	37.02	6.63
CWL01_Aug_2020	40062	1690	2309.96	61.81	6.96
CWL01_Jan_2021	18358	668	716.01	12.89	5.93
DL_Mar_2020	17139	716	783.08	15.57	5.77
DL_May_2020	22752	816	936.63	22.81	5.94
DL_Jul_2020	19271	719	774.03	14.03	5.99
DL_Aug_2020	18152	796	860.01	14.90	6.02
DL_Jan_2021	30383	747	859.99	22.13	5.15
LY04_Mar_2020	19578	948	1057.56	21.26	6.43
LY04_May_2020	28621	1265	1519.01	34.13	6.55
LY04_Jul_2020	5220	306	306.00	0.00	4.87
LY04_Aug_2020	7169	419	421.63	2.18	5.54
LY04_Jan_2021	40904	880	990.19	20.61	5.91
MLL01_Mar_2020	10512	715	742.60	8.65	6.20
MLL01_May_2020	14418	922	983.94	13.68	6.38
MLL01_Jul_2020	9353	369	380.94	6.03	5.23
MLL01_Aug_2020	13001	728	777.63	12.61	5.87
MLL01_Jan_2021	11894	476	483.93	4.41	5.70

* Reads of CWL01_Jul_2020 was excluded from the analysis due to limited number.

¹ Standard error of Chao1 index.

Table S4. Pearson correlation for the physicochemical characteristics.

	T	pH	TSM	POC	$\delta^{13}\text{C}$ -POC	DOC	NH_4^+	Chl a	DIC	$\delta^{13}\text{C}$ -DIC	TIN ¹	PO_4^{2-}	SO_4^{2-}	Cl^-	Na^+	Mg^{2+}	K^+	Ca^{2+}
T	1																	
pH	-0.29	1																
TSM	0.37	-0.19	1															
POC	0.39	-0.21	0.99**	1														
$\delta^{13}\text{C}$ -POC	0.49*	-0.20	0.89**	0.83**	1													
DOC	0.34*	-0.09	-0.08	-0.02	0.20	1												
NH_4^+	0.13	-0.56**	0.66**	0.67**	0.67**	0.00	1											
Chl a	-0.12	0.10	-0.46	-0.41	-0.31	0.16	0.11	1										
DIC	-0.12	0.00	-0.09	-0.11	-0.06	0.06	0.29	0.05	1									
$\delta^{13}\text{C}$ -DIC	0.09	0.06	0.22	0.21	0.15	-0.18	0.02	-0.24	-0.39*	1								
$\text{NO}_3^- + \text{NO}_2^-$	0.18	-0.15	0.03	0.05	0.02	0.26	0.14	0.14	0.18	-0.28	1							
PO_4^{2-}	0.22	-0.02	-0.03	-0.02	-0.04	0.23	0.01	0.31	0.17	-0.31	0.86**	1						
SO_4^{2-}	-0.15	0.05	0.15	0.10	0.05	0.01	-0.12	-0.42	-0.36	0.14	-0.31	-0.51**	1					
Cl^-	0.22	-0.07	-0.18	-0.20	-0.05	0.15	0.04	0.33	0.24	0.04	0.49**	0.57**	-0.57**	1				
Na^+	0.20	-0.03	-0.22	-0.20	-0.12	0.04	-0.01	0.39*	0.32	0.08	0.30	0.41*	-0.71**	0.94**	1			
Mg^{2+}	0.03	0.00	0.48*	0.43*	0.22	-0.07	0.02	-0.32	0.09	-0.36*	0.03	-0.07	0.39*	-0.60**	-0.59**	1		
K^+	0.37*	-0.09	0.13	0.11	0.09	0.08	0.03	0.09	0.33	-0.03	0.45**	0.49**	-0.52**	0.88*	0.84**	-0.18	1	
Ca^{2+}	-0.33	0.09	-0.02	-0.07	-0.14	-0.04	-0.22	-0.27	-0.33	0.08	-0.18	-0.33*	0.94**	-0.58**	-0.71**	0.36*	-0.55**	1

* Results with significant difference are indicated by asterisks (*: $p < 0.05$, **: $p < 0.01$).

¹ TIN includes nitrate and nitrite (nitrite is below detection limit).

Table S5. Estimates of catchment scaled CO₂ emission based on the extrapolation of site incubation data.

Site & AVE depth (m)	Time	Flux derived from incubation					CO ₂ consumption flux ² (mol m ⁻² yr ⁻¹)	Estimated flux and yield			Net emission ⁴ (mol yr ⁻¹)	Total yield (mol yr ⁻¹)	
		Uptake rate ¹ (mol m ⁻² day ⁻¹)			CO ₂ production ¹ (mol m ⁻² day ⁻¹)			CO ₂ production flux ² (mol m ⁻² yr ⁻¹)	River surface area ³ (m ²)				
	Substrate	DIC	Gly	Leu	Gly	Leu		DIC	Gly	Leu			
MLL01 0.5 m	Mar 2020	6.2E-05						0.13	6.14	5.16	1.22E+05	6.15E+05	7.89E+07
	May 2020	3.9E-05											
	Aug 2020	6.5E-04	6.2E-05	4.3E-06	6.50E-03	5.59E-03							
	Jan 2021	1.8E-05	bdl	bdl	2.72E-02	2.28E-02							
CWL01 0.7 m	Mar 2020	3.7E-04						0.09	46.15	21.11	2.82E+06	5.92E+07	
	May 2020	1.3E-04											
	Aug 2020	2.8E-04	2.0E-05	5.0E-06	2.16E-01	8.68E-02							
	Jan 2021	4.0E-05	1.0E-06	1.2E-05	3.61E-02	2.87E-02							
DL 0.5 m	Mar 2020	2.3E-04						0.05	12.52	4.22	1.41E+06	5.88E+06	
	May 2020	1.6E-04											
	Aug 2020	1.3E-04	4.8E-05	8.9E-06	6.39E-02	1.20E-02							
	Jan 2021	0.0E+00	bdl	bdl	4.58E-03	1.11E-02							
LY04 0.5 m	Mar 2020	6.0E-05						0.26	12.99	5.35	2.36E+06	1.20E+07	
	May 2020	7.2E-05											
	Aug 2020	1.4E-03	8.6E-05	1.2E-04	6.36E-02	1.64E-02							
	Jan 2021	5.0E-05	1.4E-06	1.4E-06	7.40E-03	1.28E-02							
BNE 0.7 m	Mar 2020	7.5E-04						0.39	33.29	24.44	5.17E+04	1.24E+06	
	May 2020	6.3E-04											
	Aug 2020	1.5E-03	4.9E-04	7.5E-05	9.42E-02	8.12E-02							
	Jan 2021	4.1E-04	1.4E-05	4.0E-06	8.82E-02	5.27E-02							

¹ CO₂ uptake rate per day = sum of DIC rate (light and dark) per hour (Table S2) x 12 hours x depth (m), or amino acid uptake rate per hour (Table S2) x 24 hours x depth. CO₂ production per day= amino acid catabolic rate per hour (Table S2) x 24 hours x depth.

² CO₂ consumption flux per year = {[average of DIC rate for dry season (Mar 2020 + May 2020 + Jan 2021) x 182 days + [DIC rate for wet season (Aug 2020)] x 183 days}.

CO₂ production flux per year = CO₂ production rate per day of Jan 2021 x 182 days + CO₂ production rate per day of Aug 2020 x 183 days.

³ River surface area was assumed to be 0.47% of the catchment area (following Raymond et al., 2013).

⁴ Net emission= [CO₂ production flux per year (Leu) - CO₂ consumption flux per year] x river surface area.

⁵ Total yield was sum of net emission from individual tributary.

Table S6. River hydraulic parameters and estimates of CO₂ exchange fluxes at the air-river interface.

Site	Time	Velocity (m s ⁻¹)	Slope (m m ⁻¹)	ϵ_D^1 (m ² s ⁻³)	k_{600} (m d ⁻¹)	T (°C)	ScCO ₂ ²	kCO ₂ (m d ⁻¹)	Measured pCO ₂ in river (atm)	Δ CO ₂ ³ (atm)	Flux (mol m ⁻² d ⁻¹)	Tributary rate ⁴ (mole yr ⁻¹)	Total rate ⁵ (mole yr ⁻¹)
CWL01	Jan 2020	1.60	0.013	0.013	4.8	20.8	576.35	4.94	1.09E-02	3.57E-04	1.76	1.81E+09	3.15E+09
MLL01		1.30	0.097	0.076	29.8	12.8	878.33	24.61	1.08E-02	3.52E-04	8.67	3.87E+08	
DL		1.10	0.0066	0.004	3.3	27.1	423.64	3.90	4.30E-03	1.32E-04	0.52	2.66E+08	
LY04		2.20	0.010	0.014	5.0	21.1	568.00	5.10	5.00E-03	1.56E-04	0.80	6.87E+08	
BNE		0.40	0.0029	0.0004	1.4	18.2	656.07	1.38	5.16E-03	1.62E-04	0.22	4.21E+06	
CWL01	May 2020	1.80	0.013	0.015	5.1	27.3	419.25	6.07	1.95E-03	5.23E-05	0.32	3.26E+08	8.38E+08
MLL01		0.70	0.097	0.035	11.7	21.6	554.41	12.16	2.24E-03	6.21E-05	0.76	3.37E+07	
DL		1.30	0.0066	0.005	3.5	29.5	370.78	4.47	2.16E-03	5.96E-05	0.27	1.37E+08	
LY04		1.20	0.010	0.007	3.9	25.6	457.01	4.46	3.00E-03	8.79E-05	0.39	3.38E+08	
BNE		0.90	0.0029	0.001	2.3	25.6	457.01	2.58	2.69E-03	7.75E-05	0.20	3.77E+06	
CWL01	Jul 2020	1.90	0.013	0.016	5.2	26.7	432.47	6.10	8.37E-03	2.71E-04	1.65	1.70E+09	4.21E+09
MLL01		1.90	0.097	0.118	49.9	25.9	450.26	57.54	9.25E-03	3.01E-04	17.30	7.72E+08	
DL		1.90	0.0066	0.008	4.1	25.5	459.27	4.68	4.97E-03	1.55E-04	0.73	3.74E+08	
LY04		2.50	0.010	0.016	5.2	28.2	399.49	6.39	7.59E-03	2.44E-04	1.56	1.35E+09	
BNE		1.10	0.0029	0.002	2.5	28.8	386.29	3.06	9.02E-03	2.93E-04	0.90	1.69E+07	
CWL01	Oct 2020	2.00	0.013	0.017	5.3	23.3	510.90	5.73	1.69E-03	4.37E-05	0.25	2.57E+08	1.28E+09
MLL01		1.30	0.097	0.076	29.8	19.5	614.46	29.43	7.15E-03	2.29E-04	6.75	3.01E+08	
DL		2.20	0.0066	0.009	4.3	24.1	491.63	4.79	2.28E-03	6.36E-05	0.30	1.57E+08	
LY04		1.30	0.010	0.008	4.0	24.1	491.63	4.45	4.66E-03	1.44E-04	0.64	5.54E+08	
BNE		1.20	0.0029	0.002	2.6	24.3	486.91	2.83	4.19E-03	1.29E-04	0.36	6.87E+06	
CWL01	Jan 2021	1.90	0.013	0.016	5.2	18.5	646.13	4.99	1.60E-03	4.04E-05	0.20	2.07E+08	9.20E+08
MLL01		1.80	0.097	0.111	46.4	14.5	798.47	40.22	3.31E-03	9.87E-05	3.97	1.77E+08	
DL		1.40	0.0066	0.006	3.6	22.3	536.02	3.84	3.06E-03	9.02E-05	0.35	1.78E+08	
LY04		2.10	0.010	0.013	4.9	18.3	652.73	4.67	2.96E-03	8.67E-05	0.41	3.50E+08	
BNE		1.50	0.0029	0.003	2.8	21.4	559.79	2.90	4.83E-03	1.50E-04	0.44	8.21E+06	


¹ ϵ_D , energy dissipation rate. $\epsilon_D = gSv$ m² s⁻³; g, acceleration due to gravity; S, slope; v, velocity.

² ScCO₂: Schmidt number for CO₂ (Wanninkhof 2014).

³ Δ CO₂ = measured pCO₂ - CO₂ (air) (4.1E-04 atm).

⁴ Tributary rate = flux x river surface area (1.22E+05 m² for MLL01, 2.82E+06 m² for CWL01, 1.41E+06 m² for DL, 2.36E+06 m² for LY04, 5.17E+04 m² for BNE).

⁵ Total rate = sum of tributary rate for MLL01, CWL01, DL, LY04 and BNE.






Figure S2. Gene copy numbers of 16S rRNA gene for bacteria and archaea, and functional gene *cbbL* for river samples. Sampling times are presented by colors. Values below the detection limit are not shown (archaeal 16S genes for August samples from MLL01 and LY04; *cbbL* genes for August sample at LY04).




Figure S3. Heatmap showing Pearson correlations between metabolic rates and environmental factors. Environmental variables include nutrients (NH_4^+ , SO_4^{2-} , PO_4^{2-} , $\text{NO}_3^- + \text{NO}_2^-$), carbon related entities (DIC, POC, DOC and their $\delta^{13}\text{C}$ values), chlorophyll-a, total suspended matter, and temperature. Only significant correlation values are displayed ($p < 0.01$).




Figure S4. Ratios of catabolism-to-assimilation rates for incubations with amino acids in log₁₀ scale. Infinite ratios (∞) for sites MLL01 and DL were obtained given that the assimilation rate was below the detection limit.