

Supplementary material of:

Unprecedented cave ice melt in the last 6100 years in the Central Pyrenees (A294 ice cave)

[Carlos Sancho^{1†}, Ánchel Belmonte², María Leunda³, Marc Luetscher⁴, Christoph Spötl⁵, Juan Ignacio López-Moreno⁶, Belén Oliva-Urcia¹, Jerónimo López-Martínez⁷, Ana Moreno⁶, Miguel Bartolomé^{8*}](#)

[1 Departamento de Ciencias de la Tierra, Universidad de Zaragoza, C/ Pedro Cerbuna, 12, 50009 Zaragoza, Spain](#)

[2 Sobrarbe-Pirineos UNESCO Global Geopark, Avda. Ordesa 79, 22340 Boltaña, Spain](#)

[3 Institute of Plant Sciences & Oeschger Centre for Climate Change Research, University of Bern, Altenbergrain 21, 3012, Bern, Switzerland](#)

[4 Swiss Institute for Speleology and Karst Studies \(SISKA\), Rue de la Serre 68, 2300 La Chaux-de-Fonds, Switzerland](#)

[5 Institute of Geology, University of Innsbruck, Innrain 52, 6020 Innsbruck, Austria](#)

[6 Departamento de Procesos Geoambientales y Cambio Global, Instituto Pirenaico de Ecología \(CSIC\), Avda. Montañana 1005, 50059 Zaragoza, Spain](#)

[7 Facultad de Ciencias, Universidad Autónoma de Madrid, Francisco Tomás y Valiente 7, 28049 Madrid, Spain](#)

[8 Departamento de Geología, Museo Nacional de Ciencias Naturales \(CSIC\), C/ de José Gutiérrez Abascal, 2, 28006 Madrid, Spain](#)

[† Deceased](#)

[*Correspondence to: mbart@mncn.csic.es](#)

~~Carlos Sancho^{1†}, Ánchel Belmonte², María Leunda^{3,4,5}, Marc Luetscher⁶,
Christoph Spötl⁷, Juan Ignacio López Moreno⁸, Belén Oliva Urcia^{1‡}, Jerónimo
López-Martínez⁹, Ana Moreno⁸, Miguel Bartolomé^{*6,10,11}~~

~~1 Departamento de Ciencias de la Tierra, Universidad de Zaragoza, C/ Pedro Cerbuna,
12, 50009 Zaragoza, Spain~~

~~2 Sobrarbe-Pirineos UNESCO Global Geopark, Avda. Ordesa 79, 22340 Boltaña, Spain~~

~~3 Department of Plant Biology and Ecology, Faculty of Science and Technology,
University of the Basque Country (UPV-EHU), Barrio Sarriena s/n, 48940, Leioa, Bizkaia,
Spain~~

~~4 Swiss Federal Institute for Forest, Snow and Landscape Research WSL
Zürcherstrasse 111, 8903 Birmensdorf, Switzerland~~

~~5 Institute of Plant Sciences & Oeschger Centre for Climate Change Research University
of Bern, Altenbergrain 21, 3012, Bern, Switzerland~~

~~6 Swiss Institute for Speleology and Karst Studies (SISKA), Rue de la Serre 68, 2300 La
Chaux-de-Fonds, Switzerland~~

~~7 Institute of Geology, University of Innsbruck, Innrain 52, 6020 Innsbruck, Austria~~

~~8 Departamento de Procesos Geoambientales y Cambio Global, Instituto Pirenaico de
Ecología (CSIC), Avda. Montañana 1005, 50059 Zaragoza, Spain~~

~~9 Facultad de Ciencias, Universidad Autónoma de Madrid. Francisco Tomás y Valiente
7, 28049 Madrid, Spain~~

~~10 Geological Institute, NO-G59, Department of Earth Sciences, Sonneggstrasse 5,
ETH, 8092 Zurich, Switzerland~~

~~11 Departamento de Geología, Museo Nacional de Ciencias Naturales (CSIC), C/ de
José Gutiérrez Abascal, 2, 28006 Madrid, Spain~~

~~† Deceased~~

~~*Correspondence to: mbart@mncn.csic.es~~

The Cotiella massif belongs to the South-Central Pyrenean Unit, and consists of Upper Cretaceous limestones, Paleocene and Eocene limestones and marls (Fig. S1). Its formation is due to the tectonic inversion of the Cotiella basin, where sediment accumulated from the mid-Coniacian to the lower Santonian ~~period~~, reaching approximately 6 km in thickness. The tectonic inversion began in the late Cretaceous and persisted till the Lower Miocene. The Cotiella, Gavarnie, Millares, and Bielsa

thrusts constitute the sequence of inversion structures from top to bottom. Within this region, the Cotiella and Gavarnie thrusts, affecting the sedimentary cover, are tilted to the south due to the emplacement of the lower thrusts, Millaris and Bielsa, affecting the basement rocks. This inversion follows a general foreland breaking sequence. Consequently, the base of the Cotiella thrust sheet descends to the south, revealing over 3 km of structural relief (Séguret, 1972; García-Senz, 2002; Martínez-Peña and Casas-Sainz, 2003; López-Mir et al., 2015; ~~2016~~).

The entrance to the cave is located within the Maciños ~~limestone~~ Limestone Formation, situated in the Reduno anticline, according to López-Mir et al. (2015). The Maciños Formation, also known as the Cotiella Maciños Formation, is composed of red to orange calcarenites with variable quartz content and gravel-bearing sandstones. The Aguasaleñ Formation comprises well-stratified limestones and marls, exhibiting significant facies variations along the Cotiella basin (López-Mir et al., 2015).




Figure S1: Simplified geological map of the Cotiella area based on IGME Bielsa (179) ~~Ríos et al., (1982)~~ and Campo (212) Robador-~~Moreno~~ et al., (1999) and López-Mir et al., (2015), and cross-section (along the red line on the map). Red start in the cross-section indicates the location of ~~the~~ A294 ice cave.





Figure S2. a) A294 cave topography in 1978 digitalized from a map of the Grupo de Espeleología Cataluña Aragón (G.E.C.A). b) Corrected North [arrow orientation](#) and topography, and probably [extension](#) of the rimaye in that year.

86






Figure S3: Comparison of [stratigraphic](#) logs and depth-age models obtained in 2011 (Sancho et al., 2018; right) and 2015 (Leunda et al., 2019, left).



Figure S4: General view of the ice deposit (upper image) and detail of the ice ramp (red square, lower image) after the snow had disappeared, and location of the ablation pit hole (green square, top left image) where the A294 R-Mid sample was taken for ^{14}C dating.




Figure S54. Box-plot of open (blue) and closed (red) phases in A294 between 2010 and 2021. The lost data corresponds to [recording failures in the sensors](#) [failures due to low battery power](#).

87

88

89




Figure S65. Example of extreme rainfalls (>80 mm) recorded by the Armeña Weather-weather sStation and delayed increases in cave air temperatures in A294. Red line is the external temperature, while green and blue lines represent the cave temperature variations recorded by the CH1 and CH2 sensors, respectively. Dark blue vertical bars represent precipitation events.

References

- García-Senz, J. (2002). Cuencas extensivas del Cretácico inferior en los Pirineos centrales, formación y subsecuente inversión (PhD dissertation). University of Barcelona, Barcelona, 310 p.
- Leunda, M., González-Sampériz, P., Gil-Romera, G., Bartolomé, M., Belmonte-Ribas, Á., Gómez-García, D., Kaltenrieder, P., Rubiales, J.M., Schwörer, C., Tinner, W., Morales-Molino, C., Sancho, C., 2019. Ice cave reveals environmental forcing of long-term Pyrenean tree line dynamics. *Journal of Ecology* 107, 814–828. <https://doi.org/10.1111/1365-2745.13077>
- Lopez-Mir, B., Muñoz, J. A., & García-Senz, J. (2016). Geology of the Cotiella thrust sheet, southern Pyrenees (Spain). *Journal of Maps*, 12(sup1), 323–327.
- Lopez-Mir, B., Muñoz, J. A., & García-Senz, J. (2015). Extensional salt tectonics in the partially inverted Cotiella post-rift basin (south-central Pyrenees): structure and evolution. *International Journal of Earth Sciences*, 104(2), 419–434.
- Martínez-Peña, M. B., & Casas-Sainz, A. M. (2003). Cretaceous-Tertiary tectonic inversion of the Cotiella Basin (Southern Pyrenees, Spain). *International Journal of Earth Sciences*, 92(1), 99–113. doi:10.1007/s00531-002-0283-x
- Ríos Aragués, L.M., Lanaja del Busto J.M., Ríos Mitchell, J.M., Barnolas, A. Mapa geológico de la Hoja nº 172 (Bielsa). Mapa Geológico de España E. 1:50.000. Segunda Serie (MAGNA), Primera edición. IGME

Robador Moreno, A., Zamorano Cáceres, M., Barnolas Cortinas, A., Romero Canencia, G., Miguel Cabrero, L.E., Muñoz Moreno A. 1999. Mapa geológico de la Hoja nº 272 (Campo). Mapa Geológico de España E. 1:50.000. Segunda Serie (MAGNA). IGME.

Sancho, C., Belmonte, Á., Bartolomé, M., Moreno, A., Leunda, M., López-Martínez, J., 2018. Middle-to-late Holocene palaeoenvironmental reconstruction from the A294 ice-cave record (Central Pyrenees, northern Spain). *Earth and Planetary Science Letters* 484, 135–144. <https://doi.org/10.1016/j.epsl.2017.12.027>

Séguret, M. (1972). Étude tectonique des nappes et séries décollées de la partie centrale du versant sud des Pyrénées – caractère synsédimentaire, rôle de la compression et de la gravité, *Série géologie structurale*, 2, France, 155 pp., Publications de l'Université des Sciences et Techniques du Languedoc (USTELA), Montpellier, France

García-Senz, J.: *Cuencas extensivas del Cretácico inferior en los Pirineos centrales, formación y subsecuente inversión*, PhD thesis, University of Barcelona, Barcelona, 310 pp., 2002.

Leunda, M., González-Sampériz, P., Gil-Romera, G., Bartolomé, M., Belmonte-Ribas, Á., Gómez-García, D., Kaltenrieder, P., Rubiales, J. M., Schwörer, C., Tinner, W., Morales-Molino, C., and Sancho, C.: Ice cave reveals environmental forcing of long-term Pyrenean tree line dynamics, *J. Ecol.*, 107, 814–828, <https://doi.org/10.1111/1365-2745.13077>, 2019.

Lopez-Mir, B., Muñoz, J. A., and García-Senz, J.: Geology of the Cotiella thrust sheet, southern Pyrenees (Spain), *J. Maps*, 12(sup1), 323–327, <https://doi.org/10.1080/17445647.2016.1187974>, 2016.

Lopez-Mir, B., Muñoz, J. A., and García-Senz, J.: Extensional salt tectonics in the partially inverted Cotiella post-rift basin (south-central Pyrenees): structure and evolution, *Int. J. Earth Sci.*, 104(2), 419–434, <https://doi.org/10.1007/s00531-014-1086-2>, 2015.

Martínez-Peña, M. B., and Casas-Sainz, A. M.: Cretaceous-Tertiary tectonic inversion of the Cotiella Basin (Southern Pyrenees, Spain), *Int. J. Earth Sci.*, 92(1), 99–113, <https://doi.org/10.1007/s00531-002-0283-x>, 2003.

Ríos, L. M., Lanaja del Busto, J. M., Ríos, J. M., and Barnolas, A.: Mapa geológico de España 1:50.000, hoja 172 (Bielsa), segunda serie MAGNA, primera edición, Instituto Geológico y Minero de España (IGME), Madrid, 1982.

Robador, A., Zamorano, M., Barnolas, A., Romero, G., Miguel, L. E., and Muñoz, A.: Mapa geológico de España 1:50.000, hoja 272 (Campo), segunda serie MAGNA, Instituto Geológico y Minero de España (IGME), Madrid, 1999.

Sancho, C., Belmonte, Á., Bartolomé, M., Moreno, A., Leunda, M., and López-Martínez, J.: Middle-to-late Holocene palaeoenvironmental reconstruction from the A294 ice-cave record (Central Pyrenees, northern Spain), *Earth Planet. Sci. Lett.*, 484, 135–144, <https://doi.org/10.1016/j.epsl.2017.12.027>, 2018.

Séguret, M.: Étude tectonique des nappes et séries décollées de la partie centrale du versant sud des Pyrénées – caractère synsédimentaire, rôle de la compression et de la gravité, Sér. Géol. Struct., 2, Publications de l'Université des Sciences et Techniques du Languedoc (USTELA), Montpellier, France, 155 pp., 1972.

García-Senz, J.: Cuencas extensivas del Cretácico inferior en los Pirineos centrales, formación y subsecuente inversión, PhD thesis, University of Barcelona, Barcelona, 310 pp., 2002.

Leunda, M., González-Sampériz, P., Gil-Romera, G., Bartolomé, M., Belmonte-Ribas, Á., Gómez-García, D., Kaltenrieder, P., Rubiales, J. M., Schwörer, C., Tinner, W., Morales-Molino, C., and Sancho, C.: Ice cave reveals environmental forcing of long-term Pyrenean tree-line dynamics, *J. Ecol.*, 107, 814–828, <https://doi.org/10.1111/1365-2745.13077>, 2019.

Lopez-Mir, B., Muñoz, J. A., and García-Senz, J.: Geology of the Cotiella thrust sheet, southern Pyrenees (Spain), *J. Maps*, 12(sup1), 323–327, <https://doi.org/10.1080/17445647.2016.1187974>, 2016.

Lopez-Mir, B., Muñoz, J. A., and García-Senz, J.: Extensional salt tectonics in the partially inverted Cotiella post-rift basin (south-central Pyrenees): structure and evolution, *Int. J. Earth Sci.*, 104(2), 419–434, <https://doi.org/10.1007/s00531-014-1086-2>, 2015.

Martínez-Peña, M. B., and Casas-Sainz, A. M.: Cretaceous–Tertiary tectonic inversion of the Cotiella Basin (Southern Pyrenees, Spain), *Int. J. Earth Sci.*, 92(1), 99–113, <https://doi.org/10.1007/s00531-002-0283-x>, 2003.

Ríos, L. M., Lanaja del Busto, J. M., Ríos, J. M., and Barnolas, A.: Mapa geológico de España 1:50.000, hoja 172 (Bielsa), segunda serie MAGNA, primera edición, Instituto Geológico y Minero de España (IGME), Madrid, 1982.

Robador, A., Zamorano, M., Barnolas, A., Romero, G., Miguel, L. E., and Muño, A.: Mapa geológico de España 1:50.000, hoja 272 (Campo), segunda serie MAGNA, Instituto Geológico y Minero de España (IGME), Madrid, 1999.

Sancho, C., Belmonte, Á., Bartolomé, M., Moreno, A., Leunda, M., and López-Martínez, J.: Middle-to-late Holocene palaeoenvironmental reconstruction from the A294 ice-cave record (Central Pyrenees, northern Spain), *Earth Planet. Sci. Lett.*, 484, 135–144, <https://doi.org/10.1016/j.epsl.2017.12.027>, 2018.

Séguret, M.: Étude tectonique des nappes et séries décollées de la partie centrale du versant sud des Pyrénées – caractère synsédimentaire, rôle de la compression et de la gravité, Sér. Géol. Struct., 2, Publications de l'Université des Sciences et Techniques du Languedoc (USTELA), Montpellier, France, 155 pp., 1972.