

1 **Spatiotemporal patterns of global earthquake disaster impacts**
2 **from a human-Earth perspective**

3 Zekang Zhang¹, Yingqiao Qiu^{2, 3}, Yanjun Ye¹, Chaoran Xuan¹
4 ¹School of Earth Science and Engineering, Hebei University of Engineering, Handan 056038, China.
5 ²Hebei Key Laboratory of Agricultural Water-Saving, Center for Agricultural Resources Research, Institute of
6 Genetics and Developmental Biology, Chinese Academy of Sciences, Shijiazhuang 050022, China.
7 ³School of Advanced Agricultural Sciences, University of Chinese Academy of Sciences, Beijing 100049,
8 China.
9 **Correspondence:** Yanjun Ye (yeyanjun@hebeu.edu.cn)

10 **Abstract.** Understanding how earthquake disaster impacts vary across space and time is essential for global
11 disaster risk assessment and reduction planning. Using earthquake disaster records from the Emergency Events
12 Database (EM-DAT) during 1980–2024, this study investigates temporal trends, multi-scale spatial patterns,
13 centroid shifts, and factors associated with cross-national differences in earthquake fatalities. Temporal analyses
14 reveal a divergence between recorded earthquake disaster frequency and impact consequences. While the
15 number of recorded earthquake disaster events, affected population, and cumulative economic losses increased
16 overall, mortality-related indicators declined, particularly after the early 2000s. Spatial analyses demonstrate
17 substantial heterogeneity among continents, countries, and tectonic plates. Asia accounts for a large proportion
18 of global earthquake disaster events and associated impacts, whereas the magnitude of impacts differs
19 considerably among countries. The centroid of recorded earthquake disaster impacts exhibited a successive
20 spatial shift across three periods (1980–1994, 1995–2009, and 2010–2024), moving from northeastern Africa
21 west of the Red Sea toward the Arabian Sea, with inter-period displacements of approximately 909 km, 1476 km,
22 and 433 km, respectively. Weighted centroids based on fatalities, affected population, and economic losses
23 showed different spatial trajectories, indicating distinct spatial organizations of impact dimensions. The
24 Geographical Detector results indicate that earthquake magnitude showed the highest explanatory power for
25 spatial differences in fatalities ($q = 0.17$), and interactions among factors generally enhanced spatial associations.
26 These findings provide a global assessment of earthquake disaster impacts by integrating temporal evolution,
27 spatial redistribution, and associated factors, offering comparative evidence for regional risk identification,
28 exposure management, and disaster preparedness planning.

29 **1 Introduction**

30 Earthquake disasters remain among the most destructive natural hazards worldwide, causing profound human,
31 economic, and infrastructural losses each year (United Nations Office for Disaster Risk Reduction (Undrr), 2023;
32 Daniell et al., 2017). Despite notable advances in seismology, engineering design, and emergency response
33 systems, global earthquake losses have not declined uniformly. Instead, rapid urban expansion, population
34 concentration in seismic belts, and intensified development in tectonically active landscapes continue to elevate
35 exposure and reinforce event vulnerability (Cutter, 2021; Aksha and Khanal, 2019; Düzgün et al., 2023). This
36 persistent rise in event impacts—despite improved monitoring and hazard science—illustrates a central paradox
37 in contemporary earthquake risk: earthquake disaster impacts increasingly reflect interactions between

- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认)Times New Roman, ...
- 删除[西西 [2]]: reorganization
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认)Times New Roman, ...
- 设置格式[西西 [2]]: 非突出显示
- 删除[西西]: within coupled
- 删除[西西 [2]]: -
- 设置格式[西西 [2]]: 非突出显示
- 删除[西西 [2]]: P
- 设置格式[西西 [2]]: 字体: (默认)Times New Roman, ...
- 删除[西西]: systems
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 默认段落字体, 字体: (默认)Times New Roman, ...
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认)Times New Roman, ...
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认)Times New Roman, ...
- 删除[西西 [2]]: occurrence
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认)Times New Roman, ...
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认)Times New Roman, ...
- 删除[西西]: Understanding how earthquake impacts ...
- 设置格式[西西 [2]]: 非突出显示
- 删除[西西 [2]]: events increasingly emerge from the ...

38	<u>geophysical hazards and evolving social-environmental conditions. These interactions highlight that disaster risk</u>	删除[西西 [2]]: ,
39	<u>becomes observable through realized impacts on populations and economies.</u>	设置格式[西西 [2]]: 非突出显示
40	<u>A human–Earth perspective provides a framework for understanding why similar earthquake hazards may</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
41	<u>correspond to different disaster impacts across regions. From this perspective, earthquake impacts are viewed as</u>	删除[西西 [2]]: with event risk becoming most visible
42	<u>the outcome of the spatial configuration of earthquake characteristics, population exposure, and socioeconomic</u>	设置格式[西西 [2]]: 非突出显示
43	<u>conditions, which are associated with differences in the spatial and temporal distribution of recorded disaster</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
44	<u>consequences</u> (Gall et al., 2011; Lee et al., 2022). Geophysically, seismic hazards are structured by plate	删除[西西 [2]]: which jointly determine how recorded
45	interactions, strain accumulation, and lithospheric deformation, forming persistent seismic belts such as the	删除[西西]: A human–environment systems perspective,
46	Pacific Ring of Fire and the Alpine–Himalayan arc (Bird, 2003a; Kagan and Jackson, 2016). Yet similar	设置格式[西西 [2]]: 非突出显示
47	earthquakes often produce vastly different outcomes depending on demographic exposure, infrastructure quality,	设置格式[西西 [2]]: 字体: (默认) Times New Roman
48	governance effectiveness, and environmental fragility (Anbarci et al., 2005; Keefer et al., 2011; Wyss et al.,	删除[西西 [2]]: These disparities underscore a growing
49	2023). <u>These disparities underscore a growing recognition that earthquake disasters result from the interaction</u>	设置格式[西西 [2]]: 非突出显示
50	<u>between natural hazards and socially mediated vulnerability across space</u> (Cohen and Werker, 2008; Reid, 2013;	设置格式[西西 [2]]: 字体: (默认) Times New Roman
51	<u>Ismail-Zadeh, 2024).</u>	设置格式[西西 [2]]: 非突出显示
52	<u>Previous studies have demonstrated that earthquake disaster impacts are highly heterogeneous across</u>	删除[西西 [2]]: Decades of empirical research highlight the
53	<u>regions and cannot be explained by seismic characteristics alone. Differences in earthquake magnitude, focal</u>	设置格式[西西 [2]]: 非突出显示
54	<u>depth, and tectonic setting provide the physical context of disaster events, while variations in population</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
55	<u>distribution and economic conditions influence the spatial concentration of exposed populations and assets.</u>	设置格式[西西 [2]]: 非突出显示
56	<u>Global earthquake risk assessments have shown that the combination of seismic hazard, exposure, and</u>	设置格式[西西 [2]]: 非突出显示
57	<u>socioeconomic conditions is essential for understanding variations in human and economic losses across</u>	设置格式[西西 [2]]: 非突出显示
58	<u>countries and regions</u> (Jaiswal et al., 2010; Daniell et al., 2011; Silva et al., 2019). However, previous studies	删除[西西]: event risk
59	<u>have often focused on individual dimensions of earthquake risk or specific regions, and the global-scale spatial</u>	设置格式[西西 [2]]: 非突出显示
60	<u>relationships among earthquake characteristics, population exposure, socioeconomic conditions, and different</u>	设置格式[西西 [2]]: 非突出显示
61	<u>impact outcomes remain insufficiently quantified.</u>	设置格式[西西 [2]]: 非突出显示
62	Despite substantial progress in regional seismic hazard studies, global-scale analyses of earthquake <u>disaster</u>	设置格式[西西 [2]]: 非突出显示
63	impacts, as distinct from seismicity alone, remain limited. Most global assessments rely on instrumental	删除[西西 [2]]: drivers
64	catalogs to evaluate earthquake occurrence, magnitude–frequency patterns, or aftershock clustering (Zaliapin	设置格式[西西 [2]]: 非突出显示
65	and Ben-Zion, 2013; Kagan and Jackson, 2016). While crucial for characterizing physical processes, these	设置格式[西西 [2]]: 非突出显示
66	studies do not explain why comparable earthquakes generate disproportionate losses across countries (Noy,	设置格式[西西 [2]]: 非突出显示
67	2016; Li et al., 2021; Guo et al., 2020). Recent global models of seismic exposure and vulnerability (Xofi et al.,	设置格式[西西 [2]]: 非突出显示
68	2022) represent important advances but underrepresent governance, environmental change, and socio-economic	设置格式[西西 [2]]: 非突出显示
69	inequality-factors identified by the Sendai Framework as root causes of escalating <u>disaster risk</u> (United Nations	删除[西西 [2]]: interactions increasingly determine wher
70	<u>Office for Disaster Risk Reduction (Undrr), 2023).</u>	设置格式[西西 [2]]: 非突出显示
71	Moreover, the interaction effects among multiple <u>explanatory factors</u> remain poorly understood at the	设置格式[西西 [2]]: 字体: (默认) Times New Roman,
72	global scale. Traditional regression approaches frequently assume linearity and overlook spatial stratification,	删除[西西 [2]]: drivers
73	non-linear amplification, and synergistic interactions, such as those between population density and governance	设置格式[西西 [2]]: 非突出显示
74	quality or between basic public infrastructure, precipitation, and topography (Wang et al., 2010b; Hu et al., 2011;	设置格式[西西 [2]]: 非突出显示
75	<u>Ansari et al., 2025). Yet multi-factor interactions contribute to spatial differentiation of recorded disaster impacts,</u>	设置格式[西西 [2]]: 非突出显示
76	within rapidly changing socio-ecological systems (Burton, 2015; Aksha and Khanal, 2019). Addressing these	设置格式[西西 [2]]: 非突出显示
77	analytical limitations requires tools capable of detecting spatial heterogeneity and quantifying both independent	设置格式[西西 [2]]: 非突出显示
78	and interactive effects within complex, coupled systems.	设置格式[西西 [2]]: 非突出显示
79	<u>To address these gaps, this study integrates EM-DAT global event records (1980–2024), GIS-based spatial</u>	设置格式[西西 [2]]: 非突出显示
80	<u>analysis, and the Geographical Detector model to examine the spatiotemporal variations and spatial associations</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
81	<u>of global earthquake disaster impacts. Specifically, we address four interrelated scientific questions:</u>	

(1) How have global earthquake disaster impacts changed over time?
(2) How are earthquake disaster impacts spatially distributed across continents, countries, and tectonic regions?
(3) How have the spatial distributions of global earthquake disaster impacts changed over time?
(4) Which earthquake characteristics, disaster-process attributes, population exposure, and socioeconomic conditions are statistically associated with spatial differences in earthquake mortality and economic losses, and how do these factors interact spatially?
By adopting a multi-scale human–Earth perspective, this study provides a globally comparable assessment of earthquake disaster impact patterns over four decades. It identifies temporal variations, spatial redistribution characteristics, and the spatial associations between earthquake attributes and human exposure conditions, providing new insights into the geographical differentiation of global earthquake impacts.

2 Data sources and processing

2.1 Data sources

This study used earthquake disaster records from the Emergency Events Database (EM-DAT) for the period 1980–2024 (Cred, 2024). EM-DAT is an impact-oriented global disaster database that records disasters associated with substantial human and socioeconomic consequences rather than a complete catalogue of all instrumentally detected earthquakes (Peduzzi and Herold, 2005; Rosvold and Buhaug, 2021). Events are included when they meet at least one impact-based criterion, including ≥ 10 deaths, ≥ 100 affected people, a declaration of a state of emergency, or a request for international assistance (Cred, 2023). Therefore, EM-DAT may include relatively moderate-magnitude earthquakes when they generate substantial societal impacts, while lower-impact events below inclusion thresholds may be underrepresented.

Previous studies have highlighted that disaster databases, including EM-DAT, are affected by reporting practices, data availability, and temporal variations in documentation capacity, which may introduce uncertainties into long-term comparisons (Gall et al., 2011; Guha-Sapir et al., 2012). Economic loss records are particularly subject to uncertainty because they depend on post-disaster assessments and national reporting procedures (Jones et al., 2022; Delforge et al., 2025). Accordingly, this study investigates the spatiotemporal patterns of recorded earthquake disaster impacts in EM-DAT, including fatalities, affected population, and economic losses, rather than global seismic occurrence patterns. Given the objective of assessing the geographical differentiation of documented earthquake consequences, EM-DAT provides an appropriate impact-based data source for global comparative analysis.

Transboundary earthquake events were retained as separate country-specific records because EM-DAT reports their impacts independently for each affected country. The magnitude composition and spatial distribution of the earthquake disaster records extracted from EM-DAT for the period 1980–2024 are shown in Figure 1. The extracted records cover a broad magnitude range, with both moderate- and high-magnitude earthquakes included. The magnitude distribution by continent and period is summarized in Supplementary Table S1. To further evaluate the consistency of EM-DAT records, an independent comparison with the NCEI earthquake database was conducted for overlapping years (1980–2020). The temporal variations of recorded events, fatalities, and economic losses showed consistent patterns between the two databases (Supplementary Fig. S1).

删除[西西]: To address these gaps, this study integrates ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西]: 缩进: 首行缩进: 2 字符

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

删除[西西]: This study used earthquake event records fro ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 字体颜色: 蓝色, 非突出显示

设置格式[西西 [2]]: 非突出显示

删除[枫笙]:

设置格式[西西 [2]]: 字体颜色: 蓝色, 非突出显示

删除[枫萧]: Fig. 1

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...

删除[西西]: 7

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman ...




Figure 1. Global spatial distribution of earthquake disaster events recorded in EM-DAT by magnitude, 1980–2024. Base map source: Standard map provided by the Ministry of Natural Resources of the People's Republic of China (<https://www.tianditu.gov.cn/>). The base map has not been modified.

2.2 Data processing

The EM-DAT database provides information including occurrence time, epicenter coordinates (latitude and longitude), affected countries (with ISO codes), affected population, fatalities, and economic losses. Based on these raw records, we constructed a harmonized national-level dataset through spatial matching and attribute aggregation. For each country, the following indicators were calculated: cumulative earthquake frequency, cumulative fatalities, cumulative affected population, and cumulative economic losses. Because reported impact variables in EM-DAT are compiled from disaster assessments, their completeness varies among indicators and regions. Therefore, indicator-specific analyses were based on available records, and the completeness of fatalities, affected population, and economic loss information was assessed separately (Supplementary Table S2). To better capture event severity and normalized impacts, four per-event indicators were further derived: (1) Average number of affected people per event, (2) Average fatalities per event, (3) Average economic loss per event, and (4) Mortality rate (defined as fatalities relative to affected population). To improve cross-country comparability, fatalities were normalized by the annual population of the affected country, and economic losses were normalized by the corresponding national GDP before comparative analyses.

The 45-year study period (1980–2024) was divided into three consecutive 15-year intervals (1980–1994, 1995–2009, and 2010–2024). This equal-length division makes full use of the available data while ensuring comparable observation periods. It also provides sufficient earthquake disaster records within each interval for stable country-level analyses of spatial distribution, centroid migration, and explanatory factors. To improve temporal comparability, reported economic losses were adjusted for inflation using the OECD Consumer Price Index (CPI) and expressed in constant US dollars, following the approach described by Delforge et al., (2025). This standardization reduces the influence of inflation on comparisons of economic losses across years.

To evaluate whether long-term temporal patterns were sensitive to a small number of catastrophic events, sensitivity analyses were conducted by removing five extreme earthquake disasters (2004 Sumatra–Andaman earthquake and Indian Ocean tsunami, 2008 Wenchuan earthquake, 2010 Haiti earthquake, 2011 Great East

设置格式[枫萧]: 与下段同页

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[枫萧]: 题注, 孤行控制

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[枫萧]:

设置格式[西西 [2]]: 字体: (默认) Times New Roman,

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 6

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西]: 缩进: 首行缩进: 2 字符

删除[西西 [2]]: influencing factors

设置格式[西西 [2]]: 非突出显示

删除[西西]: Considering that this study mainly focuses on

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

Japan earthquake and tsunami, and 2023 Türkiye–Syria earthquake). The results were compared with those from the original dataset (Supplementary Fig. S2 and Table S3).

3 Methods

3.1 Temporal variability analysis method

To characterize the temporal evolution of recorded earthquake disaster events in EM-DAT from 1980 to 2024, with emphasis on disaster impacts rather than global seismic activity, linear regression and the Mann-Kendall (MK) trend test were employed. These methods are widely applied in disaster risk and climate-related research to identify long-term trends in impact-related indicators under non-normal distributions and reporting uncertainty (Wang et al., 2021). The MK test, a non-parametric approach robust to outliers and missing values, was used to evaluate monotonic trends in eight earthquake event indicators, including frequency, fatalities, affected population, and economic losses. Before applying the MK test, lag-1 autocorrelation was examined for all annual indicators to evaluate the independence assumption of the time series. The results showed that most indicators did not exhibit significant autocorrelation, whereas the annual number of recorded events showed significant lag-1 autocorrelation (p < 0.05). Therefore, pre-whitening correction was applied to this indicator, while other indicators were analyzed using the original MK procedure (Supplementary Table S4). The MK statistic S was computed following standard procedures, as follows:

$$S = \sum_{j=1}^{n-1} \sum_{i=j+1}^n \text{sign}(x_j - x_i) \tag{1}$$

Where x_i and x_j represent two observations in the time series. The sign function returns 1, 0, or -1 depending on whether the difference is positive, zero, or negative. Fatalities, affected population, economic losses, and their event-normalized indicators exhibited strongly right-skewed distributions. These variables were transformed using $\log_{10}(x+1)$ for regression-based temporal analysis and graphical presentation. The uncertainty of the fitted temporal trends was evaluated using 95% confidence intervals of the linear regression estimates. The confidence bands around the fitted trends are presented in Figure S4. The addition of 1 retained explicitly reported zero values. Annual disaster-event counts were retained on their original scale. The descriptive statistics of annual indicators showed substantial differences between mean and median values, confirming the strong skewness of impact-related variables (Supplementary Table S5). The corresponding log-scale temporal patterns are additionally presented in Supplementary Figure S4.

The standardized Z-value was then derived to assess trend significance:

$$Z = \begin{cases} \frac{S-1}{\sqrt{\frac{n(n-1)(2n+5)}{18}}} & \text{if } S > 0 \\ 0 & \text{if } S = 0 \\ \frac{S+1}{\sqrt{\frac{n(n-1)(2n+5)}{18}}} & \text{if } S < 0 \end{cases} \tag{2}$$

A positive Z-value indicates an upward trend, while a negative value indicates a downward trend. Significance thresholds were set at $|Z| = 1.28$ (90%), 1.64 (95%), and 2.33 (99%) (Casella and Berger, 2002). By combining linear regression slopes with MK significance testing, this approach evaluates both the magnitude and statistical significance of long-term changes in earthquake disaster impacts. Considering that several catastrophic earthquakes may disproportionately affect annual impact indicators, a sensitivity analysis was further conducted by removing five extreme disaster events (the 2004 Sumatra-Andaman earthquake and Indian

Ocean tsunami, 2008 Wenchuan earthquake, 2010 Haiti earthquake, 2011 Great East Japan earthquake and tsunami, and 2023 Türkiye–Syria earthquake). The comparison between the original and extremes-removed datasets is shown in Supplementary Figure S1, with corresponding trend statistics summarized in Supplementary Table S3.

3.2 Spatial variability analysis method

3.2.1 Geometric centroid analysis

Geometric centroid analysis was used to examine the spatial distribution and temporal redistribution of recorded earthquake disaster impacts during different periods. These centroids represent the statistical centers of EM-DAT-recorded disaster events or impact-weighted distributions, rather than the physical locations of earthquake sources or changes in seismic activity. For each study period, centroid coordinates were calculated using a weighted mean:

$$\bar{X}_t = \frac{\sum_{i=1}^{n_t} \omega_i X_i}{\sum_{i=1}^{n_t} \omega_i}, \quad \bar{Y}_t = \frac{\sum_{i=1}^{n_t} \omega_i Y_i}{\sum_{i=1}^{n_t} \omega_i} \tag{3}$$

where n_t is the number of earthquake disaster records in period t ; i denotes the i -th event; X_i and Y_i are the longitude and latitude of the event, respectively; and ω_i is the corresponding weight. Four centroid types were calculated. The unweighted centroid ($\omega_i=1$) represents the spatial distribution of recorded earthquake disaster events, whereas the weighted centroids use fatalities, affected population, and economic losses as weights to represent the spatial distribution of different impact dimensions. Therefore, different centroid estimates describe different dimensions of earthquake disaster impacts: the unweighted centroid reflects the spatial distribution of recorded events, while weighted centroids emphasize the spatial concentration of specific societal consequences.

Centroid migration distances between consecutive periods were calculated using the Geodesic method in ArcGIS Pro under the WGS 1984 geographic coordinate system. This method measures the shortest path between two centroid locations on the reference ellipsoid, making it suitable for global-scale distance calculations while avoiding distortions associated with planar distance measurements. All migration distances are reported in kilometres.

3.2.2 Data completeness and variable-specific treatment

Reported zero values for fatalities, affected population, and economic losses were retained as valid observations and distinguished from missing values. Blank or unavailable entries were treated as missing and were not imputed. All earthquake disaster records with valid geographic coordinates were retained in the centroid analyses. The centroid analysis therefore used the full set of records with available spatial coordinates, without restricting events based on impact-variable completeness. For weighted centroid calculations, only records with available values for the corresponding weighting variable were included. For the Geographical Detector analysis, countries with missing socioeconomic, governance, environmental, healthcare, or GDP-related indicators were excluded only from the corresponding analysis, while remaining available for all other analyses. This variable-specific treatment maximized data utilization while avoiding bias introduced by artificial value imputation.

3.2.3 Uncertainty assessment of centroid location and displacement

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 1

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: By combining linear regression slopes with

设置格式[西西 [2]]: 非突出显示

删除[西西]: 3.2.1 Standard deviation ellipse (SDE)

设置格式[西西 [2]]: 字体: (默认) Times New Roman,

设置格式[西西]: 段落间距段前: 12 磅, 段后: 12 磅, 3 级

设置格式[西西 [2]]: 字体: 加粗, 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

删除[西西]: Geometric centroid shift analysis is a widely

删除[西西]: <math>

设置格式[西西 [2]]: 字体: 倾斜, 非突出显示

设置格式[西西 [2]]: 字体: 倾斜, 非突出显示

删除[西西]: <math>

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: 倾斜, 非突出显示

设置格式[西西 [2]]: 字体: 倾斜, 非突出显示

删除[西西]: <math>

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: 倾斜, 非突出显示

删除[西西]: <math>

设置格式[西西 [2]]: 非突出显示

删除[西西]: <math>

设置格式[西西 [2]]: 字体: 倾斜, 非突出显示

设置格式[西西 [2]]: 非突出显示

Bootstrap uncertainty assessment. Uncertainty in centroid locations was evaluated using nonparametric bootstrap resampling. Within each study period and weighting scheme, earthquake disaster records were sampled with replacement, and the statistical centroid was recalculated for each bootstrap replicate. The 2.5th and 97.5th percentiles of the bootstrap longitude and latitude distributions were used to construct 95% confidence intervals for centroid locations. The resulting centroid coordinates and confidence intervals are reported in Supplementary Table S6.

Bootstrap confidence intervals for centroid displacement. To quantify uncertainty in centroid displacement between consecutive periods, records from each pair of study periods were independently resampled with replacement. The corresponding statistical centroids were recalculated, and their geodesic separation was computed for each bootstrap replicate. Percentile-based 95% confidence intervals were obtained from the bootstrap displacement distribution. The observed displacement distances, bootstrap confidence intervals, and permutation-test results are summarized in Supplementary Table S7. Because geodesic displacement is constrained to be non-negative, the bootstrap confidence intervals characterize uncertainty in displacement magnitude rather than statistical significance. Statistical significance was therefore evaluated using permutation tests. This distinction avoids interpreting uncertainty intervals of non-negative displacement distances as hypothesis tests, while permutation tests directly evaluate whether observed centroid shifts exceed those expected under random temporal reassignment.

3.3 Spatial stratified association analysis using the Geographical Detector model

In this study, the Geographical Detector model was applied to examine spatial statistical associations between earthquake disaster impacts and a set of geophysical and socioeconomic covariates. Unlike regression-based approaches, this method evaluates whether the spatial stratification of explanatory variables corresponds to the spatial differentiation of recorded disaster impacts. Therefore, the detected variables represent variables with statistical explanatory power for spatial heterogeneity rather than causal determinants.

3.3.1 Response variables and explanatory variables

The Geographical Detector model was applied to examine spatial statistical associations between earthquake disaster impacts and potential explanatory variables at the event level. This method evaluates whether the spatial stratification of explanatory variables corresponds to the spatial differentiation of recorded disaster impacts. Therefore, the detected relationships represent statistical associations and explanatory power for spatial heterogeneity rather than causal effects or confirmed physical mechanisms.

Two response variables were selected to characterize different dimensions of earthquake disaster impacts: fatalities per million population and GDP-normalized economic losses. To improve comparability among countries with different population sizes and economic scales, both indicators were calculated using country-specific conditions in the corresponding earthquake occurrence year.

Fatalities per million population was calculated as:

$$FPM = \frac{F}{P} \times 10^6 \tag{4}$$

where FPM represents fatalities per million population, F denotes the number of fatalities associated with an earthquake disaster event, and P represents the population of the affected country in the corresponding year.

GDP-normalized economic losses were calculated as:

$$GDP_L = \frac{L}{GDP} \tag{5}$$

where GDP_{it} represents the proportion of direct economic losses relative to national GDP, L denotes the reported direct economic loss of an earthquake disaster event, and GDP represents the GDP of the affected country in the corresponding year.

These event-specific normalization procedures reduce the influence of differences in population size and economic scale among countries and provide more comparable measures of earthquake disaster impacts. Because earthquake disaster impact variables exhibited strongly right-skewed distributions, $\log_{10}(x+1)$ transformation was applied before Geographical Detector analysis. The addition of 1 retained zero-valued observations while reducing the influence of extreme events. Summary statistics of the response variables are provided in Supplementary Table S5.

The explanatory variables were selected to represent earthquake characteristics, disaster processes, and socioeconomic conditions associated with spatial differences in recorded earthquake disaster impacts. Earthquake-related variables included magnitude, focal depth, and seismotectonic type. Seismotectonic type was classified into four categories: shallow crustal earthquakes, subduction earthquakes, intraplate earthquakes, and megathrust earthquakes. Disaster-process type was included to distinguish earthquake-only disasters from earthquake–tsunami compound disasters. Socioeconomic variables included population density and GDP per capita, representing differences in population exposure and national economic conditions. The definitions, data sources, and representations of all explanatory variables are summarized in Table 1.

Table 1. Explanatory variables used in the Geographical Detector analysis of earthquake disaster impacts and data sources.

Indicator	Data source	Representation
Population Density	LandScan (Sims et al., 2022)	Represents spatial variation in population distribution and exposure conditions.
GDP per capita	ESG (World Bank, 2025)	Represents differences in national economic conditions and development levels among affected countries.
Magnitude	EM-DAT (Cred, 2024)	Represents earthquake size and provides information on differences in earthquake energy release among events.
Focal depth	USGS (Survey, 2026)	Represents the depth of earthquake occurrence and is associated with variations in ground motion characteristics among events.
Seismotectonic type	Zenodo (Hasterok et al., 2022)	Represents tectonic classification characteristics. Events were classified into shallow crustal earthquakes, subduction earthquakes, intraplate earthquakes, and megathrust earthquakes.
Disaster-process type	EM-DAT (Cred, 2024)	Distinguishes earthquake-only disasters from earthquake–tsunami compound disasters to represent differences in disaster processes.

To ensure temporal consistency between earthquake impacts and explanatory variables, all variables were matched according to the earthquake occurrence year and the affected country. Physical earthquake characteristics were directly linked to individual earthquake records, whereas socioeconomic variables were assigned according to the corresponding country-year conditions. This event-level matching approach avoids applying contemporary socioeconomic conditions to historical earthquake disasters and provides a more consistent basis for evaluating spatial associations during the 1980–2024 study period.

Continuous explanatory variables were subsequently discretized into categorical strata before Geographical Detector analysis. The tested discretization methods, numbers of strata, and sensitivity analyses of alternative classification schemes are described in Section 3.3.2 and summarized in Supplementary Tables S9 and S10. Supplementary Fig. S3.

3.3.2 Single-factor detector

The factor detector was applied to quantify the spatial explanatory power of individual explanatory variables for the spatial heterogeneity of earthquake disaster impacts. The q-statistic measures the extent to which the spatial stratification of an explanatory variable corresponds to the spatial distribution of the response variable. Therefore, the obtained q-values represent statistical spatial explanatory power rather than causal effects. The q-statistic ranges from 0 to 1, with larger values indicating stronger explanatory power of the corresponding explanatory variable for the spatial differentiation of the response variable (Wang et al., 2016). The q-statistic was calculated as follows:

$$q=1-\frac{\sum_{h=1}^L N_h \sigma_h^2}{N \sigma^2} \quad (6)$$

Where q denotes the explanatory power of explanatory variable X for response variable Y , with values range of [0,1]. L represents the number of strata generated after discretizing X . N_h and N represent the number of samples in stratum h and the total number of samples, respectively. σ_h^2 and σ^2 represent the variances of Y within stratum h and the overall dataset, respectively.

Because the Geographical Detector model requires continuous explanatory variables to be converted into categorical strata, continuous variables were discretized before factor detection. Several commonly used discretization methods, including equal interval, quantile, and natural breaks (Jenks), were tested with different numbers of strata. For each explanatory variable, the optimal discretization scheme was selected based on the combined evaluation of q-statistic performance and robustness measured by the coefficient of variation (CV). The selected discretization schemes and sensitivity comparisons among alternative classification methods are provided in Supplementary Tables S9 and S15, Supplementary Fig. S3.

3.3.3 Interaction detector

The interaction detector was applied to evaluate whether the combination of two explanatory variables provides additional spatial explanatory power for earthquake disaster impacts compared with individual variables. Rather than identifying causal interactions, this method evaluates whether the joint spatial stratification of two explanatory variables corresponds to stronger spatial differentiation of the response variable. The interaction q-statistic was calculated as follows:

$$q(X_1 \cap X_2)=1-\frac{\sum_{h=1}^{L_{12}} N_{h12} \sigma_{h12}^2}{N^2 \sigma^2} \quad (7)$$

Where $q(X_1 \cap X_2)$ denotes the joint explanatory power of two explanatory variables X_1 and X_2 for response variable Y . L represents the number of combined strata generated by overlaying the two explanatory variables. N_h and N represent the number of samples within combined stratum h and the total number of samples, respectively. σ_h^2 and σ^2 represents the variance of Y within combined stratum h and the overall dataset, respectively.

The interaction type was determined by comparing the interaction q-value, $q(X_1 \cap X_2)$ with the individual q-values of X_1 and X_2 . Following the standard Geographical Detector classification, interactions were categorized as follows: independent enhancement when $q(X_1 \cap X_2) \leq \min(q(X_1), q(X_2))$, bilinear enhancement when $q(X_1 \cap X_2) > \max(q(X_1), q(X_2))$, and nonlinear enhancement when $q(X_1 \cap X_2) > q(X_1) + q(X_2)$. All pairwise combinations of explanatory variables were evaluated to identify whether combined spatial stratification provided stronger explanatory power than individual variables alone.

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西]: 段落间距段后: 0 磅

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西]: 缩进: 首行缩进: 2 字符, 段落间距段

删除[西西]: The Geographical Detector model (Geodetec

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: The formula is as follows:

设置格式[西西 [2]]: 非突出显示

删除[西西]:

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

删除[西西]: <math>

设置格式[西西]: 右, 缩进: 首行缩进: 0 字符

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: quantifying the extent to which the independent

设置格式[西西 [2]]: 非突出显示

删除[西西]: accounts

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: the spatial heterogeneity of the dependent

设置格式[西西 [2]]: 非突出显示

删除[西西]: a

删除[西西]: , defined by the categorization of the independent

设置格式[西西 [2]]: 字体: (默认) Times New Roman

330	3.3.4 Statistical significance and robustness assessment	设置格式[西西 [2]]: 字体: (默认) Times New Roman, 10 磅, 加粗, 非突出显示
331	<u>The statistical significance of q-statistics was evaluated using permutation tests. For each explanatory variable,</u>	设置格式[西西 [2]]: 非突出显示
332	<u>the observed q-statistic was compared with the distribution of q-statistics obtained by randomly permuting the</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman, 10 磅, 非突出显示
333	<u>response variable while keeping the explanatory variable unchanged. This procedure was repeated to estimate</u>	设置格式[西西]: 缩进: 首行缩进: 0 字符
334	<u>the probability that the observed spatial explanatory power could arise by random chance.</u>	删除[西西]: 6
335	<u>The corresponding p-values were calculated for both factor detector and interaction detector results. A</u>	设置格式[西西 [2]]: 非突出显示
336	<u>smaller p-value indicates stronger statistical evidence that the observed q-statistic differs from random</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman, 10 磅, 非突出显示
337	<u>expectations. Statistical significance was assessed using a threshold of p<0.05.</u>	删除[西西]: factor interactions can be identified as
338	<u>To evaluate the robustness of the Geographical Detector results, sensitivity analyses were conducted for</u>	independent, bilinear enhancement ($q(\cap) > \max(q_i, q_j)$), or nonlinear enhancement ($q(\cap) > q_i + q_j$). By comparing interaction q-values with
339	<u>alternative discretization schemes and numbers of strata. The stability of explanatory power under different</u>	individual q-values, interactions were classified as ...
340	<u>parameter settings was assessed using variations in q-statistics and coefficient of variation (CV). Detailed</u>	设置格式[西西 [2]]: 非突出显示
341	<u>sensitivity results are provided in Supplementary Table S10.</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman, 10 磅, 加粗, 非突出显示
342	4 Spatiotemporal characteristics analysis of global earthquake events	删除[西西]: Temporal trends of global earthquake events
343	4.1 Temporal trends and period-based variations of global earthquake disaster impacts	设置格式[西西 [2]]: 非突出显示
344	<u>Inter-annual variability in global earthquake impacts from 1980 to 2024 reveals distinct and contrasting trends</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman, 10 磅, 加粗, 非突出显示
345	<u>across different indicators (Figure 2). Trend descriptions below refer to the transformed values for</u>	删除[西西]: 4.1.1 Inter-annual trend analysis of global earthquake events
346	<u>impact-related indicators and original values for event counts, following the preprocessing procedures described</u>	删除[枫笙]:
347	<u>in Section 3.</u>	设置格式[西西 [2]]: 字体颜色: 蓝色, 非突出显示
348	The number of recorded earthquake disaster events in the EM-DAT database shows a clear upward trend	设置格式[西西 [2]]: 非突出显示
349	(slope = 0.15). The MK test indicates that this upward trend is statistically significant after considering lag-1	设置格式[西西 [2]]: 字体: (默认) Times New Roman, 字体颜色: 蓝色, 非突出显示
350	autocorrelation through pre-whitening correction (Supplementary Table S4). Cumulative affected population	设置格式[西西 [2]]: 非突出显示
351	exhibits only a slight upward trend with substantial year-to-year fluctuations, while the average affected	删除[枫蕭]: Figure. 12
352	population per event shows only a marginal increase over time. Several pronounced peaks in affected population,	设置格式[西西 [2]]: 字体: (默认) Times New Roman, 10 磅, 非突出显示
353	fatalities, and economic losses correspond to major catastrophic earthquakes, including the 2004 Sumatra	设置格式[西西 [2]]: 非突出显示
354	earthquake and Indian Ocean tsunami, the 2008 Wenchuan earthquake, the 2010 Haiti earthquake, the 2011	
355	Tohoku earthquake, and the 2023 Türkiye – Syria earthquake. These events substantially influenced short-term	
356	fluctuations in multiple indicators.	




Figure 2. Temporal trends of major global earthquake event impact indicators and associated extreme events during 1980-2024. a) Number of Recorded Earthquake Disaster Events; b) Cumulative Number of Affected People ; c) Mortality Rate ; d) Average Number of Affected People per Event; e) Cumulative Economic Losses; f) Cumulative Number of Fatalities; g) Average Economic Loss per Event; h) Average Number of Fatalities per Event. Major extreme earthquake disaster events associated with prominent peaks are annotated in red boxes, including representative earthquake and earthquake-tsunami compound disasters. Panel (a) is presented on the original scale. Because the remaining impact indicators exhibit strongly right-skewed distributions and include zero values, panels (b)-(h) display $\log_{10}(x+1)$ -transformed annual values. The red lines represent linear trends fitted to the displayed values, and the blue dashed lines indicate their corresponding means.

The mortality rate displays a mild downward tendency, and the MK test confirms a statistically significant decline over the study period (Supplementary Table S4), indicating reduced fatalities relative to affected populations. Cumulative economic losses also show a slight but statistically insignificant upward tendency, whereas average economic loss per event demonstrates a weak declining trend. The fitted trend remains associated with considerable uncertainty due to strong inter-annual fluctuations, as reflected by the 95% confidence intervals of regression estimates (Supplementary Fig. S4). In contrast, average fatalities per event show an apparent increasing tendency (slope = 12.73), which is strongly influenced by a limited number of catastrophic earthquakes with exceptionally high fatality levels. Because this indicator is calculated as cumulative fatalities divided by the number of recorded events, its temporal variation reflects the combined

设置格式[枫萧]: 缩进: 首行缩进: 0 字符, 与下段同页

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[枫笙]:

设置格式[西西 [2]]: 字体: 小五, 非突出显示

删除[西西]:

删除[枫笙]: **Figure 错误! 未指定顺序。12**

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西]: 正文, 与下段同页

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: indicators in

删除[西西]: Number of Earthquakes

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西]: 两端对齐

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 8

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: trend, corresponding to a decline in fatalities

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman


effects of event frequency and extreme-event contributions. Therefore, the observed increase should not be interpreted as a generalized increase in fatality severity across all earthquake disasters, but rather as a shift toward greater concentration of fatalities in a small number of extreme events.

Although several catastrophic earthquakes substantially amplified short-term fluctuations in fatalities, affected population, and economic losses, sensitivity analyses excluding five extreme disasters (the 2004 Sumatra–Andaman earthquake and Indian Ocean tsunami, 2008 Wenchuan earthquake, 2010 Haiti earthquake, 2011 Great East Japan earthquake and tsunami, and 2023 Türkiye–Syria earthquake) indicate that the overall temporal tendencies remain generally consistent, although the magnitude of some trends changes (Supplementary Fig. S2 and Table S3). These results suggest that annual variations in earthquake disaster impacts reflect both underlying long-term temporal patterns and episodic extreme events, rather than being solely attributable to a limited number of catastrophic disasters.

To further examine whether temporal variations reflected changes in the distributional structure of earthquake disaster events, kernel density estimation (KDE) and Gaussian mixture modeling (GMM) were applied to evaluate potential multimodal characteristics of major impact indicators across different periods. The results show that several indicators exhibit multimodal distributions, suggesting substantial heterogeneity in the composition of recorded earthquake disaster events across time periods. Detailed multimodality test results based on KDE modes, optimal GMM components, and distributional classifications are provided in Supplementary Table S11, with corresponding density distributions illustrated in Supplementary Fig. S5.

To further examine whether earthquake disaster impacts differed across broader temporal stages, the 45-year study period was divided into three consecutive 15-year intervals (1980–1994, 1995–2009, and 2010–2024). This period-based comparison complements the annual trend analysis by focusing on differences in impact levels among distinct time windows. Eight earthquake event indicators were examined across three consecutive 15-year periods (Figure 3). Most indicators—including mortality rate, cumulative deaths, affected population, and their event-normalized counterparts—showed their highest values during the second period (1995–2009). In contrast, economic indicators showed a slightly different pattern: although cumulative and per-event economic losses remained high during the third period (2011–2024), their values were slightly lower than those of the second period. Earthquake frequency also increased markedly in the second period and then declined slightly in the third, while remaining above the level observed in the first period. In the most recent period, substantial reductions in cumulative and per-event fatalities and affected populations led to a pronounced decline in mortality rates. These results indicate a recent reduction in the fatality ratio of recorded earthquake disasters, occurring alongside persistently high—though slightly reduced—levels of economic exposure.

- 删除[西西]: In contrast, average deaths per event reveal a
- 设置格式[西西 [2]]: 非突出显示
- 删除[西西]: Overall, the inter-annual analysis reveals a
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 删除[西西]: 1
- 设置格式[西西 [2]]: 非突出显示
- 删除[西西 [2]]: ; Supplementary
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 删除[西西]: 1
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 删除[西西]: 5
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 删除[西西]: 3
- 设置格式[西西 [2]]: 非突出显示
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman
- 删除[西西]: earthquake occurrence and event consequenc
- 设置格式[西西 [2]]: 非突出显示
- 删除[西西]: 4.1.2 Multi-period trend analysis based on
- 设置格式[西西 [2]]: 字体: (默认) Times New Roman



设置格式[枫笙]: 与下段同页

Figure 3. Analysis of changes in global earthquake event indicators from 1980 to 2024. NOE represents number of earthquakes, CNAI represents cumulative number of affected people, CEL represents cumulative economic losses, CDT represents cumulative number of fatalities, AAPE represents average number of affected people per event, AELPE represents average economic loss per event, ADPE represents average number of fatalities per event, MR represents mortality rate.

Together, the annual trend analysis and period-based comparison indicate that changes in recorded earthquake disaster event frequency were not accompanied by uniform changes in all impact indicators. Instead, different dimensions of earthquake disaster impacts exhibited distinct temporal patterns. While mortality-related indicators showed a decreasing tendency in the most recent period, economic impacts remained relatively high, and several catastrophic events continued to contribute substantially to annual fluctuations.

4.2 Multi-scale spatial patterns and redistribution of recorded earthquake disaster impacts

The spatial distribution of recorded earthquake disaster impacts reflects the combined configuration of seismic characteristics, population exposure, and socioeconomic conditions. To characterize spatial heterogeneity across different geographical contexts, analyses were conducted at three complementary scales. Continental-scale comparisons were used to identify broad regional differences in impact contributions, national-scale analyses were applied to examine cross-country heterogeneity in impact magnitude and temporal trends, and statistical centroid analysis was used to characterize temporal redistribution of recorded earthquake disaster impacts across global and tectonic-region scales. Together, these analyses describe where earthquake disaster impacts are concentrated, how their spatial patterns differ among regions, and how their statistical distributions change over time.

4.2.1 Global regional concentration of earthquake disaster impacts

Continental-scale comparisons provide a broad overview of regional differences in recorded earthquake disaster impacts during 1980–2024 (Supplementary Fig. S6). Asia accounts for the largest contributions to most cumulative indicators, including the number of recorded earthquake disaster events, cumulative affected population, cumulative fatalities, and cumulative economic losses. This pattern is associated with extensive earthquake exposure, large populations, and the concentration of disaster records within major seismic regions.

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[枫笙]:

删除[枫箫]: **Figure 232**

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: 小五, 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: By integrating inter-annual variability with

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: **Multi-scale spatial patterns of global major**

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: The spatial distribution of global earthquake

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: **Continental differences of global major**

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西 [2]]: This pattern reflects the combined influence

设置格式[西西 [2]]: 字体: (默认) Times New Roman

434 However, normalized impact indicators show different continental patterns. Mortality-related indicators
435 and average fatalities per event exhibit relatively higher contributions from some regions despite their smaller
436 share of total recorded events, indicating that a limited number of high-impact disasters can substantially
437 influence per-event impact metrics. Similarly, Europe shows relatively low contributions to recorded earthquake
438 frequency but a comparatively higher contribution to average economic loss per event. The contribution of
439 major earthquake events indicates that such continental-scale differences can be strongly affected by a small
440 number of high-loss events (Supplementary Fig. S7).

441 Overall, continental-scale comparisons demonstrate that the spatial distribution of earthquake disaster
442 impacts varies substantially among impact dimensions. The continental composition of the eight earthquake
443 impact indicators is shown in Supplementary Fig. S6, while the contribution of major individual events is
444 further examined in Supplementary Fig. S7.

445 **4.2.2 National-scale heterogeneity of earthquake disaster impacts**

446 National-scale analyses reveal substantial spatial heterogeneity in both the magnitude and temporal
447 characteristics of recorded earthquake disaster impacts (Supplementary Fig. S8). Countries located along major
448 seismic belts, including regions in East and Southeast Asia, the Mediterranean region, and western South
449 America, generally exhibit higher levels of recorded earthquake events and cumulative impacts.

450 The spatial patterns of different impact indicators are not identical. Countries with large populations, such
451 as China, India, and Indonesia, contribute substantially to cumulative affected population and fatalities, whereas
452 countries with concentrated economic assets, including Japan, the United States, and several European countries,
453 show higher levels of economic losses. These differences indicate that earthquake disaster impacts represent
454 multiple dimensions associated with event characteristics, population exposure, and socioeconomic context.

455 Temporal trend statistics further reveal heterogeneous patterns among countries (Fig. S7). Significant
456 increases or decreases occur only in specific regions and for particular indicators, while many countries show
457 non-significant temporal variations. This suggests that changes in recorded earthquake disaster impacts do not
458 follow a uniform global pattern but vary among national contexts.

459 **4.2.3 Temporal redistribution of statistical centroids across tectonic regions**

460 Statistical centroid analysis was used to characterize temporal changes in the spatial distribution of recorded
461 earthquake disaster impacts. These centroids represent the statistical centers of EM-DAT-recorded disaster
462 events or impact-weighted distributions, rather than physical earthquake locations or shifts in seismic activity.

463 At the global scale, the unweighted centroid showed a northeastward redistribution during 1980 – 2024
464 (Figure 4a,b). The centroid moved from 32.27° E, 21.89° N in 1980 – 1994 to 50.41° E, 21.75° N in 1995 –
465 2009, corresponding to a displacement of 1872.4 km ($p = 0.0024$). It subsequently shifted to 57.77° E, 20.72°
466 N in 2010 – 2024, with a smaller displacement of 770.4 km, which was not statistically significant ($p = 0.1767$)
467 (Supplementary Table S6; Supplementary Table S7). These changes indicate temporal redistribution of recorded
468 earthquake disaster events rather than a migration of seismic activity.

设置格式[西西]: 缩进: 首行缩进: 2 字符

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 8

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: 10 磅, 字体颜色: 自动设置

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

删除[枫笙]:

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 7

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: Continental-scale comparison provides a

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西]: 正文, 缩进: 首行缩进: 2 字符

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: Spatiotemporal variability analysis of glot

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 7

设置格式[西西 [2]]: 非突出显示




Figure 4. Spatiotemporal evolution of global and plate-scale earthquake disaster impact centroids and spatial dispersion patterns from 1980 to 2024. a) Global standard deviation ellipses and centroid trajectories of recorded earthquake disaster impacts across four periods; b) Global centroid displacement trajectory; c) Centroid shifts within the American tectonic region; Centroid shifts within the d) African tectonic region, e) Eurasian tectonic region, f) Indian Ocean tectonic region, and g) Pacific Plate. The plate boundary data were from the global plate boundary dataset (Bird, 2003b).

Weighted centroids showed distinct spatial patterns among different impact dimensions. During 1980–2024, population-weighted, fatality-weighted, and economic-loss-weighted centroids were located differently from the unweighted centroid, reflecting the uneven spatial distribution of affected populations, fatalities, and economic losses (Figure 4; Supplementary Table S6). For example, the fatality-weighted centroid shifted from 32.82°E, 30.00°N to −26.78°E, 23.40°N, with a displacement of 11,463.3 km between 1995–2009 and 2010–2024 ($p = 0.0259$), whereas economic-loss-weighted centroids showed a large but statistically uncertain shift during the same period (998.0 km, $p = 0.8334$) (Supplementary Table S7).


At the tectonic-region scale, centroid displacement varied substantially among regions (Figure 4c-g;

设置格式[西西 [2]]: 非突出显示

设置格式[枫萧]: 缩进: 首行缩进: 0 字符, 与下段同页

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: 小五, 非突出显示



删除[枫萧]:

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[枫萧]: 正文, 与下段同页

删除[西西 [2]]: Spatiotemporal evolution of global and

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西 [2]]: centroid trajectories of seismic events

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西 [2]]: Centroid shifts on the American Plate

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西 [2]]: on

设置格式[西西 [2]]: 字体: (默认) Times New Roman

Supplementary Table S7). Significant shifts were mainly observed for selected weighting schemes, including the Eurasian Plate (unweighted centroid: 1011.7 km, $p = 0.008$; 1980–1994 to 1995–2009), the Indian Ocean Plate (unweighted centroid: 3539.5 km, $p = 0.0224$; 1995–2009 to 2010–2024), and several fatality-weighted trajectories. In contrast, most centroid changes on the American, Pacific, and African plates were not statistically significant. Detailed centroid coordinates, uncertainty intervals, displacement confidence intervals, and permutation-test results are provided in Supplementary Table S6 and Supplementary Table S7.

Sensitivity analyses excluding five catastrophic earthquake disasters (the 2004 Sumatra–Andaman earthquake and Indian Ocean tsunami, the 2008 Wenchuan earthquake, the 2010 Haiti earthquake, the 2011 Great East Japan earthquake and tsunami, and the 2023 Türkiye–Syria earthquake) showed that most centroid displacement patterns remained comparable, although the magnitude of some shifts decreased after removing extreme events (Supplementary Table S8).

Overall, centroid analysis reveals temporal changes in the spatial distribution of recorded earthquake disaster impacts across global and tectonic-region scales. These changes reflect variations in the statistical distribution of disaster records and impact dimensions, rather than spatial movement of earthquake sources or tectonic processes.

4.3 Spatial associations of global earthquake disaster impacts based on Geographical Detector

4.3.1 Individual associations of explanatory factors with earthquake impacts

The factor detector results reveal distinct differences in the spatial explanatory power of individual factors for earthquake mortality and economic impacts (Figure 5a,c; Table 2). For mortality measured by deaths per million residents, earthquake magnitude shows the highest explanatory power ($q = 0.17$), followed by seismotectonic type ($q = 0.08$) and disaster process type ($q = 0.05$). Socioeconomic exposure represented by population density and GDP per capita shows relatively lower but still detectable spatial explanatory power ($q = 0.04$ and 0.03 , respectively). Focal depth and tectonic setting exhibit limited individual explanatory power ($q = 0.04$ and 0.03).

Table 2. Results of the single-factor detector for earthquake disaster impacts.

Variable	q-value (Deaths per million)	p-value	q-value (Loss/GDP)	p-value
Magnitude	0.1687	<0.001	0.1880	<0.001
Focal depth	0.0408	<0.001	0.0544	0.002
GDP per capita	0.0282	0.007	0.0662	<0.001
Population density	0.0450	<0.001	0.1422	<0.001
Tectonic setting	0.0318	<0.001	0.0459	<0.001
Seismotectonic type	0.0804	<0.001	0.1204	<0.001
Disaster process type	0.0452	<0.001	0.0475	<0.001

For economic losses normalized by GDP, magnitude remains the strongest individual factor ($q = 0.19$), followed by population density ($q = 0.14$) and seismotectonic type ($q = 0.12$) (Figure 5c; Table 2). GDP per capita shows moderate explanatory power ($q = 0.07$), whereas focal depth, disaster process type, and tectonic setting exhibit relatively weaker individual associations ($q \leq 0.05$).

Overall, the factor detector results indicate that no single variable independently explains the spatial differentiation of earthquake impacts. Instead, earthquake magnitude and event characteristics provide relatively strong individual spatial associations, while socioeconomic exposure indicators become particularly relevant for explaining variations in economic losses.




Figure 5. Geographical Detector results for spatial explanatory power of factors associated with global earthquake disaster impacts. (a) Individual q -statistics of explanatory factors for fatalities per million residents based on the factor detector; (b) interaction q -statistics of factor pairs for fatalities per million residents based on the interaction detector; (c) individual q -statistics of explanatory factors for standardized economic loss based on the factor detector; and (d) interaction q -statistics of factor pairs for standardized economic loss based on the interaction detector.

4.3.2 Interactive associations among explanatory factors

Interaction detector results indicate widespread enhancement of spatial explanatory power when multiple factors are considered jointly (Figure 5b,d; Supplementary Tables S12, S13 and S14). For mortality outcomes, most factor pairs exhibit bilinear or nonlinear enhancement, indicating that the spatial differentiation of fatalities per million residents is better explained by combinations of earthquake characteristics and socioeconomic conditions than by individual variables alone.

Among mortality-related interactions, magnitude–population density shows the highest joint explanatory power ($q = 0.33$), followed by magnitude–GDP per capita ($q = 0.27$) and magnitude–tectonic setting ($q = 0.25$) (Fig. 5b; Supplementary Table S13). These results indicate that the spatial differentiation of earthquake mortality is associated with the combined spatial configuration of seismic severity and population exposure.

For standardized economic loss, interaction explanatory power is generally higher than that observed for mortality (Figure 5d; Supplementary Table S14). Several factor combinations show relatively strong joint explanatory power, including population density–GDP per capita ($q = 0.53$), focal depth–tectonic setting ($q = 0.47$), and population density–focal depth ($q = 0.33$). These results suggest that economic impact patterns are associated with the combined spatial characteristics of earthquake processes and socioeconomic exposure.

541	<u>Overall, interaction detection results demonstrate that the combination of explanatory variables provides</u>	
542	<u>stronger spatial explanatory power than individual factors in many cases. However, these interactions represent</u>	
543	<u>enhanced statistical spatial associations rather than causal relationships.</u>	删除[西西]: Interaction detector results indicate that ...
544	4.3.3 <u>Comparison between mortality and economic impact patterns</u>	设置格式[西西 [2]]: 非突出显示
545	<u>The Geographical Detector results reveal different spatial association patterns between earthquake mortality and</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman ...
546	<u>economic losses. Mortality per million residents is more closely associated with earthquake characteristics,</u>	
547	<u>particularly magnitude and seismotectonic context, whereas economic loss relative to GDP shows stronger</u>	设置格式[西西 [2]]: 非突出显示
548	<u>associations with population exposure and socioeconomic conditions.</u>	设置格式[西西 [2]]: 字体: 10 磅, 非突出显示
549	<u>This difference suggests that mortality and economic consequences represent distinct dimensions of</u>	设置格式[西西 [2]]: 非突出显示
550	<u>earthquake disaster impacts. Fatality outcomes are more closely related to the severity and characteristics of</u>	
551	<u>earthquake events, while economic losses reflect the combined spatial configuration of hazard intensity, exposed</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman ...
552	<u>population, and economic conditions.</u>	删除[西西]: A coupled human–environment interpreta ...
553	<u>Importantly, these results describe statistical spatial associations at the national scale and do not imply</u>	设置格式[西西 [2]]: 非突出显示
554	<u>causal relationships. Moreover, national-level analysis may mask subnational differences in exposure,</u>	
555	<u>vulnerability, and response capacity.</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman ...
556	5 Discussion	设置格式[西西]: 缩进: 首行缩进: 2 字符
557	<u>5.1 Synthesis of key findings</u>	删除[西西]: Taken together, the Geographical Detector re ...
558	<u>This study provides a multi-scale assessment of the spatiotemporal variations and spatial associations of global earthquake</u>	设置格式[西西 [2]]: 非突出显示
559	<u>disaster impacts from 1980 to 2024. The temporal analyses reveal that changes in recorded earthquake disaster frequency</u>	
560	<u>were not accompanied by consistent changes in all impact indicators. Although the number of recorded earthquake disaster</u>	设置格式[西西 [2]]: 字体: 小五, 非突出显示
561	<u>events increased over the study period, mortality rates declined, whereas economic losses remained relatively high and were</u>	
562	<u>strongly influenced by several extreme disasters. Similar divergence between earthquake occurrence, human losses, and</u>	
563	<u>economic consequences has been reported in global earthquake loss databases and risk assessments, where changes in</u>	
564	<u>exposure and economic concentration contribute to differences between hazard occurrence and disaster impacts (Daniell et</u>	设置格式[西西 [2]]: 非突出显示
565	<u>al., 2011; Silva et al., 2019). The increasing trend in average fatalities per event identified in this study should therefore be</u>	
566	<u>interpreted cautiously, because this indicator combines event frequency effects with the disproportionate contribution of a</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman ...
567	<u>small number of catastrophic earthquakes rather than representing a generalized increase in disaster impact severity.</u>	删除[西西 [2]]: representing a generalized increase in ...
568	<u>Spatial analyses further demonstrate that earthquake occurrences and earthquake impacts exhibit distinct spatial</u>	
569	<u>configurations. Recorded earthquake disasters remain concentrated along major tectonic regions, including the Pacific Ring</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman ...
570	<u>of Fire and the Alpine–Himalayan belt; however, the spatial distributions of fatalities, affected populations, and economic</u>	
571	<u>losses are not identical to the distribution of event frequency. Previous global earthquake risk studies have emphasized that</u>	设置格式[西西]: 缩进: 首行缩进: 2 字符
572	<u>disaster consequences depend not only on seismic hazard characteristics but also on the spatial distribution of exposed</u>	
573	<u>populations and economic assets (Jaiswal et al., 2010; Silva et al., 2019). Consistent with this perspective, the differences</u>	设置格式[西西 [2]]: 非突出显示
574	<u>between unweighted and impact-weighted centroid trajectories in this study indicate that different impact dimensions</u>	
575	<u>represent distinct spatial organizations of earthquake disaster consequences rather than simple variations in earthquake</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman ...
576	<u>occurrence.</u>	
577	<u>The Geographical Detector analysis further reveals that earthquake characteristics, population exposure, and</u>	
578	<u>socioeconomic conditions exhibit different levels of spatial explanatory power for earthquake mortality and economic losses.</u>	
579	<u>Interaction analyses show that combinations of multiple factors generally correspond to stronger spatial differentiation than</u>	
580	<u>individual factors alone. These results are consistent with the principle of spatial stratified heterogeneity underlying the</u>	

581	<u>Geographical Detector framework, which evaluates how explanatory variables correspond to spatial variations in geographic</u>	
582	<u>phenomena (Wang et al., 2010a; Wang et al., 2016). Importantly, these associations represent statistical spatial</u>	设置格式[西西 [2]]: 非突出显示
583	<u>correspondence rather than causal mechanisms.</u>	
584	<u>Overall, this study extends global earthquake impact assessments beyond the description of earthquake occurrence</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
585	<u>patterns by integrating temporal trends, multi-scale spatial analyses, and interaction-based spatial association analysis. The</u>	
586	<u>findings provide a comparative understanding of how earthquake characteristics, population exposure, and socioeconomic</u>	
587	<u>conditions jointly correspond to heterogeneous disaster impacts across regions, supporting global-scale earthquake risk</u>	
588	<u>assessment and preparedness planning.</u>	删除[西西]: This study provides a multi-scale synthesis o
589	5.2 Possible explanations for the observed spatiotemporal patterns	设置格式[西西 [2]]: 非突出显示
590	5.2.1 Spatial organization of earthquake characteristics, exposure, and disaster impacts	删除[西西 [2]]: Mechanisms behind the spatiotemporal
591	<u>The weighted centroid analyses reveal distinct spatial organizations among different dimensions of earthquake</u>	设置格式[西西 [2]]: 非突出显示
592	<u>disaster impacts. While unweighted centroids mainly represent the distribution of recorded earthquake disaster</u>	删除[西西]: 5.2.1 Human–Earth interactions shaping
593	<u>events, population-, fatality-, and economic loss-weighted centroids reflect different spatial patterns of human</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
594	<u>and economic consequences. These differences indicate that earthquake impacts are not spatially identical to</u>	设置格式[西西]: 段落间距段前: 12 磅, 段后: 12 磅, 3 级
595	<u>earthquake occurrence patterns, but are associated with the configuration of earthquake characteristics,</u>	
596	<u>population exposure, and socioeconomic conditions.</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
597	<u>Population- and fatality-weighted centroids show stronger concentration in regions where active tectonic</u>	设置格式[西西]: 缩进: 首行缩进: 2 字符
598	<u>settings overlap with high population exposure, consistent with previous global earthquake risk assessments</u>	
599	<u>emphasizing the importance of hazard – exposure relationships in explaining differences in disaster</u>	删除[西西 [2]]: emphasizing the importance of
600	<u>consequences (Jaiswal et al., 2010; Silva et al., 2019). The Geographical Detector results further indicate that</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
601	<u>earthquake characteristics, population density, and socioeconomic conditions exhibit different levels of spatial</u>	设置格式[西西 [2]]: 非突出显示
602	<u>explanatory power, while their combinations correspond to stronger spatial differentiation than individual</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
603	<u>factors alone.</u>	
604	<u>In contrast, economic loss-weighted centroids show greater concentration toward regions with high</u>	设置格式[西西 [2]]: 非突出显示
605	<u>economic activity and asset accumulation, reflecting differences between the spatial patterns of human losses</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
606	<u>and economic losses (Daniell et al., 2011; Silva et al., 2019). Overall, centroid variations represent changes in</u>	设置格式[西西 [2]]: 非突出显示
607	<u>the spatial distribution of recorded earthquake disaster impacts rather than migration of seismic activity or</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
608	<u>changes in tectonic processes.</u>	
609	5.2.2 Data uncertainty and robustness assessment	删除[西西]: The weighted centroid analyses reveal clear
610	<u>Although EM-DAT is one of the most widely used global disaster databases, uncertainties related to</u>	设置格式[西西 [2]]: 非突出显示
611	<u>database inclusion criteria and reporting consistency should be considered when interpreting the results.</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
612	<u>EM-DAT records earthquake disasters based on reported impacts rather than providing a complete catalogue of</u>	删除[西西]: Robustness and uncertainty assessment
613	<u>all earthquake occurrences. Therefore, temporal variations in recorded disaster events may reflect a combination</u>	设置格式[西西 [2]]: 非突出显示
614	<u>of changes in disaster frequency, impact thresholds, population exposure, and reporting practices. The increasing</u>	设置格式[西西 [2]]: 字体: (默认) Times New Roman
615	<u>number of recorded earthquake disasters identified in this study should consequently be interpreted as changes</u>	
616	<u>in recorded disaster impacts rather than direct evidence of increasing global seismic activity.</u>	删除[西西 [2]]: occurrence
617	<u>The robustness of temporal patterns was evaluated through multiple sensitivity analyses. Because</u>	
618	<u>event-normalized indicators are affected by the number and composition of recorded events, metrics such as</u>	
619	<u>average fatalities per event may reflect both changes in event frequency and the disproportionate contribution of</u>	
620	<u>extreme disasters. These indicators were therefore interpreted as supplementary measures of event-level impact</u>	
621	<u>characteristics rather than independent evidence of increasing earthquake severity. Excluding the five most</u>	

catastrophic earthquake disasters (the 2004 Sumatra–Andaman earthquake and Indian Ocean tsunami, 2008 Wenchuan earthquake, 2010 Haiti earthquake, 2011 Great East Japan earthquake and tsunami, and 2023 Türkiye–Syria earthquake) resulted in generally consistent temporal patterns, although the magnitude of some trends changed (Supplementary Fig. S2 and Table S3). Sensitivity analyses using different earthquake magnitude subsets ($M_w \geq 5$, $M_w \geq 6$, and $M_w \geq 7$) also showed that the overall interpretation of earthquake impact heterogeneity remained stable under different event compositions (Supplementary Table S15).

Uncertainty in spatial redistribution analysis was assessed using bootstrap resampling of centroid locations and displacement distances. Because centroid estimates can be sensitive to individual high-impact events, confidence intervals were derived from resampled centroid distributions rather than from single observed estimates. The resulting uncertainty ranges of centroid locations and migration distances are summarized in Supplementary Table S6. Therefore, centroid variations are interpreted as changes in the statistical distribution of recorded earthquake disaster impacts rather than migration of seismic activity or changes in tectonic processes.

The robustness of the Geographical Detector results was further examined through sensitivity analyses of variable discretization schemes. Alternative classification methods and numbers of strata were compared, and the selected schemes showed relatively stable q-statistic values across different settings (Supplementary Fig. S3; Tables S11–S12). These results support the stability of the identified spatial associations. However, the q-statistic and interaction results represent statistical explanatory power and enhanced spatial correspondence among factors, rather than causal effects or dynamic mechanisms.

Several limitations should still be considered when interpreting the findings. The completeness and accuracy of EM-DAT records may vary among countries and periods, particularly for economic loss information. In addition, GDP-normalized economic losses represent losses relative to aggregate global economic output and should not be interpreted as a direct measure of the economic burden experienced by individual affected countries. Finally, the national-scale analysis may mask subnational differences in exposure and disaster impacts.

5.2.3 Implications for earthquake risk assessment and preparedness planning

The spatial differentiation identified in this study provides implications for earthquake risk assessment and preparedness planning. Previous global earthquake risk assessments have demonstrated that disaster consequences are associated with not only seismic hazard characteristics but also the spatial distribution of exposed populations and economic assets (Jaiswal et al., 2010; Silva et al., 2019). Consistent with this perspective, the Geographical Detector results indicate that earthquake characteristics, population density, and socioeconomic conditions exhibit different levels of spatial explanatory power for earthquake mortality and economic losses. Therefore, regions where severe earthquake characteristics overlap with high population density or concentrated economic assets may represent priority areas for comparative risk screening and scenario-based assessment.

The distinction between mortality-related and economic-loss-related patterns further suggests that different impact dimensions require differentiated assessment strategies. Areas characterized by the combination of strong earthquake characteristics and dense population exposure may require greater attention to potential human losses and emergency preparedness, whereas regions with concentrated economic assets may require additional consideration of potential economic disruption. Similar distinctions between human and economic consequences have been emphasized in global earthquake loss assessments, where exposure characteristics strongly influence the distribution of observed impacts (Daniell et al., 2011; Silva et al., 2019).

Furthermore, the centroid analyses demonstrate that the spatial distribution of earthquake occurrences does

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 1

设置格式[西西 [2]]: 非突出显示

删除[西西 [2]]: ; Supplementary

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 1

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 0

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 2

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: 5

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

删除[西西]: Although EM-DAT is currently one of the m

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: (默认) Times New Roman

设置格式[西西 [2]]: 字体: (默认) Times New Roman

not fully represent the distribution of disaster consequences. Therefore, earthquake risk assessment and preparedness planning should incorporate both seismic information and spatial exposure characteristics rather than relying solely on the location or frequency of earthquake events. These findings support integrated approaches that combine hazard characterization with exposure assessment for global-scale earthquake risk management.

5.2.4 Future research directions

Several limitations identified in this study provide directions for future research. First, although EM-DAT enables global-scale comparison of earthquake disaster impacts, national-level analyses may not capture within-country differences in population exposure, economic assets, and disaster consequences. Future studies could incorporate higher-resolution exposure and socioeconomic datasets to better characterize subnational variations in earthquake impacts.

Second, the present analysis focuses on recorded disaster impacts and available global explanatory variables. Integrating more detailed seismic intensity information, building characteristics, and asset-level exposure data may improve the interpretation of differences between earthquake characteristics and observed losses.

Third, future research could further examine how changes in population distribution, economic development, and exposure patterns modify the spatial organization of earthquake impacts over time. Such extensions would help refine the assessment of evolving earthquake risk under changing social and environmental conditions.

6 Conclusion

This study investigated the spatiotemporal evolution and spatial differentiation of global earthquake disaster impacts from 1980 to 2024 by integrating temporal analysis, multi-scale spatial assessment, centroid-based metrics, and Geographical Detector analysis.

The results reveal a temporal divergence between recorded earthquake disaster frequency and impact consequences. Although recorded earthquake disasters and cumulative economic losses increased over the study period, mortality-related indicators showed an overall declining tendency, indicating that different dimensions of earthquake impacts follow distinct temporal trajectories.

Spatial analyses demonstrate substantial heterogeneity across continents, countries, and tectonic regions. While earthquake disasters remain concentrated along major tectonic belts, the spatial distributions of fatalities, affected populations, and economic losses differ markedly. Centroid analyses further show that different impact dimensions exhibit distinct spatial organizations, and centroid shifts represent changes in recorded disaster impact distributions rather than changes in seismic activity.

The Geographical Detector results indicate that earthquake characteristics, population density, and socioeconomic conditions are statistically associated with spatial differences in earthquake impacts, while factor interactions generally correspond to stronger spatial differentiation than individual factors alone. These findings highlight the importance of integrating hazard characteristics with exposure and socioeconomic context for global earthquake risk assessment, preparedness planning, and exposure-informed resilience strategies.

删除[西西]: The differentiated spatial patterns identified in this study highlight the importance of integrating physical hazard information with socioeconomic and exposure conditions in earthquake disaster governance. The increasing availability of near-real-time seismic observations, remote

设置格式[西西 [2]]: 非突出显示

删除[西西]: 5.2.4 Implications for dynamic earthquake risk governance
To further evaluate the relative economic burden of earthquake disasters, we calculated GDP-normalized losses for each study period using the ratio of total earthquake economic losses

删除[西西]: 6

设置格式[西西 [2]]: 字体: (默认) Times New Roman, 10 磅, 非突出显示

设置格式[西西]: 缩进: 首行缩进: 2 字符

删除[西西]: Future work should incorporate near-real-time seismic and socio-environmental data, develop dynamic models to track evolving risk landscapes, and examine compound hazards involving interactions between seismic activity and climatic extremes. Integrating machine learnin

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 字体: (默认) Times New Roman, 10 磅, 非突出显示

设置格式[西西]: 缩进: 首行缩进: 2 字符

删除[西西 [2]]: occurrence

删除[西西]: This study analyzed the spatiotemporal evolution of global earthquake impacts from 1980 to 2024 and examined national-scale factors associated with cross-country differences in event impacts. By integrating long-term temporal analysis, multi-scale spatial assessment,

设置格式[西西 [2]]: 非突出显示

设置格式[西西]: 缩进: 首行缩进: 2 字符

703 **Code and Data Availability**

704 The earthquake event data used in this study were obtained from the Emergency Events Database (EM-DAT).
705 Socioeconomic, environmental, governance, and health-related datasets were collected from publicly accessible
706 international databases, including the World Bank and the World Health Organization. Processed data and
707 analysis code supporting the findings of this study are available from the corresponding author upon reasonable
708 request.

709 **Author Contributions**

710 Zekang Zhang: formal analysis, data curation, visualization, writing—original draft preparation, manuscript
711 formatting; Yingqiao Qiu: methodology; Yanjun Ye: conceptualization, writing—review and editing, supervision;
712 Chaoran Xuan: data curation. All authors have read and agreed to the published version of the manuscript.

713 **Conflict of Interest**

714 The authors declare no conflict of interest.

715 **References**

716 Aksha, S. K. and Khanal, S.: An analysis of social vulnerability to natural hazards in Nepal, *International*
717 *Journal of Disaster Risk Science*, 10, 310-324, <https://doi.org/10.1007/s13753-018-0192-7>, 2019.

718 Anbarci, N., Escaleras, M., and Register, C. A.: Earthquake fatalities: The interaction of nature and political
719 economy, *Journal of Public Economics*, 89, 1907-1933, <https://doi.org/10.1016/j.jpubeco.2004.08.002>, 2005.

720 Ansari, A., Al-Awadhi, T., Al-Rawas, G., and Al-Busaidi, A.: Integrated GIS–AHP based assessment of
721 earthquake vulnerability and risk in residential areas of Al-Seeb, Muscat Governorate (Oman), *Scientific*
722 *Reports*, 15, 17618, <https://doi.org/10.1038/s41598-025-17618-6>, 2025.

723 Bird, P.: An updated digital model of plate boundaries, *Geochemistry, Geophysics, Geosystems*, 4, 1027,
724 <https://doi.org/10.1029/2001gc000252>, 2003a.

725 Bird, P.: PB2002: Plate Boundary and Tectonic Data (2003) [dataset], 2003b.

726 Burton, I.: Understanding risk in a changing world, *Natural Hazards*, 78, 1951-1968,
727 <https://doi.org/10.1007/s11069-015-1950-3>, 2015.

728 Casella, G. and Berger, R. L.: Statistical Inference, Duxbury Press, Pacific Grove, CA, 2002.

729 Cohen, M. and Werker, E.: The political economy of “natural” disasters, *Journal of Conflict Resolution*, 52,
730 795-819, <https://doi.org/10.1177/0022002708321421>, 2008.

731 CRED: Protocols: <https://doc.emdat.be/print/docs/protocols/>, 2023.

732 CRED: EM-DAT - The International Disaster Database (2024) [dataset], 2024.

733 Cutter, S. L.: Facing global environmental change: Piecing together the human exposure mosaic, *Annals of the*
734 *American Association of Geographers*, 111, 897-903, <https://doi.org/10.1080/24694452.2021.1881107>, 2021.

735 Daniell, J. E., Khazai, B., Wenzel, F., and Vervaeck, A.: The CATDAT damaging earthquakes database, *Nat.*
736 *Hazards Earth Syst. Sci.*, 11, 2235-2251, <https://doi.org/10.5194/nhess-11-2235-2011>, 2011.

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

删除[西西 [2]]: last

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

设置格式[西西 [2]]: 默认段落字体, 字体: (默认) Times
New Roman, 非突出显示

设置格式[西西 [2]]: 非突出显示

