

Supplementary material for:

Toward shellfish aquaculture circularity: stimulating mussel shell dissolution in marine sediments

Cedric Goossens, Steven Bouillon, Filip J. R. Meysman, Sebastiaan J. van de Velde

Correspondence to: Cedric Goossens (Cedric.Goossens@uantwerpen.be)

Table of contents:

Figure S1. Oxygen saturation changes versus incubation time.

Figure S2. Dissolved inorganic concentration changes versus incubation time.

Figure S3. Total alkalinity concentration changes versus incubation time.

Figure S4. Nitrate concentration changes versus incubation time.

Figure S5. Ammonium concentration changes versus incubation time.

Figure S6. Linear regressions of $\delta^{13}\text{C}$ -DIC over 1/DIC.

Figure S7. Pictures of shell-amended incubation chambers.

Table S1. Fluxes of oxygen, dissolved inorganic carbon, total alkalinity, nitrate, and ammonium

Table S2. Calcium carbonate dissolution fractions and rates.




Figure S1: Oxygen (O₂) saturation changes versus incubation time, shown for each control and treatment chamber per week.




Figure S2: Dissolved inorganic carbon (DIC) concentration changes versus incubation time, shown for each control and treatment chamber per week.




Figure S3: Total alkalinity (A_T) concentration changes versus incubation time, shown for each control and treatment chamber per week.




Figure S4: Nitrate (NO_3^-) concentration changes versus incubation time, shown for each control and treatment chamber per week.




Figure S5: Ammonium (NH₄⁺) concentration changes versus incubation time, shown for each control and treatment chamber per week.




Figure S6: Linear regressions of $\delta^{13}\text{C}$ -DIC over $1/\text{DIC}$ for each control and treatment chamber per week.



Figure S7: Pictures of shell-amended incubation chambers per week. A buildup of anoxia in the shell layer was observed, followed by the slow reoxygenation of the sediment. A picture of a control chamber, taken at the end of the experiment, was added for comparison.

Week	Treatment	Chamber	FO ₂	p-value	Model	FDIC	p-value	Model	FA _T	p-value	Model	FNO ₃ ⁻	p-value	Model	FNH ₄ ⁺	p-value	Model
1	Control	C1	6.1	<2.2E-16	Lin	6.9	4.8E-05	Lin	2.2	6.5E-05	Lin	-0.1	4.3E-03	Lin	0.0	2.5E-01	Lin
1	Control	C2	6.3	<2.2E-16	Lin	7.0	7.6E-07	Lin	2.6	3.7E-05	Lin	-0.1	2.3E-03	Lin	0.0	4.4E-01	Lin
1	Control	C3	6.3	<2.2E-16	Lin	7.0	3.5E-05	Lin	2.3	3.2E-05	Lin	-0.2	2.4E-03	Lin	0.0	5.5E-01	Lin
1	Treatment	C4	16.2	<2.2E-16	Lin	41.5	1.7E-02	Lin	21.8	2.3E-04	Quad	6.6	NA	Quad	4.9	NA	Quad
1	Treatment	C5	17.1	<2.2E-16	Lin	44.4	1.7E-02	Lin	21.7	5.6E-03	Quad	4.7	6.5E-01	Quad	6.7	NA	Quad
1	Treatment	C6	16.7	<2.2E-16	Lin	43.4	7.2E-03	Lin	14.3	3.6E-01	Quad	6.0	5.9E-02	Quad	3.7	NA	Quad
3	Control	C1	4.2	<2.2E-16	Lin	8.0	6.8E-04	Lin	3.9	9.6E-05	Lin	-0.1	2.8E-03	Lin	0.0	6.3E-01	Lin
3	Control	C2	4.7	<2.2E-16	Lin	8.1	3.9E-05	Lin	3.8	9.3E-06	Lin	-0.1	2.5E-04	Lin	0.0	1.7E-02	Lin
3	Control	C3	7.2	<2.2E-16	Lin	9.2	5.2E-07	Lin	3.1	3.6E-04	Lin	-0.1	7.7E-04	Lin	0.0	2.4E-02	Lin
3	Treatment	C4	18.1	<2.2E-16	Lin	36.2	2.7E-06	Lin	35.8	9.0E-07	Lin	1.1	9.1E-04	Lin	0.0	8.5E-02	Lin
3	Treatment	C5	17.2	<2.2E-16	Lin	35.2	1.1E-04	Lin	33.9	5.4E-06	Lin	1.0	5.7E-04	Lin	0.0	3.7E-01	Lin
3	Treatment	C6	17.6	<2.2E-16	Lin	36.9	1.6E-05	Lin	19.6	4.7E-04	Lin	1.0	1.7E-04	Lin	0.0	2.8E-01	Lin
5	Control	C1	3.7	<2.2E-16	Lin	8.1	3.7E-04	Lin	4.6	1.9E-05	Lin	-0.2	1.5E-02	Lin	0.0	3.2E-01	Lin
5	Control	C2	3.7	<2.2E-16	Lin	7.9	7.4E-05	Lin	4.5	1.7E-05	Lin	-0.3	7.3E-03	Lin	0.0	NA	Lin
5	Control	C3	5.1	<2.2E-16	Lin	7.6	5.5E-04	Lin	3.0	1.1E-03	Lin	-0.2	2.1E-02	Lin	0.0	3.0E-01	Lin
5	Treatment	C4	27.0	<2.2E-16	Lin	43.5	9.2E-06	Lin	38.7	3.2E-05	Lin	0.9	2.0E-04	Lin	0.0	3.2E-01	Lin
5	Treatment	C5	24.6	<2.2E-16	Lin	38.1	1.7E-05	Lin	36.3	9.7E-06	Lin	1.2	8.0E-04	Lin	0.0	3.2E-02	Lin
5	Treatment	C6	22.1	<2.2E-16	Lin	35.6	8.6E-06	Lin	27.2	3.1E-05	Lin	1.2	2.1E-04	Lin	0.0	1.9E-01	Lin
7	Control	C1	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin
7	Control	C2	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin
7	Control	C3	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin	NA	NA	Lin
7	Treatment	C4	NA	NA	Lin	NA	NA	Lin	51.6	7.3E-04	Lin	NA	NA	Lin	NA	NA	Lin
7	Treatment	C5	NA	NA	Lin	NA	NA	Lin	51.8	7.6E-04	Lin	NA	NA	Lin	NA	NA	Lin
7	Treatment	C6	NA	NA	Lin	NA	NA	Lin	40.7	5.1E-04	Lin	NA	NA	Lin	NA	NA	Lin
9	Control	C1	5.0	<2.2E-16	Lin	7.7	3.5E-06	Lin	5.4	4.8E-02	Lin	-0.4	1.7E-03	Lin	0.0	8.3E-01	Lin
9	Control	C2	3.6	<2.2E-16	Lin	6.2	2.9E-04	Lin	5.1	1.5E-02	Lin	-0.4	4.4E-04	Lin	-0.1	1.8E-01	Lin
9	Control	C3	4.1	<2.2E-16	Lin	5.9	1.5E-05	Lin	5.0	9.5E-02	Lin	-0.4	9.5E-02	Lin	0.0	5.6E-02	Lin
9	Treatment	C4	17.1	<2.2E-16	Lin	37.6	2.0E-05	Lin	38.4	1.2E-02	Lin	0.3	2.7E-02	Lin	0.0	9.8E-01	Lin
9	Treatment	C5	16.0	<2.2E-16	Lin	38.3	1.8E-06	Lin	40.8	3.1E-03	Lin	0.5	2.2E-03	Lin	0.0	3.2E-01	Lin
9	Treatment	C6	16.8	<2.2E-16	Lin	38.4	2.5E-07	Lin	49.7	1.9E-04	Lin	0.6	5.5E-04	Lin	0.0	1.3E-02	Lin
11	Control	C1	7.4	<2.2E-16	Lin	9.2	2.2E-05	Lin	3.5	1.7E-04	Lin	-0.1	1.4E-01	Lin	0.0	8.6E-01	Lin
11	Control	C2	5.9	<2.2E-16	Lin	8.4	3.0E-06	Lin	3.5	1.3E-04	Lin	-0.1	1.4E-01	Lin	0.0	2.6E-01	Lin
11	Control	C3	5.0	<2.2E-16	Lin	6.8	3.8E-04	Lin	2.2	6.1E-03	Lin	-0.1	5.6E-02	Lin	0.0	5.3E-01	Lin
11	Treatment	C4	16.3	<2.2E-16	Lin	38.4	1.4E-05	Lin	22.6	8.5E-05	Lin	0.4	8.2E-03	Lin	-0.1	1.4E-02	Lin
11	Treatment	C5	16.9	<2.2E-16	Lin	40.2	5.6E-06	Lin	25.1	1.1E-05	Lin	0.2	1.2E-01	Lin	0.0	1.5E-01	Lin
11	Treatment	C6	16.9	<2.2E-16	Lin	39.4	1.2E-05	Lin	26.7	8.1E-05	Lin	0.0	1.3E-01	Lin	0.0	1.0E-01	Lin
13	Control	C1	6.7	<2.2E-16	Lin	8.6	1.9E-05	Lin	3.3	4.2E-06	Lin	-0.1	3.7E-02	Lin	0.0	2.0E-01	Lin
13	Control	C2	7.3	<2.2E-16	Lin	8.7	9.1E-05	Lin	2.7	5.9E-03	Lin	-0.1	1.3E-01	Lin	0.0	8.7E-01	Lin

13	Control	C3	6.2	<2.2E-16	Lin	6.8	5.7E-04	Lin	1.6	1.5E-05	Lin	-0.2	4.3E-04	Lin	0.0	1.0E-02	Lin
13	Treatment	C4	14.6	<2.2E-16	Lin	37.0	2.9E-06	Lin	19.8	1.9E-05	Lin	0.1	8.2E-02	Lin	0.0	5.4E-01	Lin
13	Treatment	C5	16.1	<2.2E-16	Lin	36.2	4.0E-05	Lin	20.8	3.2E-05	Lin	0.1	1.2E-02	Lin	0.0	1.5E-03	Lin
13	Treatment	C6	16.9	<2.2E-16	Lin	30.9	2.3E-04	Lin	22.9	5.9E-05	Lin	-0.1	1.7E-02	Lin	0.0	1.8E-01	Lin
15	Control	C1	6.3	<2.2E-16	Lin	7.4	2.8E-04	Lin	3.6	4.0E-04	Lin	-0.5	4.0E-04	Lin	0.0	5.6E-01	Lin
15	Control	C2	7.0	<2.2E-16	Lin	7.1	1.5E-03	Lin	3.7	2.8E-04	Lin	-0.7	1.2E-04	Lin	0.0	9.0E-02	Lin
15	Control	C3	6.5	<2.2E-16	Lin	6.4	7.3E-03	Lin	2.1	1.1E-02	Lin	-0.6	2.2E-04	Lin	-0.1	1.0E-01	Lin
15	Treatment	C4	12.6	<2.2E-16	Lin	26.9	7.9E-04	Lin	26.5	1.3E-04	Lin	-0.7	5.2E-05	Lin	0.0	5.9E-01	Lin
15	Treatment	C5	14.2	<2.2E-16	Lin	28.3	5.6E-04	Lin	27.7	4.2E-05	Lin	-0.4	2.5E-02	Lin	0.0	6.5E-01	Lin
15	Treatment	C6	13.6	<2.2E-16	Lin	28.2	2.6E-04	Lin	31.9	3.9E-05	Lin	-1.2	6.2E-04	Lin	-0.1	1.3E-02	Lin
18	Control	C1	5.1	<2.2E-16	Lin	8.0	1.7E-04	Lin	2.7	3.9E-04	Lin	0.1	1.4E-02	Lin	0.1	1.2E-01	Lin
18	Control	C2	5.4	<2.2E-16	Lin	8.1	7.7E-07	Lin	3.1	5.3E-06	Lin	0.1	2.0E-04	Lin	0.0	1.4E-02	Lin
18	Control	C3	6.0	<2.2E-16	Lin	7.0	6.5E-04	Lin	1.5	4.8E-06	Lin	0.1	2.6E-04	Lin	0.0	6.0E-02	Lin
18	Treatment	C4	11.7	<2.2E-16	Lin	16.8	2.0E-04	Lin	8.5	1.8E-05	Lin	0.1	1.2E-03	Lin	0.0	7.1E-02	Lin
18	Treatment	C5	12.9	<2.2E-16	Lin	18.7	2.0E-05	Lin	9.0	1.5E-05	Lin	0.3	2.5E-04	Lin	0.0	6.4E-01	Lin
18	Treatment	C6	11.4	<2.2E-16	Lin	22.5	2.4E-05	Lin	13.5	2.8E-05	Lin	0.1	2.6E-03	Lin	0.0	4.6E-01	Lin
21	Control	C1	4.6	<2.2E-16	Lin	7.7	7.3E-05	Lin	3.1	1.1E-03	Lin	0.1	1.4E-02	Lin	0.0	9.0E-01	Lin
21	Control	C2	4.2	<2.2E-16	Lin	6.8	5.4E-04	Lin	3.2	2.4E-03	Lin	0.0	7.8E-02	Lin	0.0	4.5E-01	Lin
21	Control	C3	4.2	<2.2E-16	Lin	5.5	1.8E-03	Lin	1.5	2.5E-04	Lin	0.1	1.2E-01	Lin	0.0	1.0E-02	Lin
21	Treatment	C4	20.0	<2.2E-16	Lin	27.1	1.2E-03	Lin	10.0	5.3E-05	Lin	0.0	7.5E-01	Lin	0.0	5.7E-01	Lin
21	Treatment	C5	23.0	<2.2E-16	Lin	25.6	1.1E-03	Lin	10.5	5.3E-05	Lin	0.0	7.0E-01	Lin	0.0	6.4E-01	Lin
21	Treatment	C6	24.5	<2.2E-16	Lin	32.5	1.2E-03	Lin	11.1	6.2E-06	Lin	0.0	8.6E-01	Lin	0.0	3.1E-01	Lin
24	Control	C1	4.9	<2.2E-16	Lin	7.4	1.9E-05	Lin	3.0	1.8E-05	Lin	0.1	1.8E-03	Lin	0.0	9.1E-01	Lin
24	Control	C2	4.4	<2.2E-16	Lin	6.8	8.0E-05	Lin	3.1	1.8E-04	Lin	0.0	1.2E-02	Lin	0.0	5.7E-02	Lin
24	Control	C3	NA	NA	Lin	5.0	6.7E-04	Lin	1.7	1.3E-03	Lin	0.0	4.1E-02	Lin	0.0	3.2E-01	Lin
24	Treatment	C4	9.4	<2.2E-16	Lin	15.1	2.0E-04	Lin	6.4	2.6E-06	Lin	0.0	3.4E-01	Lin	0.0	2.1E-01	Lin
24	Treatment	C5	9.9	<2.2E-16	Lin	15.2	3.8E-06	Lin	7.4	4.7E-06	Lin	0.1	4.3E-02	Lin	0.0	5.2E-02	Lin
24	Treatment	C6	NA	NA	Lin	11.0	4.3E-03	Lin	5.3	4.7E-04	Lin	0.0	1.5E-01	Lin	0.0	5.5E-01	Lin

Table S1: Oxygen (O₂), dissolved inorganic carbon (DIC), alkalinity (A_T), nitrate (NO₃⁻), and ammonium (NH₄⁺) fluxes (F) calculated from the linear (lin) or quadratic (quad) regression of overlying water concentrations over time. All fluxes are expressed in mmol m⁻² d⁻¹, and corresponding p-values of the regression model are supplied. For quadratic models, the p-value of the quadratic term of the model is shown.

Week	Treatment	Chamber	f_carb	Intercept	p_value	R_diss
1	Control	C1	13.3	-21.1	6.5E-04	0.9
1	Control	C2	3.4	-22.9	5.6E-04	0.2
1	Control	C3	16.4	-19.5	1.3E-03	1.1
1	Treatment	C4	22.9	-17.4	1.5E-02	9.5
1	Treatment	C5	20.9	-17.3	1.4E-02	9.3
1	Treatment	C6	23.5	-16.5	8.1E-03	10.2
3	Control	C1	13.6	-21.0	8.4E-05	1.1
3	Control	C2	23.9	-18.2	1.0E-04	1.9
3	Control	C3	13.8	-20.2	6.6E-04	1.3
3	Treatment	C4	19.4	-18.2	1.0E-04	7.0
3	Treatment	C5	25.9	-16.2	2.0E-03	9.1
3	Treatment	C6	23.4	-16.5	2.5E-04	8.6
5	Control	C1	-9.8	-27.1	7.6E-03	NA
5	Control	C2	15.4	-20.1	6.4E-04	1.2
5	Control	C3	4.3	-22.5	6.4E-03	0.3
5	Treatment	C4	50.3	-11.4	2.6E-03	21.9
5	Treatment	C5	43.9	-12.5	1.8E-04	16.7
5	Treatment	C6	28.0	-15.5	1.4E-04	10.0
7	Control	C1	NA	NA	NA	NA
7	Control	C2	NA	NA	NA	NA
7	Control	C3	NA	NA	NA	NA
7	Treatment	C4	NA	NA	NA	NA
7	Treatment	C5	NA	NA	NA	NA
7	Treatment	C6	NA	NA	NA	NA
9	Control	C1	9.6	-22.1	8.1E-04	0.7
9	Control	C2	14.7	-20.3	3.8E-03	0.9
9	Control	C3	11.8	-20.7	1.4E-03	0.7
9	Treatment	C4	56.0	-10.2	1.4E-04	21.0
9	Treatment	C5	67.0	-7.7	2.2E-04	25.7
9	Treatment	C6	55.6	-9.8	8.7E-04	21.3
11	Control	C1	13.3	-21.1	7.0E-04	1.2
11	Control	C2	19.8	-19.2	2.4E-03	1.7
11	Control	C3	13.3	-20.3	4.6E-03	0.9
11	Treatment	C4	54.3	-10.5	1.8E-03	20.9
11	Treatment	C5	53.8	-10.5	5.2E-03	21.6
11	Treatment	C6	56.3	-9.6	1.8E-04	22.2
13	Control	C1	-4.6	-25.7	1.8E-04	NA
13	Control	C2	-6.5	-25.2	3.0E-03	NA
13	Control	C3	-9.1	-25.8	8.0E-03	NA
13	Treatment	C4	52.1	-11.0	2.8E-03	19.3
13	Treatment	C5	48.7	-11.5	7.3E-04	17.6
13	Treatment	C6	39.2	-13.2	1.1E-03	12.1
15	Control	C1	-9.1	-26.9	9.2E-03	NA
15	Control	C2	-6.2	-25.1	4.1E-03	NA
15	Control	C3	6.4	-22.0	2.7E-03	0.4
15	Treatment	C4	40.3	-13.6	4.5E-03	10.8
15	Treatment	C5	50.2	-11.2	1.1E-03	14.2
15	Treatment	C6	49.3	-11.1	6.3E-03	13.9
18	Control	C1	8.9	-22.3	9.7E-03	0.7
18	Control	C2	-2.8	-24.3	3.9E-04	NA
18	Control	C3	-9.1	-25.8	2.8E-05	NA
18	Treatment	C4	28.6	-16.2	1.0E-03	4.8
18	Treatment	C5	27.6	-15.9	3.3E-03	5.2
18	Treatment	C6	37.7	-13.5	1.4E-03	8.5
21	Control	C1	13.0	-21.2	3.1E-04	1.0
21	Control	C2	-0.8	-23.9	1.1E-03	NA
21	Control	C3	-8.5	-25.6	1.3E-02	NA
21	Treatment	C4	34.3	-14.9	8.4E-02	9.3
21	Treatment	C5	-3.3	-22.3	4.7E-02	NA
21	Treatment	C6	14.3	-18.4	3.1E-05	4.6

24	Control	C1	2.4	-23.9	1.2E-05	0.2
24	Control	C2	7.8	-21.9	2.6E-04	0.5
24	Control	C3	0.9	-23.3	3.4E-03	0.0
24	Treatment	C4	9.1	-20.5	8.3E-04	1.4
24	Treatment	C5	10.9	-19.3	1.5E-04	1.7
24	Treatment	C6	31.9	-14.7	2.5E-02	3.5

Table S2: Calcium carbonate dissolution fractions (f_{carb} , %) and rates (R_{diss} , $\text{mmol m}^{-2} \text{d}^{-1}$), calculated using the Keeling plot approach. Intercepts and p-values of the linear regression models are supplied.